



ID 1: Chryseobacterium.balustinum

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 2: Enterobacter.sp.

Temp = 5°C | Medium: TSB | Best model (AIC): Gompertz




ID 3: Pantoea.agglomerans.1

Temp = 5°C | Medium: TSB | Best model (AIC): Gompertz




ID 4: Pantoea.agglomerans.2

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 5: *Bacillus.pumilus*

Temp = 5°C | Medium: TSB | Best model (AIC): Quadratic




ID 6: *Clavibacter.michiganensis*

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 7: *Pseudomonas.fluorescens*.1

Temp = 5°C | Medium: TSB | Best model (AIC): Logistic




ID 8: *Pseudomonas.fluorescens*.2

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 9: *Acinetobacter.clacoaceticus.1*

Temp = 5°C | Medium: TSB | Best model (AIC): Logistic




ID 10: *Acinetobacter.clacoaceticus*.2

Temp = 5°C | Medium: TSB | Best model (AIC): Logistic




ID 11: *Stenotrophomonas.maltophilia*.1

Temp = 5°C | Medium: TSB | Best model (AIC): Logistic




ID 12: *Stenotrophomonas.maltophilia.2*

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 13: *Klebsiella.pneumonia*

Temp = 5°C | Medium: TSB | Best model (AIC): Gompertz




ID 14: Dickeya.zeae

Temp = 5°C | Medium: TSB | Best model (AIC): Quadratic




ID 15: Pectobacterium.carotovorum.subsp..Carotovorum.Pcc2

Temp = 5°C | Medium: TSB | Best model (AIC): Gompertz




ID 16: *Pantoea.agglomerans*.RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Gompertz




ID 17: *Dickeya.zeae*..RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Quadratic




ID 18: *Acinetobacter.clacoaceticus*.RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Logistic




ID 19: Stenotrophomonas.maltophilia..RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 20: Klebsiella.pneumonia..RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Quadratic




ID 21: Bacillus.pumilus..RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 22: *Clavibacter.michiganensis*..RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 23: Chryseobacterium.balustinum
Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 24: Enterobacter.sp.

Temp = 15°C | Medium: TSB | Best model (AIC): Cubic




ID 25: Pantoea.agglomerans.1

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 26: Pantoea.agglomerans.2

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 27: *Bacillus.pumilus*

Temp = 15°C | Medium: TSB | Best model (AIC): Cubic




ID 28: *Clavibacter.michiganensis*

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 29: *Pseudomonas.fluorescens.1*

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 30: *Pseudomonas.fluorescens.2*

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 31: Acinetobacter.clacoaceticus.1

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 32: Acinetobacter.clacoaceticus.2

Temp = 15°C | Medium: TSB | Best model (AIC): Gompertz




ID 33: *Stenotrophomonas.maltophilia.1*

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 34: Stenotrophomonas.maltophilia.2

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 35: Klebsiella.pneumonia

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 36: *Dickeya.zeae*

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 37: *Pectobacterium.carotovorum*.subsp..*Carotovorum*.Pcc2

Temp = 15°C | Medium: TSB | Best model (AIC): Gompertz




ID 38: *Pantoea.agglomerans*.RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 39: Dickeya.zeae..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 40: *Acinetobacter.clacoaceticus*..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 41: *Stenotrophomonas.maltophilia*..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 42: Klebsiella.pneumonia..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 43: *Bacillus.pumilus*..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Gompertz




ID 44: *Clavibacter.michiganensis*..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Cubic




ID 45: Chryseobacterium.balustinum

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 46: Enterobacter.sp.

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 47: *Pantoea.agglomerans*.1

Temp = 25°C | Medium: TSB | Best model (AIC): Cubic




ID 48: *Pantoea.agglomerans*.2

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 49: *Bacillus.pumilus*

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 50: *Clavibacter.michiganensis*

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 51: *Pseudomonas.fluorescens.1*

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 52: Pseudomonas.fluorescens.2

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 53: *Acinetobacter.clacoaceticus*.1

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 54: Acinetobacter.clacoaceticus.2

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 55: Stenotrophomonas.maltophilia.1

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 56: Stenotrophomonas.maltophilia.2

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 57: Klebsiella.pneumonia

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 58: Dickeya.zeae

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 59: *Pectobacterium.carotovorum*.subsp..*Carotovorum*.Pcc2

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 60: Pantoea.agglomerans..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 61: Dickeya.zeae..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 62: *Acinetobacter.clacoaceticus*..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 63: Stenotrophomonas.maltophilia..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 64: Klebsiella.pneumonia..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 65: Bacillus.pumilus..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 66: *Clavibacter.michiganensis*..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 67: Chryseobacterium.balustinum

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 68: Enterobacter.sp.

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 69: Pantoea.agglomerans.1

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 70: *Pantoea.agglomerans*.2

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 71: Bacillus.pumilus

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 72: *Clavibacter.michiganensis*

Temp = 35°C | Medium: TSB | Best model (AIC): Cubic




ID 73: Pseudomonas.fluorescens.1

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 74: Pseudomonas.fluorescens.2

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 75: *Acinetobacter.clacoaceticus*.1

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 76: *Acinetobacter.clacoaceticus.2*

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 77: Stenotrophomonas.maltophilia.1

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 78: Stenotrophomonas.maltophilia.2

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 79: Klebsiella.pneumonia

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 80: Dickeya.zeeae

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 81: *Pectobacterium.carotovorum*.subsp..*Carotovorum*.Pcc2

Temp = 35°C | Medium: TSB | Best model (AIC): Cubic




ID 82: Pantoea.agglomerans..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 83: Dickeya.zeae..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 84: *Acinetobacter.clacoaceticus*.RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 85: Stenotrophomonas.maltophilia..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 86: Klebsiella.pneumonia..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 87: *Bacillus.pumilus*..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 88: *Clavibacter.michiganensis*..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 89: Tetraselmis tetrahele

Temp = 5°C | Medium: ESAW | Best model (AIC): Gompertz




ID 90: Tetraselmis tetrahele

Temp = 5°C | Medium: ESAW | Best model (AIC): Gompertz




ID 91: Tetraselmis tetrahele

Temp = 5°C | Medium: ESAW | Best model (AIC): Gompertz




ID 92: *Tetraselmis tetrahele*

Temp = 5°C | Medium: ESAW | Best model (AIC): Logistic




ID 93: Tetraselmis tetrahele

Temp = 5°C | Medium: ESAW | Best model (AIC): Logistic




ID 94: Tetraselmis tetrahele

Temp = 8°C | Medium: ESAW | Best model (AIC): Gompertz




ID 95: Tetraselmis tetrahele

Temp = 8°C | Medium: ESAW | Best model (AIC): Logistic




ID 96: Tetraselmis tetrahele

Temp = 8°C | Medium: ESAW | Best model (AIC): Gompertz




ID 97: Tetraselmis tetrahele

Temp = 8°C | Medium: ESAW | Best model (AIC): Gompertz




ID 98: Tetraselmis tetrahele

Temp = 8°C | Medium: ESAW | Best model (AIC): Gompertz




ID 99: Tetraselmis tetrahele

Temp = 16°C | Medium: ESAW | Best model (AIC): Gompertz




ID 100: Tetraselmis tetrahele

Temp = 16°C | Medium: ESAW | Best model (AIC): Gompertz




ID 101: Tetraselmis tetrahele

Temp = 16°C | Medium: ESAW | Best model (AIC): Gompertz




ID 102: Tetraselmis tetrahele

Temp = 16°C | Medium: ESAW | Best model (AIC): Gompertz




ID 103: Tetraselmis tetrahele

Temp = 16°C | Medium: ESAW | Best model (AIC): Gompertz




ID 104: Tetraselmis tetrahele

Temp = 25°C | Medium: ESAW | Best model (AIC): Logistic




ID 105: *Tetraselmis tetrahele*

Temp = 25°C | Medium: ESAW | Best model (AIC): Logistic




ID 106: *Tetraselmis tetrahele*

Temp = 25°C | Medium: ESAW | Best model (AIC): Logistic




ID 107: *Tetraselmis tetrahele*

Temp = 25°C | Medium: ESAW | Best model (AIC): Logistic




ID 108: Tetraselmis tetrahele

Temp = 25°C | Medium: ESAW | Best model (AIC): Logistic




ID 109: *Tetraselmis tetrahele*

Temp = 32°C | Medium: ESAW | Best model (AIC): Gompertz




ID 110: *Tetraselmis tetrahele*

Temp = 32°C | Medium: ESAW | Best model (AIC): Gompertz




ID 111: *Tetraselmis tetrahele*

Temp = 32°C | Medium: ESAW | Best model (AIC): Gompertz




ID 112: *Tetraselmis tetrahele*

Temp = 32°C | Medium: ESAW | Best model (AIC): Gompertz




ID 113: Tetraselmis tetrahele

Temp = 32°C | Medium: ESAW | Best model (AIC): Gompertz




ID 114: Staphylococcus spp.

Temp = 2°C | Medium: Raw Chicken Breast | Best model (AIC): Cubic




ID 115: Staphylococcus spp.

Temp = 4°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 116: Staphylococcus spp.

Temp = 7°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 117: Staphylococcus spp.

Temp = 10°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 118: Staphylococcus spp.

Temp = 15°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 119: Staphylococcus spp.

Temp = 20°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 120: Staphylococcus spp.

Temp = 2°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 121: Staphylococcus spp.

Temp = 4°C | Medium: Salted Chicken Breast | Best model (AIC): Cubic




ID 122: Staphylococcus spp.

Temp = 7°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 123: Staphylococcus spp.

Temp = 10°C | Medium: Salted Chicken Breast | Best model (AIC): Logistic




ID 124: Staphylococcus spp.

Temp = 15°C | Medium: Salted Chicken Breast | Best model (AIC): Cubic




ID 125: Staphylococcus spp.

Temp = 20°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 126: Staphylococcus spp.

Temp = 2°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 127: Staphylococcus spp.

Temp = 4°C | Medium: Cooked Chicken Breast | Best model (AIC): Logistic




ID 128: Staphylococcus spp.

Temp = 7°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 129: Staphylococcus spp.

Temp = 10°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 130: Staphylococcus spp.

Temp = 15°C | Medium: Cooked Chicken Breast | Best model (AIC): Quadratic




ID 131: Staphylococcus spp.

Temp = 20°C | Medium: Cooked Chicken Breast | Best model (AIC): Logistic




ID 132: *Pseudomonas* spp.

Temp = 2°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 133: Pseudomonas spp.

Temp = 4°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 134: *Pseudomonas* spp.

Temp = 7°C | Medium: Raw Chicken Breast | Best model (AIC): Cubic




ID 135: Pseudomonas spp.

Temp = 10°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 136: *Pseudomonas* spp.

Temp = 15°C | Medium: Raw Chicken Breast | Best model (AIC): Logistic




ID 137: Pseudomonas spp.

Temp = 20°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 138: Pseudomonas spp.

Temp = 2°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 139: *Pseudomonas* spp.

Temp = 4°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 140: *Pseudomonas* spp.

Temp = 7°C | Medium: Salted Chicken Breast | Best model (AIC): Cubic




ID 141: Pseudomonas spp.

Temp = 10°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 142: Pseudomonas spp.

Temp = 15°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 143: Pseudomonas spp.

Temp = 20°C | Medium: Salted Chicken Breast | Best model (AIC): Logistic




ID 144: Pseudomonas spp.

Temp = 2°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 145: Pseudomonas spp.

Temp = 4°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 146: *Pseudomonas* spp.

Temp = 7°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 147: Pseudomonas spp.

Temp = 10°C | Medium: Cooked Chicken Breast | Best model (AIC): Quadratic




ID 148: Pseudomonas spp.

Temp = 15°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 149: *Pseudomonas* spp.

Temp = 20°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 150: Aerobic Psychotropic.

Temp = 2°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 151: Aerobic Psychotropic.

Temp = 4°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 152: Aerobic Psychotropic.

Temp = 7°C | Medium: Raw Chicken Breast | Best model (AIC): Cubic




ID 153: Aerobic Psychotropic.

Temp = 10°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 154: Aerobic Psychotropic.

Temp = 15°C | Medium: Raw Chicken Breast | Best model (AIC): Cubic




ID 155: Aerobic Psychotropic.

Temp = 20°C | Medium: Raw Chicken Breast | Best model (AIC): Cubic




ID 156: Aerobic Psychotropic.

Temp = 2°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 157: Aerobic Psychotropic.

Temp = 4°C | Medium: Salted Chicken Breast | Best model (AIC): Logistic




ID 158: Aerobic Psychotropic.

Temp = 7°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 159: Aerobic Psychotropic.

Temp = 10°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 160: Aerobic Psychotropic.

Temp = 15°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 161: Aerobic Psychotropic.

Temp = 20°C | Medium: Salted Chicken Breast | Best model (AIC): Logistic




ID 162: Aerobic Psychotropic.

Temp = 2°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 163: Aerobic Psychotropic.

Temp = 4°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 164: Aerobic Psychotropic.

Temp = 7°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 165: Aerobic Psychotropic.

Temp = 10°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 166: Aerobic Psychotropic.

Temp = 15°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 167: Aerobic Psychotropic.

Temp = 20°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 168: Aerobic Mesophilic.

Temp = 2°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 169: Aerobic Mesophilic.

Temp = 7°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 170: Aerobic Mesophilic.

Temp = 4°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 171: Aerobic Mesophilic.

Temp = 10°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 172: Aerobic Mesophilic.

Temp = 15°C | Medium: Raw Chicken Breast | Best model (AIC): Logistic




ID 173: Aerobic Mesophilic.

Temp = 20°C | Medium: Raw Chicken Breast | Best model (AIC): Logistic




ID 174: Aerobic Mesophilic.

Temp = 2°C | Medium: Salted Chicken Breast | Best model (AIC): Cubic




ID 175: Aerobic Mesophilic.

Temp = 4°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 176: Aerobic Mesophilic.

Temp = 7°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 177: Aerobic Mesophilic.

Temp = 10°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 178: Aerobic Mesophilic.

Temp = 15°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 179: Aerobic Mesophilic.

Temp = 20°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 180: Aerobic Mesophilic.

Temp = 2°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 181: Aerobic Mesophilic.

Temp = 4°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 182: Aerobic Mesophilic.

Temp = 7°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 183: Aerobic Mesophilic.

Temp = 10°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 184: Aerobic Mesophilic.

Temp = 15°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 185: Aerobic Mesophilic.

Temp = 20°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 186: Spoilage

Temp = 8°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 187: Escherichia coli

Temp = 8°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 188: Salmonella Typhimurium

Temp = 8°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 189: Spoilage

Temp = 10°C | Medium: Vacuum Beef Striploins | Best model (AIC): Quadratic




ID 190: Escherichia coli

Temp = 10°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 191: Salmonella Typhimurium

Temp = 10°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 192: Spoilage

Temp = 10°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 193: Escherichia coli

Temp = 10°C | Medium: C02 Beef Striploins | Best model (AIC): Quadratic




ID 194: Spoilage

Temp = 12°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 195: Escherichia coli

Temp = 12°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 196: Salmonella Typhimurium

Temp = 12°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 197: Spoilage

Temp = 12°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 198: Escherichia coli

Temp = 12°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 199: Salmonella Typhimurium

Temp = 12°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 200: Spoilage

Temp = 15°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 201: *Escherichia coli*

Temp = 15°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 202: Salmonella Typhimurium

Temp = 15°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 203: Spoilage

Temp = 15°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 204: Escherichia coli

Temp = 15°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 205: Salmonella Typhimurium

Temp = 15°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 206: Spoilage

Temp = 20°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 207: Escherichia coli

Temp = 20°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 208: Salmonella Typhimurium

Temp = 20°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 209: Spoilage

Temp = 20°C | Medium: C02 Beef Striploins | Best model (AIC): Quadratic




ID 210: Escherichia coli

Temp = 20°C | Medium: C02 Beef Striploins | Best model (AIC): Logistic




ID 211: Salmonella Typhimurium

Temp = 20°C | Medium: C02 Beef Striploins | Best model (AIC): Logistic




ID 212: Spoilage

Temp = 30°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 213: Escherichia coli

Temp = 30°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 214: Salmonella Typhimurium

Temp = 30°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 215: Spoilage

Temp = 30°C | Medium: C02 Beef Striploins | Best model (AIC): Cubic




ID 216: Escherichia coli

Temp = 30°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 217: Salmonella Typhimurium

Temp = 30°C | Medium: C02 Beef Striploins | Best model (AIC): Quadratic




ID 218: *Serratia marcescens*

Temp = 6°C | Medium: Pasteurised Skim Milk | Best model (AIC): Cubic




ID 219: *Serratia marcescens*

Temp = 6°C | Medium: UHT Skim Milk | Best model (AIC): Gompertz




ID 223: *Serratia marcescens*

Temp = 15°C | Medium: UHT Skim Milk | Best model (AIC): Gompertz




ID 224: *Serratia marcescens*

Temp = 6°C | Medium: Pasteurised Full-fat Milk | Best model (AIC): Cubic




ID 225: *Serratia marcescens*

Temp = 6°C | Medium: UHT Full-fat Milk | Best model (AIC): Gompertz




ID 226: *Serratia marcescens*

Temp = 10°C | Medium: Pasteurised Full-fat Milk | Best model (AIC): Gompertz




ID 228: *Serratia marcescens*

Temp = 15°C | Medium: Pasteurised Full-fat Milk | Best model (AIC): Cubic




ID 229: *Serratia marcescens*

Temp = 15°C | Medium: UHT Full-fat Milk | Best model (AIC): Gompertz




ID 230: *Serratia marcescens*

Temp = 6°C | Medium: Pasteurised Double Cream | Best model (AIC): Gompertz




ID 231: *Serratia marcescens*

Temp = 6°C | Medium: UHT Double Cream | Best model (AIC): Cubic




ID 234: *Serratia marcescens*

Temp = 15°C | Medium: Pasteurised Double Cream | Best model (AIC): Cubic




ID 235: *Serratia marcescens*

Temp = 15°C | Medium: UHT Double Cream | Best model (AIC): Gompertz




ID 236: *Arthrobacter* sp. 77

Temp = 0°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 237: *Arthrobacter* sp. 77

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 238: *Arthrobacter* sp. 77

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 239: *Arthrobacter* sp. 77

Temp = 30°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 240: *Arthrobacter* sp. 77

Temp = 37°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 241: *Arthrobacter* sp. 88

Temp = 0°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 242: *Arthrobacter* sp. 88

Temp = 7°C | Medium: TGE agar | Best model (AIC): Cubic




ID 243: *Arthrobacter* sp. 88

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 244: *Arthrobacter* sp. 88

Temp = 30°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 245: *Arthrobacter* sp. 88

Temp = 37°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 246: *Arthrobacter* sp. 62

Temp = 0°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 247: *Arthrobacter* sp. 62

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 248: *Arthrobacter* sp. 62

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 249: *Arthrobacter* sp. 62

Temp = 30°C | Medium: TGE agar | Best model (AIC): Quadratic




ID 250: *Arthrobacter* sp. 62

Temp = 37°C | Medium: TGE agar | Best model (AIC): Quadratic




ID 251: *Arthrobacter aurescens*

Temp = 0°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 252: *Arthrobacter aurescens*

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 253: *Arthrobacter aurescens*

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 254: *Arthrobacter aurescens*

Temp = 30°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 255: *Arthrobacter aurescens*

Temp = 37°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 256: *Arthrobacter citreus*

Temp = 0°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 257: *Arthrobacter citreus*

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 258: *Arthrobacter citreus*

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 259: *Arthrobacter citreus*

Temp = 30°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 260: *Arthrobacter citreus*

Temp = 37°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 261: *Arthrobacter globiformis*

Temp = 0°C | Medium: TGE agar | Best model (AIC): Quadratic




ID 262: *Arthrobacter globiformis*

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 263: *Arthrobacter globiformis*

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 264: *Arthrobacter globiformis*

Temp = 30°C | Medium: TGE agar | Best model (AIC): Logistic




ID 265: *Arthrobacter globiformis*

Temp = 37°C | Medium: TGE agar | Best model (AIC): Logistic




ID 266: *Arthrobacter simplex*

Temp = 0°C | Medium: TGE agar | Best model (AIC): Quadratic




ID 267: *Arthrobacter simplex*

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 268: *Arthrobacter simplex*

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 269: *Arthrobacter simplex*

Temp = 30°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 270: *Arthrobacter simplex*

Temp = 37°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 271: *Lactobacillus plantarum*

Temp = 8°C | Medium: MRS broth | Best model (AIC): Gompertz




ID 272: Lactobacillus plantarum

Temp = 12°C | Medium: MRS broth | Best model (AIC): Logistic




ID 273: Lactobacillus plantarum

Temp = 16°C | Medium: MRS broth | Best model (AIC): Logistic




ID 274: Lactobacillus plantarum

Temp = 20°C | Medium: MRS broth | Best model (AIC): Logistic




ID 275: Lactobacillus plantarum

Temp = 30°C | Medium: MRS broth | Best model (AIC): Logistic




ID 276: *Weissella viridescens*

Temp = 4°C | Medium: MRS broth | Best model (AIC): Logistic




ID 277: Weissella viridescens

Temp = 8°C | Medium: MRS broth | Best model (AIC): Cubic




ID 278: *Weissella viridescens*

Temp = 12°C | Medium: MRS broth | Best model (AIC): Quadratic




ID 279: *Weissella viridescens*

Temp = 16°C | Medium: MRS broth | Best model (AIC): Gompertz




ID 280: *Weissella viridescens*

Temp = 20°C | Medium: MRS broth | Best model (AIC): Logistic




ID 281: Weissella viridescens

Temp = 30°C | Medium: MRS broth | Best model (AIC): Logistic




ID 282: *Lactobacillus sakei*

Temp = 4°C | Medium: MRS broth | Best model (AIC): Gompertz




ID 283: *Lactobacillus sakei*

Temp = 8°C | Medium: MRS broth | Best model (AIC): Logistic




ID 284: *Lactobacillus sakei*

Temp = 12°C | Medium: MRS broth | Best model (AIC): Logistic




ID 285: *Lactobacillus sakei*

Temp = 16°C | Medium: MRS broth | Best model (AIC): Gompertz




ID 286: Lactobacillus sakei

Temp = 20°C | Medium: MRS broth | Best model (AIC): Gompertz




ID 287: *Lactobacillus sakei*

Temp = 30°C | Medium: MRS broth | Best model (AIC): Cubic




ID 288: *Oscillatoria agardhii* Strain 97

Temp = 15°C | Medium: Z8 | Best model (AIC): Quadratic




ID 289: *Oscillatoria agardhii* Strain 97

Temp = 20°C | Medium: Z8 | Best model (AIC): Gompertz




ID 290: *Oscillatoria agardhii* Strain 97

Temp = 25°C | Medium: Z8 | Best model (AIC): Cubic




ID 291: *Oscillatoria agardhii* Strain 97

Temp = 30°C | Medium: Z8 | Best model (AIC): Quadratic




ID 292: *Oscillatoria agardhii* StrainCYA 128

Temp = 15°C | Medium: Z8 | Best model (AIC): Gompertz




ID 293: *Oscillatoria agardhii* StrainCYA 128

Temp = 20°C | Medium: Z8 | Best model (AIC): Quadratic




ID 294: *Oscillatoria agardhii* StrainCYA 128

Temp = 25°C | Medium: Z8 | Best model (AIC): Gompertz




ID 295: *Oscillatoria agardhii* StrainCYA 128

Temp = 30°C | Medium: Z8 | Best model (AIC): Gompertz




ID 296: Pseudomonas sp.

Temp = 15°C | Medium: APT Broth | Best model (AIC): Gompertz




ID 297: Pseudomonas sp.

Temp = 12°C | Medium: APT Broth | Best model (AIC): Gompertz




ID 298: Pseudomonas sp.

Temp = 8°C | Medium: APT Broth | Best model (AIC): Gompertz




ID 299: Pseudomonas sp.

Temp = 6°C | Medium: APT Broth | Best model (AIC): Gompertz




ID 300: Pseudomonas sp.

Temp = 4°C | Medium: APT Broth | Best model (AIC): Cubic




ID 301: Pseudomonas sp.

Temp = 2°C | Medium: APT Broth | Best model (AIC): Quadratic




ID 302: *Lactobacillus plantarum*

Temp = 10°C | Medium: MRS | Best model (AIC): Gompertz




ID 303: *Lactobacillus plantarum*

Temp = 15°C | Medium: MRS | Best model (AIC): Gompertz



ID 304: *Lactobacillus plantarum*

Temp = 20°C | Medium: MRS | Best model (AIC): Gompertz



ID 305: *Lactobacillus plantarum*

Temp = 25°C | Medium: MRS | Best model (AIC): Gompertz

