



ID 1: Chryseobacterium.balustinum

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 2: Enterobacter.sp.

Temp = 5°C | Medium: TSB | Best model (AIC): Gompertz




ID 3: Pantoea.agglomerans.1

Temp = 5°C | Medium: TSB | Best model (AIC): Gompertz




ID 4: Pantoea.agglomerans.2

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 5: *Bacillus.pumilus*

Temp = 5°C | Medium: TSB | Best model (AIC): Quadratic




ID 6: *Clavibacter.michiganensis*

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 7: *Pseudomonas.fluorescens*.1

Temp = 5°C | Medium: TSB | Best model (AIC): Logistic




ID 8: Pseudomonas.fluorescens.2

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 9: *Acinetobacter.clacoaceticus.1*

Temp = 5°C | Medium: TSB | Best model (AIC): Logistic




ID 10: *Acinetobacter.clacoaceticus.2*

Temp = 5°C | Medium: TSB | Best model (AIC): Logistic




ID 11: *Stenotrophomonas.maltophilia*.1

Temp = 5°C | Medium: TSB | Best model (AIC): Logistic




ID 12: *Stenotrophomonas.maltophilia.2*

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 13: *Klebsiella.pneumonia*

Temp = 5°C | Medium: TSB | Best model (AIC): Gompertz




ID 14: Dickeya.zeae

Temp = 5°C | Medium: TSB | Best model (AIC): Quadratic




ID 15: Pectobacterium.carotovorum.subsp..Carotovorum.Pcc2

Temp = 5°C | Medium: TSB | Best model (AIC): Gompertz




ID 16: *Pantoea.agglomerans*.RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Gompertz




ID 17: *Dickeya.zeae*..RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Quadratic




ID 18: *Acinetobacter.clacoaceticus*.RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Logistic




ID 19: Stenotrophomonas.maltophilia..RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 20: Klebsiella.pneumonia..RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Quadratic




ID 21: Bacillus.pumilus..RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 22: *Clavibacter.michiganensis*..RDA.R.

Temp = 5°C | Medium: TSB | Best model (AIC): Cubic




ID 23: Chryseobacterium.balustinum
Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 24: Enterobacter.sp.

Temp = 15°C | Medium: TSB | Best model (AIC): Cubic




ID 25: Pantoea.agglomerans.1

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 26: Pantoea.agglomerans.2

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 27: *Bacillus.pumilus*

Temp = 15°C | Medium: TSB | Best model (AIC): Cubic




ID 28: *Clavibacter.michiganensis*

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 29: *Pseudomonas.fluorescens.1*

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 30: *Pseudomonas.fluorescens.2*

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 31: Acinetobacter.clacoaceticus.1

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 32: Acinetobacter.clacoaceticus.2

Temp = 15°C | Medium: TSB | Best model (AIC): Gompertz




ID 33: *Stenotrophomonas.maltophilia*.1

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 34: Stenotrophomonas.maltophilia.2

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 35: Klebsiella.pneumonia

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 36: *Dickeya.zeae*

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 37: *Pectobacterium.carotovorum*.subsp..*Carotovorum*.Pcc2

Temp = 15°C | Medium: TSB | Best model (AIC): Gompertz




ID 38: Pantoea.agglomerans..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 39: Dickeya.zeae..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 40: *Acinetobacter.clacoaceticus*..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 41: Stenotrophomonas.maltophilia..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 42: Klebsiella.pneumonia..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Logistic




ID 43: *Bacillus.pumilus*..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Gompertz




ID 44: *Clavibacter.michiganensis*..RDA.R.

Temp = 15°C | Medium: TSB | Best model (AIC): Cubic




ID 45: Chryseobacterium.balustinum

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 46: Enterobacter.sp.

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 47: *Pantoea.agglomerans*.1

Temp = 25°C | Medium: TSB | Best model (AIC): Cubic




ID 48: *Pantoea.agglomerans*.2

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 49: *Bacillus.pumilus*

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 50: *Clavibacter.michiganensis*

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 51: *Pseudomonas.fluorescens.1*

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 52: Pseudomonas.fluorescens.2

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 53: *Acinetobacter.clacoaceticus*.1

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 54: *Acinetobacter.clacoaceticus.2*

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 55: Stenotrophomonas.maltophilia.1

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 56: Stenotrophomonas.maltophilia.2

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 57: Klebsiella.pneumonia

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 58: Dickeya.zeae

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 59: *Pectobacterium.carotovorum*.subsp..*Carotovorum*.Pcc2

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 60: Pantoea.agglomerans..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 61: Dickeya.zeae..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 62: *Acinetobacter.clacoaceticus*..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 63: Stenotrophomonas.maltophilia..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 64: Klebsiella.pneumonia..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Gompertz




ID 65: Bacillus.pumilus..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




ID 66: *Clavibacter.michiganensis*..RDA.R.

Temp = 25°C | Medium: TSB | Best model (AIC): Logistic




Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 68: Enterobacter.sp.

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 69: Pantoea.agglomerans.1

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 70: Pantoea.agglomerans.2

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 71: Bacillus.pumilus

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 72: *Clavibacter.michiganensis*

Temp = 35°C | Medium: TSB | Best model (AIC): Cubic




ID 73: Pseudomonas.fluorescens.1

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 74: Pseudomonas.fluorescens.2

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 75: *Acinetobacter.clacoaceticus*.1

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 76: *Acinetobacter.clacoaceticus*.2

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 77: *Stenotrophomonas.maltophilia*.1

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 78: Stenotrophomonas.maltophilia.2

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 79: Klebsiella.pneumonia

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 80: Dickeya.zeae

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 81: *Pectobacterium.carotovorum*.subsp..*Carotovorum*.Pcc2

Temp = 35°C | Medium: TSB | Best model (AIC): Cubic




ID 82: *Pantoea.agglomerans*.RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 83: Dickeya.zeae..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 84: *Acinetobacter.clacoaceticus*.RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 85: Stenotrophomonas.maltophilia..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 86: Klebsiella.pneumonia..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Gompertz




ID 87: *Bacillus.pumilus*..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 88: *Clavibacter.michiganensis*..RDA.R.

Temp = 35°C | Medium: TSB | Best model (AIC): Logistic




ID 89: *Tetraselmis tetrahele*

Temp = 5°C | Medium: ESAW | Best model (AIC): Gompertz




ID 90: Tetraselmis tetrahele

Temp = 5°C | Medium: ESAW | Best model (AIC): Gompertz




ID 91: Tetraselmis tetrahele

Temp = 5°C | Medium: ESAW | Best model (AIC): Gompertz




ID 92: *Tetraselmis tetrahele*

Temp = 5°C | Medium: ESAW | Best model (AIC): Logistic




ID 93: Tetraselmis tetrahele

Temp = 5°C | Medium: ESAW | Best model (AIC): Logistic




ID 94: Tetraselmis tetrahele

Temp = 8°C | Medium: ESAW | Best model (AIC): Gompertz




ID 95: Tetraselmis tetrahele

Temp = 8°C | Medium: ESAW | Best model (AIC): Logistic




ID 96: *Tetraselmis tetrahele*

Temp = 8°C | Medium: ESAW | Best model (AIC): Gompertz




ID 97: Tetraselmis tetrahele

Temp = 8°C | Medium: ESAW | Best model (AIC): Gompertz




ID 98: Tetraselmis tetrahele

Temp = 8°C | Medium: ESAW | Best model (AIC): Gompertz




ID 99: Tetraselmis tetrahele

Temp = 16°C | Medium: ESAW | Best model (AIC): Gompertz




ID 100: Tetraselmis tetrahele

Temp = 16°C | Medium: ESAW | Best model (AIC): Gompertz




ID 101: Tetraselmis tetrahele

Temp = 16°C | Medium: ESAW | Best model (AIC): Gompertz




ID 102: Tetraselmis tetrahele

Temp = 16°C | Medium: ESAW | Best model (AIC): Gompertz




ID 103: Tetraselmis tetrahele

Temp = 16°C | Medium: ESAW | Best model (AIC): Gompertz




ID 104: *Tetraselmis tetrahele*

Temp = 25°C | Medium: ESAW | Best model (AIC): Logistic




ID 105: *Tetraselmis tetrahele*

Temp = 25°C | Medium: ESAW | Best model (AIC): Logistic




ID 106: *Tetraselmis tetrahele*

Temp = 25°C | Medium: ESAW | Best model (AIC): Logistic




ID 107: *Tetraselmis tetrahele*

Temp = 25°C | Medium: ESAW | Best model (AIC): Logistic




ID 108: Tetraselmis tetrahele

Temp = 25°C | Medium: ESAW | Best model (AIC): Logistic




ID 109: *Tetraselmis tetrahele*

Temp = 32°C | Medium: ESAW | Best model (AIC): Gompertz




ID 110: *Tetraselmis tetrahele*

Temp = 32°C | Medium: ESAW | Best model (AIC): Gompertz




ID 111: *Tetraselmis tetrahele*

Temp = 32°C | Medium: ESAW | Best model (AIC): Gompertz




ID 112: *Tetraselmis tetrahele*

Temp = 32°C | Medium: ESAW | Best model (AIC): Gompertz




ID 113: Tetraselmis tetrahele

Temp = 32°C | Medium: ESAW | Best model (AIC): Gompertz




ID 114: Staphylococcus spp.

Temp = 2°C | Medium: Raw Chicken Breast | Best model (AIC): Cubic




ID 115: Staphylococcus spp.

Temp = 4°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 116: Staphylococcus spp.

Temp = 7°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 117: Staphylococcus spp.

Temp = 10°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 118: Staphylococcus spp.

Temp = 15°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 119: Staphylococcus spp.

Temp = 20°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 120: Staphylococcus spp.

Temp = 2°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 121: Staphylococcus spp.

Temp = 4°C | Medium: Salted Chicken Breast | Best model (AIC): Cubic




ID 122: Staphylococcus spp.

Temp = 7°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 123: Staphylococcus spp.

Temp = 10°C | Medium: Salted Chicken Breast | Best model (AIC): Logistic




ID 124: Staphylococcus spp.

Temp = 15°C | Medium: Salted Chicken Breast | Best model (AIC): Cubic




ID 125: Staphylococcus spp.

Temp = 20°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 126: Staphylococcus spp.

Temp = 2°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 127: Staphylococcus spp.

Temp = 4°C | Medium: Cooked Chicken Breast | Best model (AIC): Logistic




ID 128: Staphylococcus spp.

Temp = 7°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 129: Staphylococcus spp.

Temp = 10°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 130: Staphylococcus spp.

Temp = 15°C | Medium: Cooked Chicken Breast | Best model (AIC): Quadratic




ID 131: Staphylococcus spp.

Temp = 20°C | Medium: Cooked Chicken Breast | Best model (AIC): Logistic




ID 132: *Pseudomonas* spp.

Temp = 2°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 133: Pseudomonas spp.

Temp = 4°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 134: Pseudomonas spp.

Temp = 7°C | Medium: Raw Chicken Breast | Best model (AIC): Cubic




ID 135: Pseudomonas spp.

Temp = 10°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 136: Pseudomonas spp.

Temp = 15°C | Medium: Raw Chicken Breast | Best model (AIC): Logistic




ID 137: Pseudomonas spp.

Temp = 20°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 138: Pseudomonas spp.

Temp = 2°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 139: *Pseudomonas* spp.

Temp = 4°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 140: *Pseudomonas* spp.

Temp = 7°C | Medium: Salted Chicken Breast | Best model (AIC): Cubic




ID 141: Pseudomonas spp.

Temp = 10°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 142: Pseudomonas spp.

Temp = 15°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 143: Pseudomonas spp.

Temp = 20°C | Medium: Salted Chicken Breast | Best model (AIC): Logistic




ID 144: Pseudomonas spp.

Temp = 2°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 145: Pseudomonas spp.

Temp = 4°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 146: *Pseudomonas* spp.

Temp = 7°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 147: Pseudomonas spp.

Temp = 10°C | Medium: Cooked Chicken Breast | Best model (AIC): Quadratic




ID 148: Pseudomonas spp.

Temp = 15°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 149: *Pseudomonas* spp.

Temp = 20°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 150: Aerobic Psychotropic.

Temp = 2°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 151: Aerobic Psychotropic.

Temp = 4°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 152: Aerobic Psychotropic.

Temp = 7°C | Medium: Raw Chicken Breast | Best model (AIC): Cubic




ID 153: Aerobic Psychotropic.

Temp = 10°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 154: Aerobic Psychotropic.

Temp = 15°C | Medium: Raw Chicken Breast | Best model (AIC): Cubic




ID 155: Aerobic Psychotropic.

Temp = 20°C | Medium: Raw Chicken Breast | Best model (AIC): Cubic




ID 156: Aerobic Psychotropic.

Temp = 2°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 157: Aerobic Psychotropic.

Temp = 4°C | Medium: Salted Chicken Breast | Best model (AIC): Logistic




ID 158: Aerobic Psychotropic.

Temp = 7°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 159: Aerobic Psychotropic.

Temp = 10°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 160: Aerobic Psychotropic.

Temp = 15°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 161: Aerobic Psychotropic.

Temp = 20°C | Medium: Salted Chicken Breast | Best model (AIC): Logistic




ID 162: Aerobic Psychotropic.

Temp = 2°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 163: Aerobic Psychotropic.

Temp = 4°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 164: Aerobic Psychotropic.

Temp = 7°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 165: Aerobic Psychotropic.

Temp = 10°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 166: Aerobic Psychotropic.

Temp = 15°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 167: Aerobic Psychotropic.

Temp = 20°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 168: Aerobic Mesophilic.

Temp = 2°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 169: Aerobic Mesophilic.

Temp = 7°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 170: Aerobic Mesophilic.

Temp = 4°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 171: Aerobic Mesophilic.

Temp = 10°C | Medium: Raw Chicken Breast | Best model (AIC): Gompertz




ID 172: Aerobic Mesophilic.

Temp = 15°C | Medium: Raw Chicken Breast | Best model (AIC): Logistic




ID 173: Aerobic Mesophilic.

Temp = 20°C | Medium: Raw Chicken Breast | Best model (AIC): Logistic




ID 174: Aerobic Mesophilic.

Temp = 2°C | Medium: Salted Chicken Breast | Best model (AIC): Cubic




ID 175: Aerobic Mesophilic.

Temp = 4°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 176: Aerobic Mesophilic.

Temp = 7°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 177: Aerobic Mesophilic.

Temp = 10°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 178: Aerobic Mesophilic.

Temp = 15°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 179: Aerobic Mesophilic.

Temp = 20°C | Medium: Salted Chicken Breast | Best model (AIC): Gompertz




ID 180: Aerobic Mesophilic.

Temp = 2°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 181: Aerobic Mesophilic.

Temp = 4°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 182: Aerobic Mesophilic.

Temp = 7°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 183: Aerobic Mesophilic.

Temp = 10°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 184: Aerobic Mesophilic.

Temp = 15°C | Medium: Cooked Chicken Breast | Best model (AIC): Gompertz




ID 185: Aerobic Mesophilic.

Temp = 20°C | Medium: Cooked Chicken Breast | Best model (AIC): Cubic




ID 186: Spoilage

Temp = 8°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 187: Escherichia coli

Temp = 8°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 188: Salmonella Typhimurium

Temp = 8°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 189: Spoilage

Temp = 10°C | Medium: Vacuum Beef Striploins | Best model (AIC): Quadratic




ID 190: Escherichia coli

Temp = 10°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 191: Salmonella Typhimurium

Temp = 10°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 192: Spoilage

Temp = 10°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 193: Escherichia coli

Temp = 10°C | Medium: C02 Beef Striploins | Best model (AIC): Quadratic




ID 194: Spoilage

Temp = 12°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 195: Escherichia coli

Temp = 12°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 196: Salmonella Typhimurium

Temp = 12°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 197: Spoilage

Temp = 12°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 198: Escherichia coli

Temp = 12°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 199: Salmonella Typhimurium

Temp = 12°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 200: Spoilage

Temp = 15°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 201: *Escherichia coli*

Temp = 15°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 202: Salmonella Typhimurium

Temp = 15°C | Medium: Vacuum Beef Striploins | Best model (AIC): Cubic




ID 203: Spoilage

Temp = 15°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 204: Escherichia coli

Temp = 15°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 205: Salmonella Typhimurium

Temp = 15°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 206: Spoilage

Temp = 20°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 207: Escherichia coli

Temp = 20°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 208: Salmonella Typhimurium

Temp = 20°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 209: Spoilage

Temp = 20°C | Medium: C02 Beef Striploins | Best model (AIC): Quadratic




ID 210: Escherichia coli

Temp = 20°C | Medium: C02 Beef Striploins | Best model (AIC): Logistic




ID 211: Salmonella Typhimurium

Temp = 20°C | Medium: C02 Beef Striploins | Best model (AIC): Logistic




ID 212: Spoilage

Temp = 30°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 213: Escherichia coli

Temp = 30°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 214: Salmonella Typhimurium

Temp = 30°C | Medium: Vacuum Beef Striploins | Best model (AIC): Gompertz




ID 215: Spoilage

Temp = 30°C | Medium: C02 Beef Striploins | Best model (AIC): Cubic




ID 216: Escherichia coli

Temp = 30°C | Medium: C02 Beef Striploins | Best model (AIC): Gompertz




ID 217: Salmonella Typhimurium

Temp = 30°C | Medium: C02 Beef Striploins | Best model (AIC): Quadratic




ID 218: *Serratia marcescens*

Temp = 6°C | Medium: Pasteurised Skim Milk | Best model (AIC): Cubic




ID 219: *Serratia marcescens*

Temp = 6°C | Medium: UHT Skim Milk | Best model (AIC): Gompertz




ID 223: *Serratia marcescens*

Temp = 15°C | Medium: UHT Skim Milk | Best model (AIC): Gompertz




ID 224: *Serratia marcescens*

Temp = 6°C | Medium: Pasteurised Full-fat Milk | Best model (AIC): Cubic




ID 225: *Serratia marcescens*

Temp = 6°C | Medium: UHT Full-fat Milk | Best model (AIC): Gompertz




ID 226: *Serratia marcescens*

Temp = 10°C | Medium: Pasteurised Full-fat Milk | Best model (AIC): Gompertz




ID 228: *Serratia marcescens*

Temp = 15°C | Medium: Pasteurised Full-fat Milk | Best model (AIC): Cubic




ID 229: *Serratia marcescens*

Temp = 15°C | Medium: UHT Full-fat Milk | Best model (AIC): Gompertz




ID 230: *Serratia marcescens*

Temp = 6°C | Medium: Pasteurised Double Cream | Best model (AIC): Gompertz



ID 231: *Serratia marcescens*

Temp = 6°C | Medium: UHT Double Cream | Best model (AIC): Cubic




Temp = 15°C | Medium: Pasteurised Double Cream | Best model (AIC): Cubic

Figure 1 is a line graph showing the evolution of the normalized maximum value of the function over time for different values of α . The x-axis represents Time (hours) from 0 to 3000, and the y-axis represents the Normalized maximum value of the function from 0.0 to 1.0. The graph displays four curves corresponding to $\alpha = 0.0$ (dashed blue), $\alpha = 0.1$ (dashed orange), $\alpha = 0.2$ (solid green), and $\alpha = 0.3$ (solid red). All curves start at (0,0) and increase towards 1.0. The $\alpha = 0.0$ curve peaks at approximately 0.95 around 2200 hours before decreasing. The other curves plateau at 1.0 after approximately 2000 hours. Black dots mark the start and end of the simulation for each α value.

Model Quadratic Cubic Logistic Gompertz


ID 235: *Serratia marcescens*

Temp = 15°C | Medium: UHT Double Cream | Best model (AIC): Gompertz




ID 236: *Arthrobacter* sp. 77

Temp = 0°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 237: *Arthrobacter* sp. 77

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 238: *Arthrobacter* sp. 77

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 239: *Arthrobacter* sp. 77

Temp = 30°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 240: *Arthrobacter* sp. 77

Temp = 37°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 241: *Arthrobacter* sp. 88

Temp = 0°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 242: *Arthrobacter* sp. 88

Temp = 7°C | Medium: TGE agar | Best model (AIC): Cubic




ID 243: *Arthrobacter* sp. 88

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 244: *Arthrobacter* sp. 88

Temp = 30°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 245: *Arthrobacter* sp. 88

Temp = 37°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 246: *Arthrobacter* sp. 62

Temp = 0°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 247: *Arthrobacter* sp. 62

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 248: *Arthrobacter* sp. 62

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 249: *Arthrobacter* sp. 62

Temp = 30°C | Medium: TGE agar | Best model (AIC): Quadratic




ID 250: Arthrobacter sp. 62

Temp = 37°C | Medium: TGE agar | Best model (AIC): Quadratic




ID 251: *Arthrobacter aurescens*

Temp = 0°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 252: *Arthrobacter aurescens*

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 253: *Arthrobacter aurescens*

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 254: *Arthrobacter aurescens*

Temp = 30°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 255: *Arthrobacter aurescens*

Temp = 37°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 256: *Arthrobacter citreus*

Temp = 0°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 257: *Arthrobacter citreus*

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 258: *Arthrobacter citreus*

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 259: *Arthrobacter citreus*

Temp = 30°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 260: *Arthrobacter citreus*

Temp = 37°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 261: *Arthrobacter globiformis*

Temp = 0°C | Medium: TGE agar | Best model (AIC): Quadratic




ID 262: *Arthrobacter globiformis*

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 263: *Arthrobacter globiformis*

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 264: *Arthrobacter globiformis*

Temp = 30°C | Medium: TGE agar | Best model (AIC): Logistic




ID 265: *Arthrobacter globiformis*

Temp = 37°C | Medium: TGE agar | Best model (AIC): Logistic




ID 266: *Arthrobacter simplex*

Temp = 0°C | Medium: TGE agar | Best model (AIC): Quadratic




ID 267: *Arthrobacter simplex*

Temp = 7°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 268: *Arthrobacter simplex*

Temp = 20°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 269: *Arthrobacter simplex*

Temp = 30°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 270: *Arthrobacter simplex*

Temp = 37°C | Medium: TGE agar | Best model (AIC): Gompertz




ID 271: *Lactobacillus plantarum*

Temp = 8°C | Medium: MRS broth | Best model (AIC): Gompertz




ID 272: Lactobacillus plantarum

Temp = 12°C | Medium: MRS broth | Best model (AIC): Logistic




ID 273: Lactobacillus plantarum

Temp = 16°C | Medium: MRS broth | Best model (AIC): Logistic




ID 274: Lactobacillus plantarum

Temp = 20°C | Medium: MRS broth | Best model (AIC): Logistic




ID 275: Lactobacillus plantarum

Temp = 30°C | Medium: MRS broth | Best model (AIC): Logistic




ID 276: *Weissella viridescens*

Temp = 4°C | Medium: MRS broth | Best model (AIC): Logistic




ID 277: Weissella viridescens

Temp = 8°C | Medium: MRS broth | Best model (AIC): Cubic




ID 278: *Weissella viridescens*

Temp = 12°C | Medium: MRS broth | Best model (AIC): Quadratic




ID 279: *Weissella viridescens*

Temp = 16°C | Medium: MRS broth | Best model (AIC): Gompertz




ID 280: *Weissella viridescens*

Temp = 20°C | Medium: MRS broth | Best model (AIC): Logistic




ID 281: Weissella viridescens

Temp = 30°C | Medium: MRS broth | Best model (AIC): Logistic




ID 282: *Lactobacillus sakei*

Temp = 4°C | Medium: MRS broth | Best model (AIC): Gompertz




ID 283: *Lactobacillus sakei*

Temp = 8°C | Medium: MRS broth | Best model (AIC): Logistic




ID 284: *Lactobacillus sakei*

Temp = 12°C | Medium: MRS broth | Best model (AIC): Logistic




ID 285: *Lactobacillus sakei*

Temp = 16°C | Medium: MRS broth | Best model (AIC): Gompertz




ID 286: Lactobacillus sakei

Temp = 20°C | Medium: MRS broth | Best model (AIC): Gompertz




ID 287: *Lactobacillus sakei*

Temp = 30°C | Medium: MRS broth | Best model (AIC): Cubic




ID 288: *Oscillatoria agardhii* Strain 97

Temp = 15°C | Medium: Z8 | Best model (AIC): Quadratic




ID 289: *Oscillatoria agardhii* Strain 97

Temp = 20°C | Medium: Z8 | Best model (AIC): Gompertz




ID 290: *Oscillatoria agardhii* Strain 97

Temp = 25°C | Medium: Z8 | Best model (AIC): Cubic




ID 291: *Oscillatoria agardhii* Strain 97

Temp = 30°C | Medium: Z8 | Best model (AIC): Quadratic




ID 292: *Oscillatoria agardhii* StrainCYA 128

Temp = 15°C | Medium: Z8 | Best model (AIC): Gompertz




ID 293: *Oscillatoria agardhii* StrainCYA 128

Temp = 20°C | Medium: Z8 | Best model (AIC): Quadratic




ID 294: *Oscillatoria agardhii* StrainCYA 128

Temp = 25°C | Medium: Z8 | Best model (AIC): Gompertz




ID 295: *Oscillatoria agardhii* StrainCYA 128

Temp = 30°C | Medium: Z8 | Best model (AIC): Gompertz




ID 296: Pseudomonas sp.

Temp = 15°C | Medium: APT Broth | Best model (AIC): Gompertz




ID 297: Pseudomonas sp.

Temp = 12°C | Medium: APT Broth | Best model (AIC): Gompertz




ID 298: Pseudomonas sp.

Temp = 8°C | Medium: APT Broth | Best model (AIC): Gompertz




ID 299: Pseudomonas sp.

Temp = 6°C | Medium: APT Broth | Best model (AIC): Gompertz




ID 300: Pseudomonas sp.

Temp = 4°C | Medium: APT Broth | Best model (AIC): Cubic




ID 301: Pseudomonas sp.

Temp = 2°C | Medium: APT Broth | Best model (AIC): Quadratic




ID 302: *Lactobacillus plantarum*

Temp = 10°C | Medium: MRS | Best model (AIC): Gompertz




ID 303: *Lactobacillus plantarum*

Temp = 15°C | Medium: MRS | Best model (AIC): Gompertz



ID 304: *Lactobacillus plantarum*

Temp = 20°C | Medium: MRS | Best model (AIC): Gompertz



ID 305: *Lactobacillus plantarum*

Temp = 25°C | Medium: MRS | Best model (AIC): Gompertz

