```python
@app.route('/api/v1/survey/test/179/true', methods=['GET', 'OPTION'])
```

Untitled Request

| GET ▼ | http://127.0.0.1:5000//api/v1/survey/test/179/true | **Send** ▼ | Save ▼ |

Params   Authorization   Headers (7)   **Body**   Pre-request Script   Tests   Settings   Cookies Code

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ▼   Beautify

```
1
```

Body   Cookies   Headers (4)   Test Results   ⊕ Status: 200 OK   Time: 6 ms   Size: 203 B   Save Response ▼

Pretty   Raw   Preview   Visualize   JSON ▼

```json
1  {
2      "Data": [],
3      "Message": "Success",
4      "Status": 1
5  }
```

```
@app.route('/api/v1/assessment/test/mode/179/undefined', methods=['GET', 'OPTION'])
```

Untitled Request   💬 Comments 0

| GET ▼ | http://127.0.0.1:5000/api/v1/assessment/test/mode/179/undefined | **Send** ▼ | Save ▼ |

Params   Authorization   Headers (7)   **Body**   Pre-request Script   Tests   Settings   Cookies Code

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ▼   Beautify

```
1
```

Body Cookies Headers (4) Test Results   🌐 Status: 200 OK   Time: 6 ms   Size: 258 B   Save Response ▼

Pretty   Raw   Preview   Visualize   JSON ▼   ⇥

```
1  {
2      "Data": {
3          "IsEligible": true,
4          "IsInviteOnly": false
5      },
6      "Message": "success",
7      "Status": 1
8  }
```

```
@app.route('/api/v1/assessment/create/<ParentTestId>', methods=['POST', 'OPTION'])
```

Untitled Request   💬 Comments 0

| POST ▾ | http://127.0.0.1:5000/api/v1/assessment/create/179 | **Send** ▾ | Save ▾ |

Params   Authorization   Headers (9)   **Body** ●   Pre-request Script   Tests   Settings   Cookies Code

⚪ none   ⚪ form-data   ⚪ x-www-form-urlencoded   🔴 raw   ⚪ binary   ⚪ GraphQL   JSON ▾   Beautify

```
1   {"Name":"sandra","Surname":"Barahona","Email":"sb@g.com"}
```

Body   Cookies   Headers (4)   Test Results   🌐 Status: 200 OK   Time: 18 ms   Size: 227 B   Save Response ▾

Pretty   Raw   Preview   Visualize   JSON ▾   ⇥

```
1  {
2      "Data": "5f137d0cf0c4d3262b5efbd4",
3      "Message": "Success",
4      "Status": 1
5  }
```

Data Base

```
_id: ObjectId("5f137d0cf0c4d3262b5efbd4")
Name: "sandra"
Surname: "Barahona"
Email: "sb@g.com"
ParentTestId: "179"
> questions: Array
```

```
@app.route('/api/v1/assessment/<id_session>/<test>', methods=['GET', 'OPTION'])
```

Untitled Request

| GET ▾ | http://127.0.0.1:5000/api/v1/assessment/5f137d0cf0c4d3262b5efbd4/<test> | **Send** ▾ | Save ▾ |

Params   Authorization   Headers (7)   Body   Pre-request Script   Tests   Settings   Cookies Code

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ▾   Beautify

Body   Cookies   Headers (4)   Test Results   🌐 Status: 200 OK   Time: 8 ms   Size: 213 B   Save Response ▾

Pretty   Raw   Preview   Visualize   JSON ▾

```json
1  {
2      "Status": 1,
3      "Message": "success",
4      "Data": {
5          "ParentTestId": "179"
6      }
7  }
```

```python
@app.route('/api/v1/assessment/<id_session>/start', methods=['POST', 'OPTION'])
```

Untitled Request

POST   http://127.0.0.1:5000/api/v1/assessment/5f137d0cf0c4d3262b5efbd4/start

Send   Save

Params   Authorization   Headers (8)   Body   Pre-request Script   Tests   Settings   Cookies Code

none   form-data   x-www-form-urlencoded   raw   binary   GraphQL   JSON   Beautify

Body   Cookies   Headers (4)   Test Results   Status: 200 OK   Time: 8 ms   Size: 194 B   Save Response

Pretty   Raw   Preview   Visualize   JSON

```json
{
    "Status": 1,
    "Message": "success",
    "Data": true
}
```

```
@app.route('/api/v1/assessment/<id_session>/question/<int:num_Q>', methods=['GET', 'OPTION'])
```

Untitled Request   💬 Comments 0

| GET ▼ | http://127.0.0.1:5000/api/v1/assessment/5f137d0cf0c4d3262b5efbd4/question/1 | **Send** ▼ | Save ▼ |

Params   Authorization   Headers (7)   **Body**   Pre-request Script   Tests   Settings   Cookies Code

⚪ none   ⚪ form-data   ⚪ x-www-form-urlencoded   🔴 raw   ⚪ binary   ⚪ GraphQL   JSON ▼   Beautify

Body Cookies Headers (4) Test Results   🌐 Status: 200 OK   Time: 13 ms   Size: 1.93 KB   Save Response ▼

Pretty   Raw   Preview   Visualize   JSON ▼

```
 1  {
 2      "Status": 1,
 3      "Message": "success",
 4      "Data": {
 5          "Id": 1488396,
 6          "CategoryId": 0,
 7          "CategoryName": null,
 8          "QuestionType": 1,
 9          "Text": "<p>You have a statistical model that diagnoses patients with a certain disease. The model makes the wrong prediction in 1% of cas
10          "QuestionFile": null,
11          "ChildQuestionText": null,
12          "ChildQuestionText2": null,
13          "ChildQuestionAnsweredText": null,
14          "ChildQuestionAnsweredText2": null,
15          "ActualDifficulty": 0,
16          "Difficulty": 0,
```

```
@app.route('/api/v1/assessment/<id_session>/answer' , methods=['POST', 'OPTION'])
```

Untitled Request   💬 Comments 0

| POST ▼ | http://127.0.0.1:5000/api/v1/assessment/5f137d0cf0c4d3262b5efbd4/answer | Send ▼ | Save ▼ |

Params   Authorization   Headers (10)   Body ●   Pre-request Script   Tests   Settings   Cookies Code

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ▼   Beautify

```
1  {"QuestionId":1488396,"OptionId":6893573,"AnsweredText":null,"ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null}
```

Body   Cookies (1)   Headers (6)   Test Results   🌐 Status: 200 OK   Time: 31 ms   Size: 348 B   Save Response ▼

Pretty   Raw   Preview   Visualize   JSON ▼

```
1  {
2      "Status": 1,
3      "Message": "success",
4      "Data": true
5  }
```

Data Base

```
        _id: ObjectId("5f137d0cf0c4d3262b5efbd4")
        Name: "sandra"
        Surname: "Barahona"
        Email: "sb@g.com"
        ParentTestId: "179"
      v questions: Array
          v 0: Object
                Id: 1488396
                CategoryId: 0
                CategoryName: null
                QuestionType: 1
                Text: "<p>You have a statistical model that diagnoses patients with a certain..."
                QuestionFile: null
                ChildQuestionText: null
                ChildQuestionText2: null
                ChildQuestionAnsweredText: null
                ChildQuestionAnsweredText2: null
                ActualDifficulty: 0
                Difficulty: 0
                MinValue: null
                MaxValue: null
                AnswerOptionId: 6893573
                AnsweredText: null
                Score: null
                IsCorrect: null
                Status: 0
              > Options: Array
                RemainingSecond: 3175
                EnvTag: 0
                IsPythonFile: false
                PythonFileId: null
```

```
@app.route('/api/v1/assessment/<id_session>/review' , methods=['GET', 'OPTION'])
```

Untitled Request   💬 Comments 0

| GET ▼ | http://127.0.0.1:5000/api/v1/assessment/5f137d0cf0c4d3262b5efbd4/review | **Send** ▼ | Save ▼ |

▶ **Body** Cookies (1) Headers (5) Test Results   🌐 Status: **200 OK** Time: **51 ms** Size: **29.6 KB**   Save Response ▼

Pretty   Raw   Preview   Visualize   JSON ▼

```
1   {
2       "Status": 1,
3       "Message": "success",
4       "Data": [
5           {
6               "Id": 1488396,
7               "CategoryId": 0,
8               "CategoryName": null,
9               "QuestionType": 1,
10              "Text": "<p>You have a statistical model that diagnoses patients with a certain disease. The model makes the wrong prediction in
11              "QuestionFile": null,
12              "ChildQuestionText": null,
13              "ChildQuestionText2": null,
14              "ChildQuestionAnsweredText": null,
15              "ChildQuestionAnsweredText2": null,
16              "ActualDifficulty": 0,
17              "Difficulty": 0,
18              "MinValue": null,
19              "MaxValue": null,
20              "AnswerOptionId": 6893573,
21              "AnsweredText": null,
22              "Score": null,
```

Request Editor

```python
@app.route('/api/v1/assessment/<id_session>/answerAll', methods=['POST', 'OPTION'])
```

Untitled Request

Comments 0

POST ▾ | http://127.0.0.1:5000/api/v1/assessment/5f137d0cf0c4d3262b5efbd4/answerAll | **Send** ▾ | Save ▾

Params Authorization Headers (10) Body ● Pre-request Script Tests Settings   Cookies Code

○ none ○ form-data ○ x-www-form-urlencoded ● raw ○ binary ○ GraphQL   JSON ▾   Beautify

```
1  [{"QuestionId":1488396,"OptionId":6893547,"AnsweredText":null,"ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null},{"QuestionId":1488391,"OptionId":123,"AnsweredText":null,
   "ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null},{"QuestionId":1488392,"OptionId":null,"AnsweredText":null,"ChildQuestionAnsweredText":null,
   "ChildQuestionAnsweredText2":null},{"QuestionId":1488394,"OptionId":null,"AnsweredText":null,"ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null},{"QuestionId":1488390,
   "OptionId":null,"AnsweredText":null,"ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null},{"QuestionId":1488393,"OptionId":null,"AnsweredText":null,
   "ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null},{"QuestionId":1488400,"OptionId":null,"AnsweredText":null,"ChildQuestionAnsweredText":null},{"QuestionId":1488401,
   "OptionId":null,"AnsweredText":null,"ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null},{"QuestionId":1488404,"OptionId":null,"AnsweredText":null,
   "ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null},{"QuestionId":1488399,"OptionId":null,"AnsweredText":null,"ChildQuestionAnsweredText":null},{"QuestionId":1488397,
   "OptionId":null,"AnsweredText":null,"ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null},{"QuestionId":1488402,"OptionId":null,"AnsweredText":null,
   "ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null},{"QuestionId":1488403,"OptionId":null,"AnsweredText":null,"ChildQuestionAnsweredText":null},{"QuestionId":1488395,
   "OptionId":null,"AnsweredText":null,"ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null},{"QuestionId":1488398,"OptionId":null,"AnsweredText":null,
   "ChildQuestionAnsweredText":null,"ChildQuestionAnsweredText2":null}]
```

Body Cookies (1) Headers (5) Test Results   Status: 200 OK Time: 43 ms Size: 334 B   Save Response ▾

Pretty Raw Preview Visualize   JSON ▾

```
1  {
2      "Status": 1,
3      "Message": "success",
4      "Data": true
5  }
```

Data base

_id: ObjectId("5f137d0cf0c4d3262b5efbd4")
Name: "sandra"
Surname: "Barahona"
Email: "sb@g.com"
ParentTestId: "179"
questions: Array
    0: Object
        Id: 1488396
        CategoryId: 0
        CategoryName: null
        QuestionType: 1
        Text: "<p>You have a statistical model that diagnoses patients with a certain..."
        QuestionFile: null
        ChildQuestionText: null
        ChildQuestionText2: null
        ChildQuestionAnsweredText: null
        ChildQuestionAnsweredText2: null
        ActualDifficulty: 0
        Difficulty: 0
        MinValue: null
        MaxValue: null
        AnswerOptionId: 6893547

`@app.route('/api/v1/assessment/<id_session>/end', methods=['POST', 'OPTION'])`

| Launchpad | POST http://127.0.0.1:5000/api/v1/a... ● | + | ••• |

Untitled Request   💬 Comments 0

| POST ▼ | http://127.0.0.1:5000/api/v1/assessment/5f137d0cf0c4d3262b5efbd4/end | **Send** ▼ | Save ▼ |

Params   Authorization   Headers (9)   **Body**   Pre-request Script   Tests   Settings   Cookies Code

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ▼   Beautify

```
1
```

Body   Cookies (1)   Headers (5)   Test Results   🌐 Status: 200 OK   Time: 10 ms   Size: 345 B   Save Response ▼

Pretty   Raw   Preview   Visualize   JSON ▼   ⇥

```
1  {
2    "Data": true,
3    "Message": "Success",
4    "Status": 1
5  }
```

```
@app.route('/api/v1/assessment/<id_session>/result' , methods=['GET', 'OPTION'])
```

Launchpad   GET http://127.0.0.1:5000/api/v1/as...   +   ...

No Environment

Untitled Request   Comments 0

GET ▾   http://127.0.0.1:5000/api/v1/assessment/5f137d0cf0c4d3262b5efbd4/result   Send ▾   Save ▾

Params   Authorization   Headers (8)   Body   Pre-request Script   Tests   Settings   Cookies Code

● none   ● form-data   ● x-www-form-urlencoded   ● raw   ● binary   ● GraphQL   JSON ▾   Beautify

1

Body   Cookies (1)   Headers (5)   Test Results   Status: 200 OK   Time: 38 ms   Size: 485 B   Save Response ▾

Pretty   Raw   Preview   Visualize   JSON ▾

```json
1  {
2      "Status": 1,
3      "Message": "success",
4      "Data": {
5          "Gkey": "5f137d0cf0c4d3262b5efbd4",
6          "TakerName": "sandra",
7          "TakerSurname": "Barahona",
8          "TakerEmail": "sb@g.com",
9          "QuestionCount": 15,
10         "EmptyAnswers": 13
11     }
12 }
```

```
@app.route('/api/v1/survey/testBySlug/data-scientist/false' , methods=['GET', 'OPTION'])
```

| Launchpad | GET http://127.0.0.1:5000/api/v1/su... ● | + | ••• | | No Environment | ▾ | 👁 | ⚙ |

Untitled Request   💬 Comments 0

| GET ▾ | http://127.0.0.1:5000/api/v1/survey/testBySlug/data-scientist/false | **Send** ▾ | Save ▾ |

Params   Authorization   Headers (8)   **Body**   Pre-request Script   Tests   Settings   Cookies Code

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ▾   Beautify

1

Body Cookies (1) Headers (5) Test Results   🌐 Status: 200 OK   Time: 17 ms   Size: 343 B   Save Response ▾

Pretty   Raw   Preview   Visualize   JSON ▾   ⇥   📋 🔍

```
1  {
2    "Data": [],
3    "Message": "Success",
4    "Status": 1
5  }
```

```
@app.route('/api/v1/assessment/<id_session>/feedback' , methods=['POST', 'OPTION'])
```

Untitled Request

| POST ▼ | http://127.0.0.1:5000/api/v1/assessment/5f137d0cf0c4d3262b5efbd4/feedback |

Params   Authorization   Headers (10)   Body ●   Pre-request Script   Tests   Settings

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ▼

```
1    {"Text":"Thanks"}
```

Body   Cookies (1)   Headers (5)   Test Results   ⊕   Status: 200 OK

Pretty   Raw   Preview   Visualize   JSON ▼

```
1    {
2        "Status": 1,
3        "Message": "success",
4        "Data": true
5    }
```