An interactive tool for supporting university timetabling

Daniela Tomás¹ | João Pedroso¹ | Pedro Vasconcelos¹ ¹Faculdade de Ciências da Universidade do Porto

Introduction

- **University Course Timetabling Problem** (UCTTP) is a complex combinatorial optimization problem that consists of allocating events, rooms, lecturers, and students to weekly schedules while meeting certain constraints.
- This research focuses on Curriculum-Based Course Timetabling (CB-CTT), a variant of UCTTP that focuses on course scheduling.
- FCUP's timetabling building process is time-consuming, not automated, and suboptimal.
- Monte Carlo Tree Search (MCTS) chosen due to its effectiveness in games and optimization problems, as well as its ability to navigate large search spaces effectively (Figure 1).
- Hill Climbing (HC) used in simulation phase for local optimization.




Figure 1 – Monte Carlo Tree Search steps.

Objective(s)

- Enhance the efficiency and quality of FCUP's timetabling.
- Provide step-by-step interactive **recommendations**.
- Detect potential conflicts.
- Integrate these functionalities into a timetable visualization interface that was previously developed using reactive programming.

State-of-the-Art

- Analyzed various **surveys** [1,2,3,4] and categorized UCTTP approaches based on their problem-solving strategies.
- **Metaheuristics** emerged as one of the most promising, particularly single-solution-based algorithms like Simulated Annealing (SA) and **Tabu Search** (TS).
- Hybrid approaches, like Müller's ITC-2007 approach [5], were also shown to be effective.
- Goh [6] study on the Post-Enrollment Course Timetabling Problem (PE-CTT) found that **TS outperformed MCTS**, despite improvements to the standard MCTS algorithm.
- MCTS and its hybridization remain unexplored in the context of CB-CTT, making this the **novel contribution** of our work.

Workplan

Key tasks involve thorough literature review, algorithms **implementation**, system integration with **ITC-2007** (track 3) standards, and extensive **testing** (Figure 2).




Figure 2 – Gantt chart with the project tasks and estimated duration

Preliminary results

- Tested C values (0.1 to 1000) in the UCT formula and in a modified version incorporating accumulated rewards for exploitation.
- So far, all the executed tests have found feasible solutions.
- C = 100 in the alternative UCT formula yielded the best results in most instances (Figure 3) but remains less competitive than top solutions.




Figure 3 – Soft constraint progress for comp02 instance from ITC-2007.

References

- R. Lewis, "A survey of metaheuristic-based techniques for university timetabling problems," OR Spectrum, vol. 30, no. 1, pp. 167–190, Jan. 2008. Available: https://doi.org/10.1007/s00291-007-0097-0
- S. Abdipoor, R. Yaakob, S. L. Goh, and S. Abdullah, "Meta-heuristic approaches for the university course timetabling problem," Intelligent Systems with Applications, vol. 19, p. 200253, Sep. 2023. Available: https://linkinghub.elsevier.com/retrieve/pii/S2667305323000789
- H. Babaei, J. Karimpour, and A. Hadidi, "A survey of approaches for university course timetabling problem," Computers & Industrial Engineering, vol. 86, pp. 43-59, Aug. 2015. Available:
 - https://linkinghub.elsevier.com/retrieve/pii/S0360835214003714
- M. C. Chen, S. N. Sze, S. L. Goh, N. R. Sabar, and G. Kendall, "A survey of university course timetabling problem: Perspectives, trends and opportunities," IEEE Access, vol. 9, pp. 106 515-106 529, 2021, conference Name: IEEE Access. Available: https://ieeexplore.ieee.org/document/9499056/?arnumber=9499056
- T. Müller, "Itc2007 solver description: a hybrid approach," Annals of Operations Research, vol. 172, no. 1, pp. 429-446, Nov. 2009. Available: http://link.springer.com/10.1007/s10479-009-0644-y
- S. L. Goh, "An investigation of monte carlo tree search and local search for course timetabling problems,", pp. 76-105, Jul. 2017. Available: https://eprints.nottingham.ac.uk/43558/





