

Scan Report

July 5, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Coordinated Universal Time”, which is abbreviated “UTC”. The task was “Windows”. The scan started at Sun Jul 5 20:49:47 2026 UTC and ended at Sun Jul 5 21:05:32 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
2	Results per Host	2
2.1	10.0.3.11	2
2.1.1	Medium 135/tcp	2
2.1.2	Low general/icmp	3

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
10.0.3.11	0	0	1	1	0	0
Total: 1	0	0	1	1	0	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level “Log” are not shown.
Issues with the threat level “Debug” are not shown.
Issues with the threat level “False Positive” are not shown.
Only results with a minimum QoD of 70 are shown.

This report contains all 2 results selected by the filtering described above. Before filtering there were 17 results.

2 Results per Host

2.1 10.0.3.11

Host scan start Sun Jul 5 20:51:45 2026 UTC
Host scan end Sun Jul 5 21:05:25 2026 UTC

Service (Port)	Threat Level
135/tcp	Medium
general/icmp	Low

2.1.1 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary
Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Here is the list of DCE/RPC or MSRPC services running on this host via the TCP p
↔rotocol:
Port: 49664/tcp
 UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1
 Endpoint: ncacn_ip_tcp:10.0.3.11[49664]
 Named pipe : lsass
 Win32 service or process : lsass.exe
 Description : SAM access
 UUID: 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1
 Endpoint: ncacn_ip_tcp:10.0.3.11[49664]
 Annotation: Ngc Pop Key Service
 UUID: 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1
 Endpoint: ncacn_ip_tcp:10.0.3.11[49664]
 Annotation: Ngc Pop Key Service
 UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2
 Endpoint: ncacn_ip_tcp:10.0.3.11[49664]
...continues on next page ...

...continued from previous page ...	
Annotation: KeyIso Port: 49665/tcp UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1 Endpoint: ncacn_ip_tcp:10.0.3.11[49665] Port: 49666/tcp UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1 Endpoint: ncacn_ip_tcp:10.0.3.11[49666] Annotation: Event log TCP/IP Port: 49667/tcp UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1 Endpoint: ncacn_ip_tcp:10.0.3.11[49667] UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1 Endpoint: ncacn_ip_tcp:10.0.3.11[49667] Port: 49668/tcp UUID: 0b6edbf8-4a24-4fc6-8a23-942b1eca65d1, version 1 Endpoint: ncacn_ip_tcp:10.0.3.11[49668] UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1 Endpoint: ncacn_ip_tcp:10.0.3.11[49668] Named pipe : spoolss Win32 service or process : spoolsv.exe Description : Spooler service UUID: 4a452661-8290-4b36-8f8e-7f4093a94978, version 1 Endpoint: ncacn_ip_tcp:10.0.3.11[49668] UUID: 76f03f96-cdfd-44fc-a22c-64950a001209, version 1 Endpoint: ncacn_ip_tcp:10.0.3.11[49668] UUID: ae33069b-a2a8-46ee-a235-ddfd339be281, version 1 Endpoint: ncacn_ip_tcp:10.0.3.11[49668] Port: 49672/tcp UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2 Endpoint: ncacn_ip_tcp:10.0.3.11[49672] Port: 49822/tcp UUID: 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1 Endpoint: ncacn_ip_tcp:10.0.3.11[49822] Annotation: Remote Fw APIs Note: DCE/RPC or MSRPC services running on this host locally were identified. Reporting this list is not enabled by default due to the possible large size of this list. See the script preferences to enable this reporting.	
Impact	An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution:	
Solution type: Mitigation	Filter incoming traffic to this ports.
Affected Software/OS	All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight	DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method	Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T05:40:08Z

[\[return to 10.0.3.11 \]](#)

2.1.2 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure
Summary The remote host responded to an ICMP timestamp request.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following response / ICMP packet has been received: - ICMP Type: 14 - ICMP Code: 0
Impact This information could theoretically be used to exploit weak time-based random number generators in other services.
Solution: Solution type: Mitigation Various mitigations are possible: - Disable the support for ICMP timestamp on the remote host completely - Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)
Vulnerability Insight The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.
Vulnerability Detection Method Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received. Details: ICMP Timestamp Reply Information Disclosure OID:1.3.6.1.4.1.25623.1.0.103190 Version used: 2025-01-21T05:37:33Z
References cve: CVE-1999-0524 url: https://datatracker.ietf.org/doc/html/rfc792 url: https://datatracker.ietf.org/doc/html/rfc2780 cert-bund: CB-K15/1514 cert-bund: CB-K14/0632 dfn-cert: DFN-CERT-2014-0658

[[return to 10.0.3.11](#)]