Growing Cents: Test Data Reset Procedure

To maintain operational purity during staging, follow this protocol to reset all nodes to a verified baseline.

Phase 1: Institutional Purge

1. **Clear Assessments**: Delete all records from `assessments` and `recommendations` tables.
2. **Reset Clubs**: Remove all non-baseline institutional entries.
3. **Wipe Logs**: Truncate the `audit_logs` table (preserve 'critical' tags if needed).

```bash
# Command Console Execution - Standard
```

```
php artisan db:seed --class=BaselineResetSeeder
```

Nuclear Reset (Full Wipe)

```
php artisan migrate:fresh --seed
```

Safety Check:

Before execution, verify `APP_ENV` is NOT `production`.

```bash
php artisan env
```

Phase 2: User Synchronization

1. **De-register Non-Admins**: Clear the `users` table of all but the primary

Command nodes.

2. **Clear 2FA Tokens**: Expire all pending verification tokens.

3. **Reset Password History**: Refresh salt and pepper configs if staging is compromised.

Phase 3: Financial Baseline

1. **Expire Subscriptions**: Set all active test subscriptions to `expired`.

2. **Clear Mock Webhooks**: Flush the `webhook_events` cache.

> [!WARNING]

> This procedure is IRREVERSIBLE. Ensure a High Command backup exists before execution.

Growing Cents Staging & Environment Control