

Práctica 1 Git

Daniel Marcos Ferreira Castaño

1º DAM / SSI

IES Torre de los Guzmanes


(2026-2027)

Índice

Clonar repositorio....3
Cambio desde el remoto al local....4
Cambio en local al remoto SIN conflicto....5
Cambios con conflicto: Mergeo a mano....6
Cambios con conflicto: Sobrescribir el remoto....8


Clonar repositorio

Usaremos el repositorio ya creado en clase, con su URL lo clonamos con “clone” y observamos que tiene todo su contenido correctamente.




Cambio desde el remoto al local

Primero cambiamos algo con un commit en el servidor (GitHub Web).




Y para que el local tenga dichos cambios, descargamos los cambios del remoto/servidor y podremos observar los cambios en local.




Cambio en local al remoto SIN conflicto

Para ello, primero cambiamos el contenido de algo, añadimos todos los cambios a la área de preparación con “git add .”, registramos los cambios realizados con un comentario identificativo con “git commit -m” y lo subimos a la rama remota con “git push”.





Una vez vayamos a GitHub, veremos los cambios realizados perfectamente.



Cambios con conflicto: Mergeo a mano

Para crear el conflicto, primero hacemos cambios en el servidor como vimos antes y luego en el local.





Al subir los cambios, veremos que nos rechaza porque el servidor tiene un cambio diferente al tuyo, quedándose con la duda de cuál quedarse.

```
UCRT64:/d/Users/propietario/Downloads/Entornos2026-2027

propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hola.txt

no changes added to commit (use "git add" and/or "git commit -a")

propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$ git add .

propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)


Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   hola.txt



propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$ git commit -m "Cambio hola.txt para probar con conflicto"
[main f5e6c41] Cambio hola.txt para probar con conflicto
 1 file changed, 1 insertion(+)

propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$ git push Entornos2026-2027 main
To https://github.com/DaniiNice/Entornos2026-2027.git
 ! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/DaniiNice/Entornos2026-2027.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.


propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$
```


Para solucionar el conflicto con mergeo a mano, primero confirmamos que .rebase está en false y al hacer pull, veremos ambos cambios de los sitios a elegir. Editas con el cambio que quieres guardar.






Luego hacemos el mismo proceso de subir dicho cambio y observamos que funciona correctamente.





Cambios con conflicto: Sobrescribir el remoto

Para ello, hacemos otro conflicto como hicimos antes.





Ahora al guardar el cambio, directamente hacemos "-- force" permitiéndonos sobrescribir todo contenido que ya tenía el servidor remoto de forma IRREVERSIBLE, por eso hay que tener cuidado y saber usarlo eficientemente.

```
UCRT64:/d/Users/propietario/Downloads/Entornos2026-2027

propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 4 commits.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hola.txt

no changes added to commit (use "git add" and/or "git commit -a")

propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$ git add .

propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$ git commit -m "Version local definitiva que reemplaza al remoto"
[main 8143776] Version local definitiva que reemplaza al remoto
 1 file changed, 1 insertion(+), 1 deletion(-)

propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$ git push Entornos2026-2027 main --force
Enumerating objects: 27, done.
Counting objects: 100% (27/27), done.
Delta compression using up to 16 threads
Compressing objects: 100% (19/19), done.
Writing objects: 100% (27/27), 5.99 KiB | 3.00 MiB/s, done.
Total 27 (delta 1), reused 12 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/DaniiNice/Entornos2026-2027.git
 + b0e6aaf...8143776 main -> main (forced update)

propietario@pc-sobremesa UCRT64 /d/Users/propietario/Downloads/Entornos2026-2027 (main)
$
```

