
Lab Work 5 - Report


Case Study: The Registan Travel Website

Student name	Daniil Pinegin	**Student ID**	A85204925012
Course	CSIT248 Web Technologies	**Instructor**	Dr. Nourchen Moumni

1. Screenshot - phone (390 px wide)


This is my home page on a phone. I split one long screenshot into two parts. There is one card per row, the header stays at the top, and each badge is in the top-right corner of its card.





2. Screenshot - desktop (1440 px wide)

This is my home page on a desktop. The logo is on the left, the menu is on the right, and there are three cards in one row.



3. Part C - Bootstrap vs hand-written CSS

In Part A I wrote 445 lines of CSS, but in Part C I wrote only 66 lines, because Bootstrap already has the navbar, the grid and the cards.

4. Part D - Client bug reports

Bug 1 - *Visited menu links do not turn gold when I hover.*

Buggy code:

```
nav a:link    { color: white; }
nav a:hover   { background: #E0A526; }
nav a:visited { color: white; background: none; }
```

Cause: the order of the link rules is wrong (it should be LVHA: link, visited, hover, active). :hover and :visited have the same specificity, so the rule that comes later wins. Here :visited is after :hover, and its 'background: none' cancels the gold hover.

Corrected code:

```
nav a:link    { color: white; }
nav a:visited { color: white; }
nav a:hover   { background: #E0A526; color: #0B1F4B; }
nav a:active  { background: #c48f1c; }
```

Now the order is LVHA, and :visited does not remove the background any more, so visited links also turn gold on hover.

Bug 2 - *The badge is in the corner of the whole page, not the card.*

Buggy code:

```
.card  { padding: 16px; border-radius: 10px; }
.badge { position: absolute; top: 10px; right: 10px; }
```

Cause: an element with position: absolute is placed inside its closest parent that has a position (the containing block). .card has no position (it is static), so the badge uses the whole page as its parent.

Corrected code:

```
.card  { position: relative; padding: 16px; border-radius: 10px; }
.badge { position: absolute; top: 10px; right: 10px; }
```

With position: relative on .card, the card becomes the containing block, so top: 10px and right: 10px are counted from the corner of the card.

Bug 3 - *On my laptop the third card drops below the other two.*

Buggy code:

```
.card { width: 33.33%; float: left; padding: 20px; border: 1px solid #ddd; }
```

Cause: the box model. By default box-sizing is content-box, so the width does not include padding and border. Each card is really 33.33% + 40px padding + 2px border wide. Three cards are wider than 100%, so the third one goes to the next line.

Corrected code:

```
*, *::before, *::after { box-sizing: border-box; }

.card { width: 33.33%; float: left; padding: 20px; border: 1px solid #ddd; }
```

With box-sizing: border-box, padding and border are inside the 33.33% width, so three cards make 99.99% and fit in one row.