



[UR47-21] [Форма зворотного зв'язку] Created: 11/Feb/26 Updated: 11/Feb/26

Status:	In Progress
Project:	47
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Даниил Кирюхин	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	 5215534725370419698.jpg  5215534725370419699.jpg
Rank:	0 i0006n:

Description

Environment: Iphone 14Pro Max (safari)
STR:
1.Перейти [Контакты Державна лікарня ветеринарної медицини https://dpcozt.com.ua/kontakty/]
2. Прокролити до “Форма зворотного зв’язку”
3. Заповнити форму з некоректним ім'ям та некоректною поштою.
4. Повідомлення успішно надіслане.
ER: Форма зворотного зв’язку повинна бути заповнена з коректним ім'ям та коректною існуючою поштою.

Generated at Sat Feb 21 12:44:05 UTC 2026 by Даниил Кирюхин using Jira 1001.0.0-SNAPSHOT#100290-
rev:8451df32bdad635dfce164a737dc2fcfc95e6977.