

1. Aircraft Report

```
1.1. <?xml version="1.0" encoding="UTF-8" standalone="no"?><!DOCTYPE log SYSTEM
"logger.dtd"><log><record> <date>2022-01-25T12:09:12.094278900Z</date>
<millis>1643112552094</millis> <nanos>278900</nanos> <sequence>0</sequence>
<logger>org.apache.catalina.core.AprLifecycleListener</logger> <level>FINE</level>
<class>org.apache.catalina.core.AprLifecycleListener</class> <method>init</method>
<thread>1</thread> <message>The Apache Tomcat Native library could not be found using
names [tcnative-1, libtcnative-1] on the java.library.path [C:\Program Files\Java\jdk-
12\bin;C:\WINDOWS\Sun\Java\bin;C:\WINDOWS\system32;C:\WINDOWS;C:/Program
Files/Java/jdk-12/bin/server;C:/Program Files/Java/jdk-
12/bin;C:\Python310\Scripts\;C:\Python310\;C:\Program Files (x86)\Windows Resource
Kits\Tools\;C:\Program Files
(x86)\IntelSWTools\system_studio_2020\OpenCL\sdk\bin\x64;C:\Program Files
(x86)\IntelSWTools\system_studio_2020\OpenCL\sdk\bin\x86;C:\Program Files (x86)\Common
Files\Oracle\Java\javapath;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbe
m;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\Program
Files\dotnet\;C:\WINDOWS\System32\OpenSSH\;C:\Program Files\Microsoft SQL
Server\130\Tools\Binn\;C:\Program Files\Microsoft SQL Server\Client
SDK\ODBC\170\Tools\Binn\;C:\Program Files\Java\jdk1.8.0_301;C:\Program
Files\nodejs\;C:\ProgramData\chocolatey\bin;C:\Program Files\MySQL\MySQL Shell
8.0\bin\;C:\Users\pc\AppData\Local\Microsoft\WindowsApps;C:\Users\pc\.dotnet\tools;;C:\Users\pc
\AppData\Local\Programs\Microsoft VS
Code\bin;C:\Users\pc\AppData\Roaming\npm;C:\WINDOWS\system32;;.]. The errors reported
were [Can't load library:
C:\Users\pc\Desktop\VirtualnePosjeteMuzeju\VirtualnePosjeteMuzeju\bin\tcnative-1.dll, Can't load
library: C:\Users\pc\Desktop\VirtualnePosjeteMuzeju\VirtualnePosjeteMuzeju\bin\libtcnative-1.dll,
no tcnative-1 in java.library.path: [C:\Program Files\Java\jdk-12\bin, C:\WINDOWS\Sun\Java\bin,
C:\WINDOWS\system32, C:\WINDOWS, C:/Program Files/Java/jdk-12/bin/server, C:/Program
Files/Java/jdk-12/bin, C:\Python310\Scripts\, C:\Python310\, C:\Program Files (x86)\Windows
Resource Kits\Tools\, C:\Program Files
(x86)\IntelSWTools\system_studio_2020\OpenCL\sdk\bin\x64, C:\Program Files
(x86)\IntelSWTools\system_studio_2020\OpenCL\sdk\bin\x86, C:\Program Files (x86)\Common
Files\Oracle\Java\javapath, C:\WINDOWS\system32, C:\WINDOWS,
C:\WINDOWS\System32\Wbem, C:\WINDOWS\System32\WindowsPowerShell\v1.0\, C:\Program
Files\dotnet\, C:\WINDOWS\System32\OpenSSH\, C:\Program Files\Microsoft SQL
Server\130\Tools\Binn\, C:\Program Files\Microsoft SQL Server\Client
SDK\ODBC\170\Tools\Binn\, C:\Program Files\Java\jdk1.8.0_301, C:\Program Files\nodejs\,
C:\ProgramData\chocolatey\bin, C:\Program Files\MySQL\MySQL Shell 8.0\bin\,
C:\Users\pc\AppData\Local\Microsoft\WindowsApps, C:\Users\pc\.dotnet\tools, .,
C:\Users\pc\AppData\Local\Programs\Microsoft VS Code\bin,
C:\Users\pc\AppData\Roaming\npm, C:\WINDOWS\system32, ., .], no libtcnative-1 in
java.library.path: [C:\Program Files\Java\jdk-12\bin, C:\WINDOWS\Sun\Java\bin,
C:\WINDOWS\system32, C:\WINDOWS, C:/Program Files/Java/jdk-12/bin/server, C:/Program
Files/Java/jdk-12/bin, C:\Python310\Scripts\, C:\Python310\, C:\Program Files (x86)\Windows
Resource Kits\Tools\, C:\Program Files
(x86)\IntelSWTools\system_studio_2020\OpenCL\sdk\bin\x64, C:\Program Files
(x86)\IntelSWTools\system_studio_2020\OpenCL\sdk\bin\x86, C:\Program Files (x86)\Common
```

Files\Oracle\Java\javapath, C:\WINDOWS\system32, C:\WINDOWS,
C:\WINDOWS\System32\Wbem, C:\WINDOWS\System32\WindowsPowerShell\v1.0\, C:\Program
Files\dotnet\, C:\WINDOWS\System32\OpenSSH\, C:\Program Files\Microsoft SQL
Server\130\Tools\Binn\, C:\Program Files\Microsoft SQL Server\Client
SDK\ODBC\170\Tools\Binn\, C:\Program Files\Java\jdk1.8.0_301, C:\Program Files\nodejs\,
C:\ProgramData\chocolatey\bin, C:\Program Files\MySQL\MySQL Shell 8.0\bin\,
C:\Users\pc\AppData\Local\Microsoft\WindowsApps, C:\Users\pc\.dotnet\tools, .,
C:\Users\pc\AppData\Local\Programs\Microsoft VS Code\bin,
C:\Users\pc\AppData\Roaming\npm, C:\WINDOWS\system32, ., .]]</message> <exception>
<message>org.apache.tomcat.jni.LibraryNotFoundError: Can't load library:
C:\Users\pc\Desktop\VirtualnePosjeteMuzeju\VirtualnePosjeteMuzeju\bin\tcnative-1.dll, Can't load
library: C:\Users\pc\Desktop\VirtualnePosjeteMuzeju\VirtualnePosjeteMuzeju\bin\libtcnative-1.dll,
no tcnative-1 in java.library.path: [C:\Program Files\Java\jdk-12\bin, C:\WINDOWS\Sun\Java\bin,
C:\WINDOWS\system32, C:\WINDOWS, C:/Program Files/Java/jdk-12/bin/server, C:/Program
Files/Java/jdk-12/bin, C:\Python310\Scripts\, C:\Python310\, C:\Program Files (x86)\Windows
Resource Kits\Tools\, C:\Program Files
(x86)\IntelSWTools\system_studio_2020\OpenCL\sdk\bin\x64, C:\Program Files
(x86)\IntelSWTools\system_studio_2020\OpenCL\sdk\bin\x86, C:\Program Files (x86)\Common
Files\Oracle\Java\javapath, C:\WINDOWS\system32, C:\WINDOWS,
C:\WINDOWS\System32\Wbem, C:\WINDOWS\System32\WindowsPowerShell\v1.0\, C:\Program
Files\dotnet\, C:\WINDOWS\System32\OpenSSH\, C:\Program Files\Microsoft SQL
Server\130\Tools\Binn\, C:\Program Files\Microsoft SQL Server\Client
SDK\ODBC\170\Tools\Binn\, C:\Program Files\Java\jdk1.8.0_301, C:\Program Files\nodejs\,
C:\ProgramData\chocolatey\bin, C:\Program Files\MySQL\MySQL Shell 8.0\bin\,
C:\Users\pc\AppData\Local\Microsoft\WindowsApps, C:\Users\pc\.dotnet\tools, .,
C:\Users\pc\AppData\Local\Programs\Microsoft VS Code\bin,
C:\Users\pc\AppData\Roaming\npm, C:\WINDOWS\system32, ., .], no libtcnative-1 in
java.library.path: [C:\Program Files\Java\jdk-12\bin, C:\WINDOWS\Sun\Java\bin,
C:\WINDOWS\system32, C:\WINDOWS, C:/Program Files/Java/jdk-12/bin/server, C:/Program
Files/Java/jdk-12/bin, C:\Python310\Scripts\, C:\Python310\, C:\Program Files (x86)\Windows
Resource Kits\Tools\, C:\Program Files
(x86)\IntelSWTools\system_studio_2020\OpenCL\sdk\bin\x64, C:\Program Files
(x86)\IntelSWTools\system_studio_2020\OpenCL\sdk\bin\x86, C:\Program Files (x86)\Common
Files\Oracle\Java\javapath, C:\WINDOWS\system32, C:\WINDOWS,
C:\WINDOWS\System32\Wbem, C:\WINDOWS\System32\WindowsPowerShell\v1.0\, C:\Program
Files\dotnet\, C:\WINDOWS\System32\OpenSSH\, C:\Program Files\Microsoft SQL
Server\130\Tools\Binn\, C:\Program Files\Microsoft SQL Server\Client
SDK\ODBC\170\Tools\Binn\, C:\Program Files\Java\jdk1.8.0_301, C:\Program Files\nodejs\,
C:\ProgramData\chocolatey\bin, C:\Program Files\MySQL\MySQL Shell 8.0\bin\,
C:\Users\pc\AppData\Local\Microsoft\WindowsApps, C:\Users\pc\.dotnet\tools, .,
C:\Users\pc\AppData\Local\Programs\Microsoft VS Code\bin,
C:\Users\pc\AppData\Roaming\npm, C:\WINDOWS\system32, ., .]</message> <frame>
<class>org.apache.tomcat.jni.Library</class> <method><init></method>
<line>93</line> </frame> <frame> <class>org.apache.tomcat.jni.Library</class>
<method>initialize</method> <line>203</line> </frame> <frame>
<class>org.apache.catalina.core.AprLifecycleListener</class> <method>init</method>
<line>203</line> </frame> <frame>
<class>org.apache.catalina.core.AprLifecycleListener</class>

```

<method>isAprAvailable</method>    <line>108</line>    </frame>    <frame>
<class>org.springframework.boot.web.embedded.tomcat.TomcatServletWebServerFactory</class>
>    <method>getDefaultLifecycleListeners</method>    <line>180</line>    </frame>    <frame>
<class>org.springframework.boot.web.embedded.tomcat.TomcatServletWebServerFactory</class>
>    <method>&lt;init&gt;</method>    <line>127</line>    </frame>    <frame>
<class>org.springframework.boot.autoconfigure.web.servlet.ServletWebServerFactoryConfiguratio
n$EmbeddedTomcat</class>    <method>tomcatServletWebServerFactory</method>
<line>76</line>    </frame>    <frame>
<class>jdk.internal.reflect.NativeMethodAccessorImpl</class>    <method>invoke0</method>
</frame>    <frame>    <class>jdk.internal.reflect.NativeMethodAccessorImpl</class>
<method>invoke</method>    <line>62</line>    </frame>    <frame>
<class>jdk.internal.reflect.DelegatingMethodAccessorImpl</class>    <method>invoke</method>
    <line>43</line>    </frame>    <frame>    <class>java.lang.reflect.Method</class>
<method>invoke</method>    <line>567</line>    </frame>    <frame>
<class>org.springframework.beans.factory.support.SimpleInstantiationStrategy</class>
<method>instantiate</method>    <line>154</line>    </frame>    <frame>
<class>org.springframework.beans.factory.support.ConstructorResolver</class>
<method>instantiate</method>    <line>653</line>    </frame>    <frame>
<class>org.springframework.beans.factory.support.ConstructorResolver</class>
<method>instantiateUsingFactoryMethod</method>    <line>638</line>    </frame>    <frame>
<class>org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory</class>
    <method>instantiateUsingFactoryMethod</method>    <line>1352</line>    </frame>
<frame>
<class>org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory</class>
    <method>createBeanInstance</method>    <line>1195</line>    </frame>    <frame>
<class>org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory</class>
    <method>doCreateBean</method>    <line>582</line>    </frame>    <frame>
<class>org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory</class>
    <method>createBean</method>    <line>542</line>    </frame>    <frame>
<class>org.springframework.beans.factory.support.AbstractBeanFactory</class>
<method>lambda$doGetBean$0</method>    <line>335</line>    </frame>    <frame>
<class>org.springframework.beans.factory.support.DefaultSingletonBeanRegistry</class>
<method>getSingleton</method>    <line>234</line>    </frame>    <frame>
<class>org.springframework.beans.factory.support.AbstractBeanFactory</class>
<method>doGetBean</method>    <line>333</line>    </frame>    <frame>
<class>org.springframework.beans.factory.support.AbstractBeanFactory</class>
<method>getBean</method>    <line>213</line>    </frame>    <frame>
<class>org.springframework.boot.web.servlet.context.ServletWebServerApplicationContext</class>
>    <method>getWebServerFactory</method>    <line>217</line>    </frame>    <frame>
<class>org.springframework.boot.web.servlet.context.ServletWebServerApplicationContext</class>
>    <method>createWebServer</method>    <line>180</line>    </frame>    <frame>
<class>org.springframework.boot.web.servlet.context.ServletWebServerApplicationContext</class>
>    <method>onRefresh</method>    <line>160</line>    </frame>    <frame>
<class>org.springframework.context.support.AbstractApplicationContext</class>
<method>refresh</method>    <line>577</line>    </frame>    <frame>
<class>org.springframework.boot.web.servlet.context.ServletWebServerApplicationContext</class>
>    <method>refresh</method>    <line>145</line>    </frame>    <frame>
<class>org.springframework.boot.SpringApplication</class>    <method>refresh</method>

```

```
<line>730</line> </frame> <frame>
<class>org.springframework.boot.SpringApplication</class>
<method>refreshContext</method> <line>412</line> </frame> <frame>
<class>org.springframework.boot.SpringApplication</class> <method>run</method>
<line>302</line> </frame> <frame>
<class>org.springframework.boot.SpringApplication</class> <method>run</method>
<line>1301</line> </frame> <frame>
<class>org.springframework.boot.SpringApplication</class> <method>run</method>
<line>1290</line> </frame> <frame> <class>com.muzej.app.Application</class>
<method>main</method> <line>57</line> </frame> </exception></record><record>
<date>2022-01-25T12:09:12.493032200Z</date> <millis>1643112552493</millis>
<nanos>32200</nanos> <sequence>1</sequence>
<logger>org.apache.tomcat.util.compat.Jre16Compat</logger> <level>FINE</level>
<class>org.apache.tomcat.util.compat.Jre16Compat</class> <method>&lt;clinit&gt;</method>
<thread>1</thread> <message>Class not found so assuming code is running on a pre-Java 16
JVM</message> <exception> <message>java.lang.ClassNotFoundException:
java.net.UnixDomainSocketAddress</message> <frame>
<class>jdk.internal.loader.BuiltinClassLoader</class> <method>loadClass</method>
<line>583</line> </frame> <frame>
<class>jdk.internal.loader.ClassLoaders$AppClassLoader</class>
<method>loadClass</method> <line>178</line> </frame> <frame>
<class>java.lang.ClassLoader</class> <method>loadClass</method> <line>521</line>
</frame> <frame> <class>java.lang.Class</class> <method>forName0</method>
</frame> <frame> <class>java.lang.Class</class> <method>forName</method>
<line>332</line> </frame> <frame>
<class>org.apache.tomcat.util.compat.Jre16Compat</class> <method>&lt;clinit&gt;</method>
<line>47</line> </frame> <frame>
<class>org.apache.tomcat.util.compat.JreCompat</class> <method>&lt;clinit&gt;</method>
<line>70</line> </frame> <frame> <class>org.apache.catalina.startup.Tomcat</class>
<method>&lt;clinit&gt;</method> <line>1304</line> </frame> <frame>
<class>org.springframework.boot.web.embedded.tomcat.TomcatServletWebServerFactory</class>
> <method>getWebServer</method> <line>192</line> </frame> <frame>
<class>org.springframework.boot.web.servlet.context.ServletWebServerApplicationContext</class>
> <method>createWebServer</method> <line>182</line> </frame> <frame>
<class>org.springframework.boot.web.servlet.context.ServletWebServerApplicationContext</class>
> <method>onRefresh</method> <line>160</line> </frame> <frame>
<class>org.springframework.context.support.AbstractApplicationContext</class>
<method>refresh</method> <line>577</line> </frame> <frame>
<class>org.springframework.boot.web.servlet.context.ServletWebServerApplicationContext</class>
> <method>refresh</method> <line>145</line> </frame> <frame>
<class>org.springframework.boot.SpringApplication</class> <method>refresh</method>
<line>730</line> </frame> <frame>
<class>org.springframework.boot.SpringApplication</class>
<method>refreshContext</method> <line>412</line> </frame> <frame>
<class>org.springframework.boot.SpringApplication</class> <method>run</method>
<line>302</line> </frame> <frame>
<class>org.springframework.boot.SpringApplication</class> <method>run</method>
<line>1301</line> </frame> <frame>
```

<class>org.springframework.boot.SpringApplication</class> <method>run</method>
<line>1290</line> </frame> <frame> <class>com.muzej.app.Application</class>
<method>main</method> <line>57</line> </frame> </exception></record><record>
<date>2022-01-25T12:09:13.139965700Z</date> <millis>1643112553139</millis>
<nanos>965700</nanos> <sequence>2</sequence>
<logger>org.apache.tomcat.util.IntrospectionUtils</logger> <level>FINE</level>
<class>org.apache.tomcat.util.IntrospectionUtils</class> <method>setProperty</method>
<thread>1</thread> <message>IntrospectionUtils: setProperty(class
org.apache.coyote.http11.Http11NioProtocol port=8080)</message></record><record>
<date>2022-01-25T12:09:13.159952400Z</date> <millis>1643112553159</millis>
<nanos>952400</nanos> <sequence>3</sequence>
<logger>org.apache.tomcat.util.IntrospectionUtils</logger> <level>FINE</level>
<class>org.apache.tomcat.util.IntrospectionUtils</class> <method>setProperty</method>
<thread>1</thread> <message>IntrospectionUtils: setProperty(class
org.apache.coyote.http11.Http11NioProtocol bindOnInit=false)</message></record><record>
<date>2022-01-25T12:09:13.160952200Z</date> <millis>1643112553160</millis>
<nanos>952200</nanos> <sequence>4</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.AbstractEndpoint</class> <method>setAttribute</method>
<thread>1</thread> <message>Set [bindOnInit] to [false]</message></record><record>
<date>2022-01-25T12:09:13.160952200Z</date> <millis>1643112553160</millis>
<nanos>952200</nanos> <sequence>5</sequence>
<logger>org.apache.tomcat.util.IntrospectionUtils</logger> <level>FINE</level>
<class>org.apache.tomcat.util.IntrospectionUtils</class> <method>setProperty</method>
<thread>1</thread> <message>IntrospectionUtils: setProperty(class
org.apache.tomcat.util.net.NioEndpoint bindOnInit=false)</message></record><record>
<date>2022-01-25T12:09:13.166948900Z</date> <millis>1643112553166</millis>
<nanos>948900</nanos> <sequence>6</sequence>
<logger>org.apache.tomcat.util.IntrospectionUtils</logger> <level>FINE</level>
<class>org.apache.tomcat.util.IntrospectionUtils</class> <method>setProperty</method>
<thread>1</thread> <message>IntrospectionUtils: setProperty(class
org.apache.coyote.http11.Http11NioProtocol
maxPostSize=2097152)</message></record><record> <date>2022-01-
25T12:09:13.168946100Z</date> <millis>1643112553168</millis> <nanos>946100</nanos>
<sequence>7</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.AbstractEndpoint</class>
<method>setAttribute</method> <thread>1</thread> <message>Set [maxPostSize] to
[2097152]</message></record><record> <date>2022-01-25T12:09:13.168946100Z</date>
<millis>1643112553168</millis> <nanos>946100</nanos> <sequence>8</sequence>
<logger>org.apache.tomcat.util.IntrospectionUtils</logger> <level>FINE</level>
<class>org.apache.tomcat.util.IntrospectionUtils</class> <method>setProperty</method>
<thread>1</thread> <message>IntrospectionUtils: setProperty(class
org.apache.tomcat.util.net.NioEndpoint maxPostSize=2097152)</message></record><record>
<date>2022-01-25T12:09:13.193931200Z</date> <millis>1643112553193</millis>
<nanos>931200</nanos> <sequence>9</sequence>
<logger>org.apache.catalina.core.ContainerBase</logger> <level>FINE</level>
<class>org.apache.catalina.core.ContainerBase</class> <method>addChildInternal</method>
<thread>1</thread> <message>Add child StandardHost[localhost]

StandardEngine[Tomcat]</message></record><record> <date>2022-01-25T12:09:13.228909Z</date> <millis>1643112553228</millis> <nanos>909000</nanos> <sequence>10</sequence> <logger>org.apache.catalina.core.ContainerBase</logger> <level>FINE</level> <class>org.apache.catalina.core.ContainerBase</class> <method>addChildInternal</method> <thread>1</thread> <message>Add child TomcatEmbeddedContext[]

StandardEngine[Tomcat].StandardHost[localhost]</message></record><record> <date>2022-01-25T12:09:13.235905700Z</date> <millis>1643112553235</millis> <nanos>905700</nanos> <sequence>11</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardServer[-1]] to [INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.243899200Z</date> <millis>1643112553243</millis> <nanos>899200</nanos> <sequence>12</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [org.apache.catalina.deploy.NamingResourcesImpl@6a4ccef7] to [INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.243899200Z</date> <millis>1643112553243</millis> <nanos>899200</nanos> <sequence>13</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [org.apache.catalina.deploy.NamingResourcesImpl@6a4ccef7] to [INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.244897900Z</date> <millis>1643112553244</millis> <nanos>897900</nanos> <sequence>14</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardService[Tomcat]] to [INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.244897900Z</date> <millis>1643112553244</millis> <nanos>897900</nanos> <sequence>15</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardEngine[Tomcat]] to [INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.245898Z</date> <millis>1643112553245</millis> <nanos>898000</nanos> <sequence>16</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardEngine[Tomcat]] to [INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.245898Z</date> <millis>1643112553245</millis> <nanos>898000</nanos> <sequence>17</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [org.apache.catalina.mapper.MapperListener@26b95b0b] to [INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.245898Z</date> <millis>1643112553245</millis> <nanos>898000</nanos> <sequence>18</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>

<thread>1</thread> <message>Setting state for
[org.apache.catalina.mapper.MapperListener@26b95b0b] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.246897400Z</date>
<millis>1643112553246</millis> <nanos>897400</nanos> <sequence>19</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for [Connector[HTTP/1.1-8080]] to
[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.250897Z</date>
<millis>1643112553250</millis> <nanos>897000</nanos> <sequence>20</sequence>
<logger>org.apache.tomcat.util.IntrospectionUtils</logger> <level>FINE</level>
<class>org.apache.tomcat.util.IntrospectionUtils</class> <method>setProperty</method>
<thread>1</thread> <message>IntrospectionUtils: setProperty(class
org.apache.coyote.http11.Http11NioProtocol
parseBodyMethods=POST)</message></record><record> <date>2022-01-
25T12:09:13.251897Z</date> <millis>1643112553251</millis> <nanos>897000</nanos>
<sequence>21</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.AbstractEndpoint</class>
<method>setAttribute</method> <thread>1</thread> <message>Set [parseBodyMethods] to
[POST]</message></record><record> <date>2022-01-25T12:09:13.252894100Z</date>
<millis>1643112553252</millis> <nanos>894100</nanos> <sequence>22</sequence>
<logger>org.apache.tomcat.util.IntrospectionUtils</logger> <level>FINE</level>
<class>org.apache.tomcat.util.IntrospectionUtils</class> <method>setProperty</method>
<thread>1</thread> <message>IntrospectionUtils: setProperty(class
org.apache.tomcat.util.net.NioEndpoint parseBodyMethods=POST)</message></record><record>
<date>2022-01-25T12:09:13.252894100Z</date> <millis>1643112553252</millis>
<nanos>894100</nanos> <sequence>23</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>INFO</level>
<class>org.apache.coyote.AbstractProtocol</class> <method>init</method> <thread>1</thread>
<message>Initializing ProtocolHandler ["http-nio-8080"]</message></record><record>
<date>2022-01-25T12:09:13.263887600Z</date> <millis>1643112553263</millis>
<nanos>887600</nanos> <sequence>24</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for [Connector[HTTP/1.1-8080]] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.263887600Z</date>
<millis>1643112553263</millis> <nanos>887600</nanos> <sequence>25</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for [StandardService[Tomcat]] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.264887100Z</date>
<millis>1643112553264</millis> <nanos>887100</nanos> <sequence>26</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for [StandardServer[-1]] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.264887100Z</date>
<millis>1643112553264</millis> <nanos>887100</nanos> <sequence>27</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>

<thread>1</thread> <message>Setting state for [StandardServer[-1]] to [STARTING_PREP]</message></record><record> <date>2022-01-25T12:09:13.264887100Z</date> <millis>1643112553264</millis> <nanos>887100</nanos> <sequence>28</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardServer[-1]] to [STARTING]</message></record><record> <date>2022-01-25T12:09:13.264887100Z</date> <millis>1643112553264</millis> <nanos>887100</nanos> <sequence>29</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [org.apache.catalina.deploy.NamingResourcesImpl@6a4ccef7] to [STARTING_PREP]</message></record><record> <date>2022-01-25T12:09:13.264887100Z</date> <millis>1643112553264</millis> <nanos>887100</nanos> <sequence>30</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [org.apache.catalina.deploy.NamingResourcesImpl@6a4ccef7] to [STARTING]</message></record><record> <date>2022-01-25T12:09:13.264887100Z</date> <millis>1643112553264</millis> <nanos>887100</nanos> <sequence>31</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [org.apache.catalina.deploy.NamingResourcesImpl@6a4ccef7] to [STARTED]</message></record><record> <date>2022-01-25T12:09:13.265885700Z</date> <millis>1643112553265</millis> <nanos>885700</nanos> <sequence>32</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardService[Tomcat]] to [STARTING_PREP]</message></record><record> <date>2022-01-25T12:09:13.265885700Z</date> <millis>1643112553265</millis> <nanos>885700</nanos> <sequence>33</sequence> <logger>org.apache.catalina.core.StandardService</logger> <level>INFO</level> <class>org.apache.catalina.core.StandardService</class> <method>startInternal</method> <thread>1</thread> <message>Starting service [Tomcat]</message></record><record> <date>2022-01-25T12:09:13.265885700Z</date> <millis>1643112553265</millis> <nanos>885700</nanos> <sequence>34</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardService[Tomcat]] to [STARTING]</message></record><record> <date>2022-01-25T12:09:13.266886Z</date> <millis>1643112553266</millis> <nanos>886000</nanos> <sequence>35</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardEngine[Tomcat]] to [STARTING_PREP]</message></record><record> <date>2022-01-25T12:09:13.266886Z</date> <millis>1643112553266</millis> <nanos>886000</nanos> <sequence>36</sequence> <logger>org.apache.catalina.core.StandardEngine</logger> <level>INFO</level> <class>org.apache.catalina.core.StandardEngine</class> <method>startInternal</method>

<thread>1</thread> <message>Starting Servlet engine: [Apache Tomcat/9.0.56]</message></record><record> <date>2022-01-25T12:09:13.267885900Z</date> <millis>1643112553267</millis> <nanos>885900</nanos> <sequence>37</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [SimpleRealm[StandardEngine[Tomcat]]] to [INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.269884500Z</date> <millis>1643112553269</millis> <nanos>884500</nanos> <sequence>38</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [SimpleRealm[StandardEngine[Tomcat]]] to [INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.269884500Z</date> <millis>1643112553269</millis> <nanos>884500</nanos> <sequence>39</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [SimpleRealm[StandardEngine[Tomcat]]] to [STARTING_PREP]</message></record><record> <date>2022-01-25T12:09:13.269884500Z</date> <millis>1643112553269</millis> <nanos>884500</nanos> <sequence>40</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [SimpleRealm[StandardEngine[Tomcat]]] to [STARTING]</message></record><record> <date>2022-01-25T12:09:13.270882900Z</date> <millis>1643112553270</millis> <nanos>882900</nanos> <sequence>41</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [SimpleRealm[StandardEngine[Tomcat]]] to [STARTED]</message></record><record> <date>2022-01-25T12:09:13.270882900Z</date> <millis>1643112553270</millis> <nanos>882900</nanos> <sequence>42</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardEngine[Tomcat].StandardHost[localhost]] to [INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.271881700Z</date> <millis>1643112553271</millis> <nanos>881700</nanos> <sequence>43</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardEngine[Tomcat].StandardHost[localhost]] to [INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.271881700Z</date> <millis>1643112553271</millis> <nanos>881700</nanos> <sequence>44</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method> <thread>1</thread> <message>Setting state for [StandardEngine[Tomcat].StandardHost[localhost]] to [STARTING_PREP]</message></record><record> <date>2022-01-25T12:09:13.271881700Z</date> <millis>1643112553271</millis> <nanos>881700</nanos> <sequence>45</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>

<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]] to
[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.272881700Z</date>
<millis>1643112553272</millis> <nanos>881700</nanos> <sequence>46</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.272881700Z</date>
<millis>1643112553272</millis> <nanos>881700</nanos> <sequence>47</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]] to
[STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.273880800Z</date> <millis>1643112553273</millis> <nanos>880800</nanos>
<sequence>48</sequence> <logger>org.apache.catalina.core.StandardContext</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardContext</class>
<method>startInternal</method> <thread>1</thread> <message>Starting
ROOT</message></record><record> <date>2022-01-25T12:09:13.306907200Z</date>
<millis>1643112553306</millis> <nanos>907200</nanos> <sequence>49</sequence>
<logger>org.apache.catalina.core.StandardContext</logger> <level>FINE</level>
<class>org.apache.catalina.core.StandardContext</class> <method>startInternal</method>
<thread>1</thread> <message>Configuring default Resources</message></record><record>
<date>2022-01-25T12:09:13.310905Z</date> <millis>1643112553310</millis>
<nanos>905000</nanos> <sequence>50</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.webresources.StandardRoot@5d7ca698] to
[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.312904900Z</date>
<millis>1643112553312</millis> <nanos>904900</nanos> <sequence>51</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.webresources.StandardRoot@5d7ca698] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.313902900Z</date>
<millis>1643112553313</millis> <nanos>902900</nanos> <sequence>52</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.webresources.StandardRoot@5d7ca698] to
[STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.315901200Z</date> <millis>1643112553315</millis> <nanos>901200</nanos>
<sequence>53</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for

[org.apache.catalina.webresources.DirResourceSet@49122b8f] to
[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.317901500Z</date>
<millis>1643112553317</millis> <nanos>901500</nanos> <sequence>54</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.webresources.DirResourceSet@49122b8f] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.317901500Z</date>
<millis>1643112553317</millis> <nanos>901500</nanos> <sequence>55</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.webresources.DirResourceSet@49122b8f] to
[STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.318898800Z</date> <millis>1643112553318</millis> <nanos>898800</nanos>
<sequence>56</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[org.apache.catalina.webresources.DirResourceSet@49122b8f] to
[STARTING]</message></record><record> <date>2022-01-25T12:09:13.318898800Z</date>
<millis>1643112553318</millis> <nanos>898800</nanos> <sequence>57</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.webresources.DirResourceSet@49122b8f] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.319897300Z</date>
<millis>1643112553319</millis> <nanos>897300</nanos> <sequence>58</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.webresources.StandardRoot@5d7ca698] to
[STARTING]</message></record><record> <date>2022-01-25T12:09:13.319897300Z</date>
<millis>1643112553319</millis> <nanos>897300</nanos> <sequence>59</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.webresources.StandardRoot@5d7ca698] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.406831600Z</date>
<millis>1643112553406</millis> <nanos>831600</nanos> <sequence>60</sequence>
<logger>org.apache.catalina.core.StandardContext</logger> <level>FINE</level>
<class>org.apache.catalina.core.StandardContext</class> <method>startInternal</method>
<thread>1</thread> <message>Processing standard container
startup</message></record><record> <date>2022-01-25T12:09:13.406831600Z</date>
<millis>1643112553406</millis> <nanos>831600</nanos> <sequence>61</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[WebappLoader[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]] to

[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.407831500Z</date>
<millis>1643112553407</millis> <nanos>831500</nanos> <sequence>62</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[WebappLoader[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.407831500Z</date>
<millis>1643112553407</millis> <nanos>831500</nanos> <sequence>63</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[WebappLoader[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]] to
[STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.408831700Z</date> <millis>1643112553408</millis> <nanos>831700</nanos>
<sequence>64</sequence> <logger>org.apache.catalina.loader.WebappLoader</logger>
<level>FINE</level> <class>org.apache.catalina.loader.WebappLoader</class>
<method>startInternal</method> <thread>1</thread> <message>Starting this
Loader</message></record><record> <date>2022-01-25T12:09:13.419823800Z</date>
<millis>1643112553419</millis> <nanos>823800</nanos> <sequence>65</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[WebappLoader[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]] to
[STARTING]</message></record><record> <date>2022-01-25T12:09:13.419823800Z</date>
<millis>1643112553419</millis> <nanos>823800</nanos> <sequence>66</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[WebappLoader[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.485784700Z</date>
<millis>1643112553485</millis> <nanos>784700</nanos> <sequence>67</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]]
to [INITIALIZING]</message></record><record> <date>2022-01-
25T12:09:13.486783400Z</date> <millis>1643112553486</millis> <nanos>783400</nanos>
<sequence>68</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]]
to [INITIALIZED]</message></record><record> <date>2022-01-
25T12:09:13.486783400Z</date> <millis>1643112553486</millis> <nanos>783400</nanos>
<sequence>69</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]]
to [STARTING_PREP]</message></record><record> <date>2022-01-

25T12:09:13.487781600Z</date> <millis>1643112553487</millis> <nanos>781600</nanos>
<sequence>70</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[NonLoginAuthenticator[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]]] to [INITIALIZING]</message></record><record> <date>2022-01-
25T12:09:13.487781600Z</date> <millis>1643112553487</millis> <nanos>781600</nanos>
<sequence>71</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[NonLoginAuthenticator[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]]] to [INITIALIZED]</message></record><record> <date>2022-01-
25T12:09:13.487781600Z</date> <millis>1643112553487</millis> <nanos>781600</nanos>
<sequence>72</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[NonLoginAuthenticator[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]]] to [STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.489781300Z</date> <millis>1643112553489</millis> <nanos>781300</nanos>
<sequence>73</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class>
<method>startInternal</method> <thread>1</thread> <message>No SingleSignOn Valve is
present</message></record><record> <date>2022-01-25T12:09:13.490780400Z</date>
<millis>1643112553490</millis> <nanos>780400</nanos> <sequence>74</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[NonLoginAuthenticator[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]]] to [STARTING]</message></record><record> <date>2022-01-
25T12:09:13.490780400Z</date> <millis>1643112553490</millis> <nanos>780400</nanos>
<sequence>75</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[NonLoginAuthenticator[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]]] to [STARTED]</message></record><record> <date>2022-01-
25T12:09:13.491779700Z</date> <millis>1643112553491</millis> <nanos>779700</nanos>
<sequence>76</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardContextValve[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]]] to [INITIALIZING]</message></record><record> <date>2022-01-
25T12:09:13.491779700Z</date> <millis>1643112553491</millis> <nanos>779700</nanos>
<sequence>77</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardContextValve[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]]] to [INITIALIZED]</message></record><record> <date>2022-01-

25T12:09:13.492779800Z</date> <millis>1643112553492</millis> <nanos>779800</nanos>
<sequence>78</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardContextValve[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]]] to [STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.492779800Z</date> <millis>1643112553492</millis> <nanos>779800</nanos>
<sequence>79</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardContextValve[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]]] to [STARTING]</message></record><record> <date>2022-01-
25T12:09:13.492779800Z</date> <millis>1643112553492</millis> <nanos>779800</nanos>
<sequence>80</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardContextValve[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]]] to [STARTED]</message></record><record> <date>2022-01-
25T12:09:13.493777600Z</date> <millis>1643112553493</millis> <nanos>777600</nanos>
<sequence>81</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]]
to [STARTING]</message></record><record> <date>2022-01-25T12:09:13.493777600Z</date>
<millis>1643112553493</millis> <nanos>777600</nanos> <sequence>82</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]]
to [STARTED]</message></record><record> <date>2022-01-25T12:09:13.494777300Z</date>
<millis>1643112553494</millis> <nanos>777300</nanos> <sequence>83</sequence>
<logger>org.apache.catalina.core.StandardContext</logger> <level>FINE</level>
<class>org.apache.catalina.core.StandardContext</class> <method>startInternal</method>
<thread>1</thread> <message>No manager found. Checking if cluster manager should be used.
Cluster configured: [false], Application distributable: [false]</message></record><record>
<date>2022-01-25T12:09:13.503772400Z</date> <millis>1643112553503</millis>
<nanos>772400</nanos> <sequence>84</sequence>
<logger>org.apache.catalina.core.StandardContext</logger> <level>FINE</level>
<class>org.apache.catalina.core.StandardContext</class> <method>startInternal</method>
<thread>1</thread> <message>Configured a manager of class
[org.apache.catalina.session.StandardManager]</message></record><record> <date>2022-01-
25T12:09:13.504772400Z</date> <millis>1643112553504</millis> <nanos>772400</nanos>
<sequence>85</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[org.apache.catalina.deploy.NamingResourcesImpl@433348bc] to
[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.505772Z</date>
<millis>1643112553505</millis> <nanos>772000</nanos> <sequence>86</sequence>

<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.deploy.NamingResourcesImpl@433348bc] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.505772Z</date>
<millis>1643112553505</millis> <nanos>772000</nanos> <sequence>87</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.deploy.NamingResourcesImpl@433348bc] to
[STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.506770300Z</date> <millis>1643112553506</millis> <nanos>770300</nanos>
<sequence>88</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[org.apache.catalina.deploy.NamingResourcesImpl@433348bc] to
[STARTING]</message></record><record> <date>2022-01-25T12:09:13.506770300Z</date>
<millis>1643112553506</millis> <nanos>770300</nanos> <sequence>89</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.deploy.NamingResourcesImpl@433348bc] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.521760600Z</date>
<millis>1643112553521</millis> <nanos>760600</nanos> <sequence>90</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]</logger>
<level>INFO</level> <class>org.apache.catalina.core.ApplicationContext</class>
<method>log</method> <thread>1</thread> <message>Initializing Spring embedded
WebApplicationContext</message></record><record> <date>2022-01-
25T12:09:13.636690400Z</date> <millis>1643112553636</millis> <nanos>690400</nanos>
<sequence>91</sequence> <logger>org.apache.catalina.core.ContainerBase</logger>
<level>FINE</level> <class>org.apache.catalina.core.ContainerBase</class>
<method>addChildInternal</method> <thread>1</thread> <message>Add child
StandardWrapper[dispatcherServlet]
StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]</message></record>
<record> <date>2022-01-25T12:09:13.637689600Z</date> <millis>1643112553637</millis>
<nanos>689600</nanos> <sequence>92</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]].StandardWrapper[
dispatcherServlet]] to [INITIALIZING]</message></record><record> <date>2022-01-
25T12:09:13.638688500Z</date> <millis>1643112553638</millis> <nanos>688500</nanos>
<sequence>93</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]].StandardWrapper[
dispatcherServlet]] to [INITIALIZED]</message></record><record> <date>2022-01-
25T12:09:13.638688500Z</date> <millis>1643112553638</millis> <nanos>688500</nanos>

<sequence>94</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]].StandardWrapper[
dispatcherServlet]] to [STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.639687800Z</date> <millis>1643112553639</millis> <nanos>687800</nanos>
<sequence>95</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]].S
tandardWrapper[dispatcherServlet]] to [INITIALIZING]</message></record><record>
<date>2022-01-25T12:09:13.640687800Z</date> <millis>1643112553640</millis>
<nanos>687800</nanos> <sequence>96</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]].S
tandardWrapper[dispatcherServlet]] to [INITIALIZED]</message></record><record>
<date>2022-01-25T12:09:13.640687800Z</date> <millis>1643112553640</millis>
<nanos>687800</nanos> <sequence>97</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]].S
tandardWrapper[dispatcherServlet]] to [STARTING_PREP]</message></record><record>
<date>2022-01-25T12:09:13.641686700Z</date> <millis>1643112553641</millis>
<nanos>686700</nanos> <sequence>98</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardWrapperValve[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]].StandardWrapper[dispatcherServlet]] to [INITIALIZING]</message></record><record>
<date>2022-01-25T12:09:13.641686700Z</date> <millis>1643112553641</millis>
<nanos>686700</nanos> <sequence>99</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardWrapperValve[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]].StandardWrapper[dispatcherServlet]] to [INITIALIZED]</message></record><record>
<date>2022-01-25T12:09:13.641686700Z</date> <millis>1643112553641</millis>
<nanos>686700</nanos> <sequence>100</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardWrapperValve[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]].StandardWrapper[dispatcherServlet]] to [STARTING_PREP]</message></record><record>
<date>2022-01-25T12:09:13.642685800Z</date> <millis>1643112553642</millis>
<nanos>685800</nanos> <sequence>101</sequence>


```
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardWrapperValve[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]].StandardWrapper[dispatcherServlet]] to [STARTING]</message></record><record>
<date>2022-01-25T12:09:13.642685800Z</date> <millis>1643112553642</millis>
<nanos>685800</nanos> <sequence>102</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardWrapperValve[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedCont
ext[]].StandardWrapper[dispatcherServlet]] to [STARTED]</message></record><record>
<date>2022-01-25T12:09:13.643684600Z</date> <millis>1643112553643</millis>
<nanos>684600</nanos> <sequence>103</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]].S
tandardWrapper[dispatcherServlet]] to [STARTING]</message></record><record> <date>2022-
01-25T12:09:13.643684600Z</date> <millis>1643112553643</millis> <nanos>684600</nanos>
<sequence>104</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]].S
tandardWrapper[dispatcherServlet]] to [STARTED]</message></record><record> <date>2022-
01-25T12:09:13.644684300Z</date> <millis>1643112553644</millis> <nanos>684300</nanos>
<sequence>105</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]].StandardWrapper[
dispatcherServlet]] to [STARTING]</message></record><record> <date>2022-01-
25T12:09:13.644684300Z</date> <millis>1643112553644</millis> <nanos>684300</nanos>
<sequence>106</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]].StandardWrapper[
dispatcherServlet]] to [STARTED]</message></record><record> <date>2022-01-
25T12:09:13.677665200Z</date> <millis>1643112553677</millis> <nanos>665200</nanos>
<sequence>107</sequence> <logger>org.apache.catalina.core.StandardContext</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardContext</class>
<method>listenerStart</method> <thread>1</thread> <message>Configuring application event
listeners</message></record><record> <date>2022-01-25T12:09:13.678667Z</date>
<millis>1643112553678</millis> <nanos>667000</nanos> <sequence>108</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardContext</class>
<method>listenerStart</method> <thread>1</thread> <message>Sending application start
events</message></record><record> <date>2022-01-25T12:09:13.681664800Z</date>
<millis>1643112553681</millis> <nanos>664800</nanos> <sequence>109</sequence>
```

<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardManager[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]
to [INITIALIZING]</message></record><record> <date>2022-01-
25T12:09:13.682663900Z</date> <millis>1643112553682</millis> <nanos>663900</nanos>
<sequence>110</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardManager[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]
to [INITIALIZED]</message></record><record> <date>2022-01-
25T12:09:13.682663900Z</date> <millis>1643112553682</millis> <nanos>663900</nanos>
<sequence>111</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardManager[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]
to [STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.682663900Z</date> <millis>1643112553682</millis> <nanos>663900</nanos>
<sequence>112</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[org.springframework.boot.web.embedded.tomcat.LazySessionIdGenerator@6e041285] to
[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.682663900Z</date>
<millis>1643112553682</millis> <nanos>663900</nanos> <sequence>113</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.springframework.boot.web.embedded.tomcat.LazySessionIdGenerator@6e041285] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.683663100Z</date>
<millis>1643112553683</millis> <nanos>663100</nanos> <sequence>114</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.springframework.boot.web.embedded.tomcat.LazySessionIdGenerator@6e041285] to
[STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.683663100Z</date> <millis>1643112553683</millis> <nanos>663100</nanos>
<sequence>115</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[org.springframework.boot.web.embedded.tomcat.LazySessionIdGenerator@6e041285] to
[STARTING]</message></record><record> <date>2022-01-25T12:09:13.683663100Z</date>
<millis>1643112553683</millis> <nanos>663100</nanos> <sequence>116</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.springframework.boot.web.embedded.tomcat.LazySessionIdGenerator@6e041285] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.683663100Z</date>
<millis>1643112553683</millis> <nanos>663100</nanos> <sequence>117</sequence>

<logger>org.apache.catalina.session.StandardManager</logger> <level>FINE</level>
<class>org.apache.catalina.session.StandardManager</class> <method>doLoad</method>
<thread>1</thread> <message>Start: Loading persisted sessions</message></record><record>
<date>2022-01-25T12:09:13.684660300Z</date> <millis>1643112553684</millis>
<nanos>660300</nanos> <sequence>118</sequence>
<logger>org.apache.catalina.session.StandardManager</logger> <level>FINE</level>
<class>org.apache.catalina.session.StandardManager</class> <method>doLoad</method>
<thread>1</thread> <message>Loading persisted sessions from
[SESSIONS.ser]</message></record><record> <date>2022-01-
25T12:09:13.684660300Z</date> <millis>1643112553684</millis> <nanos>660300</nanos>
<sequence>119</sequence> <logger>org.apache.catalina.session.StandardManager</logger>
<level>FINE</level> <class>org.apache.catalina.session.StandardManager</class>
<method>doLoad</method> <thread>1</thread> <message>No persisted data file
found</message></record><record> <date>2022-01-25T12:09:13.685658800Z</date>
<millis>1643112553685</millis> <nanos>658800</nanos> <sequence>120</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardManager[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]]
to [STARTING]</message></record><record> <date>2022-01-25T12:09:13.685658800Z</date>
<millis>1643112553685</millis> <nanos>658800</nanos> <sequence>121</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardManager[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]]]
to [STARTED]</message></record><record> <date>2022-01-25T12:09:13.685658800Z</date>
<millis>1643112553685</millis> <nanos>658800</nanos> <sequence>122</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardContext</class>
<method>filterStart</method> <thread>1</thread> <message>Starting
filters</message></record><record> <date>2022-01-25T12:09:13.686657600Z</date>
<millis>1643112553686</millis> <nanos>657600</nanos> <sequence>123</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardContext</class>
<method>filterStart</method> <thread>1</thread> <message> Starting filter
'requestContextFilter'</message></record><record> <date>2022-01-
25T12:09:13.692655700Z</date> <millis>1643112553692</millis> <nanos>655700</nanos>
<sequence>124</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardContext</class>
<method>filterStart</method> <thread>1</thread> <message> Starting filter 'Tomcat WebSocket
(JSR356) Filter'</message></record><record> <date>2022-01-25T12:09:13.693654900Z</date>
<millis>1643112553693</millis> <nanos>654900</nanos> <sequence>125</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardContext</class>
<method>filterStart</method> <thread>1</thread> <message> Starting filter
'corsFilter'</message></record><record> <date>2022-01-25T12:09:13.693654900Z</date>
<millis>1643112553693</millis> <nanos>654900</nanos> <sequence>126</sequence>

<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardContext</class>
<method>filterStart</method> <thread>1</thread> <message> Starting filter
'characterEncodingFilter'</message></record><record> <date>2022-01-
25T12:09:13.693654900Z</date> <millis>1643112553693</millis> <nanos>654900</nanos>
<sequence>127</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardContext</class>
<method>filterStart</method> <thread>1</thread> <message> Starting filter
'formContentFilter'</message></record><record> <date>2022-01-
25T12:09:13.694654300Z</date> <millis>1643112553694</millis> <nanos>654300</nanos>
<sequence>128</sequence> <logger>org.apache.catalina.core.StandardContext</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardContext</class>
<method>startInternal</method> <thread>1</thread> <message>Starting
completed</message></record><record> <date>2022-01-25T12:09:13.694654300Z</date>
<millis>1643112553694</millis> <nanos>654300</nanos> <sequence>129</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]] to
[STARTING]</message></record><record> <date>2022-01-25T12:09:13.695655600Z</date>
<millis>1643112553695</millis> <nanos>655600</nanos> <sequence>130</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost].TomcatEmbeddedContext[]] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.695655600Z</date>
<millis>1643112553695</millis> <nanos>655600</nanos> <sequence>131</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost]]] to
[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.695655600Z</date>
<millis>1643112553695</millis> <nanos>655600</nanos> <sequence>132</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost]]] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.696653Z</date>
<millis>1643112553696</millis> <nanos>653000</nanos> <sequence>133</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost]]] to
[STARTING_PREP]</message></record><record> <date>2022-01-25T12:09:13.696653Z</date>
<millis>1643112553696</millis> <nanos>653000</nanos> <sequence>134</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>

<thread>1</thread> <message>Setting state for
[ErrorReportValve[StandardEngine[Tomcat].StandardHost[localhost]]] to
[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.696653Z</date>
<millis>1643112553696</millis> <nanos>653000</nanos> <sequence>135</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[ErrorReportValve[StandardEngine[Tomcat].StandardHost[localhost]]] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.696653Z</date>
<millis>1643112553696</millis> <nanos>653000</nanos> <sequence>136</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[ErrorReportValve[StandardEngine[Tomcat].StandardHost[localhost]]] to
[STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.697651600Z</date> <millis>1643112553697</millis> <nanos>651600</nanos>
<sequence>137</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[ErrorReportValve[StandardEngine[Tomcat].StandardHost[localhost]]] to
[STARTING]</message></record><record> <date>2022-01-25T12:09:13.697651600Z</date>
<millis>1643112553697</millis> <nanos>651600</nanos> <sequence>138</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[ErrorReportValve[StandardEngine[Tomcat].StandardHost[localhost]]] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.697651600Z</date>
<millis>1643112553697</millis> <nanos>651600</nanos> <sequence>139</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardHostValve[StandardEngine[Tomcat].StandardHost[localhost]]] to
[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.698652200Z</date>
<millis>1643112553698</millis> <nanos>652200</nanos> <sequence>140</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardHostValve[StandardEngine[Tomcat].StandardHost[localhost]]] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.698652200Z</date>
<millis>1643112553698</millis> <nanos>652200</nanos> <sequence>141</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardHostValve[StandardEngine[Tomcat].StandardHost[localhost]]] to
[STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.698652200Z</date> <millis>1643112553698</millis> <nanos>652200</nanos>
<sequence>142</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>

<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[StandardHostValve[StandardEngine[Tomcat].StandardHost[localhost]]] to
[STARTING]</message></record><record> <date>2022-01-25T12:09:13.699651Z</date>
<millis>1643112553699</millis> <nanos>651000</nanos> <sequence>143</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardHostValve[StandardEngine[Tomcat].StandardHost[localhost]]] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.699651Z</date>
<millis>1643112553699</millis> <nanos>651000</nanos> <sequence>144</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost]]] to
[STARTING]</message></record><record> <date>2022-01-25T12:09:13.699651Z</date>
<millis>1643112553699</millis> <nanos>651000</nanos> <sequence>145</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardPipeline[StandardEngine[Tomcat].StandardHost[localhost]]] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.699651Z</date>
<millis>1643112553699</millis> <nanos>651000</nanos> <sequence>146</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost]] to [STARTING]</message></record><record>
<date>2022-01-25T12:09:13.700649200Z</date> <millis>1643112553700</millis>
<nanos>649200</nanos> <sequence>147</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[StandardEngine[Tomcat].StandardHost[localhost]] to [STARTED]</message></record><record>
<date>2022-01-25T12:09:13.700649200Z</date> <millis>1643112553700</millis>
<nanos>649200</nanos> <sequence>148</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for [StandardPipeline[StandardEngine[Tomcat]]] to
[INITIALIZING]</message></record><record> <date>2022-01-25T12:09:13.700649200Z</date>
<millis>1643112553700</millis> <nanos>649200</nanos> <sequence>149</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for [StandardPipeline[StandardEngine[Tomcat]]] to
[INITIALIZED]</message></record><record> <date>2022-01-25T12:09:13.700649200Z</date>
<millis>1643112553700</millis> <nanos>649200</nanos> <sequence>150</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for [StandardPipeline[StandardEngine[Tomcat]]] to
[STARTING_PREP]</message></record><record> <date>2022-01-

```
<date>2022-01-25T12:09:13.703648Z</date><millis>1643112553703</millis><nanos>648300</nanos>  
<sequence>151</sequence><logger>org.apache.catalina.util.LifecycleBase</logger>  
<level>FINE</level><class>org.apache.catalina.util.LifecycleBase</class>  
<method>setStateInternal</method><thread>1</thread><message>Setting state for  
[StandardEngineValve[StandardEngine[Tomcat]]] to [INITIALIZING]</message></record><record><date>2022-01-25T12:09:13.704648Z</date>  
<millis>1643112553704</millis><nanos>648000</nanos><sequence>152</sequence>  
<logger>org.apache.catalina.util.LifecycleBase</logger><level>FINE</level>  
<class>org.apache.catalina.util.LifecycleBase</class><method>setStateInternal</method>  
<thread>1</thread><message>Setting state for  
[StandardEngineValve[StandardEngine[Tomcat]]] to [INITIALIZED]</message></record><record>  
<date>2022-01-25T12:09:13.704648Z</date><millis>1643112553704</millis>  
<nanos>648000</nanos><sequence>153</sequence>  
<logger>org.apache.catalina.util.LifecycleBase</logger><level>FINE</level>  
<class>org.apache.catalina.util.LifecycleBase</class><method>setStateInternal</method>  
<thread>1</thread><message>Setting state for  
[StandardEngineValve[StandardEngine[Tomcat]]] to [STARTING_PREP]</message></record><record><date>2022-01-25T12:09:13.704648Z</date>  
<millis>1643112553704</millis><nanos>648000</nanos><sequence>154</sequence>  
<logger>org.apache.catalina.util.LifecycleBase</logger><level>FINE</level>  
<class>org.apache.catalina.util.LifecycleBase</class><method>setStateInternal</method>  
<thread>1</thread><message>Setting state for  
[StandardEngineValve[StandardEngine[Tomcat]]] to [STARTING]</message></record><record>  
<date>2022-01-25T12:09:13.704648Z</date><millis>1643112553704</millis>  
<nanos>648000</nanos><sequence>155</sequence>  
<logger>org.apache.catalina.util.LifecycleBase</logger><level>FINE</level>  
<class>org.apache.catalina.util.LifecycleBase</class><method>setStateInternal</method>  
<thread>1</thread><message>Setting state for  
[StandardEngineValve[StandardEngine[Tomcat]]] to [STARTED]</message></record><record>  
<date>2022-01-25T12:09:13.705646500Z</date><millis>1643112553705</millis>  
<nanos>646500</nanos><sequence>156</sequence>  
<logger>org.apache.catalina.util.LifecycleBase</logger><level>FINE</level>  
<class>org.apache.catalina.util.LifecycleBase</class><method>setStateInternal</method>  
<thread>1</thread><message>Setting state for [StandardPipeline[StandardEngine[Tomcat]]] to  
[STARTING]</message></record><record><date>2022-01-25T12:09:13.705646500Z</date>  
<millis>1643112553705</millis><nanos>646500</nanos><sequence>157</sequence>  
<logger>org.apache.catalina.util.LifecycleBase</logger><level>FINE</level>  
<class>org.apache.catalina.util.LifecycleBase</class><method>setStateInternal</method>  
<thread>1</thread><message>Setting state for [StandardPipeline[StandardEngine[Tomcat]]] to  
[STARTED]</message></record><record><date>2022-01-25T12:09:13.705646500Z</date>  
<millis>1643112553705</millis><nanos>646500</nanos><sequence>158</sequence>  
<logger>org.apache.catalina.util.LifecycleBase</logger><level>FINE</level>  
<class>org.apache.catalina.util.LifecycleBase</class><method>setStateInternal</method>  
<thread>1</thread><message>Setting state for [StandardEngine[Tomcat]] to  
[STARTING]</message></record><record><date>2022-01-25T12:09:13.709644300Z</date>  
<millis>1643112553709</millis><nanos>644300</nanos><sequence>159</sequence>  
<logger>org.apache.catalina.util.LifecycleBase</logger><level>FINE</level>  
<class>org.apache.catalina.util.LifecycleBase</class><method>setStateInternal</method>
```

<thread>1</thread> <message>Setting state for [StandardEngine[Tomcat]] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.710643900Z</date>
<millis>1643112553710</millis> <nanos>643900</nanos> <sequence>160</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for
[org.apache.catalina.mapper.MapperListener@26b95b0b] to
[STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:13.710643900Z</date> <millis>1643112553710</millis> <nanos>643900</nanos>
<sequence>161</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[org.apache.catalina.mapper.MapperListener@26b95b0b] to
[STARTING]</message></record><record> <date>2022-01-25T12:09:13.711643Z</date>
<millis>1643112553711</millis> <nanos>643000</nanos> <sequence>162</sequence>
<logger>org.apache.catalina.mapper.Mapper</logger> <level>FINE</level>
<class>org.apache.catalina.mapper.Mapper</class> <method>addHost</method>
<thread>1</thread> <message>Registered host [localhost]</message></record><record>
<date>2022-01-25T12:09:13.712642600Z</date> <millis>1643112553712</millis>
<nanos>642600</nanos> <sequence>163</sequence>
<logger>org.apache.catalina.mapper.MapperListener</logger> <level>FINE</level>
<class>org.apache.catalina.mapper.MapperListener</class> <method>registerContext</method>
<thread>1</thread> <message>Register Wrapper [dispatcherServlet] in Context [] for service
[StandardService[Tomcat]]</message></record><record> <date>2022-01-
25T12:09:13.713641700Z</date> <millis>1643112553713</millis> <nanos>641700</nanos>
<sequence>164</sequence> <logger>org.apache.catalina.mapper.MapperListener</logger>
<level>FINE</level> <class>org.apache.catalina.mapper.MapperListener</class>
<method>registerContext</method> <thread>1</thread> <message>Register Context [] for
service [StandardService[Tomcat]]</message></record><record> <date>2022-01-
25T12:09:13.713641700Z</date> <millis>1643112553713</millis> <nanos>641700</nanos>
<sequence>165</sequence> <logger>org.apache.catalina.mapper.MapperListener</logger>
<level>FINE</level> <class>org.apache.catalina.mapper.MapperListener</class>
<method>registerHost</method> <thread>1</thread> <message>Register host [localhost] at
domain [null] for service [StandardService[Tomcat]]</message></record><record> <date>2022-
01-25T12:09:13.713641700Z</date> <millis>1643112553713</millis> <nanos>641700</nanos>
<sequence>166</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[org.apache.catalina.mapper.MapperListener@26b95b0b] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.713641700Z</date>
<millis>1643112553713</millis> <nanos>641700</nanos> <sequence>167</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for [StandardService[Tomcat]] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:13.714641800Z</date>
<millis>1643112553714</millis> <nanos>641800</nanos> <sequence>168</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>

<thread>1</thread> <message>Setting state for [StandardServer[-1]] to [STARTED]</message></record><record> <date>2022-01-25T12:09:15.354625700Z</date>
<millis>1643112555354</millis> <nanos>625700</nanos> <sequence>169</sequence>
<logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logX509CertificateEvent</method>
<thread>1</thread> <message>X509Certificate: Alg:SHA256withRSA, Serial:2,
Subject:CN=MySQL_Server_8.0.25_Auto_Generated_Server_Certificate,
Issuer:CN=MySQL_Server_8.0.25_Auto_Generated_CA_Certificate, Key type:RSA, Length:2048,
Cert Id:307040412, Valid from:6/5/21, 4:00 PM, Valid until:6/3/31, 4:00
PM</message></record><record> <date>2022-01-25T12:09:15.360621800Z</date>
<millis>1643112555360</millis> <nanos>621800</nanos> <sequence>170</sequence>
<logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logX509CertificateEvent</method>
<thread>1</thread> <message>X509Certificate: Alg:SHA256withRSA, Serial:1,
Subject:CN=MySQL_Server_8.0.25_Auto_Generated_CA_Certificate,
Issuer:CN=MySQL_Server_8.0.25_Auto_Generated_CA_Certificate, Key type:RSA, Length:2048,
Cert Id:-1111896176, Valid from:6/5/21, 4:00 PM, Valid until:6/3/31, 4:00
PM</message></record><record> <date>2022-01-25T12:09:15.379612100Z</date>
<millis>1643112555379</millis> <nanos>612100</nanos> <sequence>171</sequence>
<logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logTLSHandshakeEvent</method>
<thread>1</thread> <message>TLSHandshake: localhost:3306, TLSv1.3,
TLS_AES_128_GCM_SHA256, 307040412</message></record><record> <date>2022-01-
25T12:09:15.656475700Z</date> <millis>1643112555656</millis> <nanos>475700</nanos>
<sequence>172</sequence> <logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logTLSHandshakeEvent</method>
<thread>21</thread> <message>TLSHandshake: localhost:3306, TLSv1.3,
TLS_AES_128_GCM_SHA256, 307040412</message></record><record> <date>2022-01-
25T12:09:15.721435300Z</date> <millis>1643112555721</millis> <nanos>435300</nanos>
<sequence>173</sequence> <logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logTLSHandshakeEvent</method>
<thread>21</thread> <message>TLSHandshake: localhost:3306, TLSv1.3,
TLS_AES_128_GCM_SHA256, 307040412</message></record><record> <date>2022-01-
25T12:09:15.817375600Z</date> <millis>1643112555817</millis> <nanos>375600</nanos>
<sequence>174</sequence> <logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logTLSHandshakeEvent</method>
<thread>21</thread> <message>TLSHandshake: localhost:3306, TLSv1.3,
TLS_AES_128_GCM_SHA256, 307040412</message></record><record> <date>2022-01-
25T12:09:15.876341Z</date> <millis>1643112555876</millis> <nanos>341000</nanos>
<sequence>175</sequence> <logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logTLSHandshakeEvent</method>
<thread>21</thread> <message>TLSHandshake: localhost:3306, TLSv1.3,
TLS_AES_128_GCM_SHA256, 307040412</message></record><record> <date>2022-01-
25T12:09:15.929307200Z</date> <millis>1643112555929</millis> <nanos>307200</nanos>
<sequence>176</sequence> <logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logTLSHandshakeEvent</method>
<thread>21</thread> <message>TLSHandshake: localhost:3306, TLSv1.3,
TLS_AES_128_GCM_SHA256, 307040412</message></record><record> <date>2022-01-

25T12:09:15.981274900Z</date> <millis>1643112555981</millis> <nanos>274900</nanos>
<sequence>177</sequence> <logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logTLSHandshakeEvent</method>
<thread>21</thread> <message> TLSHandshake: localhost:3306, TLSv1.3,
TLS_AES_128_GCM_SHA256, 307040412</message></record><record> <date>2022-01-
25T12:09:16.031243Z</date> <millis>1643112556031</millis> <nanos>243000</nanos>
<sequence>178</sequence> <logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logTLSHandshakeEvent</method>
<thread>21</thread> <message> TLSHandshake: localhost:3306, TLSv1.3,
TLS_AES_128_GCM_SHA256, 307040412</message></record><record> <date>2022-01-
25T12:09:16.078214100Z</date> <millis>1643112556078</millis> <nanos>214100</nanos>
<sequence>179</sequence> <logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logTLSHandshakeEvent</method>
<thread>21</thread> <message> TLSHandshake: localhost:3306, TLSv1.3,
TLS_AES_128_GCM_SHA256, 307040412</message></record><record> <date>2022-01-
25T12:09:16.130182600Z</date> <millis>1643112556130</millis> <nanos>182600</nanos>
<sequence>180</sequence> <logger>jdk.event.security</logger> <level>FINE</level>
<class>jdk.internal.event.EventHelper</class> <method>logTLSHandshakeEvent</method>
<thread>21</thread> <message> TLSHandshake: localhost:3306, TLSv1.3,
TLS_AES_128_GCM_SHA256, 307040412</message></record><record> <date>2022-01-
25T12:09:18.168920100Z</date> <millis>1643112558168</millis> <nanos>920100</nanos>
<sequence>181</sequence> <logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>MimetypesFileTypeMap: load
HOME</message></record><record> <date>2022-01-25T12:09:18.169920300Z</date>
<millis>1643112558169</millis> <nanos>920300</nanos> <sequence>182</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>MimetypesFileTypeMap: load
SYS</message></record><record> <date>2022-01-25T12:09:18.170919200Z</date>
<millis>1643112558170</millis> <nanos>919200</nanos> <sequence>183</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>MimetypesFileTypeMap: load
JAR</message></record><record> <date>2022-01-25T12:09:18.173918200Z</date>
<millis>1643112558173</millis> <nanos>918200</nanos> <sequence>184</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>MimetypesFileTypeMap:
!anyLoaded</message></record><record> <date>2022-01-25T12:09:18.174918200Z</date>
<millis>1643112558174</millis> <nanos>918200</nanos> <sequence>185</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>MimetypesFileTypeMap: not loading mime types file: /META-
INF/mime.types</message></record><record> <date>2022-01-25T12:09:18.174918200Z</date>
<millis>1643112558174</millis> <nanos>918200</nanos> <sequence>186</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>

[illegible]

[illegible]

[illegible]

[illegible]

<millis>1643112558186</millis> <nanos>909200</nanos> <sequence>225</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: audio/x-wav,
wav</message></record><record> <date>2022-01-25T12:09:18.186909200Z</date>
<millis>1643112558186</millis> <nanos>909200</nanos> <sequence>226</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: video/mpeg,
mpeg</message></record><record> <date>2022-01-25T12:09:18.186909200Z</date>
<millis>1643112558186</millis> <nanos>909200</nanos> <sequence>227</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: video/mpeg,
mpg</message></record><record> <date>2022-01-25T12:09:18.186909200Z</date>
<millis>1643112558186</millis> <nanos>909200</nanos> <sequence>228</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: video/mpeg,
mpe</message></record><record> <date>2022-01-25T12:09:18.186909200Z</date>
<millis>1643112558186</millis> <nanos>909200</nanos> <sequence>229</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: video/quicktime,
qt</message></record><record> <date>2022-01-25T12:09:18.186909200Z</date>
<millis>1643112558186</millis> <nanos>909200</nanos> <sequence>230</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: video/quicktime,
mov</message></record><record> <date>2022-01-25T12:09:18.187908900Z</date>
<millis>1643112558187</millis> <nanos>908900</nanos> <sequence>231</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: video/x-msvideo,
avi</message></record><record> <date>2022-01-25T12:09:18.187908900Z</date>
<millis>1643112558187</millis> <nanos>908900</nanos> <sequence>232</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>MimetypesFileTypeMap: successfully loaded mime types file:
/META-INF/mimetypes.default</message></record><record> <date>2022-01-
25T12:09:18.188908200Z</date> <millis>1643112558188</millis> <nanos>908200</nanos>
<sequence>233</sequence> <logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: text/html,
html</message></record><record> <date>2022-01-25T12:09:18.188908200Z</date>
<millis>1643112558188</millis> <nanos>908200</nanos> <sequence>234</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

<thread>1</thread> <message>Added: MIMETypeEntry: video/x-msvideo,
avi</message></record><record> <date>2022-01-25T12:09:18.197903800Z</date>
<millis>1643112558197</millis> <nanos>903800</nanos> <sequence>283</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: text/x-speech,
talk</message></record><record> <date>2022-01-25T12:09:18.198902600Z</date>
<millis>1643112558198</millis> <nanos>902600</nanos> <sequence>284</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: text/css,
css</message></record><record> <date>2022-01-25T12:09:18.198902600Z</date>
<millis>1643112558198</millis> <nanos>902600</nanos> <sequence>285</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: text/csv,
csv</message></record><record> <date>2022-01-25T12:09:18.198902600Z</date>
<millis>1643112558198</millis> <nanos>902600</nanos> <sequence>286</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: image/x-xbitmap,
xbm</message></record><record> <date>2022-01-25T12:09:18.198902600Z</date>
<millis>1643112558198</millis> <nanos>902600</nanos> <sequence>287</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: image/x-xpixmap,
xpm</message></record><record> <date>2022-01-25T12:09:18.198902600Z</date>
<millis>1643112558198</millis> <nanos>902600</nanos> <sequence>288</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: image/png,
png</message></record><record> <date>2022-01-25T12:09:18.198902600Z</date>
<millis>1643112558198</millis> <nanos>902600</nanos> <sequence>289</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: image/svg+xml,
svg</message></record><record> <date>2022-01-25T12:09:18.199901800Z</date>
<millis>1643112558199</millis> <nanos>901800</nanos> <sequence>290</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: image/ief,
ief</message></record><record> <date>2022-01-25T12:09:18.199901800Z</date>
<millis>1643112558199</millis> <nanos>901800</nanos> <sequence>291</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: image/rgb,
rgb</message></record><record> <date>2022-01-25T12:09:18.199901800Z</date>
<millis>1643112558199</millis> <nanos>901800</nanos> <sequence>292</sequence>

<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: image/g3fax,
g3f</message></record><record> <date>2022-01-25T12:09:18.199901800Z</date>
<millis>1643112558199</millis> <nanos>901800</nanos> <sequence>293</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: image/x-xwindowdump,
xwd</message></record><record> <date>2022-01-25T12:09:18.199901800Z</date>
<millis>1643112558199</millis> <nanos>901800</nanos> <sequence>294</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: image/x-pict,
pict</message></record><record> <date>2022-01-25T12:09:18.199901800Z</date>
<millis>1643112558199</millis> <nanos>901800</nanos> <sequence>295</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: image/x-portable-pixmap,
ppm</message></record><record> <date>2022-01-25T12:09:18.199901800Z</date>
<millis>1643112558199</millis> <nanos>901800</nanos> <sequence>296</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: image/x-portable-graymap,
pgm</message></record><record> <date>2022-01-25T12:09:18.200902200Z</date>
<millis>1643112558200</millis> <nanos>902200</nanos> <sequence>297</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: image/x-portable-bitmap,
pbm</message></record><record> <date>2022-01-25T12:09:18.200902200Z</date>
<millis>1643112558200</millis> <nanos>902200</nanos> <sequence>298</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: image/x-portable-anymap,
pnm</message></record><record> <date>2022-01-25T12:09:18.201901500Z</date>
<millis>1643112558201</millis> <nanos>901500</nanos> <sequence>299</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: image/x-ms-bmp,
bmp</message></record><record> <date>2022-01-25T12:09:18.201901500Z</date>
<millis>1643112558201</millis> <nanos>901500</nanos> <sequence>300</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: image/x-cmu-raster,
ras</message></record><record> <date>2022-01-25T12:09:18.201901500Z</date>
<millis>1643112558201</millis> <nanos>901500</nanos> <sequence>301</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: image/x-photo-cd,

[illegible]

[illegible]

<millis>1643112558204</millis> <nanos>898700</nanos> <sequence>321</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: audio/x-mpeg-2,
mp2a</message></record><record> <date>2022-01-25T12:09:18.204898700Z</date>
<millis>1643112558204</millis> <nanos>898700</nanos> <sequence>322</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: audio/x-mpeg-2,
mpa2</message></record><record> <date>2022-01-25T12:09:18.204898700Z</date>
<millis>1643112558204</millis> <nanos>898700</nanos> <sequence>323</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: audio/echospeech,
es</message></record><record> <date>2022-01-25T12:09:18.204898700Z</date>
<millis>1643112558204</millis> <nanos>898700</nanos> <sequence>324</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: audio/voxware,
vox</message></record><record> <date>2022-01-25T12:09:18.204898700Z</date>
<millis>1643112558204</millis> <nanos>898700</nanos> <sequence>325</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/fastman,
lcc</message></record><record> <date>2022-01-25T12:09:18.205897800Z</date>
<millis>1643112558205</millis> <nanos>897800</nanos> <sequence>326</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-pn-realaudio,
ra</message></record><record> <date>2022-01-25T12:09:18.205897800Z</date>
<millis>1643112558205</millis> <nanos>897800</nanos> <sequence>327</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-pn-realaudio,
ram</message></record><record> <date>2022-01-25T12:09:18.205897800Z</date>
<millis>1643112558205</millis> <nanos>897800</nanos> <sequence>328</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: x-music/x-midi,
mmid</message></record><record> <date>2022-01-25T12:09:18.205897800Z</date>
<millis>1643112558205</millis> <nanos>897800</nanos> <sequence>329</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/vnd.koan,
skp</message></record><record> <date>2022-01-25T12:09:18.205897800Z</date>
<millis>1643112558205</millis> <nanos>897800</nanos> <sequence>330</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>

[illegible]

<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: video/vdo,
vdo</message></record><record> <date>2022-01-25T12:09:18.207897400Z</date>
<millis>1643112558207</millis> <nanos>897400</nanos> <sequence>341</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: video/vnd.vivo,
viv</message></record><record> <date>2022-01-25T12:09:18.207897400Z</date>
<millis>1643112558207</millis> <nanos>897400</nanos> <sequence>342</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-ns-proxy-autoconfig,
pac</message></record><record> <date>2022-01-25T12:09:18.207897400Z</date>
<millis>1643112558207</millis> <nanos>897400</nanos> <sequence>343</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: x-conference/x-cooltalk,
ice</message></record><record> <date>2022-01-25T12:09:18.207897400Z</date>
<millis>1643112558207</millis> <nanos>897400</nanos> <sequence>344</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/postscript,
ai</message></record><record> <date>2022-01-25T12:09:18.207897400Z</date>
<millis>1643112558207</millis> <nanos>897400</nanos> <sequence>345</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/postscript,
eps</message></record><record> <date>2022-01-25T12:09:18.208896300Z</date>
<millis>1643112558208</millis> <nanos>896300</nanos> <sequence>346</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/postscript,
ps</message></record><record> <date>2022-01-25T12:09:18.208896300Z</date>
<millis>1643112558208</millis> <nanos>896300</nanos> <sequence>347</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/rtf,
rtf</message></record><record> <date>2022-01-25T12:09:18.208896300Z</date>
<millis>1643112558208</millis> <nanos>896300</nanos> <sequence>348</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/pdf,
pdf</message></record><record> <date>2022-01-25T12:09:18.208896300Z</date>
<millis>1643112558208</millis> <nanos>896300</nanos> <sequence>349</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/vnd.mif,

[illegible]

```
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETYPEEntry: application/x-texinfo,
texi</message></record><record> <date>2022-01-25T12:09:18.210895100Z</date>
<millis>1643112558210</millis> <nanos>895100</nanos> <sequence>360</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETYPEEntry: application/x-dvi,
dvi</message></record><record> <date>2022-01-25T12:09:18.212896300Z</date>
<millis>1643112558212</millis> <nanos>896300</nanos> <sequence>361</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETYPEEntry: application/msword,
doc</message></record><record> <date>2022-01-25T12:09:18.213893900Z</date>
<millis>1643112558213</millis> <nanos>893900</nanos> <sequence>362</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETYPEEntry: application/msword,
DOC</message></record><record> <date>2022-01-25T12:09:18.213893900Z</date>
<millis>1643112558213</millis> <nanos>893900</nanos> <sequence>363</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETYPEEntry: application/oda,
oda</message></record><record> <date>2022-01-25T12:09:18.213893900Z</date>
<millis>1643112558213</millis> <nanos>893900</nanos> <sequence>364</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETYPEEntry: application/envoy,
evy</message></record><record> <date>2022-01-25T12:09:18.213893900Z</date>
<millis>1643112558213</millis> <nanos>893900</nanos> <sequence>365</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETYPEEntry: application/x-gtar,
gtar</message></record><record> <date>2022-01-25T12:09:18.214893700Z</date>
<millis>1643112558214</millis> <nanos>893700</nanos> <sequence>366</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETYPEEntry: application/x-tar,
tar</message></record><record> <date>2022-01-25T12:09:18.214893700Z</date>
<millis>1643112558214</millis> <nanos>893700</nanos> <sequence>367</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETYPEEntry: application/x-ustar,
ustar</message></record><record> <date>2022-01-25T12:09:18.214893700Z</date>
<millis>1643112558214</millis> <nanos>893700</nanos> <sequence>368</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETYPEEntry: application/x-bcpio,
bcpio</message></record><record> <date>2022-01-25T12:09:18.214893700Z</date>
```

<millis>1643112558214</millis> <nanos>893700</nanos> <sequence>369</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-cpio,
cpio</message></record><record> <date>2022-01-25T12:09:18.214893700Z</date>
<millis>1643112558214</millis> <nanos>893700</nanos> <sequence>370</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-shar,
shar</message></record><record> <date>2022-01-25T12:09:18.214893700Z</date>
<millis>1643112558214</millis> <nanos>893700</nanos> <sequence>371</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/zip,
zip</message></record><record> <date>2022-01-25T12:09:18.214893700Z</date>
<millis>1643112558214</millis> <nanos>893700</nanos> <sequence>372</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/mac-binhex40,
hqx</message></record><record> <date>2022-01-25T12:09:18.215897500Z</date>
<millis>1643112558215</millis> <nanos>897500</nanos> <sequence>373</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-stuffit,
sit</message></record><record> <date>2022-01-25T12:09:18.215897500Z</date>
<millis>1643112558215</millis> <nanos>897500</nanos> <sequence>374</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-stuffit,
sea</message></record><record> <date>2022-01-25T12:09:18.215897500Z</date>
<millis>1643112558215</millis> <nanos>897500</nanos> <sequence>375</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/fractals,
fif</message></record><record> <date>2022-01-25T12:09:18.216891500Z</date>
<millis>1643112558216</millis> <nanos>891500</nanos> <sequence>376</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/octet-stream,
bin</message></record><record> <date>2022-01-25T12:09:18.216891500Z</date>
<millis>1643112558216</millis> <nanos>891500</nanos> <sequence>377</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/octet-stream,
uu</message></record><record> <date>2022-01-25T12:09:18.216891500Z</date>
<millis>1643112558216</millis> <nanos>891500</nanos> <sequence>378</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>

[illegible]

<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-tcl,
tcl</message></record><record> <date>2022-01-25T12:09:18.218890100Z</date>
<millis>1643112558218</millis> <nanos>890100</nanos> <sequence>389</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/futuresplash,
spl</message></record><record> <date>2022-01-25T12:09:18.218890100Z</date>
<millis>1643112558218</millis> <nanos>890100</nanos> <sequence>390</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/mbedlet,
mbd</message></record><record> <date>2022-01-25T12:09:18.218890100Z</date>
<millis>1643112558218</millis> <nanos>890100</nanos> <sequence>391</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-rad-powermedia,
rad</message></record><record> <date>2022-01-25T12:09:18.218890100Z</date>
<millis>1643112558218</millis> <nanos>890100</nanos> <sequence>392</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/mspowerpoint,
ppz</message></record><record> <date>2022-01-25T12:09:18.218890100Z</date>
<millis>1643112558218</millis> <nanos>890100</nanos> <sequence>393</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-asap,
asp</message></record><record> <date>2022-01-25T12:09:18.218890100Z</date>
<millis>1643112558218</millis> <nanos>890100</nanos> <sequence>394</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/astound,
asn</message></record><record> <date>2022-01-25T12:09:18.218890100Z</date>
<millis>1643112558218</millis> <nanos>890100</nanos> <sequence>395</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-olescript,
axs</message></record><record> <date>2022-01-25T12:09:18.219889300Z</date>
<millis>1643112558219</millis> <nanos>889300</nanos> <sequence>396</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-oleobject,
ods</message></record><record> <date>2022-01-25T12:09:18.219889300Z</date>
<millis>1643112558219</millis> <nanos>889300</nanos> <sequence>397</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: x-form/x-openscape,

opp</message></record><record> <date>2022-01-25T12:09:18.219889300Z</date>
<millis>1643112558219</millis> <nanos>889300</nanos> <sequence>398</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-webbasic,
wba</message></record><record> <date>2022-01-25T12:09:18.219889300Z</date>
<millis>1643112558219</millis> <nanos>889300</nanos> <sequence>399</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-alpha-form,
frm</message></record><record> <date>2022-01-25T12:09:18.219889300Z</date>
<millis>1643112558219</millis> <nanos>889300</nanos> <sequence>400</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: x-script/x-wfxclient,
wfx</message></record><record> <date>2022-01-25T12:09:18.219889300Z</date>
<millis>1643112558219</millis> <nanos>889300</nanos> <sequence>401</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/octet-stream,
exe</message></record><record> <date>2022-01-25T12:09:18.220889200Z</date>
<millis>1643112558220</millis> <nanos>889200</nanos> <sequence>402</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/octet-stream,
com</message></record><record> <date>2022-01-25T12:09:18.220889200Z</date>
<millis>1643112558220</millis> <nanos>889200</nanos> <sequence>403</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/x-pcn,
pcn</message></record><record> <date>2022-01-25T12:09:18.220889200Z</date>
<millis>1643112558220</millis> <nanos>889200</nanos> <sequence>404</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/vnd.ms-excel,
xls</message></record><record> <date>2022-01-25T12:09:18.220889200Z</date>
<millis>1643112558220</millis> <nanos>889200</nanos> <sequence>405</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/vnd.ms-powerpoint,
ppt</message></record><record> <date>2022-01-25T12:09:18.220889200Z</date>
<millis>1643112558220</millis> <nanos>889200</nanos> <sequence>406</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypedEntry: application/vnd.ms-project,
mpp</message></record><record> <date>2022-01-25T12:09:18.220889200Z</date>
<millis>1643112558220</millis> <nanos>889200</nanos> <sequence>407</sequence>
<logger>javax.activation</logger> <level>FINE</level>

[illegible]

<millis>1643112558221</millis> <nanos>887700</nanos> <sequence>417</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: x-world/x-3dmf,
3dmf</message></record><record> <date>2022-01-25T12:09:18.222886900Z</date>
<millis>1643112558222</millis> <nanos>886900</nanos> <sequence>418</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: application/mathematica,
ma</message></record><record> <date>2022-01-25T12:09:18.222886900Z</date>
<millis>1643112558222</millis> <nanos>886900</nanos> <sequence>419</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: x-model/x-mesh,
msh</message></record><record> <date>2022-01-25T12:09:18.222886900Z</date>
<millis>1643112558222</millis> <nanos>886900</nanos> <sequence>420</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: application/vis5d,
v5d</message></record><record> <date>2022-01-25T12:09:18.222886900Z</date>
<millis>1643112558222</millis> <nanos>886900</nanos> <sequence>421</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: application/iges,
igs</message></record><record> <date>2022-01-25T12:09:18.222886900Z</date>
<millis>1643112558222</millis> <nanos>886900</nanos> <sequence>422</sequence>
<logger>javax.activation</logger> <level>FINE</level>
<class>com.sun.activation.registries.LogSupport</class> <method>log</method>
<thread>1</thread> <message>Added: MIMETypeEntry: drawing/x-dwf,
dwf</message></record><record> <date>2022-01-25T12:09:19.304218300Z</date>
<millis>1643112559304</millis> <nanos>218300</nanos> <sequence>423</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for [Connector[HTTP/1.1-8080]] to
[STARTING_PREP]</message></record><record> <date>2022-01-
25T12:09:19.305217800Z</date> <millis>1643112559305</millis> <nanos>217800</nanos>
<sequence>424</sequence> <logger>org.apache.catalina.util.LifecycleBase</logger>
<level>FINE</level> <class>org.apache.catalina.util.LifecycleBase</class>
<method>setStateInternal</method> <thread>1</thread> <message>Setting state for
[Connector[HTTP/1.1-8080]] to [STARTING]</message></record><record> <date>2022-01-
25T12:09:19.305217800Z</date> <millis>1643112559305</millis> <nanos>217800</nanos>
<sequence>425</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>INFO</level> <class>org.apache.coyote.AbstractProtocol</class>
<method>start</method> <thread>1</thread> <message>Starting ProtocolHandler ["http-nio-
8080"]</message></record><record> <date>2022-01-25T12:09:19.333202Z</date>
<millis>1643112559333</millis> <nanos>202000</nanos> <sequence>426</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countUpOrAwait</method>

<thread>23</thread> <message>Counting up[http-nio-8080-Acceptor]
latch=0</message></record><record> <date>2022-01-25T12:09:19.333202Z</date>
<millis>1643112559333</millis> <nanos>202000</nanos> <sequence>427</sequence>
<logger>org.apache.catalina.util.LifecycleBase</logger> <level>FINE</level>
<class>org.apache.catalina.util.LifecycleBase</class> <method>setStateInternal</method>
<thread>1</thread> <message>Setting state for [Connector[HTTP/1.1-8080]] to
[STARTED]</message></record><record> <date>2022-01-25T12:09:20.331455400Z</date>
<millis>1643112560331</millis> <nanos>455400</nanos> <sequence>428</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112560331;
nextExpiration=0; keyCount=0; hasEvents=false; eval=false</message></record><record>
<date>2022-01-25T12:09:21.342014100Z</date> <millis>1643112561342</millis>
<nanos>14100</nanos> <sequence>429</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112561342;
nextExpiration=1643112561331; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:09:22.353536600Z</date>
<millis>1643112562353</millis> <nanos>536600</nanos> <sequence>430</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112562353;
nextExpiration=1643112562342; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:09:23.360978500Z</date>
<millis>1643112563360</millis> <nanos>978500</nanos> <sequence>431</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112563360;
nextExpiration=1643112563353; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:09:24.372322100Z</date>
<millis>1643112564372</millis> <nanos>322100</nanos> <sequence>432</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112564372;
nextExpiration=1643112564360; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:09:25.039052400Z</date>
<millis>1643112565039</millis> <nanos>52400</nanos> <sequence>433</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countUpOrAwait</method>
<thread>23</thread> <message>Counting up[http-nio-8080-Acceptor]
latch=1</message></record><record> <date>2022-01-25T12:09:25.039052400Z</date>
<millis>1643112565039</millis> <nanos>52400</nanos> <sequence>434</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countUpOrAwait</method>
<thread>23</thread> <message>Counting up[http-nio-8080-Acceptor]
latch=2</message></record><record> <date>2022-01-25T12:09:25.044064400Z</date>
<millis>1643112565044</millis> <nanos>64400</nanos> <sequence>435</sequence>

<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>26</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56521]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:09:25.044064400Z</date>
<millis>1643112565044</millis> <nanos>64400</nanos> <sequence>436</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>25</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56520]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:09:25.044064400Z</date>
<millis>1643112565044</millis> <nanos>64400</nanos> <sequence>437</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>26</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56521]]</message></record><record>
<date>2022-01-25T12:09:25.044064400Z</date> <millis>1643112565044</millis>
<nanos>64400</nanos> <sequence>438</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>25</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56520]]</message></record><record>
<date>2022-01-25T12:09:25.045063400Z</date> <millis>1643112565045</millis>
<nanos>63400</nanos> <sequence>440</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>26</thread> <message>Popped processor [null] from
cache</message></record><record> <date>2022-01-25T12:09:25.045063400Z</date>
<millis>1643112565045</millis> <nanos>63400</nanos> <sequence>439</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>25</thread> <message>Popped processor [null] from
cache</message></record><record> <date>2022-01-25T12:09:25.079042900Z</date>
<millis>1643112565079</millis> <nanos>42900</nanos> <sequence>441</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>register</method> <thread>26</thread> <message>Register
[org.apache.coyote.http11.Http11Processor@1a88036b] as
[Tomcat:type=RequestProcessor,worker="http-nio-
8080",name=HttpRequest1]</message></record><record> <date>2022-01-
25T12:09:25.079042900Z</date> <millis>1643112565079</millis> <nanos>42900</nanos>
<sequence>442</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>26</thread> <message>Created new processor

[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:09:25.080042Z</date> <millis>1643112565080</millis>
<nanos>42000</nanos> <sequence>443</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>register</method> <thread>25</thread> <message>Register
[org.apache.coyote.http11.Http11Processor@165957fa] as
[Tomcat:type=RequestProcessor,worker="http-nio-
8080",name=HttpRequest2]</message></record><record> <date>2022-01-
25T12:09:25.080042Z</date> <millis>1643112565080</millis> <nanos>42000</nanos>
<sequence>444</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>25</thread> <message>Created new processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:09:25.081042500Z</date> <millis>1643112565081</millis>
<nanos>42500</nanos> <sequence>445</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>26</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [0]</message></record><record> <date>2022-01-
25T12:09:25.081042500Z</date> <millis>1643112565081</millis> <nanos>42500</nanos>
<sequence>446</sequence> <logger>org.apache.coyote.http11.Http11InputBuffer</logger>
<level>FINE</level> <class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>fill</method> <thread>25</thread> <message>Before fill(): parsingHeader: [true],
parsingRequestLine: [true], parsingRequestLinePhase: [0], parsingRequestLineStart: [0],
byteBuffer.position(): [0], byteBuffer.limit(): [0], end: [0]</message></record><record>
<date>2022-01-25T12:09:25.081042500Z</date> <millis>1643112565081</millis>
<nanos>42500</nanos> <sequence>448</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>25</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@7b5a066c:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56520]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:09:25.081042500Z</date> <millis>1643112565081</millis>
<nanos>42500</nanos> <sequence>447</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>26</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@44c15be5:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56521]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:09:25.082040700Z</date> <millis>1643112565082</millis>
<nanos>40700</nanos> <sequence>450</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <thread>26</thread> <message>Socket:

```
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@44c15be5:org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56521]], Read direct from socket: [207]</message></record><record>  
<date>2022-01-25T12:09:25.082040700Z</date> <millis>1643112565082</millis>  
<nanos>40700</nanos> <sequence>449</sequence>  
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>  
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>  
<thread>25</thread> <message>Error parsing HTTP request header</message> <exception>  
<message>java.io.EOFException</message> <frame>  
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>  
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>  
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>  
<method>read</method> <line>1215</line> </frame> <frame>  
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>  
<line>805</line> </frame> <frame>  
<class>org.apache.coyote.http11.Http11InputBuffer</class>  
<method>parseRequestLine</method> <line>360</line> </frame> <frame>  
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>  
<line>269</line> </frame> <frame>  
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>  
<line>65</line> </frame> <frame>  
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>  
<method>process</method> <line>895</line> </frame> <frame>  
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>  
<method>doRun</method> <line>1732</line> </frame> <frame>  
<class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method>  
<line>49</line> </frame> <frame>  
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>  
<method>runWorker</method> <line>1191</line> </frame> <frame>  
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>  
<method>run</method> <line>659</line> </frame> <frame>  
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>  
<method>run</method> <line>61</line> </frame> <frame>  
<class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame>  
</exception></record><record> <date>2022-01-25T12:09:25.082040700Z</date>  
<millis>1643112565082</millis> <nanos>40700</nanos> <sequence>451</sequence>  
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>  
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>  
<thread>26</thread> <message>Received [GET /muzeji HTTP/1.1User-Agent:  
PostmanRuntime/7.29.0Accept: */*Postman-Token: a74b41ee-b503-4be6-ac35-  
0c77ab927a66Host: localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive  
]</message></record><record> <date>2022-01-25T12:09:25.082040700Z</date>  
<millis>1643112565082</millis> <nanos>40700</nanos> <sequence>452</sequence>  
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>  
<class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method>  
<thread>25</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while  
processing request</message> <exception> <message>java.io.EOFException</message>  
<frame> <class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
```

```

<method>fillReadBuffer</method>    <line>1328</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method>    <line>1215</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>    <method>fill</method>
<line>805</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method>    <line>360</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11Processor</class>    <method>service</method>
<line>269</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:09:25.083040600Z</date>
<millis>1643112565083</millis> <nanos>40600</nanos> <sequence>453</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>25</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@7b5a066c:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56520]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:09:25.083040600Z</date>
<millis>1643112565083</millis> <nanos>40600</nanos> <sequence>454</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>release</method> <thread>25</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:09:25.083040600Z</date> <millis>1643112565083</millis>
<nanos>40600</nanos> <sequence>455</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>25</thread> <message>Counting down[http-nio-8080-exec-1]
latch=2</message></record><record> <date>2022-01-25T12:09:25.084040200Z</date>
<millis>1643112565084</millis> <nanos>40200</nanos> <sequence>456</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>doClose</method> <thread>25</thread> <message>Calling

```


[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@7b5a066c:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56520]])</message></record><record> <date>2022-01-25T12:09:25.111022500Z</date> <millis>1643112565111</millis> <nanos>22500</nanos> <sequence>457</sequence> <logger>org.apache.tomcat.util.http.Parameters</logger> <level>FINE</level> <class>org.apache.tomcat.util.http.Parameters</class> <method>setQueryStringCharset</method> <thread>26</thread> <message>Set query string encoding to UTF-8</message></record><record> <date>2022-01-25T12:09:25.114019900Z</date> <millis>1643112565114</millis> <nanos>19900</nanos> <sequence>458</sequence> <logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level> <class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method> <thread>26</thread> <message>Security checking request GET /muzeji</message></record><record> <date>2022-01-25T12:09:25.114019900Z</date> <millis>1643112565114</millis> <nanos>19900</nanos> <sequence>459</sequence> <logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level> <class>org.apache.catalina.realm.RealmBase</class> <method>findSecurityConstraints</method> <thread>26</thread> <message> No applicable constraints defined</message></record><record> <date>2022-01-25T12:09:25.119018100Z</date> <millis>1643112565119</millis> <nanos>18100</nanos> <sequence>460</sequence> <logger>org.apache.catalina.authenticator.jaspic.AuthConfigFactoryImpl</logger> <level>FINE</level> <class>org.apache.catalina.authenticator.jaspic.AuthConfigFactoryImpl</class> <method>loadPersistentRegistrations</method> <thread>26</thread> <message>Loading persistent provider registrations from [C:\Users\pc\AppData\Local\Temp\tomcat.8080.3171066655938773580\conf\jaspic-providers.xml]</message></record><record> <date>2022-01-25T12:09:25.119018100Z</date> <millis>1643112565119</millis> <nanos>18100</nanos> <sequence>461</sequence> <logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level> <class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method> <thread>26</thread> <message>Not subject to any constraint</message></record><record> <date>2022-01-25T12:09:25.123015200Z</date> <millis>1643112565123</millis> <nanos>15200</nanos> <sequence>462</sequence> <logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]</logger> <level>INFO</level> <class>org.apache.catalina.core.ApplicationContext</class> <method>log</method> <thread>26</thread> <message>Initializing Spring DispatcherServlet 'dispatcherServlet'</message></record><record> <date>2022-01-25T12:09:25.129013100Z</date> <millis>1643112565129</millis> <nanos>13100</nanos> <sequence>463</sequence> <logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level> <class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method> <thread>26</thread> <message> Returning non-STM instance</message></record><record> <date>2022-01-25T12:09:25.185976700Z</date> <millis>1643112565185</millis> <nanos>976700</nanos> <sequence>464</sequence> <logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost]</logger> <level>FINE</level> <class>org.apache.catalina.core.StandardHostValve</class> <method>custom</method> <thread>26</thread> <message>Processing

ErrorPage[errorCode=0, location=/error]</message></record><record> <date>2022-01-25T12:09:25.195971900Z</date> <millis>1643112565195</millis> <nanos>971900</nanos> <sequence>465</sequence> <logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level> <class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method> <thread>26</thread> <message> Returning non-STM instance</message></record><record> <date>2022-01-25T12:09:25.303906200Z</date> <millis>1643112565303</millis> <nanos>906200</nanos> <sequence>466</sequence> <logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/].[dispatcherServlet]</logger> <level>FINE</level> <class>org.apache.catalina.core.ApplicationDispatcher</class> <method>doForward</method> <thread>26</thread> <message> Disabling the response for further output</message></record><record> <date>2022-01-25T12:09:25.305903800Z</date> <millis>1643112565305</millis> <nanos>903800</nanos> <sequence>467</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method> <thread>26</thread> <message>Socket: [org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@44c15be5:org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56521]], Status in: [OPEN_READ], State out: [CLOSED]</message></record><record> <date>2022-01-25T12:09:25.305903800Z</date> <millis>1643112565305</millis> <nanos>903800</nanos> <sequence>468</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>release</method> <thread>26</thread> <message>Pushed Processor [org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record> <date>2022-01-25T12:09:25.305903800Z</date> <millis>1643112565305</millis> <nanos>903800</nanos> <sequence>469</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method> <thread>26</thread> <message>Counting down[http-nio-8080-exec-2] latch=1</message></record><record> <date>2022-01-25T12:09:25.306903200Z</date> <millis>1643112565306</millis> <nanos>903200</nanos> <sequence>470</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class> <method>doClose</method> <thread>26</thread> <message>Calling [org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@44c15be5:org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56521]])</message></record><record> <date>2022-01-25T12:09:26.049237100Z</date> <millis>1643112566049</millis> <nanos>237100</nanos> <sequence>471</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112566049; nextExpiration=1643112565372; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:09:27.060429400Z</date> <millis>1643112567060</millis> <nanos>429400</nanos> <sequence>472</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112567060; nextExpiration=1643112567049; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:28.072977800Z</date> <millis>1643112568072</millis> <nanos>977800</nanos>
<sequence>473</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112568072; nextExpiration=1643112568060; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:29.083444300Z</date> <millis>1643112569083</millis> <nanos>444300</nanos>
<sequence>474</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112569083; nextExpiration=1643112569072; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:30.087063Z</date> <millis>1643112570087</millis> <nanos>63000</nanos>
<sequence>475</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112570087; nextExpiration=1643112570083; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:31.090917600Z</date> <millis>1643112571090</millis> <nanos>917600</nanos>
<sequence>476</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112571090; nextExpiration=1643112571087; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:32.098895900Z</date> <millis>1643112572098</millis> <nanos>895900</nanos>
<sequence>477</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112572098; nextExpiration=1643112572090; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:33.113678900Z</date> <millis>1643112573113</millis> <nanos>678900</nanos>
<sequence>478</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112573113; nextExpiration=1643112573098; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:34.119676500Z</date> <millis>1643112574119</millis> <nanos>676500</nanos>
<sequence>479</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112574119; nextExpiration=1643112574113; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:35.127732100Z</date> <millis>1643112575127</millis> <nanos>732100</nanos>
<sequence>480</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112575127; nextExpiration=1643112575119; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:36.138563300Z</date> <millis>1643112576138</millis> <nanos>563300</nanos>
<sequence>481</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112576138; nextExpiration=1643112576127; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:37.141215Z</date> <millis>1643112577141</millis> <nanos>215000</nanos>
<sequence>482</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112577141; nextExpiration=1643112577138; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:38.144714Z</date> <millis>1643112578144</millis> <nanos>714000</nanos>
<sequence>483</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112578144; nextExpiration=1643112578141; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:39.147727900Z</date> <millis>1643112579147</millis> <nanos>727900</nanos>
<sequence>484</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112579147; nextExpiration=1643112579144; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:40.153035600Z</date> <millis>1643112580153</millis> <nanos>35600</nanos>
<sequence>485</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112580153; nextExpiration=1643112580147; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:41.161799200Z</date> <millis>1643112581161</millis> <nanos>799200</nanos>
<sequence>486</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112581161; nextExpiration=1643112581153; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:42.167933200Z</date> <millis>1643112582167</millis> <nanos>933200</nanos>
<sequence>487</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112582167; nextExpiration=1643112582161; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:42.648511700Z</date> <millis>1643112582648</millis> <nanos>511700</nanos>
<sequence>488</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger>
<level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>
<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-

8080-Acceptor] latch=1</message></record><record> <date>2022-01-25T12:09:42.649511100Z</date> <millis>1643112582649</millis> <nanos>511100</nanos> <sequence>489</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-8080-Acceptor] latch=2</message></record><record> <date>2022-01-25T12:09:42.666501300Z</date> <millis>1643112582666</millis> <nanos>501300</nanos> <sequence>490</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>process</method> <thread>27</thread> <message>Processing socket [org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56522]] with status [OPEN_READ]</message></record><record> <date>2022-01-25T12:09:42.666501300Z</date> <millis>1643112582666</millis> <nanos>501300</nanos> <sequence>491</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>process</method> <thread>27</thread> <message>Found processor [null] for socket [org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56522]]</message></record><record> <date>2022-01-25T12:09:42.666501300Z</date> <millis>1643112582666</millis> <nanos>501300</nanos> <sequence>492</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>process</method> <thread>27</thread> <message>Popped processor [org.apache.coyote.http11.Http11Processor@1a88036b] from cache</message></record><record> <date>2022-01-25T12:09:42.666501300Z</date> <millis>1643112582666</millis> <nanos>501300</nanos> <sequence>494</sequence> <logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level> <class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method> <thread>27</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true], parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0], byteBuffer.limit(): [0], end: [207]</message></record><record> <date>2022-01-25T12:09:42.667500300Z</date> <millis>1643112582667</millis> <nanos>500300</nanos> <sequence>495</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class> <method>populateReadBuffer</method> <thread>27</thread> <message>Socket: [org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@6eec71d6:org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56522]], Read from buffer: [0]</message></record><record> <date>2022-01-25T12:09:42.667500300Z</date> <millis>1643112582667</millis> <nanos>500300</nanos> <sequence>496</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level> <class>org.apache.coyote.http11.Http11Processor</class> <method>service</method> <thread>27</thread> <message>Error parsing HTTP request header</message> <exception><message>java.io.EOFException</message> <frame><class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class> <method>fillReadBuffer</method> <line>1328</line> </frame> <frame><class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>

```
<method>read</method>    <line>1215</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>    <method>fill</method>
<line>805</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method>    <line>360</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11Processor</class>    <method>service</method>
<line>269</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:09:42.667500300Z</date>
<millis>1643112582667</millis> <nanos>500300</nanos> <sequence>497</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method>
<thread>27</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while
processing request</message> <exception>    <message>java.io.EOFException</message>
<frame>    <class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>fillReadBuffer</method>    <line>1328</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method>    <line>1215</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>    <method>fill</method>
<line>805</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method>    <line>360</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11Processor</class>    <method>service</method>
<line>269</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
```

```
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:09:42.668499400Z</date>
<millis>1643112582668</millis> <nanos>499400</nanos> <sequence>498</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>27</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@6eec71d6:org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56522]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:09:42.666501300Z</date>
<millis>1643112582666</millis> <nanos>501300</nanos> <sequence>493</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method> <thread>28</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56523]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:09:42.668499400Z</date>
<millis>1643112582668</millis> <nanos>499400</nanos> <sequence>499</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method> <thread>28</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56523]]</message></record><record>
<date>2022-01-25T12:09:42.669499100Z</date> <millis>1643112582669</millis>
<nanos>499100</nanos> <sequence>500</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method> <thread>28</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@165957fa] from
cache</message></record><record> <date>2022-01-25T12:09:42.670498500Z</date>
<millis>1643112582670</millis> <nanos>498500</nanos> <sequence>501</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>28</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [0]</message></record><record> <date>2022-01-
25T12:09:42.670498500Z</date> <millis>1643112582670</millis> <nanos>498500</nanos>
<sequence>502</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger>
<level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>28</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@12c3832:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56523]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:09:42.670498500Z</date> <millis>1643112582670</millis>
```

<nanos>498500</nanos> <sequence>503</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <thread>28</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@12c3832:org.apache.tomcat.util.net.
NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56523]], Read direct from socket: [227]</message></record><record>
<date>2022-01-25T12:09:42.672497Z</date> <millis>1643112582672</millis>
<nanos>497000</nanos> <sequence>504</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>28</thread> <message>Received [GET /muzeji HTTP/1.1Authorization: 123User-Agent:
PostmanRuntime/7.29.0Accept: /*Postman-Token: f6e28605-a478-478b-8f14-dc7f5fb52e11Host:
localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive
]</message></record><record> <date>2022-01-25T12:09:42.673496600Z</date>
<millis>1643112582673</millis> <nanos>496600</nanos> <sequence>505</sequence>
<logger>org.apache.tomcat.util.http.Parameters</logger> <level>FINE</level>
<class>org.apache.tomcat.util.http.Parameters</class>
<method>setQueryStringCharset</method> <thread>28</thread> <message>Set query string
encoding to UTF-8</message></record><record> <date>2022-01-
25T12:09:42.676494600Z</date> <millis>1643112582676</millis> <nanos>494600</nanos>
<sequence>506</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>27</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:09:42.676494600Z</date> <millis>1643112582676</millis>
<nanos>494600</nanos> <sequence>508</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>27</thread> <message>Counting down[http-nio-8080-exec-3]
latch=2</message></record><record> <date>2022-01-25T12:09:42.676494600Z</date>
<millis>1643112582676</millis> <nanos>494600</nanos> <sequence>509</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>27</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint\$NioSocketWrapper@6eec71d6:org.apache.tomcat.util.net.NioChannel@759403a:java.nio
.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56522]])</message></record><record> <date>2022-01-
25T12:09:42.676494600Z</date> <millis>1643112582676</millis> <nanos>494600</nanos>
<sequence>507</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>28</thread> <message>Security checking request GET
/muzeji</message></record><record> <date>2022-01-25T12:09:42.677503500Z</date>
<millis>1643112582677</millis> <nanos>503500</nanos> <sequence>510</sequence>
<logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level>
<class>org.apache.catalina.realm.RealmBase</class>


```
<method>findSecurityConstraints</method> <thread>28</thread> <message> No applicable
constraints defined</message></record><record> <date>2022-01-
25T12:09:42.677503500Z</date> <millis>1643112582677</millis> <nanos>503500</nanos>
<sequence>511</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>28</thread> <message>Not subject to any constraint</message></record><record>
<date>2022-01-25T12:09:42.677503500Z</date> <millis>1643112582677</millis>
<nanos>503500</nanos> <sequence>512</sequence>
<logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level>
<class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method>
<thread>28</thread> <message> Returning non-STM instance</message></record><record>
<date>2022-01-25T12:09:42.721466800Z</date> <millis>1643112582721</millis>
<nanos>466800</nanos> <sequence>513</sequence> <logger></logger> <level>INFO</level>
<class>com.muzej.app.muzej.MuzejController</class> <method>list</method>
<thread>28</thread> <message>Dohvatanje liste muzeja od starne korisnika:
123</message></record><record> <date>2022-01-25T12:09:42.724465700Z</date>
<millis>1643112582724</millis> <nanos>465700</nanos> <sequence>514</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/].[dispatcherServlet]</logg
er> <level>SEVERE</level> <class>org.apache.catalina.core.StandardWrapperValve</class>
<method>invoke</method> <thread>28</thread> <message>Servlet.service() for servlet
[dispatcherServlet] in context with path [] threw exception [Request processing failed; nested
exception is java.lang.StringIndexOutOfBoundsException: String index out of range: -2] with root
cause</message> <exception> <message>java.lang.StringIndexOutOfBoundsException: String
index out of range: -2</message> <frame> <class>java.lang.String</class>
<method>substring</method> <line>1850</line> </frame> <frame>
<class>com.muzej.app.muzej.MuzejController</class> <method>list</method>
<line>50</line> </frame> <frame>
<class>jdk.internal.reflect.NativeMethodAccessorImpl</class> <method>invoke0</method>
</frame> <frame> <class>jdk.internal.reflect.NativeMethodAccessorImpl</class>
<method>invoke</method> <line>62</line> </frame> <frame>
<class>jdk.internal.reflect.DelegatingMethodAccessorImpl</class> <method>invoke</method>
<line>43</line> </frame> <frame> <class>java.lang.reflect.Method</class>
<method>invoke</method> <line>567</line> </frame> <frame>
<class>org.springframework.web.method.support.InvocableHandlerMethod</class>
<method>doInvoke</method> <line>205</line> </frame> <frame>
<class>org.springframework.web.method.support.InvocableHandlerMethod</class>
<method>invokeForRequest</method> <line>150</line> </frame> <frame>
<class>org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod
</class> <method>invokeAndHandle</method> <line>117</line> </frame> <frame>
<class>org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter
</class> <method>invokeHandlerMethod</method> <line>895</line> </frame> <frame>
<class>org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter
</class> <method>handleInternal</method> <line>808</line> </frame> <frame>
<class>org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter</class>
<method>handle</method> <line>87</line> </frame> <frame>
<class>org.springframework.web.servlet.DispatcherServlet</class>
<method>doDispatch</method> <line>1067</line> </frame> <frame>
```

```
<class>org.springframework.web.servlet.DispatcherServlet</class>
<method>doService</method> <line>963</line> </frame> <frame>
<class>org.springframework.web.servlet.FrameworkServlet</class>
<method>processRequest</method> <line>1006</line> </frame> <frame>
<class>org.springframework.web.servlet.FrameworkServlet</class>
<method>doGet</method> <line>898</line> </frame> <frame>
<class>javax.servlet.http.HttpServlet</class> <method>service</method> <line>655</line>
</frame> <frame> <class>org.springframework.web.servlet.FrameworkServlet</class>
<method>service</method> <line>883</line> </frame> <frame>
<class>javax.servlet.http.HttpServlet</class> <method>service</method> <line>764</line>
</frame> <frame> <class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method> <line>227</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class> <method>doFilter</method>
<line>162</line> </frame> <frame>
<class>org.apache.tomcat.websocket.server.WsFilter</class> <method>doFilter</method>
<line>53</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method> <line>189</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class> <method>doFilter</method>
<line>162</line> </frame> <frame>
<class>org.springframework.web.filter.CorsFilter</class> <method>doFilterInternal</method>
<line>91</line> </frame> <frame>
<class>org.springframework.web.filter.OncePerRequestFilter</class>
<method>doFilter</method> <line>117</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method> <line>189</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class> <method>doFilter</method>
<line>162</line> </frame> <frame>
<class>org.springframework.web.filter.RequestContextFilter</class>
<method>doFilterInternal</method> <line>100</line> </frame> <frame>
<class>org.springframework.web.filter.OncePerRequestFilter</class>
<method>doFilter</method> <line>117</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method> <line>189</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class> <method>doFilter</method>
<line>162</line> </frame> <frame>
<class>org.springframework.web.filter.FormContentFilter</class>
<method>doFilterInternal</method> <line>93</line> </frame> <frame>
<class>org.springframework.web.filter.OncePerRequestFilter</class>
<method>doFilter</method> <line>117</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method> <line>189</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class> <method>doFilter</method>
<line>162</line> </frame> <frame>
<class>org.springframework.web.filter.CharacterEncodingFilter</class>
<method>doFilterInternal</method> <line>201</line> </frame> <frame>
<class>org.springframework.web.filter.OncePerRequestFilter</class>
<method>doFilter</method> <line>117</line> </frame> <frame>
```

```
<class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method> <line>189</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class> <method>doFilter</method>
<line>162</line> </frame> <frame>
<class>org.apache.catalina.core.StandardWrapperValve</class> <method>invoke</method>
<line>197</line> </frame> <frame>
<class>org.apache.catalina.core.StandardContextValve</class> <method>invoke</method>
<line>97</line> </frame> <frame>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class>
<method>invoke</method> <line>540</line> </frame> <frame>
<class>org.apache.catalina.core.StandardHostValve</class> <method>invoke</method>
<line>135</line> </frame> <frame>
<class>org.apache.catalina.valves.ErrorReportValve</class> <method>invoke</method>
<line>92</line> </frame> <frame>
<class>org.apache.catalina.core.StandardEngineValve</class> <method>invoke</method>
<line>78</line> </frame> <frame>
<class>org.apache.catalina.connector.CoyoteAdapter</class> <method>service</method>
<line>357</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<line>382</line> </frame> <frame>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<line>65</line> </frame> <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method> <line>895</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method> <line>1732</line> </frame> <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method>
<line>49</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method> <line>1191</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method> <line>659</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method> <line>61</line> </frame> <frame>
<class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame>
</exception></record><record> <date>2022-01-25T12:09:42.726465100Z</date>
<millis>1643112582726</millis> <nanos>465100</nanos> <sequence>515</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardHostValve</class>
<method>custom</method> <thread>28</thread> <message>Processing
ErrorPage[errorCode=0, location=/error]</message></record><record> <date>2022-01-
25T12:09:42.726465100Z</date> <millis>1643112582726</millis> <nanos>465100</nanos>
<sequence>516</sequence> <logger>org.apache.catalina.core.StandardWrapper</logger>
<level>FINER</level> <class>org.apache.catalina.core.StandardWrapper</class>
<method>allocate</method> <thread>28</thread> <message> Returning non-STM
instance</message></record><record> <date>2022-01-25T12:09:42.734459Z</date>
<millis>1643112582734</millis> <nanos>459000</nanos> <sequence>517</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/].[dispatcherServlet]</logg
```

er> <level>FINE</level> <class>org.apache.catalina.core.ApplicationDispatcher</class>
<method>doForward</method> <thread>28</thread> <message> Disabling the response for
further output</message></record><record> <date>2022-01-25T12:09:42.735458200Z</date>
<millis>1643112582735</millis> <nanos>458200</nanos> <sequence>518</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>28</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@12c3832:org.apache.tomcat.util.net.
NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56523]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:09:42.735458200Z</date>
<millis>1643112582735</millis> <nanos>458200</nanos> <sequence>519</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>28</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:09:42.736458100Z</date> <millis>1643112582736</millis>
<nanos>458100</nanos> <sequence>520</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>28</thread> <message>Counting down[http-nio-8080-exec-4]
latch=1</message></record><record> <date>2022-01-25T12:09:42.736458100Z</date>
<millis>1643112582736</millis> <nanos>458100</nanos> <sequence>521</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>28</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint\$NioSocketWrapper@12c3832:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio
.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56523]])</message></record><record> <date>2022-01-
25T12:09:43.672734600Z</date> <millis>1643112583672</millis> <nanos>734600</nanos>
<sequence>522</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112583672; nextExpiration=1643112583167; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:44.685365300Z</date> <millis>1643112584685</millis> <nanos>365300</nanos>
<sequence>523</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112584685; nextExpiration=1643112584672; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:45.689973300Z</date> <millis>1643112585689</millis> <nanos>973300</nanos>
<sequence>524</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112585689; nextExpiration=1643112585685; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:09:46.699905700Z</date> <millis>1643112586699</millis> <nanos>905700</nanos>
<sequence>525</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112586699; nextExpiration=1643112586689; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:47.705132700Z</date> <millis>1643112587705</millis> <nanos>132700</nanos>
<sequence>526</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112587705; nextExpiration=1643112587699; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:48.710029800Z</date> <millis>1643112588710</millis> <nanos>29800</nanos>
<sequence>527</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112588710; nextExpiration=1643112588705; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:49.714031800Z</date> <millis>1643112589714</millis> <nanos>31800</nanos>
<sequence>528</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112589714; nextExpiration=1643112589710; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:50.721713100Z</date> <millis>1643112590721</millis> <nanos>713100</nanos>
<sequence>529</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112590721; nextExpiration=1643112590714; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:51.731599300Z</date> <millis>1643112591731</millis> <nanos>599300</nanos>
<sequence>530</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112591731; nextExpiration=1643112591721; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:52.735969900Z</date> <millis>1643112592735</millis> <nanos>969900</nanos>
<sequence>531</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112592735; nextExpiration=1643112592731; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:53.738541700Z</date> <millis>1643112593738</millis> <nanos>541700</nanos>
<sequence>532</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112593738; nextExpiration=1643112593735; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:09:54.743180600Z</date> <millis>1643112594743</millis> <nanos>180600</nanos>
<sequence>533</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112594743; nextExpiration=1643112594738; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:55.749249200Z</date> <millis>1643112595749</millis> <nanos>249200</nanos>
<sequence>534</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112595749; nextExpiration=1643112595743; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:56.760639500Z</date> <millis>1643112596760</millis> <nanos>639500</nanos>
<sequence>535</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112596760; nextExpiration=1643112596749; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:57.772771300Z</date> <millis>1643112597772</millis> <nanos>771300</nanos>
<sequence>536</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112597772; nextExpiration=1643112597760; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:58.778104400Z</date> <millis>1643112598778</millis> <nanos>104400</nanos>
<sequence>537</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112598778; nextExpiration=1643112598772; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:09:59.785124800Z</date> <millis>1643112599785</millis> <nanos>124800</nanos>
<sequence>538</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112599785; nextExpiration=1643112599778; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:00.792641600Z</date> <millis>1643112600792</millis> <nanos>641600</nanos>
<sequence>539</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112600792; nextExpiration=1643112600785; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:01.799794500Z</date> <millis>1643112601799</millis> <nanos>794500</nanos>
<sequence>540</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112601799; nextExpiration=1643112601792; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:10:02.804987500Z</date> <millis>1643112602804</millis> <nanos>987500</nanos>
<sequence>541</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112602804; nextExpiration=1643112602799; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:03.809043Z</date> <millis>1643112603809</millis> <nanos>43000</nanos>
<sequence>542</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112603809; nextExpiration=1643112603804; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:04.817637600Z</date> <millis>1643112604817</millis> <nanos>637600</nanos>
<sequence>543</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112604817; nextExpiration=1643112604809; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:05.819446300Z</date> <millis>1643112605819</millis> <nanos>446300</nanos>
<sequence>544</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112605819; nextExpiration=1643112605817; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:06.824531300Z</date> <millis>1643112606824</millis> <nanos>531300</nanos>
<sequence>545</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112606824; nextExpiration=1643112606819; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:07.833371200Z</date> <millis>1643112607833</millis> <nanos>371200</nanos>
<sequence>546</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112607833; nextExpiration=1643112607824; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:08.839797900Z</date> <millis>1643112608839</millis> <nanos>797900</nanos>
<sequence>547</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112608839; nextExpiration=1643112608833; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:09.841900300Z</date> <millis>1643112609841</millis> <nanos>900300</nanos>
<sequence>548</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112609841; nextExpiration=1643112609839; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:10:10.851987700Z</date> <millis>1643112610851</millis> <nanos>987700</nanos>
<sequence>549</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112610851; nextExpiration=1643112610841; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:11.862489400Z</date> <millis>1643112611862</millis> <nanos>489400</nanos>
<sequence>550</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112611862; nextExpiration=1643112611851; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:12.870987900Z</date> <millis>1643112612870</millis> <nanos>987900</nanos>
<sequence>551</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112612870; nextExpiration=1643112612862; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:13.769384800Z</date> <millis>1643112613769</millis> <nanos>384800</nanos>
<sequence>552</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>Start expire sessions
StandardManager at 1643112613769 sessioncount 0</message></record><record> <date>2022-
01-25T12:10:13.770077400Z</date> <millis>1643112613770</millis> <nanos>77400</nanos>
<sequence>553</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>End expire sessions
StandardManager processingTime 1 expired sessions: 0</message></record><record>
<date>2022-01-25T12:10:13.880070100Z</date> <millis>1643112613880</millis>
<nanos>70100</nanos> <sequence>554</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112613880;
nextExpiration=1643112613870; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:10:14.886024Z</date>
<millis>1643112614886</millis> <nanos>24000</nanos> <sequence>555</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112614886;
nextExpiration=1643112614880; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:10:15.895632100Z</date>
<millis>1643112615895</millis> <nanos>632100</nanos> <sequence>556</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112615895;
nextExpiration=1643112615886; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:10:16.901463500Z</date>
<millis>1643112616901</millis> <nanos>463500</nanos> <sequence>557</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112616901;
nextExpiration=1643112616895; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:10:17.909166600Z</date>
<millis>1643112617909</millis> <nanos>166600</nanos> <sequence>558</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112617909;
nextExpiration=1643112617901; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:10:18.914509700Z</date>
<millis>1643112618914</millis> <nanos>509700</nanos> <sequence>559</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112618914;
nextExpiration=1643112618909; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:10:19.924184500Z</date>
<millis>1643112619924</millis> <nanos>184500</nanos> <sequence>560</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112619924;
nextExpiration=1643112619914; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:10:20.929675400Z</date>
<millis>1643112620929</millis> <nanos>675400</nanos> <sequence>561</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112620929;
nextExpiration=1643112620924; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:10:21.351470900Z</date>
<millis>1643112621351</millis> <nanos>470900</nanos> <sequence>562</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countUpOrAwait</method>
<thread>23</thread> <message>Counting up[http-nio-8080-Acceptor]
latch=1</message></record><record> <date>2022-01-25T12:10:21.353469400Z</date>
<millis>1643112621353</millis> <nanos>469400</nanos> <sequence>563</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countUpOrAwait</method>
<thread>23</thread> <message>Counting up[http-nio-8080-Acceptor]
latch=2</message></record><record> <date>2022-01-25T12:10:21.353469400Z</date>
<millis>1643112621353</millis> <nanos>469400</nanos> <sequence>564</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>29</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56525]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:10:21.353469400Z</date>
<millis>1643112621353</millis> <nanos>469400</nanos> <sequence>565</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>

<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>29</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56525]]</message></record><record>
<date>2022-01-25T12:10:21.353469400Z</date> <millis>1643112621353</millis>
<nanos>469400</nanos> <sequence>566</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>29</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@165957fa] from
cache</message></record><record> <date>2022-01-25T12:10:21.353469400Z</date>
<millis>1643112621353</millis> <nanos>469400</nanos> <sequence>567</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>29</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [227]</message></record><record> <date>2022-01-
25T12:10:21.353469400Z</date> <millis>1643112621353</millis> <nanos>469400</nanos>
<sequence>568</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>30</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56526]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:10:21.354466800Z</date>
<millis>1643112621354</millis> <nanos>466800</nanos> <sequence>569</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>30</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56526]]</message></record><record>
<date>2022-01-25T12:10:21.354466800Z</date> <millis>1643112621354</millis>
<nanos>466800</nanos> <sequence>570</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>29</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@3227ab37:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56525]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:10:21.354466800Z</date> <millis>1643112621354</millis>
<nanos>466800</nanos> <sequence>571</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>30</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@1a88036b] from
cache</message></record><record> <date>2022-01-25T12:10:21.354466800Z</date>
<millis>1643112621354</millis> <nanos>466800</nanos> <sequence>572</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>

<thread>30</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true], parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0], byteBuffer.limit(): [0], end: [207]</message></record><record> <date>2022-01-25T12:10:21.354466800Z</date> <millis>1643112621354</millis> <nanos>466800</nanos> <sequence>573</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level> <class>org.apache.coyote.http11.Http11Processor</class> <method>service</method> <thread>29</thread> <message>Error parsing HTTP request header</message> <exception> <message>java.io.EOFException</message> <frame> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class> <method>fillReadBuffer</method> <line>1328</line> </frame> <frame> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class> <method>read</method> <line>1215</line> </frame> <frame> <class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method> <line>805</line> </frame> <frame> <class>org.apache.coyote.http11.Http11InputBuffer</class> <method>parseRequestLine</method> <line>360</line> </frame> <frame> <class>org.apache.coyote.http11.Http11Processor</class> <method>service</method> <line>269</line> </frame> <frame> <class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method> <line>65</line> </frame> <frame> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>process</method> <line>895</line> </frame> <frame> <class>org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor</class> <method>doRun</method> <line>1732</line> </frame> <frame> <class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method> <line>49</line> </frame> <frame> <class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class> <method>runWorker</method> <line>1191</line> </frame> <frame> <class>org.apache.tomcat.util.threads.ThreadPoolExecutor\$Worker</class> <method>run</method> <line>659</line> </frame> <frame> <class>org.apache.tomcat.util.threads.TaskThread\$WrappingRunnable</class> <method>run</method> <line>61</line> </frame> <frame> <class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame> </exception></record><record> <date>2022-01-25T12:10:21.354466800Z</date> <millis>1643112621354</millis> <nanos>466800</nanos> <sequence>574</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class> <method>populateReadBuffer</method> <thread>30</thread> <message>Socket: [org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@48c70ebb:org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56526]], Read from buffer: [0]</message></record><record> <date>2022-01-25T12:10:21.354466800Z</date> <millis>1643112621354</millis> <nanos>466800</nanos> <sequence>575</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method> <thread>29</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while processing request</message> <exception> <message>java.io.EOFException</message> <frame> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>

```

<method>fillReadBuffer</method>    <line>1328</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method>    <line>1215</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>    <method>fill</method>
<line>805</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method>    <line>360</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11Processor</class>    <method>service</method>
<line>269</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:10:21.354466800Z</date>
<millis>1643112621354</millis> <nanos>466800</nanos> <sequence>576</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>29</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@3227ab37:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56525]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:10:21.354466800Z</date>
<millis>1643112621354</millis> <nanos>466800</nanos> <sequence>577</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method> <thread>30</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@48c70ebb:org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56526]], Read direct from socket: [232]</message></record><record>
<date>2022-01-25T12:10:21.354466800Z</date> <millis>1643112621354</millis>
<nanos>466800</nanos> <sequence>578</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>release</method> <thread>29</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:10:21.354466800Z</date> <millis>1643112621354</millis>
<nanos>466800</nanos> <sequence>579</sequence>

```

<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>30</thread> <message>Received [GET /muzeji HTTP/1.1Authorization: Basic123User-Agent: PostmanRuntime/7.29.0Accept: */*Postman-Token: 9e82dbda-cbbe-4058-ab00-e4ac63aa2e8cHost: localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive]</message></record><record> <date>2022-01-25T12:10:21.355466Z</date>
<millis>1643112621355</millis> <nanos>466000</nanos> <sequence>580</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>29</thread> <message>Counting down[http-nio-8080-exec-5]
latch=2</message></record><record> <date>2022-01-25T12:10:21.355466Z</date>
<millis>1643112621355</millis> <nanos>466000</nanos> <sequence>581</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>29</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@3227ab37:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56525]])</message></record><record> <date>2022-01-25T12:10:21.355466Z</date> <millis>1643112621355</millis> <nanos>466000</nanos>
<sequence>582</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>30</thread> <message>Security checking request GET
/muzeji</message></record><record> <date>2022-01-25T12:10:21.355466Z</date>
<millis>1643112621355</millis> <nanos>466000</nanos> <sequence>583</sequence>
<logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level>
<class>org.apache.catalina.realm.RealmBase</class>
<method>findSecurityConstraints</method> <thread>30</thread> <message> No applicable
constraints defined</message></record><record> <date>2022-01-25T12:10:21.355466Z</date>
<millis>1643112621355</millis> <nanos>466000</nanos> <sequence>584</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>30</thread> <message>Not subject to any constraint</message></record><record>
<date>2022-01-25T12:10:21.356467900Z</date> <millis>1643112621356</millis>
<nanos>467900</nanos> <sequence>585</sequence>
<logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level>
<class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method>
<thread>30</thread> <message> Returning non-STM instance</message></record><record>
<date>2022-01-25T12:10:21.357465400Z</date> <millis>1643112621357</millis>
<nanos>465400</nanos> <sequence>586</sequence> <logger></logger> <level>INFO</level>
<class>com.muzej.app.muzej.MuzejController</class> <method>list</method>
<thread>30</thread> <message>Dohvatanje liste muzeja od starne korisnika:
Basic123</message></record><record> <date>2022-01-25T12:10:21.546647500Z</date>
<millis>1643112621546</millis> <nanos>647500</nanos> <sequence>587</sequence>
<logger></logger> <level>SEVERE</level>
<class>com.muzej.app.muzej.MuzejController</class> <method>list</method>
<thread>30</thread> <message>java.util.NoSuchElementException: No value

present</message></record><record> <date>2022-01-25T12:10:21.554640200Z</date>
<millis>1643112621554</millis> <nanos>640200</nanos> <sequence>588</sequence>
<logger></logger> <level>SEVERE</level>
<class>com.muzej.app.muzej.MuzejController</class> <method>list</method>
<thread>30</thread> <message>java.util.NoSuchElementException: No value
present</message></record><record> <date>2022-01-25T12:10:21.563634300Z</date>
<millis>1643112621563</millis> <nanos>634300</nanos> <sequence>589</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>30</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [232]</message></record><record> <date>2022-01-
25T12:10:21.563634300Z</date> <millis>1643112621563</millis> <nanos>634300</nanos>
<sequence>590</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger>
<level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>30</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@48c70ebb:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56526]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:10:21.564635300Z</date> <millis>1643112621564</millis>
<nanos>635300</nanos> <sequence>591</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <thread>30</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@48c70ebb:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56526]], Read direct from socket: [0]</message></record><record>
<date>2022-01-25T12:10:21.564635300Z</date> <millis>1643112621564</millis>
<nanos>635300</nanos> <sequence>592</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>30</thread> <message>Received []</message></record><record> <date>2022-01-
25T12:10:21.564635300Z</date> <millis>1643112621564</millis> <nanos>635300</nanos>
<sequence>593</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProcessorLight</class>
<method>process</method> <thread>30</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@48c70ebb:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56526]], Status in: [OPEN_READ], State out:
[OPEN]</message></record><record> <date>2022-01-25T12:10:21.564635300Z</date>
<millis>1643112621564</millis> <nanos>635300</nanos> <sequence>594</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>30</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:10:21.565632600Z</date> <millis>1643112621565</millis>
<nanos>632600</nanos> <sequence>595</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>

<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>registerReadInterest</method> <thread>30</thread> <message>Registered read
interest for
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@48c70ebb:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56526]]</message></record><record> <date>2022-01-
25T12:10:22.570993600Z</date> <millis>1643112622570</millis> <nanos>993600</nanos>
<sequence>596</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112622570; nextExpiration=1643112621929; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:23.584484300Z</date> <millis>1643112623584</millis> <nanos>484300</nanos>
<sequence>597</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112623584; nextExpiration=1643112623570; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:24.595341900Z</date> <millis>1643112624595</millis> <nanos>341900</nanos>
<sequence>598</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112624595; nextExpiration=1643112624584; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:25.604341400Z</date> <millis>1643112625604</millis> <nanos>341400</nanos>
<sequence>599</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112625604; nextExpiration=1643112625595; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:26.611954700Z</date> <millis>1643112626611</millis> <nanos>954700</nanos>
<sequence>600</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112626611; nextExpiration=1643112626604; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:27.614030600Z</date> <millis>1643112627614</millis> <nanos>30600</nanos>
<sequence>601</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112627614; nextExpiration=1643112627611; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:28.619298700Z</date> <millis>1643112628619</millis> <nanos>298700</nanos>
<sequence>602</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112628619; nextExpiration=1643112628614; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:10:29.629325500Z</date> <millis>1643112629629</millis> <nanos>325500</nanos>
<sequence>603</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112629629; nextExpiration=1643112629619; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:30.641714700Z</date> <millis>1643112630641</millis> <nanos>714700</nanos>
<sequence>604</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112630641; nextExpiration=1643112630629; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:31.651422500Z</date> <millis>1643112631651</millis> <nanos>422500</nanos>
<sequence>605</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112631651; nextExpiration=1643112631641; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:32.662289Z</date> <millis>1643112632662</millis> <nanos>289000</nanos>
<sequence>606</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112632662; nextExpiration=1643112632651; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:33.672799300Z</date> <millis>1643112633672</millis> <nanos>799300</nanos>
<sequence>607</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112633672; nextExpiration=1643112633662; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:34.672961100Z</date> <millis>1643112634672</millis> <nanos>961100</nanos>
<sequence>608</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112634672; nextExpiration=1643112634672; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:35.673353300Z</date> <millis>1643112635673</millis> <nanos>353300</nanos>
<sequence>609</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112635673; nextExpiration=1643112635672; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:36.684739900Z</date> <millis>1643112636684</millis> <nanos>739900</nanos>
<sequence>610</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112636684; nextExpiration=1643112636673; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:10:37.697320500Z</date> <millis>1643112637697</millis> <nanos>320500</nanos>
<sequence>611</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112637697; nextExpiration=1643112637684; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:38.703415500Z</date> <millis>1643112638703</millis> <nanos>415500</nanos>
<sequence>612</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112638703; nextExpiration=1643112638697; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:39.709055100Z</date> <millis>1643112639709</millis> <nanos>55100</nanos>
<sequence>613</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112639709; nextExpiration=1643112639703; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:40.723766200Z</date> <millis>1643112640723</millis> <nanos>766200</nanos>
<sequence>614</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112640723; nextExpiration=1643112640709; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:41.725749400Z</date> <millis>1643112641725</millis> <nanos>749400</nanos>
<sequence>615</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112641725; nextExpiration=1643112641723; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:42.740616100Z</date> <millis>1643112642740</millis> <nanos>616100</nanos>
<sequence>616</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112642740; nextExpiration=1643112642725; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:43.751121900Z</date> <millis>1643112643751</millis> <nanos>121900</nanos>
<sequence>617</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112643751; nextExpiration=1643112643740; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:44.758217700Z</date> <millis>1643112644758</millis> <nanos>217700</nanos>
<sequence>618</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112644758; nextExpiration=1643112644751; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:10:45.762843200Z</date> <millis>1643112645762</millis> <nanos>843200</nanos>
<sequence>619</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112645762; nextExpiration=1643112645758; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:46.769104100Z</date> <millis>1643112646769</millis> <nanos>104100</nanos>
<sequence>620</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112646769; nextExpiration=1643112646762; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:47.774834Z</date> <millis>1643112647774</millis> <nanos>834000</nanos>
<sequence>621</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112647774; nextExpiration=1643112647769; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:48.785594Z</date> <millis>1643112648785</millis> <nanos>594000</nanos>
<sequence>622</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112648785; nextExpiration=1643112648774; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:49.792890800Z</date> <millis>1643112649792</millis> <nanos>890800</nanos>
<sequence>623</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112649792; nextExpiration=1643112649785; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:50.796972400Z</date> <millis>1643112650796</millis> <nanos>972400</nanos>
<sequence>624</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112650796; nextExpiration=1643112650792; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:51.803473200Z</date> <millis>1643112651803</millis> <nanos>473200</nanos>
<sequence>625</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112651803; nextExpiration=1643112651796; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:52.813411900Z</date> <millis>1643112652813</millis> <nanos>411900</nanos>
<sequence>626</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112652813; nextExpiration=1643112652803; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:10:53.824407300Z</date> <millis>1643112653824</millis> <nanos>407300</nanos>
<sequence>627</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112653824; nextExpiration=1643112653813; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:54.825884200Z</date> <millis>1643112654825</millis> <nanos>884200</nanos>
<sequence>628</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112654825; nextExpiration=1643112654824; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:55.828094500Z</date> <millis>1643112655828</millis> <nanos>94500</nanos>
<sequence>629</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112655828; nextExpiration=1643112655825; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:56.839500500Z</date> <millis>1643112656839</millis> <nanos>500500</nanos>
<sequence>630</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112656839; nextExpiration=1643112656828; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:57.854476300Z</date> <millis>1643112657854</millis> <nanos>476300</nanos>
<sequence>631</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112657854; nextExpiration=1643112657839; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:58.860180Z</date> <millis>1643112658860</millis> <nanos>180000</nanos>
<sequence>632</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112658860; nextExpiration=1643112658854; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:10:59.865505200Z</date> <millis>1643112659865</millis> <nanos>505200</nanos>
<sequence>633</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112659865; nextExpiration=1643112659860; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:00.875333500Z</date> <millis>1643112660875</millis> <nanos>333500</nanos>
<sequence>634</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112660875; nextExpiration=1643112660865; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:11:01.884809500Z</date> <millis>1643112661884</millis> <nanos>809500</nanos>
<sequence>635</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112661884; nextExpiration=1643112661875; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:02.896237200Z</date> <millis>1643112662896</millis> <nanos>237200</nanos>
<sequence>636</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112662896; nextExpiration=1643112662884; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:03.903480400Z</date> <millis>1643112663903</millis> <nanos>480400</nanos>
<sequence>637</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112663903; nextExpiration=1643112663896; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:04.916047800Z</date> <millis>1643112664916</millis> <nanos>47800</nanos>
<sequence>638</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112664916; nextExpiration=1643112664903; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:05.928988800Z</date> <millis>1643112665928</millis> <nanos>988800</nanos>
<sequence>639</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112665928; nextExpiration=1643112665916; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:06.934008600Z</date> <millis>1643112666934</millis> <nanos>8600</nanos>
<sequence>640</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112666934; nextExpiration=1643112666928; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:07.944855500Z</date> <millis>1643112667944</millis> <nanos>855500</nanos>
<sequence>641</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112667944; nextExpiration=1643112667934; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:08.946881200Z</date> <millis>1643112668946</millis> <nanos>881200</nanos>
<sequence>642</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112668946; nextExpiration=1643112668944; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:11:09.961814600Z</date> <millis>1643112669961</millis> <nanos>814600</nanos>
<sequence>643</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112669961; nextExpiration=1643112669946; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:10.974728600Z</date> <millis>1643112670974</millis> <nanos>728600</nanos>
<sequence>644</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112670974; nextExpiration=1643112670961; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:11.975653300Z</date> <millis>1643112671975</millis> <nanos>653300</nanos>
<sequence>645</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112671975; nextExpiration=1643112671974; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:12.990340800Z</date> <millis>1643112672990</millis> <nanos>340800</nanos>
<sequence>646</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112672990; nextExpiration=1643112672975; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:13.829303800Z</date> <millis>1643112673829</millis> <nanos>303800</nanos>
<sequence>647</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>Start expire sessions
StandardManager at 1643112673829 sessioncount 0</message></record><record> <date>2022-
01-25T12:11:13.829303800Z</date> <millis>1643112673829</millis> <nanos>303800</nanos>
<sequence>648</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:11:14.003915Z</date> <millis>1643112674003</millis>
<nanos>915000</nanos> <sequence>649</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112674003;
nextExpiration=1643112673990; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:11:15.006722200Z</date>
<millis>1643112675006</millis> <nanos>722200</nanos> <sequence>650</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112675006;
nextExpiration=1643112675003; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:11:16.011428Z</date>
<millis>1643112676011</millis> <nanos>428000</nanos> <sequence>651</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112676011;
nextExpiration=1643112676006; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:11:17.025497700Z</date>
<millis>1643112677025</millis> <nanos>497700</nanos> <sequence>652</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112677025;
nextExpiration=1643112677011; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:11:18.040943900Z</date>
<millis>1643112678040</millis> <nanos>943900</nanos> <sequence>653</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112678040;
nextExpiration=1643112678025; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:11:19.055495500Z</date>
<millis>1643112679055</millis> <nanos>495500</nanos> <sequence>654</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112679055;
nextExpiration=1643112679040; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:11:20.070867400Z</date>
<millis>1643112680070</millis> <nanos>867400</nanos> <sequence>655</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112680070;
nextExpiration=1643112680055; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:11:21.071249300Z</date>
<millis>1643112681071</millis> <nanos>249300</nanos> <sequence>656</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112681071;
nextExpiration=1643112681070; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:11:22.075628500Z</date>
<millis>1643112682075</millis> <nanos>628500</nanos> <sequence>657</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112682075;
nextExpiration=1643112682071; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:11:22.076627600Z</date>
<millis>1643112682076</millis> <nanos>627600</nanos> <sequence>658</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>31</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56526]] with status
[ERROR]</message></record><record> <date>2022-01-25T12:11:22.077627200Z</date>

<millis>1643112682077</millis> <nanos>627200</nanos> <sequence>659</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>31</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:56526]]</message></record><record>
<date>2022-01-25T12:11:22.077627200Z</date> <millis>1643112682077</millis>
<nanos>627200</nanos> <sequence>660</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>31</thread> <message>Counting down[http-nio-8080-exec-7]
latch=1</message></record><record> <date>2022-01-25T12:11:22.077627200Z</date>
<millis>1643112682077</millis> <nanos>627200</nanos> <sequence>661</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>31</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint\$NioSocketWrapper@48c70ebb:org.apache.tomcat.util.net.NioChannel@759403a:java.nio
.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:56526]])</message></record><record> <date>2022-01-
25T12:11:23.090860Z</date> <millis>1643112683090</millis> <nanos>860000</nanos>
<sequence>662</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112683090; nextExpiration=1643112683075; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:24.100780400Z</date> <millis>1643112684100</millis> <nanos>780400</nanos>
<sequence>663</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112684100; nextExpiration=1643112684090; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:25.103735200Z</date> <millis>1643112685103</millis> <nanos>735200</nanos>
<sequence>664</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112685103; nextExpiration=1643112685100; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:26.110637700Z</date> <millis>1643112686110</millis> <nanos>637700</nanos>
<sequence>665</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112686110; nextExpiration=1643112686103; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:27.120810500Z</date> <millis>1643112687120</millis> <nanos>810500</nanos>
<sequence>666</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112687120; nextExpiration=1643112687110; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:28.133132700Z</date> <millis>1643112688133</millis> <nanos>132700</nanos>
<sequence>667</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112688133; nextExpiration=1643112688120; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:29.140961200Z</date> <millis>1643112689140</millis> <nanos>961200</nanos>
<sequence>668</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112689140; nextExpiration=1643112689133; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:30.141410Z</date> <millis>1643112690141</millis> <nanos>410000</nanos>
<sequence>669</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112690141; nextExpiration=1643112690140; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:31.151776400Z</date> <millis>1643112691151</millis> <nanos>776400</nanos>
<sequence>670</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112691151; nextExpiration=1643112691141; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:32.160606500Z</date> <millis>1643112692160</millis> <nanos>606500</nanos>
<sequence>671</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112692160; nextExpiration=1643112692151; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:33.174017500Z</date> <millis>1643112693174</millis> <nanos>17500</nanos>
<sequence>672</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112693174; nextExpiration=1643112693160; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:34.176599800Z</date> <millis>1643112694176</millis> <nanos>599800</nanos>
<sequence>673</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112694176; nextExpiration=1643112694174; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:35.177940100Z</date> <millis>1643112695177</millis> <nanos>940100</nanos>
<sequence>674</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112695177; nextExpiration=1643112695176; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:36.183621100Z</date> <millis>1643112696183</millis> <nanos>621100</nanos>
<sequence>675</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112696183; nextExpiration=1643112696177; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:37.198933500Z</date> <millis>1643112697198</millis> <nanos>933500</nanos>
<sequence>676</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112697198; nextExpiration=1643112697183; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:38.211512300Z</date> <millis>1643112698211</millis> <nanos>512300</nanos>
<sequence>677</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112698211; nextExpiration=1643112698198; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:39.212825400Z</date> <millis>1643112699212</millis> <nanos>825400</nanos>
<sequence>678</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112699212; nextExpiration=1643112699211; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:40.227610500Z</date> <millis>1643112700227</millis> <nanos>610500</nanos>
<sequence>679</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112700227; nextExpiration=1643112700212; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:41.228285200Z</date> <millis>1643112701228</millis> <nanos>285200</nanos>
<sequence>680</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112701228; nextExpiration=1643112701227; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:42.232574300Z</date> <millis>1643112702232</millis> <nanos>574300</nanos>
<sequence>681</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112702232; nextExpiration=1643112702228; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:43.238515500Z</date> <millis>1643112703238</millis> <nanos>515500</nanos>
<sequence>682</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112703238; nextExpiration=1643112703232; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:44.246623Z</date> <millis>1643112704246</millis> <nanos>623000</nanos>
<sequence>683</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112704246; nextExpiration=1643112704238; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:45.261507500Z</date> <millis>1643112705261</millis> <nanos>507500</nanos>
<sequence>684</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112705261; nextExpiration=1643112705246; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:46.276500500Z</date> <millis>1643112706276</millis> <nanos>500500</nanos>
<sequence>685</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112706276; nextExpiration=1643112706261; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:47.281415400Z</date> <millis>1643112707281</millis> <nanos>415400</nanos>
<sequence>686</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112707281; nextExpiration=1643112707276; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:48.287497800Z</date> <millis>1643112708287</millis> <nanos>497800</nanos>
<sequence>687</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112708287; nextExpiration=1643112708281; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:49.294796300Z</date> <millis>1643112709294</millis> <nanos>796300</nanos>
<sequence>688</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112709294; nextExpiration=1643112709287; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:50.303598700Z</date> <millis>1643112710303</millis> <nanos>598700</nanos>
<sequence>689</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112710303; nextExpiration=1643112710294; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:51.367411300Z</date> <millis>1643112711367</millis> <nanos>411300</nanos>
<sequence>690</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112711367; nextExpiration=1643112711303; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:52.370466Z</date> <millis>1643112712370</millis> <nanos>466000</nanos>
<sequence>691</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112712370; nextExpiration=1643112712367; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:53.376626100Z</date> <millis>1643112713376</millis> <nanos>626100</nanos>
<sequence>692</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112713376; nextExpiration=1643112713370; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:54.389569200Z</date> <millis>1643112714389</millis> <nanos>569200</nanos>
<sequence>693</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112714389; nextExpiration=1643112714376; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:55.398908400Z</date> <millis>1643112715398</millis> <nanos>908400</nanos>
<sequence>694</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112715398; nextExpiration=1643112715389; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:56.413902200Z</date> <millis>1643112716413</millis> <nanos>902200</nanos>
<sequence>695</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112716413; nextExpiration=1643112716398; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:57.419350400Z</date> <millis>1643112717419</millis> <nanos>350400</nanos>
<sequence>696</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112717419; nextExpiration=1643112717413; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:58.430444400Z</date> <millis>1643112718430</millis> <nanos>444400</nanos>
<sequence>697</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112718430; nextExpiration=1643112718419; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:11:59.442328100Z</date> <millis>1643112719442</millis> <nanos>328100</nanos>
<sequence>698</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112719442; nextExpiration=1643112719430; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:00.445838700Z</date> <millis>1643112720445</millis> <nanos>838700</nanos>
<sequence>699</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112720445; nextExpiration=1643112720442; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:01.458649200Z</date> <millis>1643112721458</millis> <nanos>649200</nanos>
<sequence>700</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112721458; nextExpiration=1643112721445; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:02.472718900Z</date> <millis>1643112722472</millis> <nanos>718900</nanos>
<sequence>701</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112722472; nextExpiration=1643112722458; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:03.487478400Z</date> <millis>1643112723487</millis> <nanos>478400</nanos>
<sequence>702</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112723487; nextExpiration=1643112723472; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:04.488777Z</date> <millis>1643112724488</millis> <nanos>777000</nanos>
<sequence>703</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112724488; nextExpiration=1643112724487; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:05.502200400Z</date> <millis>1643112725502</millis> <nanos>200400</nanos>
<sequence>704</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112725502; nextExpiration=1643112725488; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:06.517691100Z</date> <millis>1643112726517</millis> <nanos>691100</nanos>
<sequence>705</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112726517; nextExpiration=1643112726502; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:07.524019200Z</date> <millis>1643112727524</millis> <nanos>19200</nanos>
<sequence>706</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112727524; nextExpiration=1643112727517; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:08.534794800Z</date> <millis>1643112728534</millis> <nanos>794800</nanos>
<sequence>707</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112728534; nextExpiration=1643112728524; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:09.545809400Z</date> <millis>1643112729545</millis> <nanos>809400</nanos>
<sequence>708</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112729545; nextExpiration=1643112729534; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:10.559645400Z</date> <millis>1643112730559</millis> <nanos>645400</nanos>
<sequence>709</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112730559; nextExpiration=1643112730545; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:11.571865300Z</date> <millis>1643112731571</millis> <nanos>865300</nanos>
<sequence>710</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112731571; nextExpiration=1643112731559; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:12.574245500Z</date> <millis>1643112732574</millis> <nanos>245500</nanos>
<sequence>711</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112732574; nextExpiration=1643112732571; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:13.579316600Z</date> <millis>1643112733579</millis> <nanos>316600</nanos>
<sequence>712</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112733579; nextExpiration=1643112733574; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:13.893608300Z</date> <millis>1643112733893</millis> <nanos>608300</nanos>
<sequence>713</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>17</thread> <message>Start expire sessions
StandardManager at 1643112733893 sessioncount 0</message></record><record> <date>2022-
01-25T12:12:13.894610200Z</date> <millis>1643112733894</millis> <nanos>610200</nanos>
<sequence>714</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>17</thread> <message>End expire sessions
StandardManager processingTime 1 expired sessions: 0</message></record><record>

<date>2022-01-25T12:12:14.582649500Z</date> <millis>1643112734582</millis>
<nanos>649500</nanos> <sequence>715</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112734582;
nextExpiration=1643112734579; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:12:15.582784700Z</date>
<millis>1643112735582</millis> <nanos>784700</nanos> <sequence>716</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112735582;
nextExpiration=1643112735582; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:12:16.585319600Z</date>
<millis>1643112736585</millis> <nanos>319600</nanos> <sequence>717</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112736585;
nextExpiration=1643112736582; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:12:17.595825900Z</date>
<millis>1643112737595</millis> <nanos>825900</nanos> <sequence>718</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112737595;
nextExpiration=1643112737585; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:12:18.603768500Z</date>
<millis>1643112738603</millis> <nanos>768500</nanos> <sequence>719</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112738603;
nextExpiration=1643112738595; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:12:19.605052500Z</date>
<millis>1643112739605</millis> <nanos>52500</nanos> <sequence>720</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112739605;
nextExpiration=1643112739603; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:12:20.611520Z</date>
<millis>1643112740611</millis> <nanos>520000</nanos> <sequence>721</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112740611;
nextExpiration=1643112740605; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:12:21.616436800Z</date>
<millis>1643112741616</millis> <nanos>436800</nanos> <sequence>722</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112741616;
nextExpiration=1643112741611; keyCount=0; hasEvents=false;

eval=false</message></record><record> <date>2022-01-25T12:12:22.630634800Z</date>
<millis>1643112742630</millis> <nanos>634800</nanos> <sequence>723</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112742630;
nextExpiration=1643112742616; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:12:23.639049400Z</date>
<millis>1643112743639</millis> <nanos>49400</nanos> <sequence>724</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112743639;
nextExpiration=1643112743630; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:12:24.650826700Z</date>
<millis>1643112744650</millis> <nanos>826700</nanos> <sequence>725</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112744650;
nextExpiration=1643112744639; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:12:24.762757800Z</date>
<millis>1643112744762</millis> <nanos>757800</nanos> <sequence>726</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countUpOrAwait</method>
<thread>23</thread> <message>Counting up[http-nio-8080-Acceptor]
latch=1</message></record><record> <date>2022-01-25T12:12:24.764756800Z</date>
<millis>1643112744764</millis> <nanos>756800</nanos> <sequence>727</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countUpOrAwait</method>
<thread>23</thread> <message>Counting up[http-nio-8080-Acceptor]
latch=2</message></record><record> <date>2022-01-25T12:12:24.765756900Z</date>
<millis>1643112744765</millis> <nanos>756900</nanos> <sequence>728</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>32</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50067]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:12:24.765756900Z</date>
<millis>1643112744765</millis> <nanos>756900</nanos> <sequence>729</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>33</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50068]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:12:24.765756900Z</date>
<millis>1643112744765</millis> <nanos>756900</nanos> <sequence>730</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>32</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected

local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50067]]</message></record><record>
<date>2022-01-25T12:12:24.765756900Z</date> <millis>1643112744765</millis>
<nanos>756900</nanos> <sequence>731</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>33</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50068]]</message></record><record>
<date>2022-01-25T12:12:24.765756900Z</date> <millis>1643112744765</millis>
<nanos>756900</nanos> <sequence>732</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>32</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@1a88036b] from
cache</message></record><record> <date>2022-01-25T12:12:24.765756900Z</date>
<millis>1643112744765</millis> <nanos>756900</nanos> <sequence>733</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>33</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@165957fa] from
cache</message></record><record> <date>2022-01-25T12:12:24.765756900Z</date>
<millis>1643112744765</millis> <nanos>756900</nanos> <sequence>734</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>33</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], ByteBuffer.position(): [0],
ByteBuffer.limit(): [0], end: [227]</message></record><record> <date>2022-01-
25T12:12:24.765756900Z</date> <millis>1643112744765</millis> <nanos>756900</nanos>
<sequence>735</sequence> <logger>org.apache.coyote.http11.Http11InputBuffer</logger>
<level>FINE</level> <class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>fill</method> <thread>32</thread> <message>Before fill(): parsingHeader: [true],
parsingRequestLine: [true], parsingRequestLinePhase: [0], parsingRequestLineStart: [0],
ByteBuffer.position(): [0], ByteBuffer.limit(): [0], end: [232]</message></record><record>
<date>2022-01-25T12:12:24.766756700Z</date> <millis>1643112744766</millis>
<nanos>756700</nanos> <sequence>736</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>32</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@63e2c14b:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50067]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:12:24.766756700Z</date> <millis>1643112744766</millis>
<nanos>756700</nanos> <sequence>737</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>33</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@cd0a47b:org.apache.tomcat.util.net.
NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080

remote=/0:0:0:0:0:0:1:50068]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:12:24.766756700Z</date> <millis>1643112744766</millis>
<nanos>756700</nanos> <sequence>738</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<thread>32</thread> <message>Error parsing HTTP request header</message> <exception>
<message>java.io.EOFException</message> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <line>1215</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<line>805</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method> <line>360</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<line>269</line> </frame> <frame>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<line>65</line> </frame> <frame>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <line>895</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor</class>
<method>doRun</method> <line>1732</line> </frame> <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method>
<line>49</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method> <line>1191</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor\$Worker</class>
<method>run</method> <line>659</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.TaskThread\$WrappingRunnable</class>
<method>run</method> <line>61</line> </frame> <frame>
<class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame>
</exception></record><record> <date>2022-01-25T12:12:24.766756700Z</date>
<millis>1643112744766</millis> <nanos>756700</nanos> <sequence>740</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method>
<thread>32</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while
processing request</message> <exception> <message>java.io.EOFException</message>
<frame> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <line>1215</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<line>805</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method> <line>360</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<line>269</line> </frame> <frame>

```

<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:12:24.766756700Z</date>
<millis>1643112744766</millis> <nanos>756700</nanos> <sequence>739</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method> <thread>33</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@cd0a47b:org.apache.tomcat.util.net.
NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50068]], Read direct from socket: [231]</message></record><record>
<date>2022-01-25T12:12:24.767754600Z</date> <millis>1643112744767</millis>
<nanos>754600</nanos> <sequence>741</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>32</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@63e2c14b:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50067]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:12:24.767754600Z</date>
<millis>1643112744767</millis> <nanos>754600</nanos> <sequence>742</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>33</thread> <message>Received [GET /muzeji?Authorization=BasicMTIz
HTTP/1.1User-Agent: PostmanRuntime/7.29.0Accept: /*Postman-Token: 70369e3f-31c8-4450-
812f-e8f721cc9925Host: localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive
]</message></record><record> <date>2022-01-25T12:12:24.767754600Z</date>
<millis>1643112744767</millis> <nanos>754600</nanos> <sequence>743</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>release</method> <thread>32</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:12:24.767754600Z</date> <millis>1643112744767</millis>
<nanos>754600</nanos> <sequence>744</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>

```

<thread>32</thread> <message>Counting down[http-nio-8080-exec-8]
latch=2</message></record><record> <date>2022-01-25T12:12:24.767754600Z</date>
<millis>1643112744767</millis> <nanos>754600</nanos> <sequence>745</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>32</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint\$NioSocketWrapper@63e2c14b:org.apache.tomcat.util.net.NioChannel@759403a:java.nio
.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50067]])</message></record><record> <date>2022-01-
25T12:12:24.768754100Z</date> <millis>1643112744768</millis> <nanos>754100</nanos>
<sequence>746</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>33</thread> <message>Security checking request GET
/muzeji</message></record><record> <date>2022-01-25T12:12:24.768754100Z</date>
<millis>1643112744768</millis> <nanos>754100</nanos> <sequence>747</sequence>
<logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level>
<class>org.apache.catalina.realm.RealmBase</class>
<method>findSecurityConstraints</method> <thread>33</thread> <message> No applicable
constraints defined</message></record><record> <date>2022-01-
25T12:12:24.768754100Z</date> <millis>1643112744768</millis> <nanos>754100</nanos>
<sequence>748</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>33</thread> <message>Not subject to any constraint</message></record><record>
<date>2022-01-25T12:12:24.768754100Z</date> <millis>1643112744768</millis>
<nanos>754100</nanos> <sequence>749</sequence>
<logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level>
<class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method>
<thread>33</thread> <message> Returning non-STM instance</message></record><record>
<date>2022-01-25T12:12:24.772752200Z</date> <millis>1643112744772</millis>
<nanos>752200</nanos> <sequence>750</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardHostValve</class>
<method>custom</method> <thread>33</thread> <message>Processing
ErrorPage[errorCode=0, location=/error]</message></record><record> <date>2022-01-
25T12:12:24.772752200Z</date> <millis>1643112744772</millis> <nanos>752200</nanos>
<sequence>751</sequence> <logger>org.apache.catalina.core.StandardWrapper</logger>
<level>FINER</level> <class>org.apache.catalina.core.StandardWrapper</class>
<method>allocate</method> <thread>33</thread> <message> Returning non-STM
instance</message></record><record> <date>2022-01-25T12:12:24.776749400Z</date>
<millis>1643112744776</millis> <nanos>749400</nanos> <sequence>752</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/].[dispatcherServlet]</logg
er> <level>FINE</level> <class>org.apache.catalina.core.ApplicationDispatcher</class>
<method>doForward</method> <thread>33</thread> <message> Disabling the response for
further output</message></record><record> <date>2022-01-25T12:12:24.777749300Z</date>
<millis>1643112744777</millis> <nanos>749300</nanos> <sequence>753</sequence>

<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>33</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@cd0a47b:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50068]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:12:24.777749300Z</date>
<millis>1643112744777</millis> <nanos>749300</nanos> <sequence>754</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>33</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:12:24.777749300Z</date> <millis>1643112744777</millis>
<nanos>749300</nanos> <sequence>755</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>33</thread> <message>Counting down[http-nio-8080-exec-9]
latch=1</message></record><record> <date>2022-01-25T12:12:24.778748200Z</date>
<millis>1643112744778</millis> <nanos>748200</nanos> <sequence>756</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>33</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@cd0a47b:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50068]])</message></record><record> <date>2022-01-25T12:12:25.774987800Z</date> <millis>1643112745774</millis> <nanos>987800</nanos>
<sequence>757</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112745774; nextExpiration=1643112745650; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:12:26.783017900Z</date> <millis>1643112746783</millis> <nanos>17900</nanos>
<sequence>758</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112746783; nextExpiration=1643112746774; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:12:27.786026300Z</date> <millis>1643112747786</millis> <nanos>26300</nanos>
<sequence>759</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112747786; nextExpiration=1643112747783; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:12:28.790998800Z</date> <millis>1643112748790</millis> <nanos>998800</nanos>
<sequence>760</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112748790; nextExpiration=1643112748786; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:29.792556200Z</date> <millis>1643112749792</millis> <nanos>556200</nanos>
<sequence>761</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112749792; nextExpiration=1643112749790; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:30.805914600Z</date> <millis>1643112750805</millis> <nanos>914600</nanos>
<sequence>762</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112750805; nextExpiration=1643112750792; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:31.806466Z</date> <millis>1643112751806</millis> <nanos>466000</nanos>
<sequence>763</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112751806; nextExpiration=1643112751805; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:32.817812800Z</date> <millis>1643112752817</millis> <nanos>812800</nanos>
<sequence>764</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112752817; nextExpiration=1643112752806; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:33.828962400Z</date> <millis>1643112753828</millis> <nanos>962400</nanos>
<sequence>765</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112753828; nextExpiration=1643112753817; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:34.837945200Z</date> <millis>1643112754837</millis> <nanos>945200</nanos>
<sequence>766</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112754837; nextExpiration=1643112754828; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:35.842071600Z</date> <millis>1643112755842</millis> <nanos>71600</nanos>
<sequence>767</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112755842; nextExpiration=1643112755837; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:36.842480700Z</date> <millis>1643112756842</millis> <nanos>480700</nanos>
<sequence>768</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112756842; nextExpiration=1643112756842; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:37.854301Z</date> <millis>1643112757854</millis> <nanos>301000</nanos>
<sequence>769</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112757854; nextExpiration=1643112757842; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:38.854615Z</date> <millis>1643112758854</millis> <nanos>615000</nanos>
<sequence>770</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112758854; nextExpiration=1643112758854; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:39.854737200Z</date> <millis>1643112759854</millis> <nanos>737200</nanos>
<sequence>771</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112759854; nextExpiration=1643112759854; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:40.867740400Z</date> <millis>1643112760867</millis> <nanos>740400</nanos>
<sequence>772</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112760867; nextExpiration=1643112760854; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:41.878613800Z</date> <millis>1643112761878</millis> <nanos>613800</nanos>
<sequence>773</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112761878; nextExpiration=1643112761867; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:42.893147500Z</date> <millis>1643112762893</millis> <nanos>147500</nanos>
<sequence>774</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112762893; nextExpiration=1643112762878; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:43.895718200Z</date> <millis>1643112763895</millis> <nanos>718200</nanos>
<sequence>775</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112763895; nextExpiration=1643112763893; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:44.901602800Z</date> <millis>1643112764901</millis> <nanos>602800</nanos>
<sequence>776</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112764901; nextExpiration=1643112764895; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:45.904173300Z</date> <millis>1643112765904</millis> <nanos>173300</nanos>
<sequence>777</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112765904; nextExpiration=1643112765901; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:46.909240600Z</date> <millis>1643112766909</millis> <nanos>240600</nanos>
<sequence>778</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112766909; nextExpiration=1643112766904; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:47.910756900Z</date> <millis>1643112767910</millis> <nanos>756900</nanos>
<sequence>779</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112767910; nextExpiration=1643112767909; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:48.912693800Z</date> <millis>1643112768912</millis> <nanos>693800</nanos>
<sequence>780</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112768912; nextExpiration=1643112768910; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:49.913754800Z</date> <millis>1643112769913</millis> <nanos>754800</nanos>
<sequence>781</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112769913; nextExpiration=1643112769912; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:50.922453600Z</date> <millis>1643112770922</millis> <nanos>453600</nanos>
<sequence>782</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112770922; nextExpiration=1643112770913; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:51.931748500Z</date> <millis>1643112771931</millis> <nanos>748500</nanos>
<sequence>783</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112771931; nextExpiration=1643112771922; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:52.940738Z</date> <millis>1643112772940</millis> <nanos>738000</nanos>
<sequence>784</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112772940; nextExpiration=1643112772931; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:53.955313700Z</date> <millis>1643112773955</millis> <nanos>313700</nanos>
<sequence>785</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112773955; nextExpiration=1643112773940; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:54.962815100Z</date> <millis>1643112774962</millis> <nanos>815100</nanos>
<sequence>786</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112774962; nextExpiration=1643112774955; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:55.967569800Z</date> <millis>1643112775967</millis> <nanos>569800</nanos>
<sequence>787</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112775967; nextExpiration=1643112775962; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:56.968989900Z</date> <millis>1643112776968</millis> <nanos>989900</nanos>
<sequence>788</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112776968; nextExpiration=1643112776967; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:57.982098300Z</date> <millis>1643112777982</millis> <nanos>98300</nanos>
<sequence>789</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112777982; nextExpiration=1643112777968; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:12:58.991952700Z</date> <millis>1643112778991</millis> <nanos>952700</nanos>
<sequence>790</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112778991; nextExpiration=1643112778982; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:00.006379100Z</date> <millis>1643112780006</millis> <nanos>379100</nanos>
<sequence>791</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112780006; nextExpiration=1643112779991; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:01.009344400Z</date> <millis>1643112781009</millis> <nanos>344400</nanos>
<sequence>792</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112781009; nextExpiration=1643112781006; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:02.010928300Z</date> <millis>1643112782010</millis> <nanos>928300</nanos>
<sequence>793</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112782010; nextExpiration=1643112782009; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:03.013347Z</date> <millis>1643112783013</millis> <nanos>347000</nanos>
<sequence>794</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112783013; nextExpiration=1643112783010; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:04.028162200Z</date> <millis>1643112784028</millis> <nanos>162200</nanos>
<sequence>795</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112784028; nextExpiration=1643112784013; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:05.036376900Z</date> <millis>1643112785036</millis> <nanos>376900</nanos>
<sequence>796</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112785036; nextExpiration=1643112785028; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:06.049030200Z</date> <millis>1643112786049</millis> <nanos>30200</nanos>
<sequence>797</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112786049; nextExpiration=1643112786036; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:07.060618700Z</date> <millis>1643112787060</millis> <nanos>618700</nanos>
<sequence>798</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112787060; nextExpiration=1643112787049; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:08.062553100Z</date> <millis>1643112788062</millis> <nanos>553100</nanos>
<sequence>799</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112788062; nextExpiration=1643112788060; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:09.077069400Z</date> <millis>1643112789077</millis> <nanos>69400</nanos>
<sequence>800</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643112789077; nextExpiration=1643112789062; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:13:10.078586Z</date> <millis>1643112790078</millis> <nanos>586000</nanos> <sequence>801</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112790078; nextExpiration=1643112790077; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:13:11.082843500Z</date> <millis>1643112791082</millis> <nanos>843500</nanos> <sequence>802</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112791082; nextExpiration=1643112791078; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:13:12.089552500Z</date> <millis>1643112792089</millis> <nanos>552500</nanos> <sequence>803</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112792089; nextExpiration=1643112792082; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:13:13.093313800Z</date> <millis>1643112793093</millis> <nanos>313800</nanos> <sequence>804</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112793093; nextExpiration=1643112793089; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:13:13.960689600Z</date> <millis>1643112793960</millis> <nanos>689600</nanos> <sequence>805</sequence> <logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method> <thread>16</thread> <message>Start expire sessions StandardManager at 1643112793960 sessioncount 0</message></record><record> <date>2022-01-25T12:13:13.960689600Z</date> <millis>1643112793960</millis> <nanos>689600</nanos> <sequence>806</sequence> <logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method> <thread>16</thread> <message>End expire sessions StandardManager processingTime 0 expired sessions: 0</message></record><record> <date>2022-01-25T12:13:14.101557600Z</date> <millis>1643112794101</millis> <nanos>557600</nanos> <sequence>807</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112794101; nextExpiration=1643112794093; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:13:15.114308800Z</date> <millis>1643112795114</millis> <nanos>308800</nanos> <sequence>808</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112795114; nextExpiration=1643112795101; keyCount=0; hasEvents=false;

eval=false</message></record><record> <date>2022-01-25T12:13:16.124808900Z</date>
<millis>1643112796124</millis> <nanos>808900</nanos> <sequence>809</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112796124;
nextExpiration=1643112796114; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:13:17.128596800Z</date>
<millis>1643112797128</millis> <nanos>596800</nanos> <sequence>810</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112797128;
nextExpiration=1643112797124; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:13:18.129847700Z</date>
<millis>1643112798129</millis> <nanos>847700</nanos> <sequence>811</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112798129;
nextExpiration=1643112798128; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:13:19.134856700Z</date>
<millis>1643112799134</millis> <nanos>856700</nanos> <sequence>812</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112799134;
nextExpiration=1643112799129; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:13:20.140471100Z</date>
<millis>1643112800140</millis> <nanos>471100</nanos> <sequence>813</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112800140;
nextExpiration=1643112800134; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:13:21.154543500Z</date>
<millis>1643112801154</millis> <nanos>543500</nanos> <sequence>814</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112801154;
nextExpiration=1643112801140; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:13:22.156796Z</date>
<millis>1643112802156</millis> <nanos>796000</nanos> <sequence>815</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112802156;
nextExpiration=1643112802154; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:13:22.644206100Z</date>
<millis>1643112802644</millis> <nanos>206100</nanos> <sequence>816</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countUpOrAwait</method>
<thread>23</thread> <message>Counting up[http-nio-8080-Acceptor]
latch=1</message></record><record> <date>2022-01-25T12:13:22.648203200Z</date>

<millis>1643112802648</millis> <nanos>203200</nanos> <sequence>817</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countUpOrAwait</method>
<thread>23</thread> <message>Counting up[http-nio-8080-Acceptor]
latch=2</message></record><record> <date>2022-01-25T12:13:22.650202800Z</date>
<millis>1643112802650</millis> <nanos>202800</nanos> <sequence>818</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>25</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50360]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:13:22.650202800Z</date>
<millis>1643112802650</millis> <nanos>202800</nanos> <sequence>819</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>25</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50360]]</message></record><record>
<date>2022-01-25T12:13:22.650202800Z</date> <millis>1643112802650</millis>
<nanos>202800</nanos> <sequence>820</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>25</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@165957fa] from
cache</message></record><record> <date>2022-01-25T12:13:22.650202800Z</date>
<millis>1643112802650</millis> <nanos>202800</nanos> <sequence>821</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>25</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [231]</message></record><record> <date>2022-01-
25T12:13:22.650202800Z</date> <millis>1643112802650</millis> <nanos>202800</nanos>
<sequence>822</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger>
<level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>25</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@85b0816:org.apache.tomcat.util.net.
NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50360]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:13:22.651200600Z</date> <millis>1643112802651</millis>
<nanos>200600</nanos> <sequence>823</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <thread>25</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@85b0816:org.apache.tomcat.util.net.
NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50360]], Read direct from socket: [231]</message></record><record>
<date>2022-01-25T12:13:22.651200600Z</date> <millis>1643112802651</millis>
<nanos>200600</nanos> <sequence>824</sequence>

<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>25</thread> <message>Received [GET /muzeji?Authorization=BasicMTIz
HTTP/1.1User-Agent: PostmanRuntime/7.29.0Accept: /*Postman-Token: f4c7cb6a-2560-41fb-
a9a4-a42fa8886544Host: localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive
</message></record><record> <date>2022-01-25T12:13:22.651200600Z</date>
<millis>1643112802651</millis> <nanos>200600</nanos> <sequence>825</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>25</thread> <message>Security checking request GET
/muzeji</message></record><record> <date>2022-01-25T12:13:22.651200600Z</date>
<millis>1643112802651</millis> <nanos>200600</nanos> <sequence>826</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>34</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50359]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:13:22.652202300Z</date>
<millis>1643112802652</millis> <nanos>202300</nanos> <sequence>827</sequence>
<logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level>
<class>org.apache.catalina.realm.RealmBase</class>
<method>findSecurityConstraints</method> <thread>25</thread> <message> No applicable
constraints defined</message></record><record> <date>2022-01-
25T12:13:22.652202300Z</date> <millis>1643112802652</millis> <nanos>202300</nanos>
<sequence>828</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>34</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50359]]</message></record><record>
<date>2022-01-25T12:13:22.652202300Z</date> <millis>1643112802652</millis>
<nanos>202300</nanos> <sequence>829</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>25</thread> <message>Not subject to any constraint</message></record><record>
<date>2022-01-25T12:13:22.652202300Z</date> <millis>1643112802652</millis>
<nanos>202300</nanos> <sequence>830</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>34</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@1a88036b] from
cache</message></record><record> <date>2022-01-25T12:13:22.652202300Z</date>
<millis>1643112802652</millis> <nanos>202300</nanos> <sequence>831</sequence>
<logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level>
<class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method>
<thread>25</thread> <message> Returning non-STM instance</message></record><record>
<date>2022-01-25T12:13:22.652202300Z</date> <millis>1643112802652</millis>
<nanos>202300</nanos> <sequence>832</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>

<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>34</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [232]</message></record><record> <date>2022-01-
25T12:13:22.652202300Z</date> <millis>1643112802652</millis> <nanos>202300</nanos>
<sequence>833</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger>
<level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>34</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@15d9798d:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50359]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:13:22.652202300Z</date> <millis>1643112802652</millis>
<nanos>202300</nanos> <sequence>834</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<thread>34</thread> <message>Error parsing HTTP request header</message> <exception>
<message>java.io.EOFException</message> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <line>1215</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<line>805</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method> <line>360</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<line>269</line> </frame> <frame>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<line>65</line> </frame> <frame>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <line>895</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor</class>
<method>doRun</method> <line>1732</line> </frame> <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method>
<line>49</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method> <line>1191</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor\$Worker</class>
<method>run</method> <line>659</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.TaskThread\$WrappingRunnable</class>
<method>run</method> <line>61</line> </frame> <frame>
<class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame>
</exception></record><record> <date>2022-01-25T12:13:22.653201200Z</date>
<millis>1643112802653</millis> <nanos>201200</nanos> <sequence>835</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method>
<thread>34</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while
processing request</message> <exception> <message>java.io.EOFException</message>

```

<frame>    <class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>fillReadBuffer</method>    <line>1328</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method>    <line>1215</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>    <method>fill</method>
<line>805</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method>    <line>360</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11Processor</class>    <method>service</method>
<line>269</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:13:22.653201200Z</date>
<millis>1643112802653</millis> <nanos>201200</nanos> <sequence>836</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>34</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@15d9798d:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50359]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:13:22.653201200Z</date>
<millis>1643112802653</millis> <nanos>201200</nanos> <sequence>837</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>release</method> <thread>34</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:13:22.653201200Z</date> <millis>1643112802653</millis>
<nanos>201200</nanos> <sequence>838</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>34</thread> <message>Counting down[http-nio-8080-exec-10]
latch=2</message></record><record> <date>2022-01-25T12:13:22.654200200Z</date>
<millis>1643112802654</millis> <nanos>200200</nanos> <sequence>839</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>

```

<method>doClose</method> <thread>34</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@15d9798d:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50359]])</message></record><record> <date>2022-01-
25T12:13:22.655200100Z</date> <millis>1643112802655</millis> <nanos>200100</nanos>
<sequence>840</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardHostValve</class>
<method>custom</method> <thread>25</thread> <message>Processing
ErrorPage[errorCode=0, location=/error]</message></record><record> <date>2022-01-
25T12:13:22.656199300Z</date> <millis>1643112802656</millis> <nanos>199300</nanos>
<sequence>841</sequence> <logger>org.apache.catalina.core.StandardWrapper</logger>
<level>FINER</level> <class>org.apache.catalina.core.StandardWrapper</class>
<method>allocate</method> <thread>25</thread> <message> Returning non-STM
instance</message></record><record> <date>2022-01-25T12:13:22.659197100Z</date>
<millis>1643112802659</millis> <nanos>197100</nanos> <sequence>842</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/].[dispatcherServlet]</logger>
<level>FINE</level> <class>org.apache.catalina.core.ApplicationDispatcher</class>
<method>doForward</method> <thread>25</thread> <message> Disabling the response for
further output</message></record><record> <date>2022-01-25T12:13:22.660196800Z</date>
<millis>1643112802660</millis> <nanos>196800</nanos> <sequence>843</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>25</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@85b0816:org.apache.tomcat.util.net.
NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50360]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:13:22.660196800Z</date>
<millis>1643112802660</millis> <nanos>196800</nanos> <sequence>844</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>25</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:13:22.660196800Z</date> <millis>1643112802660</millis>
<nanos>196800</nanos> <sequence>845</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>25</thread> <message>Counting down[http-nio-8080-exec-1]
latch=1</message></record><record> <date>2022-01-25T12:13:22.660196800Z</date>
<millis>1643112802660</millis> <nanos>196800</nanos> <sequence>846</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>25</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@85b0816:org.apache.tomcat.util.net.NioChannel@759403a:java.nio.
channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50360]])</message></record><record> <date>2022-01-

25T12:13:23.650514500Z</date> <millis>1643112803650</millis> <nanos>514500</nanos>
<sequence>847</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112803650; nextExpiration=1643112803156; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:24.665002100Z</date> <millis>1643112804665</millis> <nanos>2100</nanos>
<sequence>848</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112804665; nextExpiration=1643112804650; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:25.665441800Z</date> <millis>1643112805665</millis> <nanos>441800</nanos>
<sequence>849</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112805665; nextExpiration=1643112805665; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:26.679571Z</date> <millis>1643112806679</millis> <nanos>571000</nanos>
<sequence>850</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112806679; nextExpiration=1643112806665; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:27.689569300Z</date> <millis>1643112807689</millis> <nanos>569300</nanos>
<sequence>851</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112807689; nextExpiration=1643112807679; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:28.690179500Z</date> <millis>1643112808690</millis> <nanos>179500</nanos>
<sequence>852</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112808690; nextExpiration=1643112808689; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:29.691448600Z</date> <millis>1643112809691</millis> <nanos>448600</nanos>
<sequence>853</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112809691; nextExpiration=1643112809690; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:30.699586200Z</date> <millis>1643112810699</millis> <nanos>586200</nanos>
<sequence>854</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112810699; nextExpiration=1643112810691; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:13:31.700363400Z</date> <millis>1643112811700</millis> <nanos>363400</nanos>
<sequence>855</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112811700; nextExpiration=1643112811699; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:32.704152500Z</date> <millis>1643112812704</millis> <nanos>152500</nanos>
<sequence>856</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112812704; nextExpiration=1643112812700; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:33.718507100Z</date> <millis>1643112813718</millis> <nanos>507100</nanos>
<sequence>857</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112813718; nextExpiration=1643112813704; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:34.719312Z</date> <millis>1643112814719</millis> <nanos>312000</nanos>
<sequence>858</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112814719; nextExpiration=1643112814718; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:35.731172100Z</date> <millis>1643112815731</millis> <nanos>172100</nanos>
<sequence>859</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112815731; nextExpiration=1643112815719; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:36.745302400Z</date> <millis>1643112816745</millis> <nanos>302400</nanos>
<sequence>860</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112816745; nextExpiration=1643112816731; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:37.756273300Z</date> <millis>1643112817756</millis> <nanos>273300</nanos>
<sequence>861</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112817756; nextExpiration=1643112817745; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:38.759405500Z</date> <millis>1643112818759</millis> <nanos>405500</nanos>
<sequence>862</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112818759; nextExpiration=1643112818756; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:13:39.761484400Z</date> <millis>1643112819761</millis> <nanos>484400</nanos>
<sequence>863</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112819761; nextExpiration=1643112819759; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:40.769587200Z</date> <millis>1643112820769</millis> <nanos>587200</nanos>
<sequence>864</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112820769; nextExpiration=1643112820761; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:41.771331200Z</date> <millis>1643112821771</millis> <nanos>331200</nanos>
<sequence>865</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112821771; nextExpiration=1643112821769; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:42.785612600Z</date> <millis>1643112822785</millis> <nanos>612600</nanos>
<sequence>866</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112822785; nextExpiration=1643112822771; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:43.793703500Z</date> <millis>1643112823793</millis> <nanos>703500</nanos>
<sequence>867</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112823793; nextExpiration=1643112823785; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:44.798307Z</date> <millis>1643112824798</millis> <nanos>307000</nanos>
<sequence>868</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112824798; nextExpiration=1643112824793; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:45.799743600Z</date> <millis>1643112825799</millis> <nanos>743600</nanos>
<sequence>869</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112825799; nextExpiration=1643112825798; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:46.127578300Z</date> <millis>1643112826127</millis> <nanos>578300</nanos>
<sequence>870</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger>
<level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>
<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-
8080-Acceptor] latch=1</message></record><record> <date>2022-01-
25T12:13:46.128577600Z</date> <millis>1643112826128</millis> <nanos>577600</nanos>

<sequence>871</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger>
<level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>
<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-
8080-Acceptor] latch=2</message></record><record> <date>2022-01-
25T12:13:46.128577600Z</date> <millis>1643112826128</millis> <nanos>577600</nanos>
<sequence>872</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>26</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50368]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:13:46.128577600Z</date>
<millis>1643112826128</millis> <nanos>577600</nanos> <sequence>874</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>26</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50368]]</message></record><record>
<date>2022-01-25T12:13:46.128577600Z</date> <millis>1643112826128</millis>
<nanos>577600</nanos> <sequence>873</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>27</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50369]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:13:46.128577600Z</date>
<millis>1643112826128</millis> <nanos>577600</nanos> <sequence>875</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>26</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@165957fa] from
cache</message></record><record> <date>2022-01-25T12:13:46.128577600Z</date>
<millis>1643112826128</millis> <nanos>577600</nanos> <sequence>876</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>27</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50369]]</message></record><record>
<date>2022-01-25T12:13:46.128577600Z</date> <millis>1643112826128</millis>
<nanos>577600</nanos> <sequence>877</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>26</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [231]</message></record><record> <date>2022-01-
25T12:13:46.129580500Z</date> <millis>1643112826129</millis> <nanos>580500</nanos>
<sequence>878</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>27</thread> <message>Popped processor

[org.apache.coyote.http11.Http11Processor@1a88036b] from
cache</message></record><record> <date>2022-01-25T12:13:46.129580500Z</date>
<millis>1643112826129</millis> <nanos>580500</nanos> <sequence>879</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>27</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [232]</message></record><record> <date>2022-01-
25T12:13:46.129580500Z</date> <millis>1643112826129</millis> <nanos>580500</nanos>
<sequence>880</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger>
<level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>26</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@48febed4:org.apache.tomcat.util.net
.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50368]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:13:46.129580500Z</date> <millis>1643112826129</millis>
<nanos>580500</nanos> <sequence>881</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>27</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@602b827b:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50369]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:13:46.129580500Z</date> <millis>1643112826129</millis>
<nanos>580500</nanos> <sequence>882</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<thread>26</thread> <message>Error parsing HTTP request header</message> <exception>
<message>java.io.EOFException</message> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <line>1215</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<line>805</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method> <line>360</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<line>269</line> </frame> <frame>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<line>65</line> </frame> <frame>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <line>895</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor</class>
<method>doRun</method> <line>1732</line> </frame> <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method>
<line>49</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>

```
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:13:46.129580500Z</date>
<millis>1643112826129</millis> <nanos>580500</nanos> <sequence>883</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method> <thread>27</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@602b827b:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50369]], Read direct from socket: [231]</message></record><record>
<date>2022-01-25T12:13:46.129580500Z</date> <millis>1643112826129</millis>
<nanos>580500</nanos> <sequence>884</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method>
<thread>26</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while
processing request</message> <exception>    <message>java.io.EOFException</message>
<frame>    <class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>fillReadBuffer</method>    <line>1328</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method>    <line>1215</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>    <method>fill</method>
<line>805</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method>    <line>360</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11Processor</class>    <method>service</method>
<line>269</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:13:46.129580500Z</date>
<millis>1643112826129</millis> <nanos>580500</nanos> <sequence>885</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
```

<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>27</thread> <message>Received [GET /muzeji?Authorization=BasicMTlz
HTTP/1.1User-Agent: PostmanRuntime/7.29.0Accept: /*Postman-Token: e8e355cd-3ca9-4067-
b65d-74f9d29cf906Host: localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive
]</message></record><record> <date>2022-01-25T12:13:46.129580500Z</date>
<millis>1643112826129</millis> <nanos>580500</nanos> <sequence>886</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>26</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@48febed4:org.apache.tomcat.util.net
.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50368]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:13:46.129580500Z</date>
<millis>1643112826129</millis> <nanos>580500</nanos> <sequence>887</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>26</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:13:46.129580500Z</date> <millis>1643112826129</millis>
<nanos>580500</nanos> <sequence>888</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>26</thread> <message>Counting down[http-nio-8080-exec-2]
latch=2</message></record><record> <date>2022-01-25T12:13:46.129580500Z</date>
<millis>1643112826129</millis> <nanos>580500</nanos> <sequence>889</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>26</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint\$NioSocketWrapper@48febed4:org.apache.tomcat.util.net.NioChannel@759403a:java.nio
.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50368]])</message></record><record> <date>2022-01-
25T12:13:46.130576900Z</date> <millis>1643112826130</millis> <nanos>576900</nanos>
<sequence>890</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>27</thread> <message>Security checking request GET
/muzeji</message></record><record> <date>2022-01-25T12:13:46.130576900Z</date>
<millis>1643112826130</millis> <nanos>576900</nanos> <sequence>891</sequence>
<logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level>
<class>org.apache.catalina.realm.RealmBase</class>
<method>findSecurityConstraints</method> <thread>27</thread> <message> No applicable
constraints defined</message></record><record> <date>2022-01-
25T12:13:46.130576900Z</date> <millis>1643112826130</millis> <nanos>576900</nanos>
<sequence>892</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>27</thread> <message>Not subject to any constraint</message></record><record>

<date>2022-01-25T12:13:46.130576900Z</date> <millis>1643112826130</millis>
<nanos>576900</nanos> <sequence>893</sequence>
<logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level>
<class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method>
<thread>27</thread> <message> Returning non-STM instance</message></record><record>
<date>2022-01-25T12:13:46.131578200Z</date> <millis>1643112826131</millis>
<nanos>578200</nanos> <sequence>894</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardHostValve</class>
<method>custom</method> <thread>27</thread> <message>Processing
ErrorPage[errorCode=0, location=/error]</message></record><record> <date>2022-01-
25T12:13:46.132576300Z</date> <millis>1643112826132</millis> <nanos>576300</nanos>
<sequence>895</sequence> <logger>org.apache.catalina.core.StandardWrapper</logger>
<level>FINER</level> <class>org.apache.catalina.core.StandardWrapper</class>
<method>allocate</method> <thread>27</thread> <message> Returning non-STM
instance</message></record><record> <date>2022-01-25T12:13:46.134576500Z</date>
<millis>1643112826134</millis> <nanos>576500</nanos> <sequence>896</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/].[dispatcherServlet]</logg
er> <level>FINE</level> <class>org.apache.catalina.core.ApplicationDispatcher</class>
<method>doForward</method> <thread>27</thread> <message> Disabling the response for
further output</message></record><record> <date>2022-01-25T12:13:46.134576500Z</date>
<millis>1643112826134</millis> <nanos>576500</nanos> <sequence>897</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>27</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@602b827b:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50369]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:13:46.135574600Z</date>
<millis>1643112826135</millis> <nanos>574600</nanos> <sequence>898</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>27</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:13:46.135574600Z</date> <millis>1643112826135</millis>
<nanos>574600</nanos> <sequence>899</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>27</thread> <message>Counting down[http-nio-8080-exec-3]
latch=1</message></record><record> <date>2022-01-25T12:13:46.135574600Z</date>
<millis>1643112826135</millis> <nanos>574600</nanos> <sequence>900</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>27</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint\$NioSocketWrapper@602b827b:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.ni
o.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50369]])</message></record><record> <date>2022-01-

25T12:13:47.132249800Z</date> <millis>1643112827132</millis> <nanos>249800</nanos>
<sequence>901</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112827132; nextExpiration=1643112826799; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:48.136562800Z</date> <millis>1643112828136</millis> <nanos>562800</nanos>
<sequence>902</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112828136; nextExpiration=1643112828132; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:49.137509200Z</date> <millis>1643112829137</millis> <nanos>509200</nanos>
<sequence>903</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112829137; nextExpiration=1643112829136; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:50.150033100Z</date> <millis>1643112830150</millis> <nanos>33100</nanos>
<sequence>904</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112830150; nextExpiration=1643112830137; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:51.161138100Z</date> <millis>1643112831161</millis> <nanos>138100</nanos>
<sequence>905</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112831161; nextExpiration=1643112831150; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:52.167785300Z</date> <millis>1643112832167</millis> <nanos>785300</nanos>
<sequence>906</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112832167; nextExpiration=1643112832161; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:53.176348800Z</date> <millis>1643112833176</millis> <nanos>348800</nanos>
<sequence>907</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112833176; nextExpiration=1643112833167; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:54.191881500Z</date> <millis>1643112834191</millis> <nanos>881500</nanos>
<sequence>908</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112834191; nextExpiration=1643112834176; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:13:55.202265700Z</date> <millis>1643112835202</millis> <nanos>265700</nanos>
<sequence>909</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112835202; nextExpiration=1643112835191; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:56.209603400Z</date> <millis>1643112836209</millis> <nanos>603400</nanos>
<sequence>910</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112836209; nextExpiration=1643112836202; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:57.216708700Z</date> <millis>1643112837216</millis> <nanos>708700</nanos>
<sequence>911</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112837216; nextExpiration=1643112837209; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:58.228483200Z</date> <millis>1643112838228</millis> <nanos>483200</nanos>
<sequence>912</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112838228; nextExpiration=1643112838216; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:13:59.240800700Z</date> <millis>1643112839240</millis> <nanos>800700</nanos>
<sequence>913</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112839240; nextExpiration=1643112839228; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:00.253918900Z</date> <millis>1643112840253</millis> <nanos>918900</nanos>
<sequence>914</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112840253; nextExpiration=1643112840240; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:01.259147600Z</date> <millis>1643112841259</millis> <nanos>147600</nanos>
<sequence>915</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112841259; nextExpiration=1643112841253; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:02.264708200Z</date> <millis>1643112842264</millis> <nanos>708200</nanos>
<sequence>916</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112842264; nextExpiration=1643112842259; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:14:03.266285200Z</date> <millis>1643112843266</millis> <nanos>285200</nanos>
<sequence>917</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112843266; nextExpiration=1643112843264; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:04.271204400Z</date> <millis>1643112844271</millis> <nanos>204400</nanos>
<sequence>918</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112844271; nextExpiration=1643112844266; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:05.280462500Z</date> <millis>1643112845280</millis> <nanos>462500</nanos>
<sequence>919</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112845280; nextExpiration=1643112845271; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:06.285808300Z</date> <millis>1643112846285</millis> <nanos>808300</nanos>
<sequence>920</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112846285; nextExpiration=1643112846280; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:07.294971Z</date> <millis>1643112847294</millis> <nanos>971000</nanos>
<sequence>921</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112847294; nextExpiration=1643112847285; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:08.296269900Z</date> <millis>1643112848296</millis> <nanos>269900</nanos>
<sequence>922</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112848296; nextExpiration=1643112848294; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:09.308083Z</date> <millis>1643112849308</millis> <nanos>83000</nanos>
<sequence>923</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112849308; nextExpiration=1643112849296; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:10.314762900Z</date> <millis>1643112850314</millis> <nanos>762900</nanos>
<sequence>924</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112850314; nextExpiration=1643112850308; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:14:11.318780Z</date> <millis>1643112851318</millis> <nanos>780000</nanos>
<sequence>925</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112851318; nextExpiration=1643112851314; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:12.332047300Z</date> <millis>1643112852332</millis> <nanos>47300</nanos>
<sequence>926</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112852332; nextExpiration=1643112852318; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:13.333085700Z</date> <millis>1643112853333</millis> <nanos>85700</nanos>
<sequence>927</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112853333; nextExpiration=1643112853332; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:14:14.112911600Z</date> <millis>1643112854112</millis> <nanos>911600</nanos>
<sequence>928</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>17</thread> <message>Start expire sessions
StandardManager at 1643112854112 sessioncount 0</message></record><record> <date>2022-
01-25T12:14:14.112911600Z</date> <millis>1643112854112</millis> <nanos>911600</nanos>
<sequence>929</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>17</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:14:14.347917800Z</date> <millis>1643112854347</millis>
<nanos>917800</nanos> <sequence>930</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112854347;
nextExpiration=1643112854333; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:15.348705300Z</date>
<millis>1643112855348</millis> <nanos>705300</nanos> <sequence>931</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112855348;
nextExpiration=1643112855347; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:16.355978200Z</date>
<millis>1643112856355</millis> <nanos>978200</nanos> <sequence>932</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112856355;
nextExpiration=1643112856348; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:17.370797100Z</date>
<millis>1643112857370</millis> <nanos>797100</nanos> <sequence>933</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112857370;
nextExpiration=1643112857355; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:18.374142Z</date>
<millis>1643112858374</millis> <nanos>142000</nanos> <sequence>934</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112858374;
nextExpiration=1643112858370; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:19.375110100Z</date>
<millis>1643112859375</millis> <nanos>110100</nanos> <sequence>935</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112859375;
nextExpiration=1643112859374; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:20.382826200Z</date>
<millis>1643112860382</millis> <nanos>826200</nanos> <sequence>936</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112860382;
nextExpiration=1643112860375; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:21.385805500Z</date>
<millis>1643112861385</millis> <nanos>805500</nanos> <sequence>937</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112861385;
nextExpiration=1643112861382; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:22.388512900Z</date>
<millis>1643112862388</millis> <nanos>512900</nanos> <sequence>938</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112862388;
nextExpiration=1643112862385; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:23.397777Z</date>
<millis>1643112863397</millis> <nanos>777000</nanos> <sequence>939</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112863397;
nextExpiration=1643112863388; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:24.401788300Z</date>
<millis>1643112864401</millis> <nanos>788300</nanos> <sequence>940</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112864401;
nextExpiration=1643112864397; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:25.410998400Z</date>
<millis>1643112865410</millis> <nanos>998400</nanos> <sequence>941</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112865410;
nextExpiration=1643112865401; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:26.424410800Z</date>
<millis>1643112866424</millis> <nanos>410800</nanos> <sequence>942</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112866424;
nextExpiration=1643112866410; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:27.432752700Z</date>
<millis>1643112867432</millis> <nanos>752700</nanos> <sequence>943</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112867432;
nextExpiration=1643112867424; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:28.440453600Z</date>
<millis>1643112868440</millis> <nanos>453600</nanos> <sequence>944</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112868440;
nextExpiration=1643112868432; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:29.446223400Z</date>
<millis>1643112869446</millis> <nanos>223400</nanos> <sequence>945</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112869446;
nextExpiration=1643112869440; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:30.446939600Z</date>
<millis>1643112870446</millis> <nanos>939600</nanos> <sequence>946</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112870446;
nextExpiration=1643112870446; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:31.453900700Z</date>
<millis>1643112871453</millis> <nanos>900700</nanos> <sequence>947</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112871453;
nextExpiration=1643112871446; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:32.467865Z</date>
<millis>1643112872467</millis> <nanos>865000</nanos> <sequence>948</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112872467;
nextExpiration=1643112872453; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:33.478277900Z</date>
<millis>1643112873478</millis> <nanos>277900</nanos> <sequence>949</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112873478;
nextExpiration=1643112873467; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:34.486072400Z</date>
<millis>1643112874486</millis> <nanos>72400</nanos> <sequence>950</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112874486;
nextExpiration=1643112874478; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:35.486993500Z</date>
<millis>1643112875486</millis> <nanos>993500</nanos> <sequence>951</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112875486;
nextExpiration=1643112875486; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:36.492789Z</date>
<millis>1643112876492</millis> <nanos>789000</nanos> <sequence>952</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112876492;
nextExpiration=1643112876486; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:37.507638Z</date>
<millis>1643112877507</millis> <nanos>638000</nanos> <sequence>953</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112877507;
nextExpiration=1643112877492; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:38.517416300Z</date>
<millis>1643112878517</millis> <nanos>416300</nanos> <sequence>954</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112878517;
nextExpiration=1643112878507; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:39.530951Z</date>
<millis>1643112879530</millis> <nanos>951000</nanos> <sequence>955</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112879530;
nextExpiration=1643112879517; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:40.540137100Z</date>
<millis>1643112880540</millis> <nanos>137100</nanos> <sequence>956</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112880540;
nextExpiration=1643112880530; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:41.553842800Z</date>
<millis>1643112881553</millis> <nanos>842800</nanos> <sequence>957</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112881553;
nextExpiration=1643112881540; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:42.567288400Z</date>
<millis>1643112882567</millis> <nanos>288400</nanos> <sequence>958</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112882567;
nextExpiration=1643112882553; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:43.578741900Z</date>
<millis>1643112883578</millis> <nanos>741900</nanos> <sequence>959</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112883578;
nextExpiration=1643112883567; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:44.587669100Z</date>
<millis>1643112884587</millis> <nanos>669100</nanos> <sequence>960</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112884587;
nextExpiration=1643112884578; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:45.602404600Z</date>
<millis>1643112885602</millis> <nanos>404600</nanos> <sequence>961</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112885602;
nextExpiration=1643112885587; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:46.603593300Z</date>
<millis>1643112886603</millis> <nanos>593300</nanos> <sequence>962</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112886603;
nextExpiration=1643112886602; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:47.614555600Z</date>
<millis>1643112887614</millis> <nanos>555600</nanos> <sequence>963</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112887614;
nextExpiration=1643112887603; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:48.624938300Z</date>
<millis>1643112888624</millis> <nanos>938300</nanos> <sequence>964</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112888624;
nextExpiration=1643112888614; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:49.630573700Z</date>
<millis>1643112889630</millis> <nanos>573700</nanos> <sequence>965</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112889630;
nextExpiration=1643112889624; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:50.638044200Z</date>
<millis>1643112890638</millis> <nanos>44200</nanos> <sequence>966</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112890638;
nextExpiration=1643112890630; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:51.647886900Z</date>
<millis>1643112891647</millis> <nanos>886900</nanos> <sequence>967</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112891647;
nextExpiration=1643112891638; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:52.650775600Z</date>
<millis>1643112892650</millis> <nanos>775600</nanos> <sequence>968</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112892650;
nextExpiration=1643112892647; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:53.656642100Z</date>
<millis>1643112893656</millis> <nanos>642100</nanos> <sequence>969</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112893656;
nextExpiration=1643112893650; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:54.660765800Z</date>
<millis>1643112894660</millis> <nanos>765800</nanos> <sequence>970</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112894660;
nextExpiration=1643112894656; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:55.675140600Z</date>
<millis>1643112895675</millis> <nanos>140600</nanos> <sequence>971</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112895675;
nextExpiration=1643112895660; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:56.680579100Z</date>
<millis>1643112896680</millis> <nanos>579100</nanos> <sequence>972</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112896680;
nextExpiration=1643112896675; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:57.693330900Z</date>
<millis>1643112897693</millis> <nanos>330900</nanos> <sequence>973</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112897693;
nextExpiration=1643112897680; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:58.698418700Z</date>
<millis>1643112898698</millis> <nanos>418700</nanos> <sequence>974</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112898698;
nextExpiration=1643112898693; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:14:59.713554Z</date>
<millis>1643112899713</millis> <nanos>554000</nanos> <sequence>975</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112899713;
nextExpiration=1643112899698; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:00.714727400Z</date>
<millis>1643112900714</millis> <nanos>727400</nanos> <sequence>976</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112900714;
nextExpiration=1643112900713; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:01.716366300Z</date>
<millis>1643112901716</millis> <nanos>366300</nanos> <sequence>977</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112901716;
nextExpiration=1643112901714; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:02.718804500Z</date>
<millis>1643112902718</millis> <nanos>804500</nanos> <sequence>978</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112902718;
nextExpiration=1643112902716; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:03.724748500Z</date>
<millis>1643112903724</millis> <nanos>748500</nanos> <sequence>979</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112903724;
nextExpiration=1643112903718; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:04.740010800Z</date>
<millis>1643112904740</millis> <nanos>10800</nanos> <sequence>980</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112904740;
nextExpiration=1643112904724; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:05.743661800Z</date>
<millis>1643112905743</millis> <nanos>661800</nanos> <sequence>981</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112905743;
nextExpiration=1643112905740; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:06.748035200Z</date>
<millis>1643112906748</millis> <nanos>35200</nanos> <sequence>982</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112906748;
nextExpiration=1643112906743; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:07.753682700Z</date>
<millis>1643112907753</millis> <nanos>682700</nanos> <sequence>983</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112907753;
nextExpiration=1643112907748; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:08.754291500Z</date>
<millis>1643112908754</millis> <nanos>291500</nanos> <sequence>984</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112908754;
nextExpiration=1643112908753; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:09.761236700Z</date>
<millis>1643112909761</millis> <nanos>236700</nanos> <sequence>985</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112909761;
nextExpiration=1643112909754; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:10.770914600Z</date>
<millis>1643112910770</millis> <nanos>914600</nanos> <sequence>986</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112910770;
nextExpiration=1643112910761; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:11.783458Z</date>
<millis>1643112911783</millis> <nanos>458000</nanos> <sequence>987</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112911783;
nextExpiration=1643112911770; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:12.787477Z</date>
<millis>1643112912787</millis> <nanos>477000</nanos> <sequence>988</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112912787;
nextExpiration=1643112912783; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:13.798327300Z</date>
<millis>1643112913798</millis> <nanos>327300</nanos> <sequence>989</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643112913798;
nextExpiration=1643112913787; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:15:14.160895200Z</date>
<millis>1643112914160</millis> <nanos>895200</nanos> <sequence>990</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>17</thread> <message>Start expire sessions StandardManager at 1643112914160
sessioncount 0</message></record><record> <date>2022-01-25T12:15:14.160895200Z</date>
<millis>1643112914160</millis> <nanos>895200</nanos> <sequence>991</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>17</thread> <message>End expire sessions StandardManager processingTime 0
expired sessions: 0</message></record><record> <date>2022-01-
25T12:15:14.804247700Z</date> <millis>1643112914804</millis> <nanos>247700</nanos>
<sequence>992</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112914804; nextExpiration=1643112914798; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:15.805882200Z</date> <millis>1643112915805</millis> <nanos>882200</nanos>
<sequence>993</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112915805; nextExpiration=1643112915804; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:16.819166800Z</date> <millis>1643112916819</millis> <nanos>166800</nanos>
<sequence>994</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112916819; nextExpiration=1643112916805; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:17.833407600Z</date> <millis>1643112917833</millis> <nanos>407600</nanos>
<sequence>995</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112917833; nextExpiration=1643112917819; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:18.842364600Z</date> <millis>1643112918842</millis> <nanos>364600</nanos>
<sequence>996</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643112918842; nextExpiration=1643112918833; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:19.857253800Z</date> <millis>1643112919857</millis> <nanos>253800</nanos>
<sequence>997</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112919857; nextExpiration=1643112919842; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:20.861313900Z</date> <millis>1643112920861</millis> <nanos>313900</nanos> <sequence>998</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112920861; nextExpiration=1643112920857; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:21.864775100Z</date> <millis>1643112921864</millis> <nanos>775100</nanos> <sequence>999</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112921864; nextExpiration=1643112921861; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:22.867556600Z</date> <millis>1643112922867</millis> <nanos>556600</nanos> <sequence>1000</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112922867; nextExpiration=1643112922864; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:23.874303400Z</date> <millis>1643112923874</millis> <nanos>303400</nanos> <sequence>1001</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112923874; nextExpiration=1643112923867; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:24.887301600Z</date> <millis>1643112924887</millis> <nanos>301600</nanos> <sequence>1002</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112924887; nextExpiration=1643112924874; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:25.897876900Z</date> <millis>1643112925897</millis> <nanos>876900</nanos> <sequence>1003</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112925897; nextExpiration=1643112925887; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:26.907095300Z</date> <millis>1643112926907</millis> <nanos>95300</nanos> <sequence>1004</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112926907; nextExpiration=1643112926897; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:27.918053Z</date> <millis>1643112927918</millis> <nanos>53000</nanos> <sequence>1005</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112927918; nextExpiration=1643112927907; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:28.918054Z</date> <millis>1643112928918</millis> <nanos>54000</nanos> <sequence>1006</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112928918; nextExpiration=1643112928918; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:29.923527400Z</date> <millis>1643112929923</millis> <nanos>527400</nanos> <sequence>1007</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112929923; nextExpiration=1643112929918; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:30.938859600Z</date> <millis>1643112930938</millis> <nanos>859600</nanos> <sequence>1008</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112930938; nextExpiration=1643112930923; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:31.943760300Z</date> <millis>1643112931943</millis> <nanos>760300</nanos> <sequence>1009</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112931943; nextExpiration=1643112931938; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:32.946123400Z</date> <millis>1643112932946</millis> <nanos>123400</nanos> <sequence>1010</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112932946; nextExpiration=1643112932943; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:33.960930500Z</date> <millis>1643112933960</millis> <nanos>930500</nanos> <sequence>1011</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112933960; nextExpiration=1643112933946; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:34.971633500Z</date> <millis>1643112934971</millis> <nanos>633500</nanos> <sequence>1012</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112934971; nextExpiration=1643112934960; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:35.978753600Z</date> <millis>1643112935978</millis> <nanos>753600</nanos> <sequence>1013</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112935978; nextExpiration=1643112935971; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:36.982065100Z</date> <millis>1643112936982</millis> <nanos>65100</nanos> <sequence>1014</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112936982; nextExpiration=1643112936978; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:37.984386600Z</date> <millis>1643112937984</millis> <nanos>386600</nanos> <sequence>1015</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112937984; nextExpiration=1643112937982; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:38.995537300Z</date> <millis>1643112938995</millis> <nanos>537300</nanos> <sequence>1016</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112938995; nextExpiration=1643112938984; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:40.004055300Z</date> <millis>1643112940004</millis> <nanos>55300</nanos> <sequence>1017</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112940004; nextExpiration=1643112939995; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:41.006022700Z</date> <millis>1643112941006</millis> <nanos>22700</nanos> <sequence>1018</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112941006; nextExpiration=1643112941004; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:42.016916600Z</date> <millis>1643112942016</millis> <nanos>916600</nanos> <sequence>1019</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112942016; nextExpiration=1643112942006; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:43.020561300Z</date> <millis>1643112943020</millis> <nanos>561300</nanos> <sequence>1020</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112943020; nextExpiration=1643112943016; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:44.022634500Z</date> <millis>1643112944022</millis> <nanos>634500</nanos> <sequence>1021</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112944022; nextExpiration=1643112944020; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:45.033910200Z</date> <millis>1643112945033</millis> <nanos>910200</nanos> <sequence>1022</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112945033; nextExpiration=1643112945022; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:46.048831400Z</date> <millis>1643112946048</millis> <nanos>831400</nanos> <sequence>1023</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112946048; nextExpiration=1643112946033; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:47.051014600Z</date> <millis>1643112947051</millis> <nanos>14600</nanos> <sequence>1024</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643112947051; nextExpiration=1643112947048; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:15:47.393276Z</date> <millis>1643112947393</millis> <nanos>276000</nanos> <sequence>1025</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>

<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-8080-Acceptor] latch=1</message></record><record> <date>2022-01-25T12:15:47.393276Z</date> <millis>1643112947393</millis> <nanos>276000</nanos> <sequence>1026</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>

<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-8080-Acceptor] latch=2</message></record><record> <date>2022-01-25T12:15:47.393276Z</date> <millis>1643112947393</millis> <nanos>276000</nanos> <sequence>1027</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>

<method>process</method> <thread>28</thread> <message>Processing socket [org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50374]] with status [OPEN_READ]</message></record><record> <date>2022-01-25T12:15:47.393276Z</date> <millis>1643112947393</millis> <nanos>276000</nanos> <sequence>1028</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>

<method>process</method> <thread>28</thread> <message>Found processor [null] for socket [org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50374]]</message></record><record> <date>2022-01-25T12:15:47.394276Z</date> <millis>1643112947394</millis> <nanos>276000</nanos> <sequence>1029</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>

<method>process</method> <thread>29</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50375]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:15:47.394276Z</date>
<millis>1643112947394</millis> <nanos>276000</nanos> <sequence>1030</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>28</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@1a88036b] from
cache</message></record><record> <date>2022-01-25T12:15:47.394276Z</date>
<millis>1643112947394</millis> <nanos>276000</nanos> <sequence>1031</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>29</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50375]]</message></record><record>
<date>2022-01-25T12:15:47.394276Z</date> <millis>1643112947394</millis>
<nanos>276000</nanos> <sequence>1032</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>28</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [231]</message></record><record> <date>2022-01-
25T12:15:47.394276Z</date> <millis>1643112947394</millis> <nanos>276000</nanos>
<sequence>1033</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>29</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@165957fa] from
cache</message></record><record> <date>2022-01-25T12:15:47.394276Z</date>
<millis>1643112947394</millis> <nanos>276000</nanos> <sequence>1034</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>28</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@41023d8a:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50374]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:15:47.394276Z</date> <millis>1643112947394</millis>
<nanos>276000</nanos> <sequence>1035</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>29</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [231]</message></record><record> <date>2022-01-
25T12:15:47.394276Z</date> <millis>1643112947394</millis> <nanos>276000</nanos>
<sequence>1036</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger>
<level>FINE</level> <class>org.apache.coyote.http11.Http11Processor</class>
<method>service</method> <thread>28</thread> <message>Error parsing HTTP request
header</message> <exception> <message>java.io.EOFException</message> <frame>

```
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method> <line>1215</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<line>805</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method> <line>360</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<line>269</line> </frame> <frame>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<line>65</line> </frame> <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method> <line>895</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method> <line>1732</line> </frame> <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method>
<line>49</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method> <line>1191</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method> <line>659</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method> <line>61</line> </frame> <frame>
<class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame>
</exception></record><record> <date>2022-01-25T12:15:47.394276Z</date>
<millis>1643112947394</millis> <nanos>276000</nanos> <sequence>1037</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>29</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@3ce04303:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50375]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:15:47.394276Z</date> <millis>1643112947394</millis>
<nanos>276000</nanos> <sequence>1038</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method>
<thread>28</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while
processing request</message> <exception> <message>java.io.EOFException</message>
<frame> <class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method> <line>1215</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<line>805</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method> <line>360</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
```

```
<line>269</line> </frame> <frame>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<line>65</line> </frame> <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method> <line>895</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method> <line>1732</line> </frame> <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method>
<line>49</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method> <line>1191</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method> <line>659</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method> <line>61</line> </frame> <frame>
<class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame>
</exception></record><record> <date>2022-01-25T12:15:47.394276Z</date>
<millis>1643112947394</millis> <nanos>276000</nanos> <sequence>1039</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method> <thread>29</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@3ce04303:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50375]], Read direct from socket: [233]</message></record><record>
<date>2022-01-25T12:15:47.394276Z</date> <millis>1643112947394</millis>
<nanos>276000</nanos> <sequence>1040</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>28</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@41023d8a:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50374]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:15:47.394276Z</date>
<millis>1643112947394</millis> <nanos>276000</nanos> <sequence>1041</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>29</thread> <message>Received [GET /muzeji HTTP/1.1Authorization: BasicMTIzUser-
Agent: PostmanRuntime/7.29.0Accept: */*Postman-Token: bbd7dff6-a1d1-44a8-93f1-
de5b53ada478Host: localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive
]</message></record><record> <date>2022-01-25T12:15:47.394276Z</date>
<millis>1643112947394</millis> <nanos>276000</nanos> <sequence>1042</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>release</method> <thread>28</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:15:47.394276Z</date> <millis>1643112947394</millis>
<nanos>276000</nanos> <sequence>1043</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
```

<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>28</thread> <message>Counting down[http-nio-8080-exec-4]
latch=2</message></record><record> <date>2022-01-25T12:15:47.395277700Z</date>
<millis>1643112947395</millis> <nanos>277700</nanos> <sequence>1044</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>28</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@41023d8a:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50374]])</message></record><record> <date>2022-01-
25T12:15:47.395277700Z</date> <millis>1643112947395</millis> <nanos>277700</nanos>
<sequence>1045</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>29</thread> <message>Security checking request GET
/muzeji</message></record><record> <date>2022-01-25T12:15:47.395277700Z</date>
<millis>1643112947395</millis> <nanos>277700</nanos> <sequence>1046</sequence>
<logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level>
<class>org.apache.catalina.realm.RealmBase</class>
<method>findSecurityConstraints</method> <thread>29</thread> <message> No applicable
constraints defined</message></record><record> <date>2022-01-
25T12:15:47.395277700Z</date> <millis>1643112947395</millis> <nanos>277700</nanos>
<sequence>1047</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>29</thread> <message>Not subject to any constraint</message></record><record>
<date>2022-01-25T12:15:47.395277700Z</date> <millis>1643112947395</millis>
<nanos>277700</nanos> <sequence>1048</sequence>
<logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level>
<class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method>
<thread>29</thread> <message> Returning non-STM instance</message></record><record>
<date>2022-01-25T12:15:47.396274200Z</date> <millis>1643112947396</millis>
<nanos>274200</nanos> <sequence>1049</sequence> <logger></logger>
<level>INFO</level> <class>com.muzej.app.muzej.MuzejController</class>
<method>list</method> <thread>29</thread> <message>Dohvatanje liste muzeja od starne
korisnika: BasicMTIz</message></record><record> <date>2022-01-
25T12:15:47.426258100Z</date> <millis>1643112947426</millis> <nanos>258100</nanos>
<sequence>1050</sequence> <logger></logger> <level>SEVERE</level>
<class>com.muzej.app.muzej.MuzejController</class> <method>list</method>
<thread>29</thread> <message>java.util.NoSuchElementException: No value
present</message></record><record> <date>2022-01-25T12:15:47.635127900Z</date>
<millis>1643112947635</millis> <nanos>127900</nanos> <sequence>1051</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>29</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [233]</message></record><record> <date>2022-01-

25T12:15:47.635127900Z</date> <millis>1643112947635</millis> <nanos>127900</nanos>
<sequence>1052</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger>
<level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>29</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@3ce04303:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50375]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:15:47.636126900Z</date> <millis>1643112947636</millis>
<nanos>126900</nanos> <sequence>1053</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <thread>29</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@3ce04303:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50375]], Read direct from socket: [0]</message></record><record>
<date>2022-01-25T12:15:47.636126900Z</date> <millis>1643112947636</millis>
<nanos>126900</nanos> <sequence>1054</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>29</thread> <message>Received []</message></record><record> <date>2022-01-
25T12:15:47.636126900Z</date> <millis>1643112947636</millis> <nanos>126900</nanos>
<sequence>1055</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProcessorLight</class>
<method>process</method> <thread>29</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@3ce04303:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50375]], Status in: [OPEN_READ], State out:
[OPEN]</message></record><record> <date>2022-01-25T12:15:47.636126900Z</date>
<millis>1643112947636</millis> <nanos>126900</nanos> <sequence>1056</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>29</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:15:47.639126Z</date> <millis>1643112947639</millis>
<nanos>126000</nanos> <sequence>1057</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>registerReadInterest</method> <thread>29</thread> <message>Registered read
interest for
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@3ce04303:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50375]]</message></record><record> <date>2022-01-
25T12:15:48.646826300Z</date> <millis>1643112948646</millis> <nanos>826300</nanos>
<sequence>1058</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112948646; nextExpiration=1643112948051; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:15:49.659004800Z</date> <millis>1643112949659</millis> <nanos>4800</nanos>
<sequence>1059</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112949659; nextExpiration=1643112949646; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:50.666944500Z</date> <millis>1643112950666</millis> <nanos>944500</nanos>
<sequence>1060</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112950666; nextExpiration=1643112950659; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:51.680428300Z</date> <millis>1643112951680</millis> <nanos>428300</nanos>
<sequence>1061</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112951680; nextExpiration=1643112951666; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:52.689232700Z</date> <millis>1643112952689</millis> <nanos>232700</nanos>
<sequence>1062</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112952689; nextExpiration=1643112952680; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:53.703852300Z</date> <millis>1643112953703</millis> <nanos>852300</nanos>
<sequence>1063</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112953703; nextExpiration=1643112953689; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:54.705858400Z</date> <millis>1643112954705</millis> <nanos>858400</nanos>
<sequence>1064</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112954705; nextExpiration=1643112954703; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:55.716118Z</date> <millis>1643112955716</millis> <nanos>118000</nanos>
<sequence>1065</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112955716; nextExpiration=1643112955705; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:56.727809200Z</date> <millis>1643112956727</millis> <nanos>809200</nanos>
<sequence>1066</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112956727; nextExpiration=1643112956716; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:15:57.732193800Z</date> <millis>1643112957732</millis> <nanos>193800</nanos>
<sequence>1067</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112957732; nextExpiration=1643112957727; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:58.739781900Z</date> <millis>1643112958739</millis> <nanos>781900</nanos>
<sequence>1068</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112958739; nextExpiration=1643112958732; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:15:59.743766100Z</date> <millis>1643112959743</millis> <nanos>766100</nanos>
<sequence>1069</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112959743; nextExpiration=1643112959739; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:00.744252Z</date> <millis>1643112960744</millis> <nanos>252000</nanos>
<sequence>1070</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112960744; nextExpiration=1643112960743; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:01.745701700Z</date> <millis>1643112961745</millis> <nanos>701700</nanos>
<sequence>1071</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112961745; nextExpiration=1643112961744; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:02.753557800Z</date> <millis>1643112962753</millis> <nanos>557800</nanos>
<sequence>1072</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112962753; nextExpiration=1643112962745; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:03.755390Z</date> <millis>1643112963755</millis> <nanos>390000</nanos>
<sequence>1073</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112963755; nextExpiration=1643112963753; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:04.770163900Z</date> <millis>1643112964770</millis> <nanos>163900</nanos>
<sequence>1074</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112964770; nextExpiration=1643112964755; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:16:05.783482500Z</date> <millis>1643112965783</millis> <nanos>482500</nanos>
<sequence>1075</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112965783; nextExpiration=1643112965770; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:06.794273900Z</date> <millis>1643112966794</millis> <nanos>273900</nanos>
<sequence>1076</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112966794; nextExpiration=1643112966783; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:07.796311300Z</date> <millis>1643112967796</millis> <nanos>311300</nanos>
<sequence>1077</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112967796; nextExpiration=1643112967794; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:08.811221800Z</date> <millis>1643112968811</millis> <nanos>221800</nanos>
<sequence>1078</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112968811; nextExpiration=1643112968796; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:09.826071600Z</date> <millis>1643112969826</millis> <nanos>71600</nanos>
<sequence>1079</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112969826; nextExpiration=1643112969811; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:10.834718400Z</date> <millis>1643112970834</millis> <nanos>718400</nanos>
<sequence>1080</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112970834; nextExpiration=1643112970826; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:11.838748600Z</date> <millis>1643112971838</millis> <nanos>748600</nanos>
<sequence>1081</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112971838; nextExpiration=1643112971834; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:12.849876800Z</date> <millis>1643112972849</millis> <nanos>876800</nanos>
<sequence>1082</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112972849; nextExpiration=1643112972838; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:16:13.860292100Z</date> <millis>1643112973860</millis> <nanos>292100</nanos>
<sequence>1083</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643112973860; nextExpiration=1643112973849; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:14.219395Z</date> <millis>1643112974219</millis> <nanos>395000</nanos>
<sequence>1084</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>Start expire sessions
StandardManager at 1643112974219 sessioncount 0</message></record><record> <date>2022-
01-25T12:16:14.219395Z</date> <millis>1643112974219</millis> <nanos>395000</nanos>
<sequence>1085</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:16:14.860385700Z</date> <millis>1643112974860</millis>
<nanos>385700</nanos> <sequence>1086</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112974860;
nextExpiration=1643112974860; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:15.870893600Z</date>
<millis>1643112975870</millis> <nanos>893600</nanos> <sequence>1087</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112975870;
nextExpiration=1643112975860; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:16.883146Z</date>
<millis>1643112976883</millis> <nanos>146000</nanos> <sequence>1088</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112976883;
nextExpiration=1643112976870; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:17.894500300Z</date>
<millis>1643112977894</millis> <nanos>500300</nanos> <sequence>1089</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112977894;
nextExpiration=1643112977883; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:18.895629800Z</date>
<millis>1643112978895</millis> <nanos>629800</nanos> <sequence>1090</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112978895;
nextExpiration=1643112978894; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:19.898614600Z</date>
<millis>1643112979898</millis> <nanos>614600</nanos> <sequence>1091</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112979898;
nextExpiration=1643112979895; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:20.906970700Z</date>
<millis>1643112980906</millis> <nanos>970700</nanos> <sequence>1092</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112980906;
nextExpiration=1643112980898; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:21.918967100Z</date>
<millis>1643112981918</millis> <nanos>967100</nanos> <sequence>1093</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112981918;
nextExpiration=1643112981906; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:22.930402600Z</date>
<millis>1643112982930</millis> <nanos>402600</nanos> <sequence>1094</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112982930;
nextExpiration=1643112982918; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:23.935075900Z</date>
<millis>1643112983935</millis> <nanos>75900</nanos> <sequence>1095</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112983935;
nextExpiration=1643112983930; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:24.935302800Z</date>
<millis>1643112984935</millis> <nanos>302800</nanos> <sequence>1096</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112984935;
nextExpiration=1643112984935; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:25.949627900Z</date>
<millis>1643112985949</millis> <nanos>627900</nanos> <sequence>1097</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112985949;
nextExpiration=1643112985935; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:26.956256Z</date>
<millis>1643112986956</millis> <nanos>256000</nanos> <sequence>1098</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112986956;
nextExpiration=1643112986949; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:27.969532200Z</date>
<millis>1643112987969</millis> <nanos>532200</nanos> <sequence>1099</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112987969;
nextExpiration=1643112987956; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:28.979305200Z</date>
<millis>1643112988979</millis> <nanos>305200</nanos> <sequence>1100</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112988979;
nextExpiration=1643112988969; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:29.979372800Z</date>
<millis>1643112989979</millis> <nanos>372800</nanos> <sequence>1101</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112989979;
nextExpiration=1643112989979; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:30.984702700Z</date>
<millis>1643112990984</millis> <nanos>702700</nanos> <sequence>1102</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112990984;
nextExpiration=1643112990979; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:31.998649400Z</date>
<millis>1643112991998</millis> <nanos>649400</nanos> <sequence>1103</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112991998;
nextExpiration=1643112991984; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:33.007522800Z</date>
<millis>1643112993007</millis> <nanos>522800</nanos> <sequence>1104</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112993007;
nextExpiration=1643112992998; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:34.014116300Z</date>
<millis>1643112994014</millis> <nanos>116300</nanos> <sequence>1105</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112994014;
nextExpiration=1643112994007; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:35.029477700Z</date>
<millis>1643112995029</millis> <nanos>477700</nanos> <sequence>1106</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112995029;
nextExpiration=1643112995014; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:36.044389900Z</date>
<millis>1643112996044</millis> <nanos>389900</nanos> <sequence>1107</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112996044;
nextExpiration=1643112996029; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:37.059958800Z</date>
<millis>1643112997059</millis> <nanos>958800</nanos> <sequence>1108</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112997059;
nextExpiration=1643112997044; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:38.062080Z</date>
<millis>1643112998062</millis> <nanos>80000</nanos> <sequence>1109</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112998062;
nextExpiration=1643112998059; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:39.075467100Z</date>
<millis>1643112999075</millis> <nanos>467100</nanos> <sequence>1110</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643112999075;
nextExpiration=1643112999062; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:40.088464500Z</date>
<millis>1643113000088</millis> <nanos>464500</nanos> <sequence>1111</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113000088;
nextExpiration=1643113000075; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:41.102892Z</date>
<millis>1643113001102</millis> <nanos>892000</nanos> <sequence>1112</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113001102;
nextExpiration=1643113001088; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:42.112790700Z</date>
<millis>1643113002112</millis> <nanos>790700</nanos> <sequence>1113</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113002112;
nextExpiration=1643113002102; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:43.113228700Z</date>
<millis>1643113003113</millis> <nanos>228700</nanos> <sequence>1114</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113003113;
nextExpiration=1643113003112; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:44.113347Z</date>
<millis>1643113004113</millis> <nanos>347000</nanos> <sequence>1115</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113004113;
nextExpiration=1643113004113; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:45.121166800Z</date>
<millis>1643113005121</millis> <nanos>166800</nanos> <sequence>1116</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113005121;
nextExpiration=1643113005113; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:46.133509700Z</date>
<millis>1643113006133</millis> <nanos>509700</nanos> <sequence>1117</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113006133;
nextExpiration=1643113006121; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:47.134277800Z</date>
<millis>1643113007134</millis> <nanos>277800</nanos> <sequence>1118</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113007134;
nextExpiration=1643113007133; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:48.141283900Z</date>
<millis>1643113008141</millis> <nanos>283900</nanos> <sequence>1119</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113008141;
nextExpiration=1643113008134; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:16:48.142290Z</date>
<millis>1643113008142</millis> <nanos>290000</nanos> <sequence>1120</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>30</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50375]] with status
[ERROR]</message></record><record> <date>2022-01-25T12:16:48.143284400Z</date>
<millis>1643113008143</millis> <nanos>284400</nanos> <sequence>1121</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>30</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:50375]]</message></record><record>
<date>2022-01-25T12:16:48.143284400Z</date> <millis>1643113008143</millis>
<nanos>284400</nanos> <sequence>1122</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>30</thread> <message>Counting down[http-nio-8080-exec-6]
latch=1</message></record><record> <date>2022-01-25T12:16:48.144284Z</date>

<millis>1643113008144</millis> <nanos>284000</nanos> <sequence>1123</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>30</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint\$NioSocketWrapper@3ce04303:org.apache.tomcat.util.net.NioChannel@759403a:java.nio
.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:50375]])</message></record><record> <date>2022-01-
25T12:16:48.575644700Z</date> <millis>1643113008575</millis> <nanos>644700</nanos>
<sequence>1124</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger>
<level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>
<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-
8080-Acceptor] latch=1</message></record><record> <date>2022-01-
25T12:16:48.576642800Z</date> <millis>1643113008576</millis> <nanos>642800</nanos>
<sequence>1125</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger>
<level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>
<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-
8080-Acceptor] latch=2</message></record><record> <date>2022-01-
25T12:16:48.576642800Z</date> <millis>1643113008576</millis> <nanos>642800</nanos>
<sequence>1126</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>31</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51722]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:16:48.576642800Z</date>
<millis>1643113008576</millis> <nanos>642800</nanos> <sequence>1127</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>31</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51722]]</message></record><record>
<date>2022-01-25T12:16:48.576642800Z</date> <millis>1643113008576</millis>
<nanos>642800</nanos> <sequence>1128</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>31</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@165957fa] from
cache</message></record><record> <date>2022-01-25T12:16:48.576642800Z</date>
<millis>1643113008576</millis> <nanos>642800</nanos> <sequence>1129</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>31</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [233]</message></record><record> <date>2022-01-
25T12:16:48.576642800Z</date> <millis>1643113008576</millis> <nanos>642800</nanos>
<sequence>1130</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>32</thread> <message>Processing socket

[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51723]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:16:48.577642600Z</date>
<millis>1643113008577</millis> <nanos>642600</nanos> <sequence>1132</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>32</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51723]]</message></record><record>
<date>2022-01-25T12:16:48.577642600Z</date> <millis>1643113008577</millis>
<nanos>642600</nanos> <sequence>1133</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>32</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@1a88036b] from
cache</message></record><record> <date>2022-01-25T12:16:48.576642800Z</date>
<millis>1643113008576</millis> <nanos>642800</nanos> <sequence>1131</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>31</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@4fff5e9:org.apache.tomcat.util.net.Ni
oChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:51722]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:16:48.577642600Z</date> <millis>1643113008577</millis>
<nanos>642600</nanos> <sequence>1134</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>32</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [231]</message></record><record> <date>2022-01-
25T12:16:48.577642600Z</date> <millis>1643113008577</millis> <nanos>642600</nanos>
<sequence>1135</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger>
<level>FINE</level> <class>org.apache.coyote.http11.Http11Processor</class>
<method>service</method> <thread>31</thread> <message>Error parsing HTTP request
header</message> <exception> <message>java.io.EOFException</message> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <line>1215</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<line>805</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method> <line>360</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<line>269</line> </frame> <frame>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<line>65</line> </frame> <frame>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>

```
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:16:48.577642600Z</date>
<millis>1643113008577</millis> <nanos>642600</nanos> <sequence>1136</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method>
<thread>31</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while
processing request</message> <exception>    <message>java.io.EOFException</message>
<frame>    <class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>fillReadBuffer</method>    <line>1328</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method>    <line>1215</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>    <method>fill</method>
<line>805</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method>    <line>360</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11Processor</class>    <method>service</method>
<line>269</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:16:48.577642600Z</date>
<millis>1643113008577</millis> <nanos>642600</nanos> <sequence>1137</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>32</thread> <message>Socket:
```


[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@6d252347:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51723]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:16:48.578642200Z</date> <millis>1643113008578</millis>
<nanos>642200</nanos> <sequence>1138</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>31</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@4fff5e9:org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51722]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:16:48.578642200Z</date>
<millis>1643113008578</millis> <nanos>642200</nanos> <sequence>1139</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <thread>32</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@6d252347:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51723]], Read direct from socket: [232]</message></record><record>
<date>2022-01-25T12:16:48.578642200Z</date> <millis>1643113008578</millis>
<nanos>642200</nanos> <sequence>1140</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>31</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:16:48.578642200Z</date> <millis>1643113008578</millis>
<nanos>642200</nanos> <sequence>1141</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>32</thread> <message>Received [GET /muzeji HTTP/1.1Authorization: Basic123User-Agent: PostmanRuntime/7.29.0Accept: */*Postman-Token: 9219bf74-86b9-4572-9f22-3baaaca140a9Host: localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive]</message></record><record> <date>2022-01-25T12:16:48.578642200Z</date>
<millis>1643113008578</millis> <nanos>642200</nanos> <sequence>1142</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>31</thread> <message>Counting down[http-nio-8080-exec-7]
latch=2</message></record><record> <date>2022-01-25T12:16:48.578642200Z</date>
<millis>1643113008578</millis> <nanos>642200</nanos> <sequence>1143</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>31</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@4fff5e9:org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51722]])</message></record><record> <date>2022-01-25T12:16:48.578642200Z</date> <millis>1643113008578</millis> <nanos>642200</nanos>
<sequence>1144</sequence>

<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>32</thread> <message>Security checking request GET
/muzej</message></record><record> <date>2022-01-25T12:16:48.579642100Z</date>
<millis>1643113008579</millis> <nanos>642100</nanos> <sequence>1145</sequence>
<logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level>
<class>org.apache.catalina.realm.RealmBase</class>
<method>findSecurityConstraints</method> <thread>32</thread> <message> No applicable
constraints defined</message></record><record> <date>2022-01-
25T12:16:48.579642100Z</date> <millis>1643113008579</millis> <nanos>642100</nanos>
<sequence>1146</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>32</thread> <message>Not subject to any constraint</message></record><record>
<date>2022-01-25T12:16:48.579642100Z</date> <millis>1643113008579</millis>
<nanos>642100</nanos> <sequence>1147</sequence>
<logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level>
<class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method>
<thread>32</thread> <message> Returning non-STM instance</message></record><record>
<date>2022-01-25T12:16:48.580641700Z</date> <millis>1643113008580</millis>
<nanos>641700</nanos> <sequence>1148</sequence> <logger></logger>
<level>INFO</level> <class>com.muzej.app.muzej.MuzejController</class>
<method>list</method> <thread>32</thread> <message>Dohvatanje liste muzeja od starne
korisnika: Basic123</message></record><record> <date>2022-01-25T12:16:48.591635Z</date>
<millis>1643113008591</millis> <nanos>635000</nanos> <sequence>1149</sequence>
<logger></logger> <level>SEVERE</level>
<class>com.muzej.app.muzej.MuzejController</class> <method>list</method>
<thread>32</thread> <message>java.util.NoSuchElementException: No value
present</message></record><record> <date>2022-01-25T12:16:48.596630800Z</date>
<millis>1643113008596</millis> <nanos>630800</nanos> <sequence>1150</sequence>
<logger></logger> <level>SEVERE</level>
<class>com.muzej.app.muzej.MuzejController</class> <method>list</method>
<thread>32</thread> <message>java.util.NoSuchElementException: No value
present</message></record><record> <date>2022-01-25T12:16:48.600628600Z</date>
<millis>1643113008600</millis> <nanos>628600</nanos> <sequence>1151</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>32</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [232]</message></record><record> <date>2022-01-
25T12:16:48.601627900Z</date> <millis>1643113008601</millis> <nanos>627900</nanos>
<sequence>1152</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger>
<level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>32</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@6d252347:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:51723]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:16:48.601627900Z</date> <millis>1643113008601</millis>

<nanos>627900</nanos> <sequence>1153</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <thread>32</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@6d252347:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51723]], Read direct from socket: [0]</message></record><record>
<date>2022-01-25T12:16:48.601627900Z</date> <millis>1643113008601</millis>
<nanos>627900</nanos> <sequence>1154</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>32</thread> <message>Received []</message></record><record> <date>2022-01-25T12:16:48.601627900Z</date> <millis>1643113008601</millis> <nanos>627900</nanos>
<sequence>1155</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProcessorLight</class>
<method>process</method> <thread>32</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@6d252347:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51723]], Status in: [OPEN_READ], State out:
[OPEN]</message></record><record> <date>2022-01-25T12:16:48.601627900Z</date>
<millis>1643113008601</millis> <nanos>627900</nanos> <sequence>1156</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>32</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:16:48.601627900Z</date> <millis>1643113008601</millis>
<nanos>627900</nanos> <sequence>1157</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>registerReadInterest</method> <thread>32</thread> <message>Registered read
interest for
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@6d252347:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51723]]</message></record><record> <date>2022-01-25T12:16:49.611716300Z</date> <millis>1643113009611</millis> <nanos>716300</nanos>
<sequence>1158</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113009611; nextExpiration=1643113009141; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:16:50.622462700Z</date> <millis>1643113010622</millis> <nanos>462700</nanos>
<sequence>1159</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113010622; nextExpiration=1643113010611; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:16:51.629129800Z</date> <millis>1643113011629</millis> <nanos>129800</nanos>
<sequence>1160</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>

<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113011629; nextExpiration=1643113011622; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:52.643907500Z</date> <millis>1643113012643</millis> <nanos>907500</nanos>
<sequence>1161</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113012643; nextExpiration=1643113012629; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:53.649854200Z</date> <millis>1643113013649</millis> <nanos>854200</nanos>
<sequence>1162</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113013649; nextExpiration=1643113013643; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:54.663448700Z</date> <millis>1643113014663</millis> <nanos>448700</nanos>
<sequence>1163</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113014663; nextExpiration=1643113014649; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:55.669178600Z</date> <millis>1643113015669</millis> <nanos>178600</nanos>
<sequence>1164</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113015669; nextExpiration=1643113015663; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:56.675568200Z</date> <millis>1643113016675</millis> <nanos>568200</nanos>
<sequence>1165</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113016675; nextExpiration=1643113016669; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:57.685218300Z</date> <millis>1643113017685</millis> <nanos>218300</nanos>
<sequence>1166</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113017685; nextExpiration=1643113017675; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:58.696114Z</date> <millis>1643113018696</millis> <nanos>114000</nanos>
<sequence>1167</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113018696; nextExpiration=1643113018685; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:16:59.700132Z</date> <millis>1643113019700</millis> <nanos>132000</nanos>
<sequence>1168</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>

<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113019700; nextExpiration=1643113019696; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:00.704041400Z</date> <millis>1643113020704</millis> <nanos>41400</nanos>
<sequence>1169</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113020704; nextExpiration=1643113020700; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:01.711124900Z</date> <millis>1643113021711</millis> <nanos>124900</nanos>
<sequence>1170</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113021711; nextExpiration=1643113021704; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:02.719100400Z</date> <millis>1643113022719</millis> <nanos>100400</nanos>
<sequence>1171</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113022719; nextExpiration=1643113022711; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:03.730803600Z</date> <millis>1643113023730</millis> <nanos>803600</nanos>
<sequence>1172</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113023730; nextExpiration=1643113023719; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:04.733013700Z</date> <millis>1643113024733</millis> <nanos>13700</nanos>
<sequence>1173</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113024733; nextExpiration=1643113024730; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:05.741970700Z</date> <millis>1643113025741</millis> <nanos>970700</nanos>
<sequence>1174</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113025741; nextExpiration=1643113025733; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:06.747986600Z</date> <millis>1643113026747</millis> <nanos>986600</nanos>
<sequence>1175</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113026747; nextExpiration=1643113026741; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:07.748037900Z</date> <millis>1643113027748</millis> <nanos>37900</nanos>
<sequence>1176</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>

<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113027748; nextExpiration=1643113027747; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:08.749647Z</date> <millis>1643113028749</millis> <nanos>647000</nanos>
<sequence>1177</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113028749; nextExpiration=1643113028748; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:09.757787500Z</date> <millis>1643113029757</millis> <nanos>787500</nanos>
<sequence>1178</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113029757; nextExpiration=1643113029749; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:10.765191400Z</date> <millis>1643113030765</millis> <nanos>191400</nanos>
<sequence>1179</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113030765; nextExpiration=1643113030757; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:11.777796100Z</date> <millis>1643113031777</millis> <nanos>796100</nanos>
<sequence>1180</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113031777; nextExpiration=1643113031765; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:12.784633400Z</date> <millis>1643113032784</millis> <nanos>633400</nanos>
<sequence>1181</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113032784; nextExpiration=1643113032777; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:13.797028800Z</date> <millis>1643113033797</millis> <nanos>28800</nanos>
<sequence>1182</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113033797; nextExpiration=1643113033784; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:14.269766400Z</date> <millis>1643113034269</millis> <nanos>766400</nanos>
<sequence>1183</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>Start expire sessions
StandardManager at 1643113034269 sessioncount 0</message></record><record> <date>2022-
01-25T12:17:14.269766400Z</date> <millis>1643113034269</millis> <nanos>766400</nanos>
<sequence>1184</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>

<method>processExpires</method> <thread>16</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:17:14.803975900Z</date> <millis>1643113034803</millis>
<nanos>975900</nanos> <sequence>1185</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113034803;
nextExpiration=1643113034797; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:15.806840200Z</date>
<millis>1643113035806</millis> <nanos>840200</nanos> <sequence>1186</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113035806;
nextExpiration=1643113035803; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:16.810204500Z</date>
<millis>1643113036810</millis> <nanos>204500</nanos> <sequence>1187</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113036810;
nextExpiration=1643113036806; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:17.813959800Z</date>
<millis>1643113037813</millis> <nanos>959800</nanos> <sequence>1188</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113037813;
nextExpiration=1643113037810; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:18.822992Z</date>
<millis>1643113038822</millis> <nanos>992000</nanos> <sequence>1189</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113038822;
nextExpiration=1643113038813; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:19.835147Z</date>
<millis>1643113039835</millis> <nanos>147000</nanos> <sequence>1190</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113039835;
nextExpiration=1643113039822; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:20.850709200Z</date>
<millis>1643113040850</millis> <nanos>709200</nanos> <sequence>1191</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113040850;
nextExpiration=1643113040835; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:21.860960600Z</date>
<millis>1643113041860</millis> <nanos>960600</nanos> <sequence>1192</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>

<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113041860; nextExpiration=1643113041850; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:22.861391300Z</date> <millis>1643113042861</millis> <nanos>391300</nanos> <sequence>1193</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113042861; nextExpiration=1643113042860; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:23.872957200Z</date> <millis>1643113043872</millis> <nanos>957200</nanos> <sequence>1194</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113043872; nextExpiration=1643113043861; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:24.884185900Z</date> <millis>1643113044884</millis> <nanos>185900</nanos> <sequence>1195</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113044884; nextExpiration=1643113044872; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:25.894152300Z</date> <millis>1643113045894</millis> <nanos>152300</nanos> <sequence>1196</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113045894; nextExpiration=1643113045884; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:26.907353800Z</date> <millis>1643113046907</millis> <nanos>353800</nanos> <sequence>1197</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113046907; nextExpiration=1643113046894; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:27.921685100Z</date> <millis>1643113047921</millis> <nanos>685100</nanos> <sequence>1198</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113047921; nextExpiration=1643113047907; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:28.933682500Z</date> <millis>1643113048933</millis> <nanos>682500</nanos> <sequence>1199</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113048933; nextExpiration=1643113048921; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:29.946119200Z</date> <millis>1643113049946</millis> <nanos>119200</nanos> <sequence>1200</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>

<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113049946;
nextExpiration=1643113049933; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:30.956400300Z</date>
<millis>1643113050956</millis> <nanos>400300</nanos> <sequence>1201</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113050956;
nextExpiration=1643113050946; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:31.962994200Z</date>
<millis>1643113051962</millis> <nanos>994200</nanos> <sequence>1202</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113051962;
nextExpiration=1643113051956; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:32.965780Z</date>
<millis>1643113052965</millis> <nanos>780000</nanos> <sequence>1203</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113052965;
nextExpiration=1643113052962; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:33.977853300Z</date>
<millis>1643113053977</millis> <nanos>853300</nanos> <sequence>1204</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113053977;
nextExpiration=1643113053965; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:34.981787100Z</date>
<millis>1643113054981</millis> <nanos>787100</nanos> <sequence>1205</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113054981;
nextExpiration=1643113054977; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:35.983636700Z</date>
<millis>1643113055983</millis> <nanos>636700</nanos> <sequence>1206</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113055983;
nextExpiration=1643113055981; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:36.998468800Z</date>
<millis>1643113056998</millis> <nanos>468800</nanos> <sequence>1207</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113056998;
nextExpiration=1643113056983; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:17:38.012715700Z</date>
<millis>1643113058012</millis> <nanos>715700</nanos> <sequence>1208</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>

<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113058012; nextExpiration=1643113057998; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:39.018245700Z</date> <millis>1643113059018</millis> <nanos>245700</nanos> <sequence>1209</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113059018; nextExpiration=1643113059012; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:40.025978800Z</date> <millis>1643113060025</millis> <nanos>978800</nanos> <sequence>1210</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113060025; nextExpiration=1643113060018; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:41.029821800Z</date> <millis>1643113061029</millis> <nanos>821800</nanos> <sequence>1211</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113061029; nextExpiration=1643113061025; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:42.042683400Z</date> <millis>1643113062042</millis> <nanos>683400</nanos> <sequence>1212</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113062042; nextExpiration=1643113062029; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:43.047482300Z</date> <millis>1643113063047</millis> <nanos>482300</nanos> <sequence>1213</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113063047; nextExpiration=1643113063042; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:44.055469100Z</date> <millis>1643113064055</millis> <nanos>469100</nanos> <sequence>1214</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113064055; nextExpiration=1643113064047; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:45.069183200Z</date> <millis>1643113065069</millis> <nanos>183200</nanos> <sequence>1215</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113065069; nextExpiration=1643113065055; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:46.070344600Z</date> <millis>1643113066070</millis> <nanos>344600</nanos> <sequence>1216</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>

<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113066070; nextExpiration=1643113066069; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:47.085365900Z</date> <millis>1643113067085</millis> <nanos>365900</nanos> <sequence>1217</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113067085; nextExpiration=1643113067070; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:48.100599600Z</date> <millis>1643113068100</millis> <nanos>599600</nanos> <sequence>1218</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113068100; nextExpiration=1643113068085; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:49.105136700Z</date> <millis>1643113069105</millis> <nanos>136700</nanos> <sequence>1219</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113069105; nextExpiration=1643113069100; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:17:49.105136700Z</date> <millis>1643113069105</millis> <nanos>136700</nanos> <sequence>1220</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>process</method> <thread>33</thread> <message>Processing socket [org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51723]] with status [ERROR]</message></record><record> <date>2022-01-25T12:17:49.106147800Z</date> <millis>1643113069106</millis> <nanos>147800</nanos> <sequence>1221</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>process</method> <thread>33</thread> <message>Found processor [null] for socket [org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51723]]</message></record><record> <date>2022-01-25T12:17:49.106147800Z</date> <millis>1643113069106</millis> <nanos>147800</nanos> <sequence>1222</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method> <thread>33</thread> <message>Counting down[http-nio-8080-exec-9] latch=1</message></record><record> <date>2022-01-25T12:17:49.106147800Z</date> <millis>1643113069106</millis> <nanos>147800</nanos> <sequence>1223</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class> <method>doClose</method> <thread>33</thread> <message>Calling [org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@6d252347:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:51723]])</message></record><record> <date>2022-01-

25T12:17:50.119553800Z</date> <millis>1643113070119</millis> <nanos>553800</nanos>
<sequence>1224</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113070119; nextExpiration=1643113070105; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:51.120885900Z</date> <millis>1643113071120</millis> <nanos>885900</nanos>
<sequence>1225</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113071120; nextExpiration=1643113071119; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:52.135658600Z</date> <millis>1643113072135</millis> <nanos>658600</nanos>
<sequence>1226</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113072135; nextExpiration=1643113072120; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:53.149895200Z</date> <millis>1643113073149</millis> <nanos>895200</nanos>
<sequence>1227</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113073149; nextExpiration=1643113073135; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:54.153652500Z</date> <millis>1643113074153</millis> <nanos>652500</nanos>
<sequence>1228</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113074153; nextExpiration=1643113074149; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:55.163931700Z</date> <millis>1643113075163</millis> <nanos>931700</nanos>
<sequence>1229</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113075163; nextExpiration=1643113075153; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:56.170289200Z</date> <millis>1643113076170</millis> <nanos>289200</nanos>
<sequence>1230</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113076170; nextExpiration=1643113076163; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:57.173663400Z</date> <millis>1643113077173</millis> <nanos>663400</nanos>
<sequence>1231</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113077173; nextExpiration=1643113077170; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:17:58.177996Z</date> <millis>1643113078177</millis> <nanos>996000</nanos>
<sequence>1232</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113078177; nextExpiration=1643113078173; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:17:58.891608100Z</date> <millis>1643113078891</millis> <nanos>608100</nanos>
<sequence>1233</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger>
<level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>
<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-
8080-Acceptor] latch=1</message></record><record> <date>2022-01-
25T12:17:58.893605500Z</date> <millis>1643113078893</millis> <nanos>605500</nanos>
<sequence>1234</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger>
<level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>
<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-
8080-Acceptor] latch=2</message></record><record> <date>2022-01-
25T12:17:58.893605500Z</date> <millis>1643113078893</millis> <nanos>605500</nanos>
<sequence>1235</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>34</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:58668]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:17:58.893605500Z</date>
<millis>1643113078893</millis> <nanos>605500</nanos> <sequence>1236</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>34</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:58668]]</message></record><record>
<date>2022-01-25T12:17:58.893605500Z</date> <millis>1643113078893</millis>
<nanos>605500</nanos> <sequence>1237</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>34</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@1a88036b] from
cache</message></record><record> <date>2022-01-25T12:17:58.893605500Z</date>
<millis>1643113078893</millis> <nanos>605500</nanos> <sequence>1238</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>34</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [232]</message></record><record> <date>2022-01-
25T12:17:58.894604800Z</date> <millis>1643113078894</millis> <nanos>604800</nanos>
<sequence>1239</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger>
<level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>34</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@1b1e9546:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080

remote=/0:0:0:0:0:0:0:1:58668]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:17:58.894604800Z</date> <millis>1643113078894</millis>
<nanos>604800</nanos> <sequence>1240</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>25</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:0:1:58669]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:17:58.894604800Z</date>
<millis>1643113078894</millis> <nanos>604800</nanos> <sequence>1241</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<thread>34</thread> <message>Error parsing HTTP request header</message> <exception>
<message>java.io.EOFException</message> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <line>1215</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<line>805</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method> <line>360</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<line>269</line> </frame> <frame>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<line>65</line> </frame> <frame>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <line>895</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor</class>
<method>doRun</method> <line>1732</line> </frame> <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method>
<line>49</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method> <line>1191</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor\$Worker</class>
<method>run</method> <line>659</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.TaskThread\$WrappingRunnable</class>
<method>run</method> <line>61</line> </frame> <frame>
<class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame>
</exception></record><record> <date>2022-01-25T12:17:58.894604800Z</date>
<millis>1643113078894</millis> <nanos>604800</nanos> <sequence>1243</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method>
<thread>34</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while
processing request</message> <exception> <message>java.io.EOFException</message>
<frame> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>

```

<method>read</method>    <line>1215</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>    <method>fill</method>
<line>805</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method>    <line>360</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11Processor</class>    <method>service</method>
<line>269</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:17:58.894604800Z</date>
<millis>1643113078894</millis> <nanos>604800</nanos> <sequence>1244</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>34</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@1b1e9546:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:58668]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:17:58.895604100Z</date>
<millis>1643113078895</millis> <nanos>604100</nanos> <sequence>1245</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>release</method> <thread>34</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:17:58.895604100Z</date> <millis>1643113078895</millis>
<nanos>604100</nanos> <sequence>1246</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>34</thread> <message>Counting down[http-nio-8080-exec-10]
latch=2</message></record><record> <date>2022-01-25T12:17:58.894604800Z</date>
<millis>1643113078894</millis> <nanos>604800</nanos> <sequence>1242</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method> <thread>25</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:58669]]</message></record><record>

```

<date>2022-01-25T12:17:58.895604100Z</date> <millis>1643113078895</millis>
<nanos>604100</nanos> <sequence>1247</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>34</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint\$NioSocketWrapper@1b1e9546:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.ni
o.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:58668]])</message></record><record> <date>2022-01-
25T12:17:58.895604100Z</date> <millis>1643113078895</millis> <nanos>604100</nanos>
<sequence>1248</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>25</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@1a88036b] from
cache</message></record><record> <date>2022-01-25T12:17:58.895604100Z</date>
<millis>1643113078895</millis> <nanos>604100</nanos> <sequence>1249</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>25</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [232]</message></record><record> <date>2022-01-
25T12:17:58.895604100Z</date> <millis>1643113078895</millis> <nanos>604100</nanos>
<sequence>1250</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger>
<level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>25</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@7d0513c0:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:58669]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:17:58.896604100Z</date> <millis>1643113078896</millis>
<nanos>604100</nanos> <sequence>1251</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <thread>25</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@7d0513c0:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:58669]], Read direct from socket: [228]</message></record><record>
<date>2022-01-25T12:17:58.896604100Z</date> <millis>1643113078896</millis>
<nanos>604100</nanos> <sequence>1252</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>25</thread> <message>Received [GET /posjete HTTP/1.1Authorization: 123User-
Agent: PostmanRuntime/7.29.0Accept: */*Postman-Token: 3fb3757f-6b79-46cc-beaf-
4521cfc1822fHost: localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive
]</message></record><record> <date>2022-01-25T12:17:58.898601700Z</date>
<millis>1643113078898</millis> <nanos>601700</nanos> <sequence>1253</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>25</thread> <message>Security checking request GET

/posjete</message></record><record> <date>2022-01-25T12:17:58.898601700Z</date>
<millis>1643113078898</millis> <nanos>601700</nanos> <sequence>1254</sequence>
<logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level>
<class>org.apache.catalina.realm.RealmBase</class>
<method>findSecurityConstraints</method> <thread>25</thread> <message> No applicable
constraints defined</message></record><record> <date>2022-01-
25T12:17:58.898601700Z</date> <millis>1643113078898</millis> <nanos>601700</nanos>
<sequence>1255</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>25</thread> <message>Not subject to any constraint</message></record><record>
<date>2022-01-25T12:17:58.898601700Z</date> <millis>1643113078898</millis>
<nanos>601700</nanos> <sequence>1256</sequence>
<logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level>
<class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method>
<thread>25</thread> <message> Returning non-STM instance</message></record><record>
<date>2022-01-25T12:17:58.901600500Z</date> <millis>1643113078901</millis>
<nanos>600500</nanos> <sequence>1257</sequence> <logger></logger>
<level>INFO</level> <class>com.muzej.app.virtuelnaposjeta.VirtuelnaPosjetaController</class>
<method>list</method> <thread>25</thread> <message>Dohvatanje liste posjeta od strane
korisnika nove karte za posjetu 123</message></record><record> <date>2022-01-
25T12:17:58.903599100Z</date> <millis>1643113078903</millis> <nanos>599100</nanos>
<sequence>1258</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/].[dispatcherServlet]</logg
er> <level>SEVERE</level> <class>org.apache.catalina.core.StandardWrapperValve</class>
<method>invoke</method> <thread>25</thread> <message>Servlet.service() for servlet
[dispatcherServlet] in context with path [] threw exception [Request processing failed; nested
exception is java.lang.StringIndexOutOfBoundsException: String index out of range: -2] with root
cause</message> <exception> <message>java.lang.StringIndexOutOfBoundsException: String
index out of range: -2</message> <frame> <class>java.lang.String</class>
<method>substring</method> <line>1850</line> </frame> <frame>
<class>com.muzej.app.virtuelnaposjeta.VirtuelnaPosjetaController</class>
<method>list</method> <line>50</line> </frame> <frame>
<class>jdk.internal.reflect.NativeMethodAccessorImpl</class> <method>invoke0</method>
</frame> <frame> <class>jdk.internal.reflect.NativeMethodAccessorImpl</class>
<method>invoke</method> <line>62</line> </frame> <frame>
<class>jdk.internal.reflect.DelegatingMethodAccessorImpl</class> <method>invoke</method>
<line>43</line> </frame> <frame> <class>java.lang.reflect.Method</class>
<method>invoke</method> <line>567</line> </frame> <frame>
<class>org.springframework.web.method.support.InvocableHandlerMethod</class>
<method>doInvoke</method> <line>205</line> </frame> <frame>
<class>org.springframework.web.method.support.InvocableHandlerMethod</class>
<method>invokeForRequest</method> <line>150</line> </frame> <frame>
<class>org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod
</class> <method>invokeAndHandle</method> <line>117</line> </frame> <frame>
<class>org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter
</class> <method>invokeHandlerMethod</method> <line>895</line> </frame> <frame>
<class>org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter

```
</class>    <method>handleInternal</method>    <line>808</line>    </frame>    <frame>
<class>org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter</class>
<method>handle</method>    <line>87</line>    </frame>    <frame>
<class>org.springframework.web.servlet.DispatcherServlet</class>
<method>doDispatch</method>    <line>1067</line>    </frame>    <frame>
<class>org.springframework.web.servlet.DispatcherServlet</class>
<method>doService</method>    <line>963</line>    </frame>    <frame>
<class>org.springframework.web.servlet.FrameworkServlet</class>
<method>processRequest</method>    <line>1006</line>    </frame>    <frame>
<class>org.springframework.web.servlet.FrameworkServlet</class>
<method>doGet</method>    <line>898</line>    </frame>    <frame>
<class>javax.servlet.http.HttpServlet</class>    <method>service</method>    <line>655</line>
</frame>    <frame>    <class>org.springframework.web.servlet.FrameworkServlet</class>
<method>service</method>    <line>883</line>    </frame>    <frame>
<class>javax.servlet.http.HttpServlet</class>    <method>service</method>    <line>764</line>
</frame>    <frame>    <class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method>    <line>227</line>    </frame>    <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>    <method>doFilter</method>
<line>162</line>    </frame>    <frame>
<class>org.apache.tomcat.websocket.server.WsFilter</class>    <method>doFilter</method>
<line>53</line>    </frame>    <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method>    <line>189</line>    </frame>    <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>    <method>doFilter</method>
<line>162</line>    </frame>    <frame>
<class>org.springframework.web.filter.CorsFilter</class>    <method>doFilterInternal</method>
<line>91</line>    </frame>    <frame>
<class>org.springframework.web.filter.OncePerRequestFilter</class>
<method>doFilter</method>    <line>117</line>    </frame>    <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method>    <line>189</line>    </frame>    <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>    <method>doFilter</method>
<line>162</line>    </frame>    <frame>
<class>org.springframework.web.filter.RequestContextFilter</class>
<method>doFilterInternal</method>    <line>100</line>    </frame>    <frame>
<class>org.springframework.web.filter.OncePerRequestFilter</class>
<method>doFilter</method>    <line>117</line>    </frame>    <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method>    <line>189</line>    </frame>    <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>    <method>doFilter</method>
<line>162</line>    </frame>    <frame>
<class>org.springframework.web.filter.FormContentFilter</class>
<method>doFilterInternal</method>    <line>93</line>    </frame>    <frame>
<class>org.springframework.web.filter.OncePerRequestFilter</class>
<method>doFilter</method>    <line>117</line>    </frame>    <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method>    <line>189</line>    </frame>    <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>    <method>doFilter</method>
```

```
<line>162</line> </frame> <frame>
<class>org.springframework.web.filter.CharacterEncodingFilter</class>
<method>doFilterInternal</method> <line>201</line> </frame> <frame>
<class>org.springframework.web.filter.OncePerRequestFilter</class>
<method>doFilter</method> <line>117</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class>
<method>internalDoFilter</method> <line>189</line> </frame> <frame>
<class>org.apache.catalina.core.ApplicationFilterChain</class> <method>doFilter</method>
<line>162</line> </frame> <frame>
<class>org.apache.catalina.core.StandardWrapperValve</class> <method>invoke</method>
<line>197</line> </frame> <frame>
<class>org.apache.catalina.core.StandardContextValve</class> <method>invoke</method>
<line>97</line> </frame> <frame>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class>
<method>invoke</method> <line>540</line> </frame> <frame>
<class>org.apache.catalina.core.StandardHostValve</class> <method>invoke</method>
<line>135</line> </frame> <frame>
<class>org.apache.catalina.valves.ErrorReportValve</class> <method>invoke</method>
<line>92</line> </frame> <frame>
<class>org.apache.catalina.core.StandardEngineValve</class> <method>invoke</method>
<line>78</line> </frame> <frame>
<class>org.apache.catalina.connector.CoyoteAdapter</class> <method>service</method>
<line>357</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<line>382</line> </frame> <frame>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<line>65</line> </frame> <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method> <line>895</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method> <line>1732</line> </frame> <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method>
<line>49</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method> <line>1191</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method> <line>659</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method> <line>61</line> </frame> <frame>
<class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame>
</exception></record><record> <date>2022-01-25T12:17:58.905598600Z</date>
<millis>1643113078905</millis> <nanos>598600</nanos> <sequence>1259</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost]</logger>
<level>FINE</level> <class>org.apache.catalina.core.StandardHostValve</class>
<method>custom</method> <thread>25</thread> <message>Processing
ErrorPage[errorCode=0, location=/error]</message></record><record> <date>2022-01-
25T12:17:58.905598600Z</date> <millis>1643113078905</millis> <nanos>598600</nanos>
<sequence>1260</sequence> <logger>org.apache.catalina.core.StandardWrapper</logger>
```

<level>FINER</level> <class>org.apache.catalina.core.StandardWrapper</class>
<method>allocate</method> <thread>25</thread> <message> Returning non-STM
instance</message></record><record> <date>2022-01-25T12:17:58.908596Z</date>
<millis>1643113078908</millis> <nanos>596000</nanos> <sequence>1261</sequence>
<logger>org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/].[dispatcherServlet]</logg
er> <level>FINE</level> <class>org.apache.catalina.core.ApplicationDispatcher</class>
<method>doForward</method> <thread>25</thread> <message> Disabling the response for
further output</message></record><record> <date>2022-01-25T12:17:58.909597Z</date>
<millis>1643113078909</millis> <nanos>597000</nanos> <sequence>1262</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>25</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@7d0513c0:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:58669]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:17:58.909597Z</date>
<millis>1643113078909</millis> <nanos>597000</nanos> <sequence>1263</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>25</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:17:58.909597Z</date> <millis>1643113078909</millis>
<nanos>597000</nanos> <sequence>1264</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>25</thread> <message>Counting down[http-nio-8080-exec-1]
latch=1</message></record><record> <date>2022-01-25T12:17:58.909597Z</date>
<millis>1643113078909</millis> <nanos>597000</nanos> <sequence>1265</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>doClose</method> <thread>25</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint\$NioSocketWrapper@7d0513c0:org.apache.tomcat.util.net.NioChannel@759403a:java.nio
.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:58669]])</message></record><record> <date>2022-01-
25T12:17:59.907204600Z</date> <millis>1643113079907</millis> <nanos>204600</nanos>
<sequence>1266</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113079907; nextExpiration=1643113079177; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:00.910480900Z</date> <millis>1643113080910</millis> <nanos>480900</nanos>
<sequence>1267</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113080910; nextExpiration=1643113080907; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:01.912073500Z</date> <millis>1643113081912</millis> <nanos>73500</nanos>

<sequence>1268</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113081912; nextExpiration=1643113081910; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:02.919904100Z</date> <millis>1643113082919</millis> <nanos>904100</nanos>
<sequence>1269</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113082919; nextExpiration=1643113082912; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:03.930330Z</date> <millis>1643113083930</millis> <nanos>330000</nanos>
<sequence>1270</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113083930; nextExpiration=1643113083919; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:04.940588100Z</date> <millis>1643113084940</millis> <nanos>588100</nanos>
<sequence>1271</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113084940; nextExpiration=1643113084930; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:05.954977400Z</date> <millis>1643113085954</millis> <nanos>977400</nanos>
<sequence>1272</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113085954; nextExpiration=1643113085940; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:06.967941600Z</date> <millis>1643113086967</millis> <nanos>941600</nanos>
<sequence>1273</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113086967; nextExpiration=1643113086954; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:07.978383100Z</date> <millis>1643113087978</millis> <nanos>383100</nanos>
<sequence>1274</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113087978; nextExpiration=1643113087967; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:08.992896800Z</date> <millis>1643113088992</millis> <nanos>896800</nanos>
<sequence>1275</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113088992; nextExpiration=1643113088978; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:10.007710400Z</date> <millis>1643113090007</millis> <nanos>710400</nanos>

<sequence>1276</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113090007; nextExpiration=1643113089992; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:11.021767300Z</date> <millis>1643113091021</millis> <nanos>767300</nanos>
<sequence>1277</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113091021; nextExpiration=1643113091007; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:11.488435500Z</date> <millis>1643113091488</millis> <nanos>435500</nanos>
<sequence>1278</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger>
<level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>
<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-
8080-Acceptor] latch=1</message></record><record> <date>2022-01-
25T12:18:11.489434800Z</date> <millis>1643113091489</millis> <nanos>434800</nanos>
<sequence>1279</sequence> <logger>org.apache.tomcat.util.threads.LimitLatch</logger>
<level>FINE</level> <class>org.apache.tomcat.util.threads.LimitLatch</class>
<method>countUpOrAwait</method> <thread>23</thread> <message>Counting up[http-nio-
8080-Acceptor] latch=2</message></record><record> <date>2022-01-
25T12:18:11.489434800Z</date> <millis>1643113091489</millis> <nanos>434800</nanos>
<sequence>1280</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>26</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54831]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:18:11.489434800Z</date>
<millis>1643113091489</millis> <nanos>434800</nanos> <sequence>1281</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>27</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:18:11.489434800Z</date>
<millis>1643113091489</millis> <nanos>434800</nanos> <sequence>1282</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>26</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@759403a:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54831]]</message></record><record>
<date>2022-01-25T12:18:11.490434300Z</date> <millis>1643113091490</millis>
<nanos>434300</nanos> <sequence>1283</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>26</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@1a88036b] from
cache</message></record><record> <date>2022-01-25T12:18:11.490434300Z</date>

<millis>1643113091490</millis> <nanos>434300</nanos> <sequence>1284</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>27</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]]</message></record><record>
<date>2022-01-25T12:18:11.490434300Z</date> <millis>1643113091490</millis>
<nanos>434300</nanos> <sequence>1285</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>26</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], ByteBuffer.position(): [0],
ByteBuffer.limit(): [0], end: [228]</message></record><record> <date>2022-01-
25T12:18:11.490434300Z</date> <millis>1643113091490</millis> <nanos>434300</nanos>
<sequence>1286</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>27</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@165957fa] from
cache</message></record><record> <date>2022-01-25T12:18:11.490434300Z</date>
<millis>1643113091490</millis> <nanos>434300</nanos> <sequence>1287</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>26</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@1c0ece94:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:54831]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:18:11.490434300Z</date> <millis>1643113091490</millis>
<nanos>434300</nanos> <sequence>1288</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>27</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], ByteBuffer.position(): [0],
ByteBuffer.limit(): [0], end: [233]</message></record><record> <date>2022-01-
25T12:18:11.490434300Z</date> <millis>1643113091490</millis> <nanos>434300</nanos>
<sequence>1289</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger>
<level>FINE</level> <class>org.apache.coyote.http11.Http11Processor</class>
<method>service</method> <thread>26</thread> <message>Error parsing HTTP request
header</message> <exception> <message>java.io.EOFException</message> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>fillReadBuffer</method> <line>1328</line> </frame> <frame>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <line>1215</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<line>805</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method> <line>360</line> </frame> <frame>
<class>org.apache.coyote.http11.Http11Processor</class> <method>service</method>
<line>269</line> </frame> <frame>

```
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>  </frame>  <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>  <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>  <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>  </frame>  <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>  <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>  <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>  <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:18:11.490434300Z</date>
<millis>1643113091490</millis> <nanos>434300</nanos> <sequence>1290</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>27</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@64141aa6:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:54832]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:18:11.491435400Z</date> <millis>1643113091491</millis>
<nanos>435400</nanos> <sequence>1291</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method>
<thread>26</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while
processing request</message> <exception>    <message>java.io.EOFException</message>
<frame>    <class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>fillReadBuffer</method>    <line>1328</line>    </frame>  <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method>    <line>1215</line>    </frame>  <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>    <method>fill</method>
<line>805</line>  </frame>  <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method>    <line>360</line>    </frame>  <frame>
<class>org.apache.coyote.http11.Http11Processor</class>    <method>service</method>
<line>269</line>  </frame>  <frame>
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>  </frame>  <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>  <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>  <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>  </frame>  <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
```



```
<method>runWorker</method> <line>1191</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method> <line>659</line> </frame> <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method> <line>61</line> </frame> <frame>
<class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame>
</exception></record><record> <date>2022-01-25T12:18:11.491435400Z</date>
<millis>1643113091491</millis> <nanos>435400</nanos> <sequence>1292</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>read</method> <thread>27</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@64141aa6:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:54832]], Read direct from socket: [233]</message></record><record>
<date>2022-01-25T12:18:11.491435400Z</date> <millis>1643113091491</millis>
<nanos>435400</nanos> <sequence>1294</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>27</thread> <message>Received [GET /posjete HTTP/1.1Authorization: Basic123User-
Agent: PostmanRuntime/7.29.0Accept: /*Postman-Token: 31f24ca4-11af-4201-b2f8-
b593070db7fdHost: localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive
]</message></record><record> <date>2022-01-25T12:18:11.491435400Z</date>
<millis>1643113091491</millis> <nanos>435400</nanos> <sequence>1293</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>26</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@1c0ece94:org.apache.tomcat.util.ne
t.NioChannel@759403a:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:54831]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:18:11.491435400Z</date>
<millis>1643113091491</millis> <nanos>435400</nanos> <sequence>1295</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>release</method> <thread>26</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@1a88036b]</message></record><record>
<date>2022-01-25T12:18:11.491435400Z</date> <millis>1643113091491</millis>
<nanos>435400</nanos> <sequence>1296</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>26</thread> <message>Counting down[http-nio-8080-exec-2]
latch=2</message></record><record> <date>2022-01-25T12:18:11.496430800Z</date>
<millis>1643113091496</millis> <nanos>430800</nanos> <sequence>1297</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>doClose</method> <thread>26</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint$NioSocketWrapper@1c0ece94:org.apache.tomcat.util.net.NioChannel@759403a:java.nio
.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
```

remote=/0:0:0:0:0:0:1:54831]])</message></record><record> <date>2022-01-25T12:18:11.496430800Z</date> <millis>1643113091496</millis> <nanos>430800</nanos> <sequence>1298</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>27</thread> <message>Security checking request GET /posjete</message></record><record> <date>2022-01-25T12:18:11.496430800Z</date> <millis>1643113091496</millis> <nanos>430800</nanos> <sequence>1299</sequence>
<logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level>
<class>org.apache.catalina.realm.RealmBase</class>
<method>findSecurityConstraints</method> <thread>27</thread> <message> No applicable constraints defined</message></record><record> <date>2022-01-25T12:18:11.496430800Z</date> <millis>1643113091496</millis> <nanos>430800</nanos> <sequence>1300</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>27</thread> <message>Not subject to any constraint</message></record><record> <date>2022-01-25T12:18:11.496430800Z</date> <millis>1643113091496</millis> <nanos>430800</nanos> <sequence>1301</sequence>
<logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level>
<class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method>
<thread>27</thread> <message> Returning non-STM instance</message></record><record> <date>2022-01-25T12:18:11.497429500Z</date> <millis>1643113091497</millis> <nanos>429500</nanos> <sequence>1302</sequence> <logger></logger>
<level>INFO</level> <class>com.muzej.app.virtuelnaposjeta.VirtuelnaPosjetaController</class>
<method>list</method> <thread>27</thread> <message>Dohvatanje liste posjeta od strane korisnika nove karte za posjetu Basic123</message></record><record> <date>2022-01-25T12:18:11.514419600Z</date> <millis>1643113091514</millis> <nanos>419600</nanos> <sequence>1303</sequence> <logger>org.apache.coyote.http11.Http11InputBuffer</logger>
<level>FINE</level> <class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>fill</method> <thread>27</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true], parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0], byteBuffer.limit(): [0], end: [233]</message></record><record> <date>2022-01-25T12:18:11.514419600Z</date> <millis>1643113091514</millis> <nanos>419600</nanos> <sequence>1304</sequence>
<logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>27</thread> <message>Socket: [org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]], Read from buffer: [0]</message></record><record> <date>2022-01-25T12:18:11.514419600Z</date> <millis>1643113091514</millis> <nanos>419600</nanos> <sequence>1305</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <thread>27</thread> <message>Socket: [org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080

remote=/0:0:0:0:0:0:0:1:54832]], Read direct from socket: [0]</message></record><record>
<date>2022-01-25T12:18:11.515419700Z</date> <millis>1643113091515</millis>
<nanos>419700</nanos> <sequence>1306</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>27</thread> <message>Received []</message></record><record> <date>2022-01-
25T12:18:11.515419700Z</date> <millis>1643113091515</millis> <nanos>419700</nanos>
<sequence>1307</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger>
<level>FINE</level> <class>org.apache.coyote.AbstractProcessorLight</class>
<method>process</method> <thread>27</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:0:1:54832]], Status in: [OPEN_READ], State out:
[OPEN]</message></record><record> <date>2022-01-25T12:18:11.515419700Z</date>
<millis>1643113091515</millis> <nanos>419700</nanos> <sequence>1308</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>release</method> <thread>27</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:18:11.515419700Z</date> <millis>1643113091515</millis>
<nanos>419700</nanos> <sequence>1309</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>registerReadInterest</method> <thread>27</thread> <message>Registered read
interest for
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:0:1:54832]]</message></record><record> <date>2022-01-
25T12:18:12.526298100Z</date> <millis>1643113092526</millis> <nanos>298100</nanos>
<sequence>1310</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113092526; nextExpiration=1643113092021; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:13.539325400Z</date> <millis>1643113093539</millis> <nanos>325400</nanos>
<sequence>1311</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113093539; nextExpiration=1643113093526; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:18:14.308414200Z</date> <millis>1643113094308</millis> <nanos>414200</nanos>
<sequence>1312</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>17</thread> <message>Start expire sessions
StandardManager at 1643113094308 sessioncount 0</message></record><record> <date>2022-
01-25T12:18:14.308414200Z</date> <millis>1643113094308</millis> <nanos>414200</nanos>
<sequence>1313</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>

<method>processExpires</method> <thread>17</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:18:14.542336700Z</date> <millis>1643113094542</millis>
<nanos>336700</nanos> <sequence>1314</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113094542;
nextExpiration=1643113094539; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:15.554999200Z</date>
<millis>1643113095554</millis> <nanos>999200</nanos> <sequence>1315</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113095554;
nextExpiration=1643113095542; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:16.568093700Z</date>
<millis>1643113096568</millis> <nanos>93700</nanos> <sequence>1316</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113096568;
nextExpiration=1643113096554; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:17.578929500Z</date>
<millis>1643113097578</millis> <nanos>929500</nanos> <sequence>1317</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113097578;
nextExpiration=1643113097568; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:18.585792300Z</date>
<millis>1643113098585</millis> <nanos>792300</nanos> <sequence>1318</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113098585;
nextExpiration=1643113098578; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:19.591390600Z</date>
<millis>1643113099591</millis> <nanos>390600</nanos> <sequence>1319</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113099591;
nextExpiration=1643113099585; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:20.602161200Z</date>
<millis>1643113100602</millis> <nanos>161200</nanos> <sequence>1320</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113100602;
nextExpiration=1643113100591; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:21.608501800Z</date>
<millis>1643113101608</millis> <nanos>501800</nanos> <sequence>1321</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>

<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113101608; nextExpiration=1643113101602; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:22.612414900Z</date> <millis>1643113102612</millis> <nanos>414900</nanos> <sequence>1322</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113102612; nextExpiration=1643113102608; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:23.613449200Z</date> <millis>1643113103613</millis> <nanos>449200</nanos> <sequence>1323</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113103613; nextExpiration=1643113103612; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:24.623195500Z</date> <millis>1643113104623</millis> <nanos>195500</nanos> <sequence>1324</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113104623; nextExpiration=1643113104613; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:25.634562300Z</date> <millis>1643113105634</millis> <nanos>562300</nanos> <sequence>1325</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113105634; nextExpiration=1643113105623; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:26.645821Z</date> <millis>1643113106645</millis> <nanos>821000</nanos> <sequence>1326</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113106645; nextExpiration=1643113106634; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:27.657231400Z</date> <millis>1643113107657</millis> <nanos>231400</nanos> <sequence>1327</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113107657; nextExpiration=1643113107645; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:28.670898Z</date> <millis>1643113108670</millis> <nanos>898000</nanos> <sequence>1328</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113108670; nextExpiration=1643113108657; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:29.682815Z</date> <millis>1643113109682</millis> <nanos>815000</nanos> <sequence>1329</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>

<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113109682; nextExpiration=1643113109670; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:30.696594600Z</date> <millis>1643113110696</millis> <nanos>594600</nanos> <sequence>1330</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113110696; nextExpiration=1643113110682; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:31.709284900Z</date> <millis>1643113111709</millis> <nanos>284900</nanos> <sequence>1331</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113111709; nextExpiration=1643113111696; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:32.718906600Z</date> <millis>1643113112718</millis> <nanos>906600</nanos> <sequence>1332</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113112718; nextExpiration=1643113112709; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:33.722039400Z</date> <millis>1643113113722</millis> <nanos>39400</nanos> <sequence>1333</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113113722; nextExpiration=1643113113718; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:34.727701400Z</date> <millis>1643113114727</millis> <nanos>701400</nanos> <sequence>1334</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113114727; nextExpiration=1643113114722; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:35.742679700Z</date> <millis>1643113115742</millis> <nanos>679700</nanos> <sequence>1335</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113115742; nextExpiration=1643113115727; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:36.754362200Z</date> <millis>1643113116754</millis> <nanos>362200</nanos> <sequence>1336</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113116754; nextExpiration=1643113116742; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:37.756691800Z</date> <millis>1643113117756</millis> <nanos>691800</nanos> <sequence>1337</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>

<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113117756;
nextExpiration=1643113117754; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:38.769307600Z</date>
<millis>1643113118769</millis> <nanos>307600</nanos> <sequence>1338</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113118769;
nextExpiration=1643113118756; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:39.771487400Z</date>
<millis>1643113119771</millis> <nanos>487400</nanos> <sequence>1339</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113119771;
nextExpiration=1643113119769; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:40.786502500Z</date>
<millis>1643113120786</millis> <nanos>502500</nanos> <sequence>1340</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113120786;
nextExpiration=1643113120771; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:41.798748400Z</date>
<millis>1643113121798</millis> <nanos>748400</nanos> <sequence>1341</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113121798;
nextExpiration=1643113121786; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:42.799164500Z</date>
<millis>1643113122799</millis> <nanos>164500</nanos> <sequence>1342</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113122799;
nextExpiration=1643113122798; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:43.813239100Z</date>
<millis>1643113123813</millis> <nanos>239100</nanos> <sequence>1343</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113123813;
nextExpiration=1643113123799; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:44.826949600Z</date>
<millis>1643113124826</millis> <nanos>949600</nanos> <sequence>1344</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113124826;
nextExpiration=1643113124813; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:18:45.828923800Z</date>
<millis>1643113125828</millis> <nanos>923800</nanos> <sequence>1345</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>

<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113125828; nextExpiration=1643113125826; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:46.830176100Z</date> <millis>1643113126830</millis> <nanos>176100</nanos> <sequence>1346</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113126830; nextExpiration=1643113126828; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:47.831272200Z</date> <millis>1643113127831</millis> <nanos>272200</nanos> <sequence>1347</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113127831; nextExpiration=1643113127830; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:48.838682100Z</date> <millis>1643113128838</millis> <nanos>682100</nanos> <sequence>1348</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113128838; nextExpiration=1643113128831; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:49.847961200Z</date> <millis>1643113129847</millis> <nanos>961200</nanos> <sequence>1349</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113129847; nextExpiration=1643113129838; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:50.849044200Z</date> <millis>1643113130849</millis> <nanos>44200</nanos> <sequence>1350</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113130849; nextExpiration=1643113130847; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:51.858308600Z</date> <millis>1643113131858</millis> <nanos>308600</nanos> <sequence>1351</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113131858; nextExpiration=1643113131849; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:52.859322200Z</date> <millis>1643113132859</millis> <nanos>322200</nanos> <sequence>1352</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113132859; nextExpiration=1643113132858; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:53.873066800Z</date> <millis>1643113133873</millis> <nanos>66800</nanos> <sequence>1353</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>

<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113133873; nextExpiration=1643113133859; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:54.886324800Z</date> <millis>1643113134886</millis> <nanos>324800</nanos> <sequence>1354</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113134886; nextExpiration=1643113134873; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:55.900366300Z</date> <millis>1643113135900</millis> <nanos>366300</nanos> <sequence>1355</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113135900; nextExpiration=1643113135886; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:56.912719Z</date> <millis>1643113136912</millis> <nanos>719000</nanos> <sequence>1356</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113136912; nextExpiration=1643113136900; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:57.918379200Z</date> <millis>1643113137918</millis> <nanos>379200</nanos> <sequence>1357</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=1; now=1643113137918; nextExpiration=1643113137912; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:18:58.004945200Z</date> <millis>1643113138004</millis> <nanos>945200</nanos> <sequence>1358</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>process</method> <thread>28</thread> <message>Processing socket [org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]] with status [OPEN_READ]</message></record><record> <date>2022-01-25T12:18:58.004945200Z</date> <millis>1643113138004</millis> <nanos>945200</nanos> <sequence>1359</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>process</method> <thread>28</thread> <message>Found processor [null] for socket [org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]]</message></record><record> <date>2022-01-25T12:18:58.005943900Z</date> <millis>1643113138005</millis> <nanos>943900</nanos> <sequence>1360</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>process</method> <thread>28</thread> <message>Popped processor [org.apache.coyote.http11.Http11Processor@165957fa] from cache</message></record><record> <date>2022-01-25T12:18:58.005943900Z</date> <millis>1643113138005</millis> <nanos>943900</nanos> <sequence>1361</sequence>

<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>28</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],
byteBuffer.limit(): [0], end: [233]</message></record><record> <date>2022-01-
25T12:18:58.005943900Z</date> <millis>1643113138005</millis> <nanos>943900</nanos>
<sequence>1362</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger>
<level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class>
<method>populateReadBuffer</method> <thread>28</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:54832]], Read from buffer: [0]</message></record><record>
<date>2022-01-25T12:18:58.005943900Z</date> <millis>1643113138005</millis>
<nanos>943900</nanos> <sequence>1363</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>read</method> <thread>28</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:54832]], Read direct from socket: [234]</message></record><record>
<date>2022-01-25T12:18:58.005943900Z</date> <millis>1643113138005</millis>
<nanos>943900</nanos> <sequence>1364</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>28</thread> <message>Received [GET /posjete HTTP/1.1Authorization:
BasicMTIzUser-Agent: PostmanRuntime/7.29.0Accept: */*Postman-Token: 4039c812-c46b-4a94-
b1d0-f24833ebbbdfHost: localhost:8080Accept-Encoding: gzip, deflate, brConnection: keep-alive
</message></record><record> <date>2022-01-25T12:18:58.006945600Z</date>
<millis>1643113138006</millis> <nanos>945600</nanos> <sequence>1365</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>28</thread> <message>Security checking request GET
/posjete</message></record><record> <date>2022-01-25T12:18:58.006945600Z</date>
<millis>1643113138006</millis> <nanos>945600</nanos> <sequence>1366</sequence>
<logger>org.apache.catalina.realm.RealmBase</logger> <level>FINE</level>
<class>org.apache.catalina.realm.RealmBase</class>
<method>findSecurityConstraints</method> <thread>28</thread> <message> No applicable
constraints defined</message></record><record> <date>2022-01-
25T12:18:58.006945600Z</date> <millis>1643113138006</millis> <nanos>945600</nanos>
<sequence>1367</sequence>
<logger>org.apache.catalina.authenticator.AuthenticatorBase</logger> <level>FINE</level>
<class>org.apache.catalina.authenticator.AuthenticatorBase</class> <method>invoke</method>
<thread>28</thread> <message>Not subject to any constraint</message></record><record>
<date>2022-01-25T12:18:58.006945600Z</date> <millis>1643113138006</millis>
<nanos>945600</nanos> <sequence>1368</sequence>
<logger>org.apache.catalina.core.StandardWrapper</logger> <level>FINER</level>
<class>org.apache.catalina.core.StandardWrapper</class> <method>allocate</method>
<thread>28</thread> <message> Returning non-STM instance</message></record><record>

<date>2022-01-25T12:18:58.007944600Z</date> <millis>1643113138007</millis>
<nanos>944600</nanos> <sequence>1369</sequence> <logger></logger>
<level>INFO</level> <class>com.muzej.app.virtuelnaposjeta.VirtuelnaPosjetaController</class>
<method>list</method> <thread>28</thread> <message>Dohvatanje liste posjeta od strane korisnika nove karte za posjetu BasicMTIz</message></record><record> <date>2022-01-25T12:18:58.052917400Z</date> <millis>1643113138052</millis> <nanos>917400</nanos> <sequence>1370</sequence> <logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level> <class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method> <thread>28</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true], parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0], byteBuffer.limit(): [0], end: [234]</message></record><record> <date>2022-01-25T12:18:58.052917400Z</date> <millis>1643113138052</millis> <nanos>917400</nanos> <sequence>1371</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class> <method>populateReadBuffer</method> <thread>28</thread> <message>Socket: [org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]], Read from buffer: [0]</message></record><record> <date>2022-01-25T12:18:58.052917400Z</date> <millis>1643113138052</millis> <nanos>917400</nanos> <sequence>1372</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class> <method>read</method> <thread>28</thread> <message>Socket: [org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]], Read direct from socket: [0]</message></record><record> <date>2022-01-25T12:18:58.053916400Z</date> <millis>1643113138053</millis> <nanos>916400</nanos> <sequence>1373</sequence> <logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level> <class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method> <thread>28</thread> <message>Received []</message></record><record> <date>2022-01-25T12:18:58.053916400Z</date> <millis>1643113138053</millis> <nanos>916400</nanos> <sequence>1374</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method> <thread>28</thread> <message>Socket: [org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]], Status in: [OPEN_READ], State out: [OPEN]</message></record><record> <date>2022-01-25T12:18:58.053916400Z</date> <millis>1643113138053</millis> <nanos>916400</nanos> <sequence>1375</sequence> <logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>release</method> <thread>28</thread> <message>Pushed Processor [org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record> <date>2022-01-25T12:18:58.053916400Z</date> <millis>1643113138053</millis> <nanos>916400</nanos> <sequence>1376</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>

<class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>
<method>registerReadInterest</method> <thread>28</thread> <message>Registered read
interest for
[org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:54832]]</message></record><record> <date>2022-01-
25T12:18:59.061161400Z</date> <millis>1643113139061</millis> <nanos>161400</nanos>
<sequence>1377</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113139061; nextExpiration=1643113138918; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:00.068852100Z</date> <millis>1643113140068</millis> <nanos>852100</nanos>
<sequence>1378</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113140068; nextExpiration=1643113140061; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:01.081939200Z</date> <millis>1643113141081</millis> <nanos>939200</nanos>
<sequence>1379</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113141081; nextExpiration=1643113141068; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:02.090801900Z</date> <millis>1643113142090</millis> <nanos>801900</nanos>
<sequence>1380</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113142090; nextExpiration=1643113142081; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:03.105930500Z</date> <millis>1643113143105</millis> <nanos>930500</nanos>
<sequence>1381</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113143105; nextExpiration=1643113143090; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:04.107482600Z</date> <millis>1643113144107</millis> <nanos>482600</nanos>
<sequence>1382</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113144107; nextExpiration=1643113144105; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:05.120056200Z</date> <millis>1643113145120</millis> <nanos>56200</nanos>
<sequence>1383</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113145120; nextExpiration=1643113145107; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:19:06.122739400Z</date> <millis>1643113146122</millis> <nanos>739400</nanos>
<sequence>1384</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113146122; nextExpiration=1643113146120; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:07.136795700Z</date> <millis>1643113147136</millis> <nanos>795700</nanos>
<sequence>1385</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113147136; nextExpiration=1643113147122; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:08.139774200Z</date> <millis>1643113148139</millis> <nanos>774200</nanos>
<sequence>1386</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113148139; nextExpiration=1643113148136; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:09.152196600Z</date> <millis>1643113149152</millis> <nanos>196600</nanos>
<sequence>1387</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113149152; nextExpiration=1643113149139; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:10.156066700Z</date> <millis>1643113150156</millis> <nanos>66700</nanos>
<sequence>1388</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113150156; nextExpiration=1643113150152; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:11.166798300Z</date> <millis>1643113151166</millis> <nanos>798300</nanos>
<sequence>1389</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113151166; nextExpiration=1643113151156; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:12.170295500Z</date> <millis>1643113152170</millis> <nanos>295500</nanos>
<sequence>1390</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113152170; nextExpiration=1643113152166; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:13.171190Z</date> <millis>1643113153171</millis> <nanos>190000</nanos>
<sequence>1391</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113153171; nextExpiration=1643113153170; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:19:14.171440200Z</date> <millis>1643113154171</millis> <nanos>440200</nanos>
<sequence>1392</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=1; now=1643113154171; nextExpiration=1643113154171; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:14.356945800Z</date> <millis>1643113154356</millis> <nanos>945800</nanos>
<sequence>1393</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>17</thread> <message>Start expire sessions
StandardManager at 1643113154356 sessioncount 0</message></record><record> <date>2022-
01-25T12:19:14.356945800Z</date> <millis>1643113154356</millis> <nanos>945800</nanos>
<sequence>1394</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>17</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:19:15.185734400Z</date> <millis>1643113155185</millis>
<nanos>734400</nanos> <sequence>1395</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113155185;
nextExpiration=1643113155171; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:19:16.189411100Z</date>
<millis>1643113156189</millis> <nanos>411100</nanos> <sequence>1396</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113156189;
nextExpiration=1643113156185; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:19:17.203503900Z</date>
<millis>1643113157203</millis> <nanos>503900</nanos> <sequence>1397</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113157203;
nextExpiration=1643113157189; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:19:18.217110600Z</date>
<millis>1643113158217</millis> <nanos>110600</nanos> <sequence>1398</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113158217;
nextExpiration=1643113158203; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:19:19.225813700Z</date>
<millis>1643113159225</millis> <nanos>813700</nanos> <sequence>1399</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113159225;
nextExpiration=1643113159217; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:19:20.232131800Z</date>
<millis>1643113160232</millis> <nanos>131800</nanos> <sequence>1400</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113160232;
nextExpiration=1643113160225; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:19:21.239084600Z</date>
<millis>1643113161239</millis> <nanos>84600</nanos> <sequence>1401</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113161239;
nextExpiration=1643113161232; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:19:22.252620700Z</date>
<millis>1643113162252</millis> <nanos>620700</nanos> <sequence>1402</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113162252;
nextExpiration=1643113162239; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:19:23.256733700Z</date>
<millis>1643113163256</millis> <nanos>733700</nanos> <sequence>1403</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=1; now=1643113163256;
nextExpiration=1643113163252; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:19:23.595197500Z</date>
<millis>1643113163595</millis> <nanos>197500</nanos> <sequence>1404</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>29</thread> <message>Processing socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]] with status
[OPEN_READ]</message></record><record> <date>2022-01-25T12:19:23.595197500Z</date>
<millis>1643113163595</millis> <nanos>197500</nanos> <sequence>1405</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>29</thread> <message>Found processor [null] for socket
[org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected
local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]]</message></record><record>
<date>2022-01-25T12:19:23.595197500Z</date> <millis>1643113163595</millis>
<nanos>197500</nanos> <sequence>1406</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class>
<method>process</method> <thread>29</thread> <message>Popped processor
[org.apache.coyote.http11.Http11Processor@165957fa] from
cache</message></record><record> <date>2022-01-25T12:19:23.596200600Z</date>
<millis>1643113163596</millis> <nanos>200600</nanos> <sequence>1407</sequence>
<logger>org.apache.coyote.http11.Http11InputBuffer</logger> <level>FINE</level>
<class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method>
<thread>29</thread> <message>Before fill(): parsingHeader: [true], parsingRequestLine: [true],
parsingRequestLinePhase: [0], parsingRequestLineStart: [0], byteBuffer.position(): [0],

byteBuffer.limit(): [0], end: [234]</message></record><record> <date>2022-01-25T12:19:23.596200600Z</date> <millis>1643113163596</millis> <nanos>200600</nanos> <sequence>1408</sequence> <logger>org.apache.tomcat.util.net.SocketWrapperBase</logger> <level>FINE</level> <class>org.apache.tomcat.util.net.SocketWrapperBase</class> <method>populateReadBuffer</method> <thread>29</thread> <message>Socket: [org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper@64141aa6:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080 remote=/0:0:0:0:0:0:1:54832]], Read from buffer: [0]</message></record><record> <date>2022-01-25T12:19:23.596200600Z</date> <millis>1643113163596</millis> <nanos>200600</nanos> <sequence>1409</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level> <class>org.apache.coyote.http11.Http11Processor</class> <method>service</method> <thread>29</thread> <message>Error parsing HTTP request header</message> <exception> <message>java.io.EOFException</message> <frame> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class> <method>fillReadBuffer</method> <line>1328</line> </frame> <frame> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class> <method>read</method> <line>1215</line> </frame> <frame> <class>org.apache.coyote.http11.Http11InputBuffer</class> <method>fill</method> <line>805</line> </frame> <frame> <class>org.apache.coyote.http11.Http11InputBuffer</class> <method>parseRequestLine</method> <line>360</line> </frame> <frame> <class>org.apache.coyote.http11.Http11Processor</class> <method>service</method> <line>269</line> </frame> <frame> <class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method> <line>65</line> </frame> <frame> <class>org.apache.coyote.AbstractProtocol\$ConnectionHandler</class> <method>process</method> <line>895</line> </frame> <frame> <class>org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor</class> <method>doRun</method> <line>1732</line> </frame> <frame> <class>org.apache.tomcat.util.net.SocketProcessorBase</class> <method>run</method> <line>49</line> </frame> <frame> <class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class> <method>runWorker</method> <line>1191</line> </frame> <frame> <class>org.apache.tomcat.util.threads.ThreadPoolExecutor\$Worker</class> <method>run</method> <line>659</line> </frame> <frame> <class>org.apache.tomcat.util.threads.TaskThread\$WrappingRunnable</class> <method>run</method> <line>61</line> </frame> <frame> <class>java.lang.Thread</class> <method>run</method> <line>835</line> </frame> </exception></record><record> <date>2022-01-25T12:19:23.596200600Z</date> <millis>1643113163596</millis> <nanos>200600</nanos> <sequence>1410</sequence> <logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level> <class>org.apache.coyote.AbstractProcessor</class> <method>setErrorState</method> <thread>29</thread> <message>Error state [CLOSE_CONNECTION_NOW] reported while processing request</message> <exception> <message>java.io.EOFException</message> <frame> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class> <method>fillReadBuffer</method> <line>1328</line> </frame> <frame> <class>org.apache.tomcat.util.net.NioEndpoint\$NioSocketWrapper</class>


```

<method>read</method>    <line>1215</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>    <method>fill</method>
<line>805</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11InputBuffer</class>
<method>parseRequestLine</method>    <line>360</line>    </frame>    <frame>
<class>org.apache.coyote.http11.Http11Processor</class>    <method>service</method>
<line>269</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProcessorLight</class>    <method>process</method>
<line>65</line>    </frame>    <frame>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>process</method>    <line>895</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.NioEndpoint$SocketProcessor</class>
<method>doRun</method>    <line>1732</line>    </frame>    <frame>
<class>org.apache.tomcat.util.net.SocketProcessorBase</class>    <method>run</method>
<line>49</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor</class>
<method>runWorker</method>    <line>1191</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker</class>
<method>run</method>    <line>659</line>    </frame>    <frame>
<class>org.apache.tomcat.util.threads.TaskThread$WrappingRunnable</class>
<method>run</method>    <line>61</line>    </frame>    <frame>
<class>java.lang.Thread</class>    <method>run</method>    <line>835</line>    </frame>
</exception></record><record> <date>2022-01-25T12:19:23.596200600Z</date>
<millis>1643113163596</millis> <nanos>200600</nanos> <sequence>1411</sequence>
<logger>org.apache.coyote.http11.Http11Processor</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProcessorLight</class> <method>process</method>
<thread>29</thread> <message>Socket:
[org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper@64141aa6:org.apache.tomcat.util.ne
t.NioChannel@5e87b2cc:java.nio.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:54832]], Status in: [OPEN_READ], State out:
[CLOSED]</message></record><record> <date>2022-01-25T12:19:23.596200600Z</date>
<millis>1643113163596</millis> <nanos>200600</nanos> <sequence>1412</sequence>
<logger>org.apache.coyote.http11.Http11NioProtocol</logger> <level>FINE</level>
<class>org.apache.coyote.AbstractProtocol$ConnectionHandler</class>
<method>release</method> <thread>29</thread> <message>Pushed Processor
[org.apache.coyote.http11.Http11Processor@165957fa]</message></record><record>
<date>2022-01-25T12:19:23.596200600Z</date> <millis>1643113163596</millis>
<nanos>200600</nanos> <sequence>1413</sequence>
<logger>org.apache.tomcat.util.threads.LimitLatch</logger> <level>FINE</level>
<class>org.apache.tomcat.util.threads.LimitLatch</class> <method>countDown</method>
<thread>29</thread> <message>Counting down[http-nio-8080-exec-5]
latch=1</message></record><record> <date>2022-01-25T12:19:23.596200600Z</date>
<millis>1643113163596</millis> <nanos>200600</nanos> <sequence>1414</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINE</level>
<class>org.apache.tomcat.util.net.NioEndpoint$NioSocketWrapper</class>
<method>doClose</method> <thread>29</thread> <message>Calling
[org.apache.tomcat.util.net.NioEndpoint@546173e7].closeSocket([org.apache.tomcat.util.net.NioE
ndpoint$NioSocketWrapper@64141aa6:org.apache.tomcat.util.net.NioChannel@5e87b2cc:java.ni

```

o.channels.SocketChannel[connected local=/0:0:0:0:0:0:1:8080
remote=/0:0:0:0:0:0:1:54832]])</message></record><record> <date>2022-01-
25T12:19:24.609754500Z</date> <millis>1643113164609</millis> <nanos>754500</nanos>
<sequence>1415</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113164609; nextExpiration=1643113164256; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:25.621475300Z</date> <millis>1643113165621</millis> <nanos>475300</nanos>
<sequence>1416</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113165621; nextExpiration=1643113165609; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:26.634539900Z</date> <millis>1643113166634</millis> <nanos>539900</nanos>
<sequence>1417</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113166634; nextExpiration=1643113166621; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:27.648559200Z</date> <millis>1643113167648</millis> <nanos>559200</nanos>
<sequence>1418</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113167648; nextExpiration=1643113167634; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:28.652494300Z</date> <millis>1643113168652</millis> <nanos>494300</nanos>
<sequence>1419</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113168652; nextExpiration=1643113168648; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:29.653640500Z</date> <millis>1643113169653</millis> <nanos>640500</nanos>
<sequence>1420</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113169653; nextExpiration=1643113169652; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:30.660754900Z</date> <millis>1643113170660</millis> <nanos>754900</nanos>
<sequence>1421</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113170660; nextExpiration=1643113170653; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:31.672798Z</date> <millis>1643113171672</millis> <nanos>798000</nanos>
<sequence>1422</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643113171672; nextExpiration=1643113171660; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:32.678755800Z</date> <millis>1643113172678</millis> <nanos>755800</nanos>
<sequence>1423</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113172678; nextExpiration=1643113172672; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:33.678970600Z</date> <millis>1643113173678</millis> <nanos>970600</nanos>
<sequence>1424</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113173678; nextExpiration=1643113173678; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:34.686899700Z</date> <millis>1643113174686</millis> <nanos>899700</nanos>
<sequence>1425</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113174686; nextExpiration=1643113174678; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:35.692357600Z</date> <millis>1643113175692</millis> <nanos>357600</nanos>
<sequence>1426</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113175692; nextExpiration=1643113175686; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:36.704311600Z</date> <millis>1643113176704</millis> <nanos>311600</nanos>
<sequence>1427</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113176704; nextExpiration=1643113176692; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:37.709133200Z</date> <millis>1643113177709</millis> <nanos>133200</nanos>
<sequence>1428</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113177709; nextExpiration=1643113177704; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:38.718320700Z</date> <millis>1643113178718</millis> <nanos>320700</nanos>
<sequence>1429</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113178718; nextExpiration=1643113178709; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:39.725555Z</date> <millis>1643113179725</millis> <nanos>555000</nanos>
<sequence>1430</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643113179725; nextExpiration=1643113179718; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:40.735082100Z</date> <millis>1643113180735</millis> <nanos>82100</nanos>
<sequence>1431</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113180735; nextExpiration=1643113180725; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:41.743451500Z</date> <millis>1643113181743</millis> <nanos>451500</nanos>
<sequence>1432</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113181743; nextExpiration=1643113181735; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:42.750711600Z</date> <millis>1643113182750</millis> <nanos>711600</nanos>
<sequence>1433</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113182750; nextExpiration=1643113182743; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:43.760733200Z</date> <millis>1643113183760</millis> <nanos>733200</nanos>
<sequence>1434</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113183760; nextExpiration=1643113183750; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:44.769758200Z</date> <millis>1643113184769</millis> <nanos>758200</nanos>
<sequence>1435</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113184769; nextExpiration=1643113184760; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:45.775574200Z</date> <millis>1643113185775</millis> <nanos>574200</nanos>
<sequence>1436</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113185775; nextExpiration=1643113185769; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:46.786191500Z</date> <millis>1643113186786</millis> <nanos>191500</nanos>
<sequence>1437</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113186786; nextExpiration=1643113186775; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:47.798773100Z</date> <millis>1643113187798</millis> <nanos>773100</nanos>
<sequence>1438</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643113187798; nextExpiration=1643113187786; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:48.811555600Z</date> <millis>1643113188811</millis> <nanos>555600</nanos>
<sequence>1439</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113188811; nextExpiration=1643113188798; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:49.821477300Z</date> <millis>1643113189821</millis> <nanos>477300</nanos>
<sequence>1440</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113189821; nextExpiration=1643113189811; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:50.828250500Z</date> <millis>1643113190828</millis> <nanos>250500</nanos>
<sequence>1441</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113190828; nextExpiration=1643113190821; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:51.838546200Z</date> <millis>1643113191838</millis> <nanos>546200</nanos>
<sequence>1442</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113191838; nextExpiration=1643113191828; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:52.842294500Z</date> <millis>1643113192842</millis> <nanos>294500</nanos>
<sequence>1443</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113192842; nextExpiration=1643113192838; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:53.849369200Z</date> <millis>1643113193849</millis> <nanos>369200</nanos>
<sequence>1444</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113193849; nextExpiration=1643113193842; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:54.851143400Z</date> <millis>1643113194851</millis> <nanos>143400</nanos>
<sequence>1445</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113194851; nextExpiration=1643113194849; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:55.865829900Z</date> <millis>1643113195865</millis> <nanos>829900</nanos>
<sequence>1446</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643113195865; nextExpiration=1643113195851; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:56.869445800Z</date> <millis>1643113196869</millis> <nanos>445800</nanos>
<sequence>1447</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113196869; nextExpiration=1643113196865; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:57.878298500Z</date> <millis>1643113197878</millis> <nanos>298500</nanos>
<sequence>1448</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113197878; nextExpiration=1643113197869; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:58.890711900Z</date> <millis>1643113198890</millis> <nanos>711900</nanos>
<sequence>1449</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113198890; nextExpiration=1643113198878; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:19:59.900311200Z</date> <millis>1643113199900</millis> <nanos>311200</nanos>
<sequence>1450</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113199900; nextExpiration=1643113199890; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:00.901109200Z</date> <millis>1643113200901</millis> <nanos>109200</nanos>
<sequence>1451</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113200901; nextExpiration=1643113200900; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:01.915831300Z</date> <millis>1643113201915</millis> <nanos>831300</nanos>
<sequence>1452</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113201915; nextExpiration=1643113201901; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:02.918699500Z</date> <millis>1643113202918</millis> <nanos>699500</nanos>
<sequence>1453</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113202918; nextExpiration=1643113202915; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:03.934125100Z</date> <millis>1643113203934</millis> <nanos>125100</nanos>
<sequence>1454</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643113203934; nextExpiration=1643113203918; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:04.946496100Z</date> <millis>1643113204946</millis> <nanos>496100</nanos>
<sequence>1455</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113204946; nextExpiration=1643113204934; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:05.949603300Z</date> <millis>1643113205949</millis> <nanos>603300</nanos>
<sequence>1456</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113205949; nextExpiration=1643113205946; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:06.958283100Z</date> <millis>1643113206958</millis> <nanos>283100</nanos>
<sequence>1457</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113206958; nextExpiration=1643113206949; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:07.966389700Z</date> <millis>1643113207966</millis> <nanos>389700</nanos>
<sequence>1458</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113207966; nextExpiration=1643113207958; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:08.970334100Z</date> <millis>1643113208970</millis> <nanos>334100</nanos>
<sequence>1459</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113208970; nextExpiration=1643113208966; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:09.978109300Z</date> <millis>1643113209978</millis> <nanos>109300</nanos>
<sequence>1460</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113209978; nextExpiration=1643113209970; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:10.980401300Z</date> <millis>1643113210980</millis> <nanos>401300</nanos>
<sequence>1461</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113210980; nextExpiration=1643113210978; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:11.988440600Z</date> <millis>1643113211988</millis> <nanos>440600</nanos>
<sequence>1462</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys

processed=0; now=1643113211988; nextExpiration=1643113211980; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:12.991846900Z</date> <millis>1643113212991</millis> <nanos>846900</nanos>
<sequence>1463</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113212991; nextExpiration=1643113212988; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:14.001914300Z</date> <millis>1643113214001</millis> <nanos>914300</nanos>
<sequence>1464</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113214001; nextExpiration=1643113213991; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:20:14.409053500Z</date> <millis>1643113214409</millis> <nanos>53500</nanos>
<sequence>1465</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>17</thread> <message>Start expire sessions
StandardManager at 1643113214409 sessioncount 0</message></record><record> <date>2022-
01-25T12:20:14.409053500Z</date> <millis>1643113214409</millis> <nanos>53500</nanos>
<sequence>1466</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>17</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:20:15.006220700Z</date> <millis>1643113215006</millis>
<nanos>220700</nanos> <sequence>1467</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113215006;
nextExpiration=1643113215001; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:16.008580Z</date>
<millis>1643113216008</millis> <nanos>580000</nanos> <sequence>1468</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113216008;
nextExpiration=1643113216006; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:17.022884900Z</date>
<millis>1643113217022</millis> <nanos>884900</nanos> <sequence>1469</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113217022;
nextExpiration=1643113217008; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:18.032789Z</date>
<millis>1643113218032</millis> <nanos>789000</nanos> <sequence>1470</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113218032;
nextExpiration=1643113218022; keyCount=0; hasEvents=false;

eval=false</message></record><record> <date>2022-01-25T12:20:19.037635700Z</date>
<millis>1643113219037</millis> <nanos>635700</nanos> <sequence>1471</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113219037;
nextExpiration=1643113219032; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:20.040215300Z</date>
<millis>1643113220040</millis> <nanos>215300</nanos> <sequence>1472</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113220040;
nextExpiration=1643113220037; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:21.055107500Z</date>
<millis>1643113221055</millis> <nanos>107500</nanos> <sequence>1473</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113221055;
nextExpiration=1643113221040; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:22.069802200Z</date>
<millis>1643113222069</millis> <nanos>802200</nanos> <sequence>1474</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113222069;
nextExpiration=1643113222055; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:23.077777500Z</date>
<millis>1643113223077</millis> <nanos>777500</nanos> <sequence>1475</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113223077;
nextExpiration=1643113223069; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:24.091151900Z</date>
<millis>1643113224091</millis> <nanos>151900</nanos> <sequence>1476</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113224091;
nextExpiration=1643113224077; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:25.096425Z</date>
<millis>1643113225096</millis> <nanos>425000</nanos> <sequence>1477</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113225096;
nextExpiration=1643113225091; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:26.099565300Z</date>
<millis>1643113226099</millis> <nanos>565300</nanos> <sequence>1478</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113226099;
nextExpiration=1643113226096; keyCount=0; hasEvents=false;

eval=false</message></record><record> <date>2022-01-25T12:20:27.101403700Z</date>
<millis>1643113227101</millis> <nanos>403700</nanos> <sequence>1479</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113227101;
nextExpiration=1643113227099; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:28.114753200Z</date>
<millis>1643113228114</millis> <nanos>753200</nanos> <sequence>1480</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113228114;
nextExpiration=1643113228101; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:29.125256200Z</date>
<millis>1643113229125</millis> <nanos>256200</nanos> <sequence>1481</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113229125;
nextExpiration=1643113229114; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:30.128293900Z</date>
<millis>1643113230128</millis> <nanos>293900</nanos> <sequence>1482</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113230128;
nextExpiration=1643113230125; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:31.133099900Z</date>
<millis>1643113231133</millis> <nanos>99900</nanos> <sequence>1483</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113231133;
nextExpiration=1643113231128; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:32.135596200Z</date>
<millis>1643113232135</millis> <nanos>596200</nanos> <sequence>1484</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113232135;
nextExpiration=1643113232133; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:33.140166300Z</date>
<millis>1643113233140</millis> <nanos>166300</nanos> <sequence>1485</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113233140;
nextExpiration=1643113233135; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:34.145070Z</date>
<millis>1643113234145</millis> <nanos>70000</nanos> <sequence>1486</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113234145;
nextExpiration=1643113234140; keyCount=0; hasEvents=false;

eval=false</message></record><record> <date>2022-01-25T12:20:35.153252400Z</date>
<millis>1643113235153</millis> <nanos>252400</nanos> <sequence>1487</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113235153;
nextExpiration=1643113235145; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:36.167822100Z</date>
<millis>1643113236167</millis> <nanos>822100</nanos> <sequence>1488</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113236167;
nextExpiration=1643113236153; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:37.175827200Z</date>
<millis>1643113237175</millis> <nanos>827200</nanos> <sequence>1489</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113237175;
nextExpiration=1643113237167; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:38.180787700Z</date>
<millis>1643113238180</millis> <nanos>787700</nanos> <sequence>1490</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113238180;
nextExpiration=1643113238175; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:39.180880600Z</date>
<millis>1643113239180</millis> <nanos>880600</nanos> <sequence>1491</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113239180;
nextExpiration=1643113239180; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:40.188804800Z</date>
<millis>1643113240188</millis> <nanos>804800</nanos> <sequence>1492</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113240188;
nextExpiration=1643113240180; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:41.203726900Z</date>
<millis>1643113241203</millis> <nanos>726900</nanos> <sequence>1493</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113241203;
nextExpiration=1643113241188; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:42.208373200Z</date>
<millis>1643113242208</millis> <nanos>373200</nanos> <sequence>1494</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113242208;
nextExpiration=1643113242203; keyCount=0; hasEvents=false;

eval=false</message></record><record> <date>2022-01-25T12:20:43.213426800Z</date>
<millis>1643113243213</millis> <nanos>426800</nanos> <sequence>1495</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113243213;
nextExpiration=1643113243208; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:44.213496600Z</date>
<millis>1643113244213</millis> <nanos>496600</nanos> <sequence>1496</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113244213;
nextExpiration=1643113244213; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:45.214285200Z</date>
<millis>1643113245214</millis> <nanos>285200</nanos> <sequence>1497</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113245214;
nextExpiration=1643113245213; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:46.218399500Z</date>
<millis>1643113246218</millis> <nanos>399500</nanos> <sequence>1498</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113246218;
nextExpiration=1643113246214; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:47.230317800Z</date>
<millis>1643113247230</millis> <nanos>317800</nanos> <sequence>1499</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113247230;
nextExpiration=1643113247218; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:48.235490600Z</date>
<millis>1643113248235</millis> <nanos>490600</nanos> <sequence>1500</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113248235;
nextExpiration=1643113248230; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:49.250868600Z</date>
<millis>1643113249250</millis> <nanos>868600</nanos> <sequence>1501</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113249250;
nextExpiration=1643113249235; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:50.263154Z</date>
<millis>1643113250263</millis> <nanos>154000</nanos> <sequence>1502</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113250263;
nextExpiration=1643113250250; keyCount=0; hasEvents=false;

eval=false</message></record><record> <date>2022-01-25T12:20:51.273412400Z</date>
<millis>1643113251273</millis> <nanos>412400</nanos> <sequence>1503</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113251273;
nextExpiration=1643113251263; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:52.273973900Z</date>
<millis>1643113252273</millis> <nanos>973900</nanos> <sequence>1504</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113252273;
nextExpiration=1643113252273; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:53.279367200Z</date>
<millis>1643113253279</millis> <nanos>367200</nanos> <sequence>1505</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113253279;
nextExpiration=1643113253273; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:54.294330100Z</date>
<millis>1643113254294</millis> <nanos>330100</nanos> <sequence>1506</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113254294;
nextExpiration=1643113254279; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:55.309007700Z</date>
<millis>1643113255309</millis> <nanos>7700</nanos> <sequence>1507</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113255309;
nextExpiration=1643113255294; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:56.322634300Z</date>
<millis>1643113256322</millis> <nanos>634300</nanos> <sequence>1508</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113256322;
nextExpiration=1643113256309; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:57.328959Z</date>
<millis>1643113257328</millis> <nanos>959000</nanos> <sequence>1509</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113257328;
nextExpiration=1643113257322; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:20:58.340386400Z</date>
<millis>1643113258340</millis> <nanos>386400</nanos> <sequence>1510</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113258340;
nextExpiration=1643113258328; keyCount=0; hasEvents=false;

eval=false</message></record><record> <date>2022-01-25T12:20:59.355084700Z</date>
<millis>1643113259355</millis> <nanos>84700</nanos> <sequence>1511</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113259355;
nextExpiration=1643113259340; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:00.368536500Z</date>
<millis>1643113260368</millis> <nanos>536500</nanos> <sequence>1512</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113260368;
nextExpiration=1643113260355; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:01.371629900Z</date>
<millis>1643113261371</millis> <nanos>629900</nanos> <sequence>1513</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113261371;
nextExpiration=1643113261368; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:02.381495100Z</date>
<millis>1643113262381</millis> <nanos>495100</nanos> <sequence>1514</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113262381;
nextExpiration=1643113262371; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:03.385234500Z</date>
<millis>1643113263385</millis> <nanos>234500</nanos> <sequence>1515</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113263385;
nextExpiration=1643113263381; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:04.390599500Z</date>
<millis>1643113264390</millis> <nanos>599500</nanos> <sequence>1516</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113264390;
nextExpiration=1643113264385; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:05.396673100Z</date>
<millis>1643113265396</millis> <nanos>673100</nanos> <sequence>1517</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113265396;
nextExpiration=1643113265390; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:06.411420700Z</date>
<millis>1643113266411</millis> <nanos>420700</nanos> <sequence>1518</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113266411;
nextExpiration=1643113266396; keyCount=0; hasEvents=false;

eval=false</message></record><record> <date>2022-01-25T12:21:07.418105300Z</date>
<millis>1643113267418</millis> <nanos>105300</nanos> <sequence>1519</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113267418;
nextExpiration=1643113267411; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:08.429526Z</date>
<millis>1643113268429</millis> <nanos>526000</nanos> <sequence>1520</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113268429;
nextExpiration=1643113268418; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:09.433505300Z</date>
<millis>1643113269433</millis> <nanos>505300</nanos> <sequence>1521</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113269433;
nextExpiration=1643113269429; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:10.444445Z</date>
<millis>1643113270444</millis> <nanos>445000</nanos> <sequence>1522</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113270444;
nextExpiration=1643113270433; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:11.450955900Z</date>
<millis>1643113271450</millis> <nanos>955900</nanos> <sequence>1523</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113271450;
nextExpiration=1643113271444; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:12.461113500Z</date>
<millis>1643113272461</millis> <nanos>113500</nanos> <sequence>1524</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113272461;
nextExpiration=1643113272450; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:13.474072100Z</date>
<millis>1643113273474</millis> <nanos>72100</nanos> <sequence>1525</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113273474;
nextExpiration=1643113273461; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:21:14.452194600Z</date>
<millis>1643113274452</millis> <nanos>194600</nanos> <sequence>1526</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>16</thread> <message>Start expire sessions StandardManager at 1643113274452
sessioncount 0</message></record><record> <date>2022-01-25T12:21:14.452194600Z</date>

<millis>1643113274452</millis> <nanos>194600</nanos> <sequence>1527</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>16</thread> <message>End expire sessions StandardManager processingTime 0
expired sessions: 0</message></record><record> <date>2022-01-
25T12:21:14.483905300Z</date> <millis>1643113274483</millis> <nanos>905300</nanos>
<sequence>1528</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113274483; nextExpiration=1643113274474; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:15.484214500Z</date> <millis>1643113275484</millis> <nanos>214500</nanos>
<sequence>1529</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113275484; nextExpiration=1643113275483; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:16.484443Z</date> <millis>1643113276484</millis> <nanos>443000</nanos>
<sequence>1530</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113276484; nextExpiration=1643113276484; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:17.492177600Z</date> <millis>1643113277492</millis> <nanos>177600</nanos>
<sequence>1531</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113277492; nextExpiration=1643113277484; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:18.506884200Z</date> <millis>1643113278506</millis> <nanos>884200</nanos>
<sequence>1532</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113278506; nextExpiration=1643113278492; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:19.518788200Z</date> <millis>1643113279518</millis> <nanos>788200</nanos>
<sequence>1533</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113279518; nextExpiration=1643113279506; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:20.530881200Z</date> <millis>1643113280530</millis> <nanos>881200</nanos>
<sequence>1534</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113280530; nextExpiration=1643113280518; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:21.537752700Z</date> <millis>1643113281537</millis> <nanos>752700</nanos>

<sequence>1535</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113281537; nextExpiration=1643113281530; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:22.543005500Z</date> <millis>1643113282543</millis> <nanos>5500</nanos>
<sequence>1536</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113282543; nextExpiration=1643113282537; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:23.557366300Z</date> <millis>1643113283557</millis> <nanos>366300</nanos>
<sequence>1537</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113283557; nextExpiration=1643113283543; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:24.565519200Z</date> <millis>1643113284565</millis> <nanos>519200</nanos>
<sequence>1538</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113284565; nextExpiration=1643113284557; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:25.576849400Z</date> <millis>1643113285576</millis> <nanos>849400</nanos>
<sequence>1539</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113285576; nextExpiration=1643113285565; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:26.587047800Z</date> <millis>1643113286587</millis> <nanos>47800</nanos>
<sequence>1540</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113286587; nextExpiration=1643113286576; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:27.597294800Z</date> <millis>1643113287597</millis> <nanos>294800</nanos>
<sequence>1541</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113287597; nextExpiration=1643113287587; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:28.605318100Z</date> <millis>1643113288605</millis> <nanos>318100</nanos>
<sequence>1542</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113288605; nextExpiration=1643113288597; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:29.616342Z</date> <millis>1643113289616</millis> <nanos>342000</nanos>

<sequence>1543</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113289616; nextExpiration=1643113289605; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:30.631738700Z</date> <millis>1643113290631</millis> <nanos>738700</nanos>
<sequence>1544</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113290631; nextExpiration=1643113290616; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:31.641130200Z</date> <millis>1643113291641</millis> <nanos>130200</nanos>
<sequence>1545</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113291641; nextExpiration=1643113291631; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:32.655270100Z</date> <millis>1643113292655</millis> <nanos>270100</nanos>
<sequence>1546</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113292655; nextExpiration=1643113292641; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:33.656893500Z</date> <millis>1643113293656</millis> <nanos>893500</nanos>
<sequence>1547</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113293656; nextExpiration=1643113293655; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:34.669394400Z</date> <millis>1643113294669</millis> <nanos>394400</nanos>
<sequence>1548</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113294669; nextExpiration=1643113294656; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:35.671289900Z</date> <millis>1643113295671</millis> <nanos>289900</nanos>
<sequence>1549</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113295671; nextExpiration=1643113295669; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:36.676287900Z</date> <millis>1643113296676</millis> <nanos>287900</nanos>
<sequence>1550</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113296676; nextExpiration=1643113296671; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:37.685113500Z</date> <millis>1643113297685</millis> <nanos>113500</nanos>

<sequence>1551</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113297685; nextExpiration=1643113297676; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:38.689166700Z</date> <millis>1643113298689</millis> <nanos>166700</nanos>
<sequence>1552</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113298689; nextExpiration=1643113298685; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:39.689179100Z</date> <millis>1643113299689</millis> <nanos>179100</nanos>
<sequence>1553</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113299689; nextExpiration=1643113299689; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:40.695639200Z</date> <millis>1643113300695</millis> <nanos>639200</nanos>
<sequence>1554</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113300695; nextExpiration=1643113300689; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:41.702904700Z</date> <millis>1643113301702</millis> <nanos>904700</nanos>
<sequence>1555</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113301702; nextExpiration=1643113301695; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:42.714004800Z</date> <millis>1643113302714</millis> <nanos>4800</nanos>
<sequence>1556</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113302714; nextExpiration=1643113302702; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:43.720779700Z</date> <millis>1643113303720</millis> <nanos>779700</nanos>
<sequence>1557</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113303720; nextExpiration=1643113303714; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:44.729520600Z</date> <millis>1643113304729</millis> <nanos>520600</nanos>
<sequence>1558</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113304729; nextExpiration=1643113304720; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:45.731470200Z</date> <millis>1643113305731</millis> <nanos>470200</nanos>

<sequence>1559</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113305731; nextExpiration=1643113305729; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:46.736961800Z</date> <millis>1643113306736</millis> <nanos>961800</nanos>
<sequence>1560</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113306736; nextExpiration=1643113306731; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:47.743755900Z</date> <millis>1643113307743</millis> <nanos>755900</nanos>
<sequence>1561</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113307743; nextExpiration=1643113307736; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:48.755567200Z</date> <millis>1643113308755</millis> <nanos>567200</nanos>
<sequence>1562</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113308755; nextExpiration=1643113308743; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:49.763804900Z</date> <millis>1643113309763</millis> <nanos>804900</nanos>
<sequence>1563</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113309763; nextExpiration=1643113309755; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:50.768122300Z</date> <millis>1643113310768</millis> <nanos>122300</nanos>
<sequence>1564</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113310768; nextExpiration=1643113310763; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:51.779728700Z</date> <millis>1643113311779</millis> <nanos>728700</nanos>
<sequence>1565</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113311779; nextExpiration=1643113311768; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:52.788373300Z</date> <millis>1643113312788</millis> <nanos>373300</nanos>
<sequence>1566</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113312788; nextExpiration=1643113312779; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:53.801724900Z</date> <millis>1643113313801</millis> <nanos>724900</nanos>

<sequence>1567</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113313801; nextExpiration=1643113313788; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:54.813668400Z</date> <millis>1643113314813</millis> <nanos>668400</nanos>
<sequence>1568</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113314813; nextExpiration=1643113314801; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:55.818499Z</date> <millis>1643113315818</millis> <nanos>499000</nanos>
<sequence>1569</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113315818; nextExpiration=1643113315813; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:56.823471200Z</date> <millis>1643113316823</millis> <nanos>471200</nanos>
<sequence>1570</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113316823; nextExpiration=1643113316818; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:57.831832400Z</date> <millis>1643113317831</millis> <nanos>832400</nanos>
<sequence>1571</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113317831; nextExpiration=1643113317823; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:58.839140800Z</date> <millis>1643113318839</millis> <nanos>140800</nanos>
<sequence>1572</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113318839; nextExpiration=1643113318831; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:21:59.841970300Z</date> <millis>1643113319841</millis> <nanos>970300</nanos>
<sequence>1573</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113319841; nextExpiration=1643113319839; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:00.843315800Z</date> <millis>1643113320843</millis> <nanos>315800</nanos>
<sequence>1574</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113320843; nextExpiration=1643113320841; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:01.854811400Z</date> <millis>1643113321854</millis> <nanos>811400</nanos>

<sequence>1575</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113321854; nextExpiration=1643113321843; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:02.866389900Z</date> <millis>1643113322866</millis> <nanos>389900</nanos>
<sequence>1576</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113322866; nextExpiration=1643113322854; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:03.879324900Z</date> <millis>1643113323879</millis> <nanos>324900</nanos>
<sequence>1577</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113323879; nextExpiration=1643113323866; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:04.893562900Z</date> <millis>1643113324893</millis> <nanos>562900</nanos>
<sequence>1578</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113324893; nextExpiration=1643113324879; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:05.902095500Z</date> <millis>1643113325902</millis> <nanos>95500</nanos>
<sequence>1579</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113325902; nextExpiration=1643113325893; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:06.903263200Z</date> <millis>1643113326903</millis> <nanos>263200</nanos>
<sequence>1580</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113326903; nextExpiration=1643113326902; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:07.915006500Z</date> <millis>1643113327915</millis> <nanos>6500</nanos>
<sequence>1581</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113327915; nextExpiration=1643113327903; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:08.921747Z</date> <millis>1643113328921</millis> <nanos>747000</nanos>
<sequence>1582</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113328921; nextExpiration=1643113328915; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:09.929341700Z</date> <millis>1643113329929</millis> <nanos>341700</nanos>

<sequence>1583</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113329929; nextExpiration=1643113329921; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:10.940872200Z</date> <millis>1643113330940</millis> <nanos>872200</nanos>
<sequence>1584</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113330940; nextExpiration=1643113330929; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:11.948699900Z</date> <millis>1643113331948</millis> <nanos>699900</nanos>
<sequence>1585</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113331948; nextExpiration=1643113331940; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:12.957045900Z</date> <millis>1643113332957</millis> <nanos>45900</nanos>
<sequence>1586</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113332957; nextExpiration=1643113332948; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:13.971906800Z</date> <millis>1643113333971</millis> <nanos>906800</nanos>
<sequence>1587</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113333971; nextExpiration=1643113333957; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:22:14.513775600Z</date> <millis>1643113334513</millis> <nanos>775600</nanos>
<sequence>1588</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>Start expire sessions
StandardManager at 1643113334513 sessioncount 0</message></record><record> <date>2022-
01-25T12:22:14.513775600Z</date> <millis>1643113334513</millis> <nanos>775600</nanos>
<sequence>1589</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:22:14.982048500Z</date> <millis>1643113334982</millis>
<nanos>48500</nanos> <sequence>1590</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113334982;
nextExpiration=1643113334971; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:15.991949800Z</date>
<millis>1643113335991</millis> <nanos>949800</nanos> <sequence>1591</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>

<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113335991;
nextExpiration=1643113335982; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:16.997786800Z</date>
<millis>1643113336997</millis> <nanos>786800</nanos> <sequence>1592</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113336997;
nextExpiration=1643113336991; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:18.006080300Z</date>
<millis>1643113338006</millis> <nanos>80300</nanos> <sequence>1593</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113338006;
nextExpiration=1643113337997; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:19.012940400Z</date>
<millis>1643113339012</millis> <nanos>940400</nanos> <sequence>1594</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113339012;
nextExpiration=1643113339006; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:20.025394300Z</date>
<millis>1643113340025</millis> <nanos>394300</nanos> <sequence>1595</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113340025;
nextExpiration=1643113340012; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:21.033629200Z</date>
<millis>1643113341033</millis> <nanos>629200</nanos> <sequence>1596</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113341033;
nextExpiration=1643113341025; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:22.040236400Z</date>
<millis>1643113342040</millis> <nanos>236400</nanos> <sequence>1597</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113342040;
nextExpiration=1643113342033; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:23.045992600Z</date>
<millis>1643113343045</millis> <nanos>992600</nanos> <sequence>1598</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113343045;
nextExpiration=1643113343040; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:24.059571400Z</date>
<millis>1643113344059</millis> <nanos>571400</nanos> <sequence>1599</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>

<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113344059;
nextExpiration=1643113344045; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:25.069423100Z</date>
<millis>1643113345069</millis> <nanos>423100</nanos> <sequence>1600</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113345069;
nextExpiration=1643113345059; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:26.079589100Z</date>
<millis>1643113346079</millis> <nanos>589100</nanos> <sequence>1601</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113346079;
nextExpiration=1643113346069; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:27.091925900Z</date>
<millis>1643113347091</millis> <nanos>925900</nanos> <sequence>1602</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113347091;
nextExpiration=1643113347079; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:28.092962100Z</date>
<millis>1643113348092</millis> <nanos>962100</nanos> <sequence>1603</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113348092;
nextExpiration=1643113348091; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:29.103214900Z</date>
<millis>1643113349103</millis> <nanos>214900</nanos> <sequence>1604</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113349103;
nextExpiration=1643113349092; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:30.118817200Z</date>
<millis>1643113350118</millis> <nanos>817200</nanos> <sequence>1605</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113350118;
nextExpiration=1643113350103; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:31.122971Z</date>
<millis>1643113351122</millis> <nanos>971000</nanos> <sequence>1606</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113351122;
nextExpiration=1643113351118; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:32.127780800Z</date>
<millis>1643113352127</millis> <nanos>780800</nanos> <sequence>1607</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>

<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113352127;
nextExpiration=1643113352122; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:33.140891100Z</date>
<millis>1643113353140</millis> <nanos>891100</nanos> <sequence>1608</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113353140;
nextExpiration=1643113353127; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:34.151594400Z</date>
<millis>1643113354151</millis> <nanos>594400</nanos> <sequence>1609</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113354151;
nextExpiration=1643113354140; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:35.163240500Z</date>
<millis>1643113355163</millis> <nanos>240500</nanos> <sequence>1610</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113355163;
nextExpiration=1643113355151; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:36.166585300Z</date>
<millis>1643113356166</millis> <nanos>585300</nanos> <sequence>1611</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113356166;
nextExpiration=1643113356163; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:37.167622Z</date>
<millis>1643113357167</millis> <nanos>622000</nanos> <sequence>1612</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113357167;
nextExpiration=1643113357166; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:38.176478400Z</date>
<millis>1643113358176</millis> <nanos>478400</nanos> <sequence>1613</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113358176;
nextExpiration=1643113358167; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:39.188522600Z</date>
<millis>1643113359188</millis> <nanos>522600</nanos> <sequence>1614</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113359188;
nextExpiration=1643113359176; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:40.201259600Z</date>
<millis>1643113360201</millis> <nanos>259600</nanos> <sequence>1615</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>

<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113360201;
nextExpiration=1643113360188; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:41.201834700Z</date>
<millis>1643113361201</millis> <nanos>834700</nanos> <sequence>1616</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113361201;
nextExpiration=1643113361201; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:42.202588700Z</date>
<millis>1643113362202</millis> <nanos>588700</nanos> <sequence>1617</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113362202;
nextExpiration=1643113362201; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:43.205180700Z</date>
<millis>1643113363205</millis> <nanos>180700</nanos> <sequence>1618</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113363205;
nextExpiration=1643113363202; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:44.218675700Z</date>
<millis>1643113364218</millis> <nanos>675700</nanos> <sequence>1619</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113364218;
nextExpiration=1643113364205; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:45.229764500Z</date>
<millis>1643113365229</millis> <nanos>764500</nanos> <sequence>1620</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113365229;
nextExpiration=1643113365218; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:46.240813200Z</date>
<millis>1643113366240</millis> <nanos>813200</nanos> <sequence>1621</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113366240;
nextExpiration=1643113366229; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:47.242476700Z</date>
<millis>1643113367242</millis> <nanos>476700</nanos> <sequence>1622</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113367242;
nextExpiration=1643113367240; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:48.246933600Z</date>
<millis>1643113368246</millis> <nanos>933600</nanos> <sequence>1623</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>

<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113368246;
nextExpiration=1643113368242; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:49.262304700Z</date>
<millis>1643113369262</millis> <nanos>304700</nanos> <sequence>1624</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113369262;
nextExpiration=1643113369246; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:50.277022500Z</date>
<millis>1643113370277</millis> <nanos>22500</nanos> <sequence>1625</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113370277;
nextExpiration=1643113370262; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:51.285795500Z</date>
<millis>1643113371285</millis> <nanos>795500</nanos> <sequence>1626</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113371285;
nextExpiration=1643113371277; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:52.296648100Z</date>
<millis>1643113372296</millis> <nanos>648100</nanos> <sequence>1627</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113372296;
nextExpiration=1643113372285; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:53.305164400Z</date>
<millis>1643113373305</millis> <nanos>164400</nanos> <sequence>1628</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113373305;
nextExpiration=1643113373296; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:54.311492800Z</date>
<millis>1643113374311</millis> <nanos>492800</nanos> <sequence>1629</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113374311;
nextExpiration=1643113374305; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:55.315242700Z</date>
<millis>1643113375315</millis> <nanos>242700</nanos> <sequence>1630</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113375315;
nextExpiration=1643113375311; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:56.317572800Z</date>
<millis>1643113376317</millis> <nanos>572800</nanos> <sequence>1631</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>

<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113376317;
nextExpiration=1643113376315; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:57.331443600Z</date>
<millis>1643113377331</millis> <nanos>443600</nanos> <sequence>1632</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113377331;
nextExpiration=1643113377317; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:58.333519700Z</date>
<millis>1643113378333</millis> <nanos>519700</nanos> <sequence>1633</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113378333;
nextExpiration=1643113378331; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:22:59.346362300Z</date>
<millis>1643113379346</millis> <nanos>362300</nanos> <sequence>1634</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113379346;
nextExpiration=1643113379333; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:00.361087800Z</date>
<millis>1643113380361</millis> <nanos>87800</nanos> <sequence>1635</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113380361;
nextExpiration=1643113380346; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:01.363902700Z</date>
<millis>1643113381363</millis> <nanos>902700</nanos> <sequence>1636</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113381363;
nextExpiration=1643113381361; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:02.378085500Z</date>
<millis>1643113382378</millis> <nanos>85500</nanos> <sequence>1637</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113382378;
nextExpiration=1643113382363; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:03.389138800Z</date>
<millis>1643113383389</millis> <nanos>138800</nanos> <sequence>1638</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113383389;
nextExpiration=1643113383378; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:04.389849900Z</date>
<millis>1643113384389</millis> <nanos>849900</nanos> <sequence>1639</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>

<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113384389;
nextExpiration=1643113384389; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:05.391031400Z</date>
<millis>1643113385391</millis> <nanos>31400</nanos> <sequence>1640</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113385391;
nextExpiration=1643113385389; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:06.397643900Z</date>
<millis>1643113386397</millis> <nanos>643900</nanos> <sequence>1641</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113386397;
nextExpiration=1643113386391; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:07.406166100Z</date>
<millis>1643113387406</millis> <nanos>166100</nanos> <sequence>1642</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113387406;
nextExpiration=1643113387397; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:08.412213Z</date>
<millis>1643113388412</millis> <nanos>213000</nanos> <sequence>1643</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113388412;
nextExpiration=1643113388406; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:09.421097100Z</date>
<millis>1643113389421</millis> <nanos>97100</nanos> <sequence>1644</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113389421;
nextExpiration=1643113389412; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:10.431117300Z</date>
<millis>1643113390431</millis> <nanos>117300</nanos> <sequence>1645</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113390431;
nextExpiration=1643113390421; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:11.439052300Z</date>
<millis>1643113391439</millis> <nanos>52300</nanos> <sequence>1646</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113391439;
nextExpiration=1643113391431; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:12.448439Z</date>
<millis>1643113392448</millis> <nanos>439000</nanos> <sequence>1647</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>

<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113392448;
nextExpiration=1643113392439; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:13.462823800Z</date>
<millis>1643113393462</millis> <nanos>823800</nanos> <sequence>1648</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113393462;
nextExpiration=1643113393448; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:14.470308200Z</date>
<millis>1643113394470</millis> <nanos>308200</nanos> <sequence>1649</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113394470;
nextExpiration=1643113394462; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:14.563172100Z</date>
<millis>1643113394563</millis> <nanos>172100</nanos> <sequence>1650</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>16</thread> <message>Start expire sessions StandardManager at 1643113394563
sessioncount 0</message></record><record> <date>2022-01-25T12:23:14.563172100Z</date>
<millis>1643113394563</millis> <nanos>172100</nanos> <sequence>1651</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>16</thread> <message>End expire sessions StandardManager processingTime 0
expired sessions: 0</message></record><record> <date>2022-01-25T12:23:15.481080Z</date>
<millis>1643113395481</millis> <nanos>80000</nanos> <sequence>1652</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113395481;
nextExpiration=1643113395470; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:16.489206300Z</date>
<millis>1643113396489</millis> <nanos>206300</nanos> <sequence>1653</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113396489;
nextExpiration=1643113396481; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:17.503140600Z</date>
<millis>1643113397503</millis> <nanos>140600</nanos> <sequence>1654</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113397503;
nextExpiration=1643113397489; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:18.514134400Z</date>
<millis>1643113398514</millis> <nanos>134400</nanos> <sequence>1655</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113398514;

nextExpiration=1643113398503; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:19.521943400Z</date>
<millis>1643113399521</millis> <nanos>943400</nanos> <sequence>1656</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113399521;
nextExpiration=1643113399514; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:20.527369100Z</date>
<millis>1643113400527</millis> <nanos>369100</nanos> <sequence>1657</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113400527;
nextExpiration=1643113400521; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:21.541825700Z</date>
<millis>1643113401541</millis> <nanos>825700</nanos> <sequence>1658</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113401541;
nextExpiration=1643113401527; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:22.552562900Z</date>
<millis>1643113402552</millis> <nanos>562900</nanos> <sequence>1659</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113402552;
nextExpiration=1643113402541; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:23.566269600Z</date>
<millis>1643113403566</millis> <nanos>269600</nanos> <sequence>1660</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113403566;
nextExpiration=1643113403552; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:24.574507100Z</date>
<millis>1643113404574</millis> <nanos>507100</nanos> <sequence>1661</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113404574;
nextExpiration=1643113404566; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:25.584511200Z</date>
<millis>1643113405584</millis> <nanos>511200</nanos> <sequence>1662</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113405584;
nextExpiration=1643113405574; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:26.593517900Z</date>
<millis>1643113406593</millis> <nanos>517900</nanos> <sequence>1663</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113406593;

nextExpiration=1643113406584; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:27.605479100Z</date>
<millis>1643113407605</millis> <nanos>479100</nanos> <sequence>1664</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113407605;
nextExpiration=1643113407593; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:28.619086300Z</date>
<millis>1643113408619</millis> <nanos>86300</nanos> <sequence>1665</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113408619;
nextExpiration=1643113408605; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:29.628107600Z</date>
<millis>1643113409628</millis> <nanos>107600</nanos> <sequence>1666</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113409628;
nextExpiration=1643113409619; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:30.628224700Z</date>
<millis>1643113410628</millis> <nanos>224700</nanos> <sequence>1667</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113410628;
nextExpiration=1643113410628; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:31.636140400Z</date>
<millis>1643113411636</millis> <nanos>140400</nanos> <sequence>1668</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113411636;
nextExpiration=1643113411628; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:32.641284400Z</date>
<millis>1643113412641</millis> <nanos>284400</nanos> <sequence>1669</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113412641;
nextExpiration=1643113412636; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:33.650421200Z</date>
<millis>1643113413650</millis> <nanos>421200</nanos> <sequence>1670</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113413650;
nextExpiration=1643113413641; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:34.655189800Z</date>
<millis>1643113414655</millis> <nanos>189800</nanos> <sequence>1671</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113414655;

nextExpiration=1643113414650; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:35.664261700Z</date>
<millis>1643113415664</millis> <nanos>261700</nanos> <sequence>1672</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113415664;
nextExpiration=1643113415655; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:36.678257500Z</date>
<millis>1643113416678</millis> <nanos>257500</nanos> <sequence>1673</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113416678;
nextExpiration=1643113416664; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:37.683116600Z</date>
<millis>1643113417683</millis> <nanos>116600</nanos> <sequence>1674</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113417683;
nextExpiration=1643113417678; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:38.691532500Z</date>
<millis>1643113418691</millis> <nanos>532500</nanos> <sequence>1675</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113418691;
nextExpiration=1643113418683; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:39.699805700Z</date>
<millis>1643113419699</millis> <nanos>805700</nanos> <sequence>1676</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113419699;
nextExpiration=1643113419691; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:40.703905300Z</date>
<millis>1643113420703</millis> <nanos>905300</nanos> <sequence>1677</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113420703;
nextExpiration=1643113420699; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:41.718620200Z</date>
<millis>1643113421718</millis> <nanos>620200</nanos> <sequence>1678</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113421718;
nextExpiration=1643113421703; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:42.720032700Z</date>
<millis>1643113422720</millis> <nanos>32700</nanos> <sequence>1679</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113422720;

nextExpiration=1643113422718; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:43.730688500Z</date>
<millis>1643113423730</millis> <nanos>688500</nanos> <sequence>1680</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113423730;
nextExpiration=1643113423720; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:44.739224600Z</date>
<millis>1643113424739</millis> <nanos>224600</nanos> <sequence>1681</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113424739;
nextExpiration=1643113424730; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:45.750874100Z</date>
<millis>1643113425750</millis> <nanos>874100</nanos> <sequence>1682</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113425750;
nextExpiration=1643113425739; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:46.751477300Z</date>
<millis>1643113426751</millis> <nanos>477300</nanos> <sequence>1683</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113426751;
nextExpiration=1643113426750; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:47.756522500Z</date>
<millis>1643113427756</millis> <nanos>522500</nanos> <sequence>1684</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113427756;
nextExpiration=1643113427751; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:48.764818700Z</date>
<millis>1643113428764</millis> <nanos>818700</nanos> <sequence>1685</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113428764;
nextExpiration=1643113428756; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:49.764901800Z</date>
<millis>1643113429764</millis> <nanos>901800</nanos> <sequence>1686</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113429764;
nextExpiration=1643113429764; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:50.779691200Z</date>
<millis>1643113430779</millis> <nanos>691200</nanos> <sequence>1687</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113430779;

nextExpiration=1643113430764; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:51.792764100Z</date>
<millis>1643113431792</millis> <nanos>764100</nanos> <sequence>1688</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113431792;
nextExpiration=1643113431779; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:52.807826900Z</date>
<millis>1643113432807</millis> <nanos>826900</nanos> <sequence>1689</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113432807;
nextExpiration=1643113432792; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:53.822490300Z</date>
<millis>1643113433822</millis> <nanos>490300</nanos> <sequence>1690</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113433822;
nextExpiration=1643113433807; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:54.836223100Z</date>
<millis>1643113434836</millis> <nanos>223100</nanos> <sequence>1691</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113434836;
nextExpiration=1643113434822; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:55.851346400Z</date>
<millis>1643113435851</millis> <nanos>346400</nanos> <sequence>1692</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113435851;
nextExpiration=1643113435836; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:56.851410600Z</date>
<millis>1643113436851</millis> <nanos>410600</nanos> <sequence>1693</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113436851;
nextExpiration=1643113436851; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:57.864220100Z</date>
<millis>1643113437864</millis> <nanos>220100</nanos> <sequence>1694</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113437864;
nextExpiration=1643113437851; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:58.869703900Z</date>
<millis>1643113438869</millis> <nanos>703900</nanos> <sequence>1695</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113438869;

nextExpiration=1643113438864; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:23:59.873453700Z</date>
<millis>1643113439873</millis> <nanos>453700</nanos> <sequence>1696</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113439873;
nextExpiration=1643113439869; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:00.885694100Z</date>
<millis>1643113440885</millis> <nanos>694100</nanos> <sequence>1697</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113440885;
nextExpiration=1643113440873; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:01.896328500Z</date>
<millis>1643113441896</millis> <nanos>328500</nanos> <sequence>1698</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113441896;
nextExpiration=1643113441885; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:02.911036700Z</date>
<millis>1643113442911</millis> <nanos>36700</nanos> <sequence>1699</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113442911;
nextExpiration=1643113442896; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:03.913126700Z</date>
<millis>1643113443913</millis> <nanos>126700</nanos> <sequence>1700</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113443913;
nextExpiration=1643113443911; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:04.918292400Z</date>
<millis>1643113444918</millis> <nanos>292400</nanos> <sequence>1701</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113444918;
nextExpiration=1643113444913; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:05.918984500Z</date>
<millis>1643113445918</millis> <nanos>984500</nanos> <sequence>1702</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113445918;
nextExpiration=1643113445918; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:06.923668100Z</date>
<millis>1643113446923</millis> <nanos>668100</nanos> <sequence>1703</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113446922;

nextExpiration=1643113446918; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:07.933196100Z</date>
<millis>1643113447933</millis> <nanos>196100</nanos> <sequence>1704</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113447933;
nextExpiration=1643113447922; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:08.935339300Z</date>
<millis>1643113448935</millis> <nanos>339300</nanos> <sequence>1705</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113448935;
nextExpiration=1643113448933; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:09.935958700Z</date>
<millis>1643113449935</millis> <nanos>958700</nanos> <sequence>1706</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113449935;
nextExpiration=1643113449935; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:10.942431Z</date>
<millis>1643113450942</millis> <nanos>431000</nanos> <sequence>1707</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113450942;
nextExpiration=1643113450935; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:11.949486400Z</date>
<millis>1643113451949</millis> <nanos>486400</nanos> <sequence>1708</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113451949;
nextExpiration=1643113451942; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:12.950623900Z</date>
<millis>1643113452950</millis> <nanos>623900</nanos> <sequence>1709</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113452950;
nextExpiration=1643113452949; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:13.951956500Z</date>
<millis>1643113453951</millis> <nanos>956500</nanos> <sequence>1710</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113453951;
nextExpiration=1643113453950; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:24:14.601066600Z</date>
<millis>1643113454601</millis> <nanos>66600</nanos> <sequence>1711</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>17</thread> <message>Start expire sessions StandardManager at 1643113454601

sessioncount 0</message></record><record> <date>2022-01-25T12:24:14.601066600Z</date>
<millis>1643113454601</millis> <nanos>66600</nanos> <sequence>1712</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>17</thread> <message>End expire sessions StandardManager processingTime 0
expired sessions: 0</message></record><record> <date>2022-01-
25T12:24:14.962867500Z</date> <millis>1643113454962</millis> <nanos>867500</nanos>
<sequence>1713</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113454962; nextExpiration=1643113454951; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:15.963990400Z</date> <millis>1643113455963</millis> <nanos>990400</nanos>
<sequence>1714</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113455963; nextExpiration=1643113455962; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:16.976672100Z</date> <millis>1643113456976</millis> <nanos>672100</nanos>
<sequence>1715</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113456976; nextExpiration=1643113456963; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:17.980824800Z</date> <millis>1643113457980</millis> <nanos>824800</nanos>
<sequence>1716</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113457980; nextExpiration=1643113457976; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:18.991295Z</date> <millis>1643113458991</millis> <nanos>295000</nanos>
<sequence>1717</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113458991; nextExpiration=1643113458980; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:19.998445700Z</date> <millis>1643113459998</millis> <nanos>445700</nanos>
<sequence>1718</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113459998; nextExpiration=1643113459991; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:21.011837100Z</date> <millis>1643113461011</millis> <nanos>837100</nanos>
<sequence>1719</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113461011; nextExpiration=1643113460998; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:24:22.025452Z</date> <millis>1643113462025</millis> <nanos>452000</nanos>
<sequence>1720</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113462025; nextExpiration=1643113462011; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:23.030080100Z</date> <millis>1643113463030</millis> <nanos>80100</nanos>
<sequence>1721</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113463030; nextExpiration=1643113463025; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:24.043448600Z</date> <millis>1643113464043</millis> <nanos>448600</nanos>
<sequence>1722</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113464043; nextExpiration=1643113464030; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:25.057605600Z</date> <millis>1643113465057</millis> <nanos>605600</nanos>
<sequence>1723</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113465057; nextExpiration=1643113465043; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:26.071960500Z</date> <millis>1643113466071</millis> <nanos>960500</nanos>
<sequence>1724</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113466071; nextExpiration=1643113466057; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:27.075033800Z</date> <millis>1643113467075</millis> <nanos>33800</nanos>
<sequence>1725</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113467075; nextExpiration=1643113467071; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:28.086203Z</date> <millis>1643113468086</millis> <nanos>203000</nanos>
<sequence>1726</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113468086; nextExpiration=1643113468075; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:29.098803400Z</date> <millis>1643113469098</millis> <nanos>803400</nanos>
<sequence>1727</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113469098; nextExpiration=1643113469086; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:24:30.110376200Z</date> <millis>1643113470110</millis> <nanos>376200</nanos>
<sequence>1728</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113470110; nextExpiration=1643113470098; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:31.114797500Z</date> <millis>1643113471114</millis> <nanos>797500</nanos>
<sequence>1729</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113471114; nextExpiration=1643113471110; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:32.125131600Z</date> <millis>1643113472125</millis> <nanos>131600</nanos>
<sequence>1730</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113472125; nextExpiration=1643113472114; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:33.129832300Z</date> <millis>1643113473129</millis> <nanos>832300</nanos>
<sequence>1731</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113473129; nextExpiration=1643113473125; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:34.132866400Z</date> <millis>1643113474132</millis> <nanos>866400</nanos>
<sequence>1732</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113474132; nextExpiration=1643113474129; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:35.146985700Z</date> <millis>1643113475146</millis> <nanos>985700</nanos>
<sequence>1733</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113475146; nextExpiration=1643113475132; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:36.156309600Z</date> <millis>1643113476156</millis> <nanos>309600</nanos>
<sequence>1734</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113476156; nextExpiration=1643113476146; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:37.159443300Z</date> <millis>1643113477159</millis> <nanos>443300</nanos>
<sequence>1735</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113477159; nextExpiration=1643113477156; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:24:38.174223300Z</date> <millis>1643113478174</millis> <nanos>223300</nanos>
<sequence>1736</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113478174; nextExpiration=1643113478159; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:39.180119700Z</date> <millis>1643113479180</millis> <nanos>119700</nanos>
<sequence>1737</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113479180; nextExpiration=1643113479174; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:40.180373800Z</date> <millis>1643113480180</millis> <nanos>373800</nanos>
<sequence>1738</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113480180; nextExpiration=1643113480180; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:41.195059500Z</date> <millis>1643113481195</millis> <nanos>59500</nanos>
<sequence>1739</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113481195; nextExpiration=1643113481180; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:42.208613200Z</date> <millis>1643113482208</millis> <nanos>613200</nanos>
<sequence>1740</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113482208; nextExpiration=1643113482195; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:43.221252Z</date> <millis>1643113483221</millis> <nanos>252000</nanos>
<sequence>1741</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113483221; nextExpiration=1643113483208; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:44.234508Z</date> <millis>1643113484234</millis> <nanos>508000</nanos>
<sequence>1742</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113484234; nextExpiration=1643113484221; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:45.244444600Z</date> <millis>1643113485244</millis> <nanos>444600</nanos>
<sequence>1743</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113485244; nextExpiration=1643113485234; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:24:46.254434Z</date> <millis>1643113486254</millis> <nanos>434000</nanos>
<sequence>1744</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113486254; nextExpiration=1643113486244; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:47.257161300Z</date> <millis>1643113487257</millis> <nanos>161300</nanos>
<sequence>1745</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113487257; nextExpiration=1643113487254; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:48.262099300Z</date> <millis>1643113488262</millis> <nanos>99300</nanos>
<sequence>1746</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113488262; nextExpiration=1643113488257; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:49.273143200Z</date> <millis>1643113489273</millis> <nanos>143200</nanos>
<sequence>1747</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113489273; nextExpiration=1643113489262; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:50.284126700Z</date> <millis>1643113490284</millis> <nanos>126700</nanos>
<sequence>1748</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113490284; nextExpiration=1643113490273; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:51.289574200Z</date> <millis>1643113491289</millis> <nanos>574200</nanos>
<sequence>1749</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113491289; nextExpiration=1643113491284; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:52.303589600Z</date> <millis>1643113492303</millis> <nanos>589600</nanos>
<sequence>1750</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113492303; nextExpiration=1643113492289; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:53.304333400Z</date> <millis>1643113493304</millis> <nanos>333400</nanos>
<sequence>1751</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113493304; nextExpiration=1643113493303; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:24:54.308216700Z</date> <millis>1643113494308</millis> <nanos>216700</nanos>
<sequence>1752</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113494308; nextExpiration=1643113494304; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:55.323109400Z</date> <millis>1643113495323</millis> <nanos>109400</nanos>
<sequence>1753</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113495323; nextExpiration=1643113495308; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:56.323676500Z</date> <millis>1643113496323</millis> <nanos>676500</nanos>
<sequence>1754</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113496323; nextExpiration=1643113496323; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:57.338138500Z</date> <millis>1643113497338</millis> <nanos>138500</nanos>
<sequence>1755</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113497338; nextExpiration=1643113497323; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:58.351353200Z</date> <millis>1643113498351</millis> <nanos>353200</nanos>
<sequence>1756</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113498351; nextExpiration=1643113498338; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:24:59.354405300Z</date> <millis>1643113499354</millis> <nanos>405300</nanos>
<sequence>1757</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113499354; nextExpiration=1643113499351; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:00.358565400Z</date> <millis>1643113500358</millis> <nanos>565400</nanos>
<sequence>1758</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113500358; nextExpiration=1643113500354; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:01.362109900Z</date> <millis>1643113501362</millis> <nanos>109900</nanos>
<sequence>1759</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113501362; nextExpiration=1643113501358; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:25:02.362700300Z</date> <millis>1643113502362</millis> <nanos>700300</nanos>
<sequence>1760</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113502362; nextExpiration=1643113502362; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:03.367547300Z</date> <millis>1643113503367</millis> <nanos>547300</nanos>
<sequence>1761</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113503367; nextExpiration=1643113503362; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:04.376017700Z</date> <millis>1643113504376</millis> <nanos>17700</nanos>
<sequence>1762</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113504376; nextExpiration=1643113504367; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:05.379525300Z</date> <millis>1643113505379</millis> <nanos>525300</nanos>
<sequence>1763</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113505379; nextExpiration=1643113505376; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:06.383997Z</date> <millis>1643113506383</millis> <nanos>997000</nanos>
<sequence>1764</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113506383; nextExpiration=1643113506379; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:07.398690500Z</date> <millis>1643113507398</millis> <nanos>690500</nanos>
<sequence>1765</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113507398; nextExpiration=1643113507383; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:08.409297500Z</date> <millis>1643113508409</millis> <nanos>297500</nanos>
<sequence>1766</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113508409; nextExpiration=1643113508398; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:09.420442800Z</date> <millis>1643113509420</millis> <nanos>442800</nanos>
<sequence>1767</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113509420; nextExpiration=1643113509409; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:25:10.428725400Z</date> <millis>1643113510428</millis> <nanos>725400</nanos>
<sequence>1768</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113510428; nextExpiration=1643113510420; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:11.434053600Z</date> <millis>1643113511434</millis> <nanos>53600</nanos>
<sequence>1769</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113511434; nextExpiration=1643113511428; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:12.447807100Z</date> <millis>1643113512447</millis> <nanos>807100</nanos>
<sequence>1770</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113512447; nextExpiration=1643113512434; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:13.455902100Z</date> <millis>1643113513455</millis> <nanos>902100</nanos>
<sequence>1771</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113513455; nextExpiration=1643113513447; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:14.464848100Z</date> <millis>1643113514464</millis> <nanos>848100</nanos>
<sequence>1772</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113514464; nextExpiration=1643113514455; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:25:14.653769700Z</date> <millis>1643113514653</millis> <nanos>769700</nanos>
<sequence>1773</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>Start expire sessions
StandardManager at 1643113514653 sessioncount 0</message></record><record> <date>2022-
01-25T12:25:14.653769700Z</date> <millis>1643113514653</millis> <nanos>769700</nanos>
<sequence>1774</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:25:15.471098300Z</date> <millis>1643113515471</millis>
<nanos>98300</nanos> <sequence>1775</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113515471;
nextExpiration=1643113515464; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:16.484029300Z</date>
<millis>1643113516484</millis> <nanos>29300</nanos> <sequence>1776</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113516484;
nextExpiration=1643113516471; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:17.495853800Z</date>
<millis>1643113517495</millis> <nanos>853800</nanos> <sequence>1777</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113517495;
nextExpiration=1643113517484; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:18.498550700Z</date>
<millis>1643113518498</millis> <nanos>550700</nanos> <sequence>1778</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113518498;
nextExpiration=1643113518495; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:19.505433600Z</date>
<millis>1643113519505</millis> <nanos>433600</nanos> <sequence>1779</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113519505;
nextExpiration=1643113519498; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:20.508799800Z</date>
<millis>1643113520508</millis> <nanos>799800</nanos> <sequence>1780</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113520508;
nextExpiration=1643113520505; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:21.519895100Z</date>
<millis>1643113521519</millis> <nanos>895100</nanos> <sequence>1781</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113521519;
nextExpiration=1643113521508; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:22.521964600Z</date>
<millis>1643113522521</millis> <nanos>964600</nanos> <sequence>1782</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113522521;
nextExpiration=1643113522519; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:23.522924200Z</date>
<millis>1643113523522</millis> <nanos>924200</nanos> <sequence>1783</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113523522;
nextExpiration=1643113523521; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:24.524911800Z</date>
<millis>1643113524524</millis> <nanos>911800</nanos> <sequence>1784</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113524524;
nextExpiration=1643113524522; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:25.538387300Z</date>
<millis>1643113525538</millis> <nanos>387300</nanos> <sequence>1785</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113525538;
nextExpiration=1643113525524; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:26.548242500Z</date>
<millis>1643113526548</millis> <nanos>242500</nanos> <sequence>1786</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113526548;
nextExpiration=1643113526538; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:27.553200Z</date>
<millis>1643113527553</millis> <nanos>200000</nanos> <sequence>1787</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113527553;
nextExpiration=1643113527548; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:28.555959Z</date>
<millis>1643113528555</millis> <nanos>959000</nanos> <sequence>1788</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113528555;
nextExpiration=1643113528553; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:29.567899900Z</date>
<millis>1643113529567</millis> <nanos>899900</nanos> <sequence>1789</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113529567;
nextExpiration=1643113529555; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:30.568135600Z</date>
<millis>1643113530568</millis> <nanos>135600</nanos> <sequence>1790</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113530568;
nextExpiration=1643113530567; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:31.572182600Z</date>
<millis>1643113531572</millis> <nanos>182600</nanos> <sequence>1791</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113531572;
nextExpiration=1643113531568; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:32.582113400Z</date>
<millis>1643113532582</millis> <nanos>113400</nanos> <sequence>1792</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113532582;
nextExpiration=1643113532572; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:33.592767600Z</date>
<millis>1643113533592</millis> <nanos>767600</nanos> <sequence>1793</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113533592;
nextExpiration=1643113533582; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:34.596691100Z</date>
<millis>1643113534596</millis> <nanos>691100</nanos> <sequence>1794</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113534596;
nextExpiration=1643113534592; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:35.602138Z</date>
<millis>1643113535602</millis> <nanos>138000</nanos> <sequence>1795</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113535602;
nextExpiration=1643113535596; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:36.610234800Z</date>
<millis>1643113536610</millis> <nanos>234800</nanos> <sequence>1796</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113536610;
nextExpiration=1643113536602; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:37.613577500Z</date>
<millis>1643113537613</millis> <nanos>577500</nanos> <sequence>1797</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113537613;
nextExpiration=1643113537610; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:38.626710900Z</date>
<millis>1643113538626</millis> <nanos>710900</nanos> <sequence>1798</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113538626;
nextExpiration=1643113538613; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:39.638004Z</date>
<millis>1643113539638</millis> <nanos>4000</nanos> <sequence>1799</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113539638;
nextExpiration=1643113539626; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:40.646438600Z</date>
<millis>1643113540646</millis> <nanos>438600</nanos> <sequence>1800</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113540646;
nextExpiration=1643113540638; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:41.661674Z</date>
<millis>1643113541661</millis> <nanos>674000</nanos> <sequence>1801</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113541661;
nextExpiration=1643113541646; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:42.669575700Z</date>
<millis>1643113542669</millis> <nanos>575700</nanos> <sequence>1802</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113542669;
nextExpiration=1643113542661; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:43.677043200Z</date>
<millis>1643113543677</millis> <nanos>43200</nanos> <sequence>1803</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113543677;
nextExpiration=1643113543669; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:44.678326400Z</date>
<millis>1643113544678</millis> <nanos>326400</nanos> <sequence>1804</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113544678;
nextExpiration=1643113544677; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:45.687403500Z</date>
<millis>1643113545687</millis> <nanos>403500</nanos> <sequence>1805</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113545687;
nextExpiration=1643113545678; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:46.688365100Z</date>
<millis>1643113546688</millis> <nanos>365100</nanos> <sequence>1806</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113546688;
nextExpiration=1643113546687; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:47.704556700Z</date>
<millis>1643113547704</millis> <nanos>556700</nanos> <sequence>1807</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113547704;
nextExpiration=1643113547688; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:48.713611Z</date>
<millis>1643113548713</millis> <nanos>611000</nanos> <sequence>1808</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113548713;
nextExpiration=1643113548704; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:49.725468Z</date>
<millis>1643113549725</millis> <nanos>468000</nanos> <sequence>1809</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113549725;
nextExpiration=1643113549713; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:50.739924100Z</date>
<millis>1643113550739</millis> <nanos>924100</nanos> <sequence>1810</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113550739;
nextExpiration=1643113550725; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:51.740396900Z</date>
<millis>1643113551740</millis> <nanos>396900</nanos> <sequence>1811</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113551740;
nextExpiration=1643113551739; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:52.754502600Z</date>
<millis>1643113552754</millis> <nanos>502600</nanos> <sequence>1812</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113552754;
nextExpiration=1643113552740; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:53.769208800Z</date>
<millis>1643113553769</millis> <nanos>208800</nanos> <sequence>1813</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113553769;
nextExpiration=1643113553754; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:54.773766100Z</date>
<millis>1643113554773</millis> <nanos>766100</nanos> <sequence>1814</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113554773;
nextExpiration=1643113554769; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:55.788355Z</date>
<millis>1643113555788</millis> <nanos>355000</nanos> <sequence>1815</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113555788;
nextExpiration=1643113555773; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:56.791181500Z</date>
<millis>1643113556791</millis> <nanos>181500</nanos> <sequence>1816</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113556791;
nextExpiration=1643113556788; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:57.796584700Z</date>
<millis>1643113557796</millis> <nanos>584700</nanos> <sequence>1817</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113557796;
nextExpiration=1643113557791; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:58.809431800Z</date>
<millis>1643113558809</millis> <nanos>431800</nanos> <sequence>1818</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113558809;
nextExpiration=1643113558796; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:25:59.822000800Z</date>
<millis>1643113559822</millis> <nanos>800</nanos> <sequence>1819</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113559822;
nextExpiration=1643113559809; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:00.831283700Z</date>
<millis>1643113560831</millis> <nanos>283700</nanos> <sequence>1820</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113560831;
nextExpiration=1643113560822; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:01.835999400Z</date>
<millis>1643113561835</millis> <nanos>999400</nanos> <sequence>1821</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113561835;
nextExpiration=1643113561831; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:02.849132900Z</date>
<millis>1643113562849</millis> <nanos>132900</nanos> <sequence>1822</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113562849;
nextExpiration=1643113562835; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:03.859398900Z</date>
<millis>1643113563859</millis> <nanos>398900</nanos> <sequence>1823</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113563859;
nextExpiration=1643113563849; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:04.865992700Z</date>
<millis>1643113564865</millis> <nanos>992700</nanos> <sequence>1824</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113564865;
nextExpiration=1643113564859; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:05.878357800Z</date>
<millis>1643113565878</millis> <nanos>357800</nanos> <sequence>1825</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113565878;
nextExpiration=1643113565865; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:06.890718400Z</date>
<millis>1643113566890</millis> <nanos>718400</nanos> <sequence>1826</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113566890;
nextExpiration=1643113566878; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:07.898682700Z</date>
<millis>1643113567898</millis> <nanos>682700</nanos> <sequence>1827</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113567898;
nextExpiration=1643113567890; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:08.906330800Z</date>
<millis>1643113568906</millis> <nanos>330800</nanos> <sequence>1828</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113568906;
nextExpiration=1643113568898; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:09.921199700Z</date>
<millis>1643113569921</millis> <nanos>199700</nanos> <sequence>1829</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113569921;
nextExpiration=1643113569906; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:10.922274300Z</date>
<millis>1643113570922</millis> <nanos>274300</nanos> <sequence>1830</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113570922;
nextExpiration=1643113570921; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:11.932286800Z</date>
<millis>1643113571932</millis> <nanos>286800</nanos> <sequence>1831</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113571932;
nextExpiration=1643113571922; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:12.932816800Z</date>
<millis>1643113572932</millis> <nanos>816800</nanos> <sequence>1832</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113572932;
nextExpiration=1643113572932; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:13.947780300Z</date>
<millis>1643113573947</millis> <nanos>780300</nanos> <sequence>1833</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113573947;
nextExpiration=1643113573932; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:26:14.713043900Z</date>
<millis>1643113574713</millis> <nanos>43900</nanos> <sequence>1834</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>17</thread> <message>Start expire sessions StandardManager at 1643113574713
sessioncount 0</message></record><record> <date>2022-01-25T12:26:14.713043900Z</date>
<millis>1643113574713</millis> <nanos>43900</nanos> <sequence>1835</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>17</thread> <message>End expire sessions StandardManager processingTime 0
expired sessions: 0</message></record><record> <date>2022-01-
25T12:26:14.948591500Z</date> <millis>1643113574948</millis> <nanos>591500</nanos>
<sequence>1836</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113574948; nextExpiration=1643113574947; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:26:15.958680900Z</date> <millis>1643113575958</millis> <nanos>680900</nanos>
<sequence>1837</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113575958; nextExpiration=1643113575948; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:26:16.97222700Z</date> <millis>1643113576972</millis> <nanos>222700</nanos>
<sequence>1838</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113576972; nextExpiration=1643113576958; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:26:17.976180200Z</date> <millis>1643113577976</millis> <nanos>180200</nanos>
<sequence>1839</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113577976; nextExpiration=1643113577972; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:26:18.984986800Z</date> <millis>1643113578984</millis> <nanos>986800</nanos>
<sequence>1840</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113578984; nextExpiration=1643113578976; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:19.987172500Z</date> <millis>1643113579987</millis> <nanos>172500</nanos> <sequence>1841</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113579987; nextExpiration=1643113579984; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:20.999282200Z</date> <millis>1643113580999</millis> <nanos>282200</nanos> <sequence>1842</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113580999; nextExpiration=1643113580987; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:22.009893500Z</date> <millis>1643113582009</millis> <nanos>893500</nanos> <sequence>1843</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113582009; nextExpiration=1643113581999; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:23.027698300Z</date> <millis>1643113583027</millis> <nanos>698300</nanos> <sequence>1844</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113583027; nextExpiration=1643113583009; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:24.033347700Z</date> <millis>1643113584033</millis> <nanos>347700</nanos> <sequence>1845</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113584033; nextExpiration=1643113584027; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:25.043511900Z</date> <millis>1643113585043</millis> <nanos>511900</nanos> <sequence>1846</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113585043; nextExpiration=1643113585033; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:26.055894800Z</date> <millis>1643113586055</millis> <nanos>894800</nanos> <sequence>1847</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113586055; nextExpiration=1643113586043; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:27.068117900Z</date> <millis>1643113587068</millis> <nanos>117900</nanos> <sequence>1848</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113587068; nextExpiration=1643113587055; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:28.077554100Z</date> <millis>1643113588077</millis> <nanos>554100</nanos> <sequence>1849</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113588077; nextExpiration=1643113588068; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:29.086619100Z</date> <millis>1643113589086</millis> <nanos>619100</nanos> <sequence>1850</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113589086; nextExpiration=1643113589077; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:30.095038700Z</date> <millis>1643113590095</millis> <nanos>38700</nanos> <sequence>1851</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113590095; nextExpiration=1643113590086; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:31.099800600Z</date> <millis>1643113591099</millis> <nanos>800600</nanos> <sequence>1852</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113591099; nextExpiration=1643113591095; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:32.109114700Z</date> <millis>1643113592109</millis> <nanos>114700</nanos> <sequence>1853</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113592109; nextExpiration=1643113592099; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:33.124085600Z</date> <millis>1643113593124</millis> <nanos>85600</nanos> <sequence>1854</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113593124; nextExpiration=1643113593109; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:34.138886900Z</date> <millis>1643113594138</millis> <nanos>886900</nanos> <sequence>1855</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113594138; nextExpiration=1643113594124; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:35.148683700Z</date> <millis>1643113595148</millis> <nanos>683700</nanos> <sequence>1856</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113595148; nextExpiration=1643113595138; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:36.162277500Z</date> <millis>1643113596162</millis> <nanos>277500</nanos> <sequence>1857</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113596162; nextExpiration=1643113596148; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:37.174755700Z</date> <millis>1643113597174</millis> <nanos>755700</nanos> <sequence>1858</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113597174; nextExpiration=1643113597162; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:38.187222600Z</date> <millis>1643113598187</millis> <nanos>222600</nanos> <sequence>1859</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113598187; nextExpiration=1643113598174; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:39.191289200Z</date> <millis>1643113599191</millis> <nanos>289200</nanos> <sequence>1860</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113599191; nextExpiration=1643113599187; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:40.203865300Z</date> <millis>1643113600203</millis> <nanos>865300</nanos> <sequence>1861</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113600203; nextExpiration=1643113600191; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:41.211859500Z</date> <millis>1643113601211</millis> <nanos>859500</nanos> <sequence>1862</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113601211; nextExpiration=1643113601203; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:42.216995500Z</date> <millis>1643113602216</millis> <nanos>995500</nanos> <sequence>1863</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113602216; nextExpiration=1643113602211; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:43.230747700Z</date> <millis>1643113603230</millis> <nanos>747700</nanos> <sequence>1864</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113603230; nextExpiration=1643113603216; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:44.246304700Z</date> <millis>1643113604246</millis> <nanos>304700</nanos> <sequence>1865</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113604246; nextExpiration=1643113604230; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:45.255487500Z</date> <millis>1643113605255</millis> <nanos>487500</nanos> <sequence>1866</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113605255; nextExpiration=1643113605246; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:46.260867900Z</date> <millis>1643113606260</millis> <nanos>867900</nanos> <sequence>1867</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113606260; nextExpiration=1643113606255; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:47.267703500Z</date> <millis>1643113607267</millis> <nanos>703500</nanos> <sequence>1868</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113607267; nextExpiration=1643113607260; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:48.273630100Z</date> <millis>1643113608273</millis> <nanos>630100</nanos> <sequence>1869</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113608273; nextExpiration=1643113608267; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:49.284723300Z</date> <millis>1643113609284</millis> <nanos>723300</nanos> <sequence>1870</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113609284; nextExpiration=1643113609273; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:50.294922500Z</date> <millis>1643113610294</millis> <nanos>922500</nanos> <sequence>1871</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113610294; nextExpiration=1643113610284; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:51.308218200Z</date> <millis>1643113611308</millis> <nanos>218200</nanos> <sequence>1872</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113611308; nextExpiration=1643113611294; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:52.322533800Z</date> <millis>1643113612322</millis> <nanos>533800</nanos> <sequence>1873</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113612322; nextExpiration=1643113612308; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:53.337891800Z</date> <millis>1643113613337</millis> <nanos>891800</nanos> <sequence>1874</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113613337; nextExpiration=1643113613322; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:54.348922800Z</date> <millis>1643113614348</millis> <nanos>922800</nanos> <sequence>1875</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113614348; nextExpiration=1643113614337; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:55.359688900Z</date> <millis>1643113615359</millis> <nanos>688900</nanos> <sequence>1876</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113615359; nextExpiration=1643113615348; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:56.374910400Z</date> <millis>1643113616374</millis> <nanos>910400</nanos> <sequence>1877</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113616374; nextExpiration=1643113616359; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:57.384969100Z</date> <millis>1643113617384</millis> <nanos>969100</nanos> <sequence>1878</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113617384; nextExpiration=1643113617374; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:58.396093800Z</date> <millis>1643113618396</millis> <nanos>93800</nanos> <sequence>1879</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113618396; nextExpiration=1643113618384; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:26:59.409648Z</date> <millis>1643113619409</millis> <nanos>648000</nanos> <sequence>1880</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113619409; nextExpiration=1643113619396; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:00.417018200Z</date> <millis>1643113620417</millis> <nanos>18200</nanos> <sequence>1881</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113620417; nextExpiration=1643113620409; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:01.431022700Z</date> <millis>1643113621431</millis> <nanos>22700</nanos> <sequence>1882</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113621431; nextExpiration=1643113621417; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:02.442927900Z</date> <millis>1643113622442</millis> <nanos>927900</nanos> <sequence>1883</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113622442; nextExpiration=1643113622431; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:03.452614900Z</date> <millis>1643113623452</millis> <nanos>614900</nanos> <sequence>1884</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113623452; nextExpiration=1643113623442; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:04.467532200Z</date> <millis>1643113624467</millis> <nanos>532200</nanos> <sequence>1885</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113624467; nextExpiration=1643113624452; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:05.480551600Z</date> <millis>1643113625480</millis> <nanos>551600</nanos> <sequence>1886</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113625480; nextExpiration=1643113625467; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:06.485987700Z</date> <millis>1643113626485</millis> <nanos>987700</nanos> <sequence>1887</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113626485; nextExpiration=1643113626480; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:07.499274300Z</date> <millis>1643113627499</millis> <nanos>274300</nanos> <sequence>1888</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113627499; nextExpiration=1643113627485; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:08.504129500Z</date> <millis>1643113628504</millis> <nanos>129500</nanos> <sequence>1889</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113628504; nextExpiration=1643113628499; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:09.508106800Z</date> <millis>1643113629508</millis> <nanos>106800</nanos> <sequence>1890</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113629508; nextExpiration=1643113629504; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:10.520612200Z</date> <millis>1643113630520</millis> <nanos>612200</nanos> <sequence>1891</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113630520; nextExpiration=1643113630508; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:11.528568800Z</date> <millis>1643113631528</millis> <nanos>568800</nanos> <sequence>1892</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113631528; nextExpiration=1643113631520; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:12.535056100Z</date> <millis>1643113632535</millis> <nanos>56100</nanos> <sequence>1893</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113632535; nextExpiration=1643113632528; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:13.540033Z</date> <millis>1643113633540</millis> <nanos>33000</nanos> <sequence>1894</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113633540; nextExpiration=1643113633535; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:14.546797600Z</date> <millis>1643113634546</millis> <nanos>797600</nanos> <sequence>1895</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113634546; nextExpiration=1643113634540; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:27:14.767508200Z</date> <millis>1643113634767</millis> <nanos>508200</nanos> <sequence>1896</sequence> <logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>

<method>processExpires</method> <thread>16</thread> <message>Start expire sessions
StandardManager at 1643113634767 sessioncount 0</message></record><record> <date>2022-
01-25T12:27:14.767508200Z</date> <millis>1643113634767</millis> <nanos>508200</nanos>
<sequence>1897</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:27:15.553778800Z</date> <millis>1643113635553</millis>
<nanos>778800</nanos> <sequence>1898</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113635553;
nextExpiration=1643113635546; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:16.554696800Z</date>
<millis>1643113636554</millis> <nanos>696800</nanos> <sequence>1899</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113636554;
nextExpiration=1643113636553; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:17.565358900Z</date>
<millis>1643113637565</millis> <nanos>358900</nanos> <sequence>1900</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113637565;
nextExpiration=1643113637554; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:18.573890700Z</date>
<millis>1643113638573</millis> <nanos>890700</nanos> <sequence>1901</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113638573;
nextExpiration=1643113638565; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:19.585367400Z</date>
<millis>1643113639585</millis> <nanos>367400</nanos> <sequence>1902</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113639585;
nextExpiration=1643113639573; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:20.597421900Z</date>
<millis>1643113640597</millis> <nanos>421900</nanos> <sequence>1903</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113640597;
nextExpiration=1643113640585; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:21.602538800Z</date>
<millis>1643113641602</millis> <nanos>538800</nanos> <sequence>1904</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113641602;

nextExpiration=1643113641597; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:22.605904200Z</date>
<millis>1643113642605</millis> <nanos>904200</nanos> <sequence>1905</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113642605;
nextExpiration=1643113642602; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:23.617712600Z</date>
<millis>1643113643617</millis> <nanos>712600</nanos> <sequence>1906</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113643617;
nextExpiration=1643113643605; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:24.632083100Z</date>
<millis>1643113644632</millis> <nanos>83100</nanos> <sequence>1907</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113644632;
nextExpiration=1643113644617; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:25.633517500Z</date>
<millis>1643113645633</millis> <nanos>517500</nanos> <sequence>1908</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113645633;
nextExpiration=1643113645632; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:26.647740300Z</date>
<millis>1643113646647</millis> <nanos>740300</nanos> <sequence>1909</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113646647;
nextExpiration=1643113646633; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:27.648083700Z</date>
<millis>1643113647648</millis> <nanos>83700</nanos> <sequence>1910</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113647648;
nextExpiration=1643113647647; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:28.657606100Z</date>
<millis>1643113648657</millis> <nanos>606100</nanos> <sequence>1911</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113648657;
nextExpiration=1643113648648; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:29.664000100Z</date>
<millis>1643113649664</millis> <nanos>100</nanos> <sequence>1912</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113649664;

nextExpiration=1643113649657; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:30.668760300Z</date>
<millis>1643113650668</millis> <nanos>760300</nanos> <sequence>1913</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113650668;
nextExpiration=1643113650664; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:31.677349600Z</date>
<millis>1643113651677</millis> <nanos>349600</nanos> <sequence>1914</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113651677;
nextExpiration=1643113651668; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:32.687749500Z</date>
<millis>1643113652687</millis> <nanos>749500</nanos> <sequence>1915</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113652687;
nextExpiration=1643113652677; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:33.699988700Z</date>
<millis>1643113653699</millis> <nanos>988700</nanos> <sequence>1916</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113653699;
nextExpiration=1643113653687; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:34.709605400Z</date>
<millis>1643113654709</millis> <nanos>605400</nanos> <sequence>1917</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113654709;
nextExpiration=1643113654699; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:35.720257300Z</date>
<millis>1643113655720</millis> <nanos>257300</nanos> <sequence>1918</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113655720;
nextExpiration=1643113655709; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:36.727304400Z</date>
<millis>1643113656727</millis> <nanos>304400</nanos> <sequence>1919</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113656727;
nextExpiration=1643113656720; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:37.739567Z</date>
<millis>1643113657739</millis> <nanos>567000</nanos> <sequence>1920</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113657739;

nextExpiration=1643113657727; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:38.748435800Z</date>
<millis>1643113658748</millis> <nanos>435800</nanos> <sequence>1921</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113658748;
nextExpiration=1643113658739; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:39.755270400Z</date>
<millis>1643113659755</millis> <nanos>270400</nanos> <sequence>1922</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113659755;
nextExpiration=1643113659748; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:40.759768Z</date>
<millis>1643113660759</millis> <nanos>768000</nanos> <sequence>1923</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113660759;
nextExpiration=1643113660755; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:41.771154900Z</date>
<millis>1643113661771</millis> <nanos>154900</nanos> <sequence>1924</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113661771;
nextExpiration=1643113661759; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:42.778903900Z</date>
<millis>1643113662778</millis> <nanos>903900</nanos> <sequence>1925</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113662778;
nextExpiration=1643113662771; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:43.793835300Z</date>
<millis>1643113663793</millis> <nanos>835300</nanos> <sequence>1926</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113663793;
nextExpiration=1643113663778; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:44.807306500Z</date>
<millis>1643113664807</millis> <nanos>306500</nanos> <sequence>1927</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113664807;
nextExpiration=1643113664793; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:45.821669500Z</date>
<millis>1643113665821</millis> <nanos>669500</nanos> <sequence>1928</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113665821;

nextExpiration=1643113665807; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:46.828775100Z</date>
<millis>1643113666828</millis> <nanos>775100</nanos> <sequence>1929</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113666828;
nextExpiration=1643113666821; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:47.842888600Z</date>
<millis>1643113667842</millis> <nanos>888600</nanos> <sequence>1930</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113667842;
nextExpiration=1643113667828; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:48.848837900Z</date>
<millis>1643113668848</millis> <nanos>837900</nanos> <sequence>1931</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113668848;
nextExpiration=1643113668842; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:49.863879200Z</date>
<millis>1643113669863</millis> <nanos>879200</nanos> <sequence>1932</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113669863;
nextExpiration=1643113669848; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:50.864751500Z</date>
<millis>1643113670864</millis> <nanos>751500</nanos> <sequence>1933</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113670864;
nextExpiration=1643113670863; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:51.870733400Z</date>
<millis>1643113671870</millis> <nanos>733400</nanos> <sequence>1934</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113671870;
nextExpiration=1643113671864; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:52.877228400Z</date>
<millis>1643113672877</millis> <nanos>228400</nanos> <sequence>1935</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113672877;
nextExpiration=1643113672870; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:53.888122800Z</date>
<millis>1643113673888</millis> <nanos>122800</nanos> <sequence>1936</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113673888;

nextExpiration=1643113673877; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:54.902795500Z</date>
<millis>1643113674902</millis> <nanos>795500</nanos> <sequence>1937</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113674902;
nextExpiration=1643113674888; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:55.907034100Z</date>
<millis>1643113675907</millis> <nanos>34100</nanos> <sequence>1938</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113675907;
nextExpiration=1643113675902; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:56.922503700Z</date>
<millis>1643113676922</millis> <nanos>503700</nanos> <sequence>1939</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113676922;
nextExpiration=1643113676907; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:57.924163700Z</date>
<millis>1643113677924</millis> <nanos>163700</nanos> <sequence>1940</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113677924;
nextExpiration=1643113677922; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:58.935985100Z</date>
<millis>1643113678935</millis> <nanos>985100</nanos> <sequence>1941</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113678935;
nextExpiration=1643113678924; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:27:59.950640800Z</date>
<millis>1643113679950</millis> <nanos>640800</nanos> <sequence>1942</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113679950;
nextExpiration=1643113679935; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:00.960462100Z</date>
<millis>1643113680960</millis> <nanos>462100</nanos> <sequence>1943</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113680960;
nextExpiration=1643113680950; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:01.973637700Z</date>
<millis>1643113681973</millis> <nanos>637700</nanos> <sequence>1944</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113681973;

nextExpiration=1643113681960; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:02.988207200Z</date>
<millis>1643113682988</millis> <nanos>207200</nanos> <sequence>1945</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113682988;
nextExpiration=1643113682973; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:03.994821300Z</date>
<millis>1643113683994</millis> <nanos>821300</nanos> <sequence>1946</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113683994;
nextExpiration=1643113683988; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:05.000060800Z</date>
<millis>1643113685000</millis> <nanos>60800</nanos> <sequence>1947</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113685000;
nextExpiration=1643113684994; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:06.015607300Z</date>
<millis>1643113686015</millis> <nanos>607300</nanos> <sequence>1948</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113686015;
nextExpiration=1643113686000; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:07.021643300Z</date>
<millis>1643113687021</millis> <nanos>643300</nanos> <sequence>1949</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113687021;
nextExpiration=1643113687015; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:08.028022Z</date>
<millis>1643113688028</millis> <nanos>22000</nanos> <sequence>1950</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113688028;
nextExpiration=1643113688021; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:09.029142400Z</date>
<millis>1643113689029</millis> <nanos>142400</nanos> <sequence>1951</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113689029;
nextExpiration=1643113689028; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:10.032521Z</date>
<millis>1643113690032</millis> <nanos>521000</nanos> <sequence>1952</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113690032;

nextExpiration=1643113690029; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:11.039897900Z</date>
<millis>1643113691039</millis> <nanos>897900</nanos> <sequence>1953</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113691039;
nextExpiration=1643113691032; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:12.043276600Z</date>
<millis>1643113692043</millis> <nanos>276600</nanos> <sequence>1954</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113692043;
nextExpiration=1643113692039; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:13.043657900Z</date>
<millis>1643113693043</millis> <nanos>657900</nanos> <sequence>1955</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113693043;
nextExpiration=1643113693043; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:14.044045500Z</date>
<millis>1643113694044</millis> <nanos>45500</nanos> <sequence>1956</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113694044;
nextExpiration=1643113694043; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:28:14.800419300Z</date>
<millis>1643113694800</millis> <nanos>419300</nanos> <sequence>1957</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>17</thread> <message>Start expire sessions StandardManager at 1643113694800
sessioncount 0</message></record><record> <date>2022-01-25T12:28:14.800419300Z</date>
<millis>1643113694800</millis> <nanos>419300</nanos> <sequence>1958</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>17</thread> <message>End expire sessions StandardManager processingTime 0
expired sessions: 0</message></record><record> <date>2022-01-
25T12:28:15.051892600Z</date> <millis>1643113695051</millis> <nanos>892600</nanos>
<sequence>1959</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113695051; nextExpiration=1643113695044; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:16.055844500Z</date> <millis>1643113696055</millis> <nanos>844500</nanos>
<sequence>1960</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113696055; nextExpiration=1643113696051; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:28:17.063982300Z</date> <millis>1643113697063</millis> <nanos>982300</nanos>
<sequence>1961</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113697063; nextExpiration=1643113697055; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:18.068698200Z</date> <millis>1643113698068</millis> <nanos>698200</nanos>
<sequence>1962</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113698068; nextExpiration=1643113698063; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:19.068723900Z</date> <millis>1643113699068</millis> <nanos>723900</nanos>
<sequence>1963</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113699068; nextExpiration=1643113699068; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:20.078502300Z</date> <millis>1643113700078</millis> <nanos>502300</nanos>
<sequence>1964</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113700078; nextExpiration=1643113700068; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:21.090538500Z</date> <millis>1643113701090</millis> <nanos>538500</nanos>
<sequence>1965</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113701090; nextExpiration=1643113701078; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:22.097740100Z</date> <millis>1643113702097</millis> <nanos>740100</nanos>
<sequence>1966</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113702097; nextExpiration=1643113702090; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:23.108091400Z</date> <millis>1643113703108</millis> <nanos>91400</nanos>
<sequence>1967</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113703108; nextExpiration=1643113703097; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:24.114168300Z</date> <millis>1643113704114</millis> <nanos>168300</nanos>
<sequence>1968</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113704114; nextExpiration=1643113704108; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:28:25.124072900Z</date> <millis>1643113705124</millis> <nanos>72900</nanos>
<sequence>1969</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113705124; nextExpiration=1643113705114; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:26.139427500Z</date> <millis>1643113706139</millis> <nanos>427500</nanos>
<sequence>1970</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113706139; nextExpiration=1643113706124; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:27.148053Z</date> <millis>1643113707148</millis> <nanos>53000</nanos>
<sequence>1971</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113707148; nextExpiration=1643113707139; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:28.153732500Z</date> <millis>1643113708153</millis> <nanos>732500</nanos>
<sequence>1972</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113708153; nextExpiration=1643113708148; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:29.165377200Z</date> <millis>1643113709165</millis> <nanos>377200</nanos>
<sequence>1973</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113709165; nextExpiration=1643113709153; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:30.170355Z</date> <millis>1643113710170</millis> <nanos>355000</nanos>
<sequence>1974</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113710170; nextExpiration=1643113710165; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:31.177226900Z</date> <millis>1643113711177</millis> <nanos>226900</nanos>
<sequence>1975</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113711177; nextExpiration=1643113711170; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:32.185801100Z</date> <millis>1643113712185</millis> <nanos>801100</nanos>
<sequence>1976</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113712185; nextExpiration=1643113712177; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:28:33.196179100Z</date> <millis>1643113713196</millis> <nanos>179100</nanos>
<sequence>1977</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113713196; nextExpiration=1643113713185; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:34.206685900Z</date> <millis>1643113714206</millis> <nanos>685900</nanos>
<sequence>1978</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113714206; nextExpiration=1643113714196; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:35.217426500Z</date> <millis>1643113715217</millis> <nanos>426500</nanos>
<sequence>1979</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113715217; nextExpiration=1643113715206; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:36.228239900Z</date> <millis>1643113716228</millis> <nanos>239900</nanos>
<sequence>1980</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113716228; nextExpiration=1643113716217; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:37.240507600Z</date> <millis>1643113717240</millis> <nanos>507600</nanos>
<sequence>1981</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113717240; nextExpiration=1643113717228; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:38.249795400Z</date> <millis>1643113718249</millis> <nanos>795400</nanos>
<sequence>1982</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113718249; nextExpiration=1643113718240; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:39.261197200Z</date> <millis>1643113719261</millis> <nanos>197200</nanos>
<sequence>1983</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113719261; nextExpiration=1643113719249; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:40.269333400Z</date> <millis>1643113720269</millis> <nanos>333400</nanos>
<sequence>1984</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113720269; nextExpiration=1643113720261; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:28:41.272013100Z</date> <millis>1643113721272</millis> <nanos>13100</nanos>
<sequence>1985</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113721272; nextExpiration=1643113721269; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:42.286696200Z</date> <millis>1643113722286</millis> <nanos>696200</nanos>
<sequence>1986</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113722286; nextExpiration=1643113722272; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:43.294489800Z</date> <millis>1643113723294</millis> <nanos>489800</nanos>
<sequence>1987</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113723294; nextExpiration=1643113723286; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:44.303701400Z</date> <millis>1643113724303</millis> <nanos>701400</nanos>
<sequence>1988</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113724303; nextExpiration=1643113724294; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:45.306666900Z</date> <millis>1643113725306</millis> <nanos>666900</nanos>
<sequence>1989</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113725306; nextExpiration=1643113725303; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:46.309671300Z</date> <millis>1643113726309</millis> <nanos>671300</nanos>
<sequence>1990</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113726309; nextExpiration=1643113726306; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:47.318649800Z</date> <millis>1643113727318</millis> <nanos>649800</nanos>
<sequence>1991</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113727318; nextExpiration=1643113727309; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:48.331539100Z</date> <millis>1643113728331</millis> <nanos>539100</nanos>
<sequence>1992</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113728331; nextExpiration=1643113728318; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:28:49.334003700Z</date> <millis>1643113729334</millis> <nanos>3700</nanos>
<sequence>1993</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113729334; nextExpiration=1643113729331; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:50.348056700Z</date> <millis>1643113730348</millis> <nanos>56700</nanos>
<sequence>1994</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113730348; nextExpiration=1643113730334; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:51.352684100Z</date> <millis>1643113731352</millis> <nanos>684100</nanos>
<sequence>1995</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113731352; nextExpiration=1643113731348; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:52.361588600Z</date> <millis>1643113732361</millis> <nanos>588600</nanos>
<sequence>1996</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113732361; nextExpiration=1643113732352; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:53.372571600Z</date> <millis>1643113733372</millis> <nanos>571600</nanos>
<sequence>1997</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113733372; nextExpiration=1643113733361; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:54.382287200Z</date> <millis>1643113734382</millis> <nanos>287200</nanos>
<sequence>1998</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113734382; nextExpiration=1643113734372; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:55.391131900Z</date> <millis>1643113735391</millis> <nanos>131900</nanos>
<sequence>1999</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113735391; nextExpiration=1643113735382; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:56.392285100Z</date> <millis>1643113736392</millis> <nanos>285100</nanos>
<sequence>2000</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113736392; nextExpiration=1643113736391; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:28:57.397656300Z</date> <millis>1643113737397</millis> <nanos>656300</nanos>
<sequence>2001</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113737397; nextExpiration=1643113737392; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:58.405245300Z</date> <millis>1643113738405</millis> <nanos>245300</nanos>
<sequence>2002</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113738405; nextExpiration=1643113738397; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:28:59.408727500Z</date> <millis>1643113739408</millis> <nanos>727500</nanos>
<sequence>2003</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113739408; nextExpiration=1643113739405; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:00.414151800Z</date> <millis>1643113740414</millis> <nanos>151800</nanos>
<sequence>2004</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113740414; nextExpiration=1643113740408; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:01.418741200Z</date> <millis>1643113741418</millis> <nanos>741200</nanos>
<sequence>2005</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113741418; nextExpiration=1643113741414; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:02.421441800Z</date> <millis>1643113742421</millis> <nanos>441800</nanos>
<sequence>2006</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113742421; nextExpiration=1643113742418; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:03.429588Z</date> <millis>1643113743429</millis> <nanos>588000</nanos>
<sequence>2007</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113743429; nextExpiration=1643113743421; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:04.438176100Z</date> <millis>1643113744438</millis> <nanos>176100</nanos>
<sequence>2008</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113744438; nextExpiration=1643113744429; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:29:05.443264500Z</date> <millis>1643113745443</millis> <nanos>264500</nanos>
<sequence>2009</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113745443; nextExpiration=1643113745438; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:06.447427500Z</date> <millis>1643113746447</millis> <nanos>427500</nanos>
<sequence>2010</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113746447; nextExpiration=1643113746443; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:07.451486500Z</date> <millis>1643113747451</millis> <nanos>486500</nanos>
<sequence>2011</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113747451; nextExpiration=1643113747447; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:08.453163500Z</date> <millis>1643113748453</millis> <nanos>163500</nanos>
<sequence>2012</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113748453; nextExpiration=1643113748451; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:09.462442700Z</date> <millis>1643113749462</millis> <nanos>442700</nanos>
<sequence>2013</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113749462; nextExpiration=1643113749453; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:10.471460Z</date> <millis>1643113750471</millis> <nanos>460000</nanos>
<sequence>2014</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113750471; nextExpiration=1643113750462; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:11.479215900Z</date> <millis>1643113751479</millis> <nanos>215900</nanos>
<sequence>2015</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113751479; nextExpiration=1643113751471; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:12.492460200Z</date> <millis>1643113752492</millis> <nanos>460200</nanos>
<sequence>2016</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113752492; nextExpiration=1643113752479; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:29:13.495603800Z</date> <millis>1643113753495</millis> <nanos>603800</nanos>
<sequence>2017</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113753495; nextExpiration=1643113753492; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:14.510558800Z</date> <millis>1643113754510</millis> <nanos>558800</nanos>
<sequence>2018</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113754510; nextExpiration=1643113754495; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:29:14.855792300Z</date> <millis>1643113754855</millis> <nanos>792300</nanos>
<sequence>2019</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>Start expire sessions
StandardManager at 1643113754855 sessioncount 0</message></record><record> <date>2022-
01-25T12:29:14.855792300Z</date> <millis>1643113754855</millis> <nanos>792300</nanos>
<sequence>2020</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:29:15.512722100Z</date> <millis>1643113755512</millis>
<nanos>722100</nanos> <sequence>2021</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113755512;
nextExpiration=1643113755510; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:16.524825700Z</date>
<millis>1643113756524</millis> <nanos>825700</nanos> <sequence>2022</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113756524;
nextExpiration=1643113756512; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:17.536499700Z</date>
<millis>1643113757536</millis> <nanos>499700</nanos> <sequence>2023</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113757536;
nextExpiration=1643113757524; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:18.536744Z</date>
<millis>1643113758536</millis> <nanos>744000</nanos> <sequence>2024</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113758536;
nextExpiration=1643113758536; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:19.546054900Z</date>
<millis>1643113759546</millis> <nanos>54900</nanos> <sequence>2025</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113759546;
nextExpiration=1643113759536; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:20.554844Z</date>
<millis>1643113760554</millis> <nanos>844000</nanos> <sequence>2026</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113760554;
nextExpiration=1643113760546; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:21.568163600Z</date>
<millis>1643113761568</millis> <nanos>163600</nanos> <sequence>2027</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113761568;
nextExpiration=1643113761554; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:22.577721Z</date>
<millis>1643113762577</millis> <nanos>721000</nanos> <sequence>2028</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113762577;
nextExpiration=1643113762568; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:23.584679600Z</date>
<millis>1643113763584</millis> <nanos>679600</nanos> <sequence>2029</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113763584;
nextExpiration=1643113763577; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:24.598868400Z</date>
<millis>1643113764598</millis> <nanos>868400</nanos> <sequence>2030</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113764598;
nextExpiration=1643113764584; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:25.613853Z</date>
<millis>1643113765613</millis> <nanos>853000</nanos> <sequence>2031</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113765613;
nextExpiration=1643113765598; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:26.624934400Z</date>
<millis>1643113766624</millis> <nanos>934400</nanos> <sequence>2032</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113766624;
nextExpiration=1643113766613; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:27.638788800Z</date>
<millis>1643113767638</millis> <nanos>788800</nanos> <sequence>2033</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113767638;
nextExpiration=1643113767624; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:28.649753400Z</date>
<millis>1643113768649</millis> <nanos>753400</nanos> <sequence>2034</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113768649;
nextExpiration=1643113768638; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:29.655094100Z</date>
<millis>1643113769655</millis> <nanos>94100</nanos> <sequence>2035</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113769655;
nextExpiration=1643113769649; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:30.661837100Z</date>
<millis>1643113770661</millis> <nanos>837100</nanos> <sequence>2036</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113770661;
nextExpiration=1643113770655; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:31.673349200Z</date>
<millis>1643113771673</millis> <nanos>349200</nanos> <sequence>2037</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113771673;
nextExpiration=1643113771661; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:32.679091500Z</date>
<millis>1643113772679</millis> <nanos>91500</nanos> <sequence>2038</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113772679;
nextExpiration=1643113772673; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:33.694081Z</date>
<millis>1643113773694</millis> <nanos>81000</nanos> <sequence>2039</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113773694;
nextExpiration=1643113773679; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:34.700026Z</date>
<millis>1643113774700</millis> <nanos>26000</nanos> <sequence>2040</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113774700;
nextExpiration=1643113774694; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:35.702557900Z</date>
<millis>1643113775702</millis> <nanos>557900</nanos> <sequence>2041</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113775702;
nextExpiration=1643113775700; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:36.712494900Z</date>
<millis>1643113776712</millis> <nanos>494900</nanos> <sequence>2042</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113776712;
nextExpiration=1643113776702; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:37.716590500Z</date>
<millis>1643113777716</millis> <nanos>590500</nanos> <sequence>2043</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113777716;
nextExpiration=1643113777712; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:38.723690100Z</date>
<millis>1643113778723</millis> <nanos>690100</nanos> <sequence>2044</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113778723;
nextExpiration=1643113778716; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:39.726018100Z</date>
<millis>1643113779726</millis> <nanos>18100</nanos> <sequence>2045</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113779726;
nextExpiration=1643113779723; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:40.732537600Z</date>
<millis>1643113780732</millis> <nanos>537600</nanos> <sequence>2046</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113780732;
nextExpiration=1643113780726; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:41.747027300Z</date>
<millis>1643113781747</millis> <nanos>27300</nanos> <sequence>2047</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113781747;
nextExpiration=1643113781732; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:42.753912900Z</date>
<millis>1643113782753</millis> <nanos>912900</nanos> <sequence>2048</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113782753;
nextExpiration=1643113782747; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:43.761918800Z</date>
<millis>1643113783761</millis> <nanos>918800</nanos> <sequence>2049</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113783761;
nextExpiration=1643113783753; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:44.765946600Z</date>
<millis>1643113784765</millis> <nanos>946600</nanos> <sequence>2050</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113784765;
nextExpiration=1643113784761; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:45.776305800Z</date>
<millis>1643113785776</millis> <nanos>305800</nanos> <sequence>2051</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113785776;
nextExpiration=1643113785765; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:46.777398300Z</date>
<millis>1643113786777</millis> <nanos>398300</nanos> <sequence>2052</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113786777;
nextExpiration=1643113786776; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:47.792135700Z</date>
<millis>1643113787792</millis> <nanos>135700</nanos> <sequence>2053</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113787792;
nextExpiration=1643113787777; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:48.804462100Z</date>
<millis>1643113788804</millis> <nanos>462100</nanos> <sequence>2054</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113788804;
nextExpiration=1643113788792; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:49.811478800Z</date>
<millis>1643113789811</millis> <nanos>478800</nanos> <sequence>2055</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113789811;
nextExpiration=1643113789804; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:50.826682900Z</date>
<millis>1643113790826</millis> <nanos>682900</nanos> <sequence>2056</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113790826;
nextExpiration=1643113790811; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:51.835715400Z</date>
<millis>1643113791835</millis> <nanos>715400</nanos> <sequence>2057</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113791835;
nextExpiration=1643113791826; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:52.846342800Z</date>
<millis>1643113792846</millis> <nanos>342800</nanos> <sequence>2058</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113792846;
nextExpiration=1643113792835; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:53.856889800Z</date>
<millis>1643113793856</millis> <nanos>889800</nanos> <sequence>2059</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113793856;
nextExpiration=1643113793846; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:54.869044800Z</date>
<millis>1643113794869</millis> <nanos>44800</nanos> <sequence>2060</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113794869;
nextExpiration=1643113794856; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:55.879091100Z</date>
<millis>1643113795879</millis> <nanos>91100</nanos> <sequence>2061</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113795879;
nextExpiration=1643113795869; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:56.890837800Z</date>
<millis>1643113796890</millis> <nanos>837800</nanos> <sequence>2062</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113796890;
nextExpiration=1643113796879; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:57.895554900Z</date>
<millis>1643113797895</millis> <nanos>554900</nanos> <sequence>2063</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113797895;
nextExpiration=1643113797890; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:58.907914600Z</date>
<millis>1643113798907</millis> <nanos>914600</nanos> <sequence>2064</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113798907;
nextExpiration=1643113798895; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:29:59.913855300Z</date>
<millis>1643113799913</millis> <nanos>855300</nanos> <sequence>2065</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113799913;
nextExpiration=1643113799907; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:00.921881200Z</date>
<millis>1643113800921</millis> <nanos>881200</nanos> <sequence>2066</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113800921;
nextExpiration=1643113800913; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:01.922117700Z</date>
<millis>1643113801922</millis> <nanos>117700</nanos> <sequence>2067</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113801922;
nextExpiration=1643113801921; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:02.936194400Z</date>
<millis>1643113802936</millis> <nanos>194400</nanos> <sequence>2068</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113802936;
nextExpiration=1643113802922; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:03.950873600Z</date>
<millis>1643113803950</millis> <nanos>873600</nanos> <sequence>2069</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113803950;
nextExpiration=1643113803936; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:04.962796800Z</date>
<millis>1643113804962</millis> <nanos>796800</nanos> <sequence>2070</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113804962;
nextExpiration=1643113804950; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:05.969226700Z</date>
<millis>1643113805969</millis> <nanos>226700</nanos> <sequence>2071</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113805969;
nextExpiration=1643113805962; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:06.970776100Z</date>
<millis>1643113806970</millis> <nanos>776100</nanos> <sequence>2072</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113806970;
nextExpiration=1643113806969; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:07.971120400Z</date>
<millis>1643113807971</millis> <nanos>120400</nanos> <sequence>2073</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113807971;
nextExpiration=1643113807970; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:08.976964600Z</date>
<millis>1643113808976</millis> <nanos>964600</nanos> <sequence>2074</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113808976;
nextExpiration=1643113808971; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:09.988753900Z</date>
<millis>1643113809988</millis> <nanos>753900</nanos> <sequence>2075</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113809988;
nextExpiration=1643113809976; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:11.000408900Z</date>
<millis>1643113811000</millis> <nanos>408900</nanos> <sequence>2076</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113811000;
nextExpiration=1643113810988; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:12.009845900Z</date>
<millis>1643113812009</millis> <nanos>845900</nanos> <sequence>2077</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113812009;
nextExpiration=1643113812000; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:13.010810700Z</date>
<millis>1643113813010</millis> <nanos>810700</nanos> <sequence>2078</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113813010;
nextExpiration=1643113813009; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:14.023868700Z</date>
<millis>1643113814023</millis> <nanos>868700</nanos> <sequence>2079</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113814023;
nextExpiration=1643113814010; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:30:14.896408Z</date>
<millis>1643113814896</millis> <nanos>408000</nanos> <sequence>2080</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>17</thread> <message>Start expire sessions StandardManager at 1643113814896
sessioncount 0</message></record><record> <date>2022-01-25T12:30:14.896408Z</date>
<millis>1643113814896</millis> <nanos>408000</nanos> <sequence>2081</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>

<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>17</thread> <message>End expire sessions StandardManager processingTime 0
expired sessions: 0</message></record><record> <date>2022-01-
25T12:30:15.037507300Z</date> <millis>1643113815037</millis> <nanos>507300</nanos>
<sequence>2082</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113815037; nextExpiration=1643113815023; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:30:16.051305400Z</date> <millis>1643113816051</millis> <nanos>305400</nanos>
<sequence>2083</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113816051; nextExpiration=1643113816037; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:30:17.053636Z</date> <millis>1643113817053</millis> <nanos>636000</nanos>
<sequence>2084</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113817053; nextExpiration=1643113817051; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:30:18.066574Z</date> <millis>1643113818066</millis> <nanos>574000</nanos>
<sequence>2085</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113818066; nextExpiration=1643113818053; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:30:19.080999200Z</date> <millis>1643113819080</millis> <nanos>999200</nanos>
<sequence>2086</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113819080; nextExpiration=1643113819066; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:30:20.092053900Z</date> <millis>1643113820092</millis> <nanos>53900</nanos>
<sequence>2087</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113820092; nextExpiration=1643113820080; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:30:21.092126300Z</date> <millis>1643113821092</millis> <nanos>126300</nanos>
<sequence>2088</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113821092; nextExpiration=1643113821092; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:30:22.104258800Z</date> <millis>1643113822104</millis> <nanos>258800</nanos>
<sequence>2089</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113822104; nextExpiration=1643113822092; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:23.111068100Z</date> <millis>1643113823111</millis> <nanos>68100</nanos> <sequence>2090</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113823111; nextExpiration=1643113823104; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:24.117096100Z</date> <millis>1643113824117</millis> <nanos>96100</nanos> <sequence>2091</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113824117; nextExpiration=1643113824111; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:25.131960200Z</date> <millis>1643113825131</millis> <nanos>960200</nanos> <sequence>2092</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113825131; nextExpiration=1643113825117; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:26.143694400Z</date> <millis>1643113826143</millis> <nanos>694400</nanos> <sequence>2093</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113826143; nextExpiration=1643113826131; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:27.154191200Z</date> <millis>1643113827154</millis> <nanos>191200</nanos> <sequence>2094</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113827154; nextExpiration=1643113827143; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:28.154572100Z</date> <millis>1643113828154</millis> <nanos>572100</nanos> <sequence>2095</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113828154; nextExpiration=1643113828154; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:29.162003900Z</date> <millis>1643113829162</millis> <nanos>3900</nanos> <sequence>2096</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113829162; nextExpiration=1643113829154; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:30.174559Z</date> <millis>1643113830174</millis> <nanos>559000</nanos> <sequence>2097</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113830174; nextExpiration=1643113830162; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:31.175808500Z</date> <millis>1643113831175</millis> <nanos>808500</nanos> <sequence>2098</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113831175; nextExpiration=1643113831174; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:32.175935500Z</date> <millis>1643113832175</millis> <nanos>935500</nanos> <sequence>2099</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113832175; nextExpiration=1643113832175; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:33.178983300Z</date> <millis>1643113833178</millis> <nanos>983300</nanos> <sequence>2100</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113833178; nextExpiration=1643113833175; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:34.189747200Z</date> <millis>1643113834189</millis> <nanos>747200</nanos> <sequence>2101</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113834189; nextExpiration=1643113834178; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:35.190693600Z</date> <millis>1643113835190</millis> <nanos>693600</nanos> <sequence>2102</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113835190; nextExpiration=1643113835189; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:36.204843500Z</date> <millis>1643113836204</millis> <nanos>843500</nanos> <sequence>2103</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113836204; nextExpiration=1643113836190; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:37.216308700Z</date> <millis>1643113837216</millis> <nanos>308700</nanos> <sequence>2104</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113837216; nextExpiration=1643113837204; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:38.231448300Z</date> <millis>1643113838231</millis> <nanos>448300</nanos> <sequence>2105</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113838231; nextExpiration=1643113838216; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:39.235516600Z</date> <millis>1643113839235</millis> <nanos>516600</nanos> <sequence>2106</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113839235; nextExpiration=1643113839231; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:40.247434400Z</date> <millis>1643113840247</millis> <nanos>434400</nanos> <sequence>2107</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113840247; nextExpiration=1643113840235; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:41.253443200Z</date> <millis>1643113841253</millis> <nanos>443200</nanos> <sequence>2108</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113841253; nextExpiration=1643113841247; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:42.266846400Z</date> <millis>1643113842266</millis> <nanos>846400</nanos> <sequence>2109</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113842266; nextExpiration=1643113842253; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:43.271436700Z</date> <millis>1643113843271</millis> <nanos>436700</nanos> <sequence>2110</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113843271; nextExpiration=1643113843266; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:44.284443100Z</date> <millis>1643113844284</millis> <nanos>443100</nanos> <sequence>2111</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113844284; nextExpiration=1643113844271; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:45.293079900Z</date> <millis>1643113845293</millis> <nanos>79900</nanos> <sequence>2112</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113845293; nextExpiration=1643113845284; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:46.306188300Z</date> <millis>1643113846306</millis> <nanos>188300</nanos> <sequence>2113</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113846306; nextExpiration=1643113846293; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:47.318285900Z</date> <millis>1643113847318</millis> <nanos>285900</nanos> <sequence>2114</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113847318; nextExpiration=1643113847306; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:48.329012900Z</date> <millis>1643113848329</millis> <nanos>12900</nanos> <sequence>2115</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113848329; nextExpiration=1643113848318; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:49.341669100Z</date> <millis>1643113849341</millis> <nanos>669100</nanos> <sequence>2116</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113849341; nextExpiration=1643113849329; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:50.349933400Z</date> <millis>1643113850349</millis> <nanos>933400</nanos> <sequence>2117</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113850349; nextExpiration=1643113850341; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:51.357391Z</date> <millis>1643113851357</millis> <nanos>391000</nanos> <sequence>2118</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113851357; nextExpiration=1643113851349; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:52.369318500Z</date> <millis>1643113852369</millis> <nanos>318500</nanos> <sequence>2119</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113852369; nextExpiration=1643113852357; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:53.380428200Z</date> <millis>1643113853380</millis> <nanos>428200</nanos> <sequence>2120</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113853380; nextExpiration=1643113853369; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:54.391552900Z</date> <millis>1643113854391</millis> <nanos>552900</nanos> <sequence>2121</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113854391; nextExpiration=1643113854380; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:55.398762Z</date> <millis>1643113855398</millis> <nanos>762000</nanos> <sequence>2122</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113855398; nextExpiration=1643113855391; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:56.410522300Z</date> <millis>1643113856410</millis> <nanos>522300</nanos> <sequence>2123</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113856410; nextExpiration=1643113856398; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:57.414186800Z</date> <millis>1643113857414</millis> <nanos>186800</nanos> <sequence>2124</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113857414; nextExpiration=1643113857410; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:58.414683800Z</date> <millis>1643113858414</millis> <nanos>683800</nanos> <sequence>2125</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113858414; nextExpiration=1643113858414; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:30:59.421362400Z</date> <millis>1643113859421</millis> <nanos>362400</nanos> <sequence>2126</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113859421; nextExpiration=1643113859414; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:00.426159800Z</date> <millis>1643113860426</millis> <nanos>159800</nanos> <sequence>2127</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113860426; nextExpiration=1643113860421; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:01.432492700Z</date> <millis>1643113861432</millis> <nanos>492700</nanos> <sequence>2128</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113861432; nextExpiration=1643113861426; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:02.443672Z</date> <millis>1643113862443</millis> <nanos>672000</nanos> <sequence>2129</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113862443; nextExpiration=1643113862432; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:03.455162200Z</date> <millis>1643113863455</millis> <nanos>162200</nanos> <sequence>2130</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113863455; nextExpiration=1643113863443; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:04.462809900Z</date> <millis>1643113864462</millis> <nanos>809900</nanos> <sequence>2131</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113864462; nextExpiration=1643113864455; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:05.471486500Z</date> <millis>1643113865471</millis> <nanos>486500</nanos> <sequence>2132</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113865471; nextExpiration=1643113865462; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:06.484935600Z</date> <millis>1643113866484</millis> <nanos>935600</nanos> <sequence>2133</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113866484; nextExpiration=1643113866471; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:07.495880600Z</date> <millis>1643113867495</millis> <nanos>880600</nanos> <sequence>2134</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113867495; nextExpiration=1643113867484; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:08.498150Z</date> <millis>1643113868498</millis> <nanos>150000</nanos> <sequence>2135</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113868498; nextExpiration=1643113868495; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:09.503693600Z</date> <millis>1643113869503</millis> <nanos>693600</nanos> <sequence>2136</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113869503; nextExpiration=1643113869498; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:10.518044100Z</date> <millis>1643113870518</millis> <nanos>44100</nanos> <sequence>2137</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113870518; nextExpiration=1643113870503; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:11.518325900Z</date> <millis>1643113871518</millis> <nanos>325900</nanos> <sequence>2138</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113871518; nextExpiration=1643113871518; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:12.527225800Z</date> <millis>1643113872527</millis> <nanos>225800</nanos> <sequence>2139</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113872527; nextExpiration=1643113872518; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:13.529268600Z</date> <millis>1643113873529</millis> <nanos>268600</nanos> <sequence>2140</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113873529; nextExpiration=1643113873527; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:14.544602200Z</date> <millis>1643113874544</millis> <nanos>602200</nanos> <sequence>2141</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113874544; nextExpiration=1643113874529; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:14.932793600Z</date> <millis>1643113874932</millis> <nanos>793600</nanos> <sequence>2142</sequence> <logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>

<method>processExpires</method> <thread>17</thread> <message>Start expire sessions StandardManager at 1643113874932 sessioncount 0</message></record><record> <date>2022-01-25T12:31:14.932793600Z</date> <millis>1643113874932</millis> <nanos>793600</nanos> <sequence>2143</sequence> <logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>

<method>processExpires</method> <thread>17</thread> <message>End expire sessions StandardManager processingTime 0 expired sessions: 0</message></record><record> <date>2022-01-25T12:31:15.553054700Z</date> <millis>1643113875553</millis> <nanos>54700</nanos> <sequence>2144</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113875553; nextExpiration=1643113875544; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:31:16.562226300Z</date> <millis>1643113876562</millis> <nanos>226300</nanos> <sequence>2145</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643113876562;

nextExpiration=1643113876553; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:17.566030700Z</date>
<millis>1643113877566</millis> <nanos>30700</nanos> <sequence>2146</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113877566;
nextExpiration=1643113877562; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:18.569088800Z</date>
<millis>1643113878569</millis> <nanos>88800</nanos> <sequence>2147</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113878569;
nextExpiration=1643113878566; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:19.583287Z</date>
<millis>1643113879583</millis> <nanos>287000</nanos> <sequence>2148</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113879583;
nextExpiration=1643113879569; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:20.592233800Z</date>
<millis>1643113880592</millis> <nanos>233800</nanos> <sequence>2149</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113880592;
nextExpiration=1643113880583; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:21.606556600Z</date>
<millis>1643113881606</millis> <nanos>556600</nanos> <sequence>2150</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113881606;
nextExpiration=1643113881592; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:22.617542300Z</date>
<millis>1643113882617</millis> <nanos>542300</nanos> <sequence>2151</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113882617;
nextExpiration=1643113882606; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:23.624019Z</date>
<millis>1643113883624</millis> <nanos>19000</nanos> <sequence>2152</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113883624;
nextExpiration=1643113883617; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:24.634356Z</date>
<millis>1643113884634</millis> <nanos>356000</nanos> <sequence>2153</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113884634;

nextExpiration=1643113884624; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:25.646972800Z</date>
<millis>1643113885646</millis> <nanos>972800</nanos> <sequence>2154</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113885646;
nextExpiration=1643113885634; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:26.660099300Z</date>
<millis>1643113886660</millis> <nanos>99300</nanos> <sequence>2155</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113886660;
nextExpiration=1643113886646; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:27.661562500Z</date>
<millis>1643113887661</millis> <nanos>562500</nanos> <sequence>2156</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113887661;
nextExpiration=1643113887660; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:28.669860400Z</date>
<millis>1643113888669</millis> <nanos>860400</nanos> <sequence>2157</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113888669;
nextExpiration=1643113888661; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:29.676673700Z</date>
<millis>1643113889676</millis> <nanos>673700</nanos> <sequence>2158</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113889676;
nextExpiration=1643113889669; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:30.684280700Z</date>
<millis>1643113890684</millis> <nanos>280700</nanos> <sequence>2159</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113890684;
nextExpiration=1643113890676; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:31.693539100Z</date>
<millis>1643113891693</millis> <nanos>539100</nanos> <sequence>2160</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113891693;
nextExpiration=1643113891684; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:32.703387300Z</date>
<millis>1643113892703</millis> <nanos>387300</nanos> <sequence>2161</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113892703;

nextExpiration=1643113892693; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:33.712714Z</date>
<millis>1643113893712</millis> <nanos>714000</nanos> <sequence>2162</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113893712;
nextExpiration=1643113893703; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:34.722053300Z</date>
<millis>1643113894722</millis> <nanos>53300</nanos> <sequence>2163</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113894722;
nextExpiration=1643113894712; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:35.733945800Z</date>
<millis>1643113895733</millis> <nanos>945800</nanos> <sequence>2164</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113895733;
nextExpiration=1643113895722; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:36.736699500Z</date>
<millis>1643113896736</millis> <nanos>699500</nanos> <sequence>2165</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113896736;
nextExpiration=1643113896733; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:37.741370800Z</date>
<millis>1643113897741</millis> <nanos>370800</nanos> <sequence>2166</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113897741;
nextExpiration=1643113897736; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:38.754246700Z</date>
<millis>1643113898754</millis> <nanos>246700</nanos> <sequence>2167</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113898754;
nextExpiration=1643113898741; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:39.755366700Z</date>
<millis>1643113899755</millis> <nanos>366700</nanos> <sequence>2168</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113899755;
nextExpiration=1643113899754; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:40.757267200Z</date>
<millis>1643113900757</millis> <nanos>267200</nanos> <sequence>2169</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113900757;

nextExpiration=1643113900755; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:41.770789500Z</date>
<millis>1643113901770</millis> <nanos>789500</nanos> <sequence>2170</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113901770;
nextExpiration=1643113901757; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:42.772436100Z</date>
<millis>1643113902772</millis> <nanos>436100</nanos> <sequence>2171</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113902772;
nextExpiration=1643113902770; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:43.775758Z</date>
<millis>1643113903775</millis> <nanos>758000</nanos> <sequence>2172</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113903775;
nextExpiration=1643113903772; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:44.783755100Z</date>
<millis>1643113904783</millis> <nanos>755100</nanos> <sequence>2173</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113904783;
nextExpiration=1643113904775; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:45.791073300Z</date>
<millis>1643113905791</millis> <nanos>73300</nanos> <sequence>2174</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113905791;
nextExpiration=1643113905783; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:46.806012200Z</date>
<millis>1643113906806</millis> <nanos>12200</nanos> <sequence>2175</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113906806;
nextExpiration=1643113906791; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:47.809378400Z</date>
<millis>1643113907809</millis> <nanos>378400</nanos> <sequence>2176</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113907809;
nextExpiration=1643113907806; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:48.811799800Z</date>
<millis>1643113908811</millis> <nanos>799800</nanos> <sequence>2177</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113908811;

nextExpiration=1643113908809; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:49.813643700Z</date>
<millis>1643113909813</millis> <nanos>643700</nanos> <sequence>2178</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113909813;
nextExpiration=1643113909811; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:50.816753400Z</date>
<millis>1643113910816</millis> <nanos>753400</nanos> <sequence>2179</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113910816;
nextExpiration=1643113910813; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:51.827453500Z</date>
<millis>1643113911827</millis> <nanos>453500</nanos> <sequence>2180</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113911827;
nextExpiration=1643113911816; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:52.843032400Z</date>
<millis>1643113912843</millis> <nanos>32400</nanos> <sequence>2181</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113912843;
nextExpiration=1643113912827; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:53.854406400Z</date>
<millis>1643113913854</millis> <nanos>406400</nanos> <sequence>2182</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113913854;
nextExpiration=1643113913843; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:54.878772Z</date>
<millis>1643113914878</millis> <nanos>772000</nanos> <sequence>2183</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113914878;
nextExpiration=1643113914854; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:55.910133700Z</date>
<millis>1643113915910</millis> <nanos>133700</nanos> <sequence>2184</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113915909;
nextExpiration=1643113915878; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:56.918515Z</date>
<millis>1643113916918</millis> <nanos>515000</nanos> <sequence>2185</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113916918;

nextExpiration=1643113916909; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:57.943876300Z</date>
<millis>1643113917943</millis> <nanos>876300</nanos> <sequence>2186</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113917943;
nextExpiration=1643113917918; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:58.952252300Z</date>
<millis>1643113918952</millis> <nanos>252300</nanos> <sequence>2187</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113918952;
nextExpiration=1643113918943; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:31:59.954633300Z</date>
<millis>1643113919954</millis> <nanos>633300</nanos> <sequence>2188</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113919954;
nextExpiration=1643113919952; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:00.955607Z</date>
<millis>1643113920955</millis> <nanos>607000</nanos> <sequence>2189</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113920955;
nextExpiration=1643113920954; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:01.956575Z</date>
<millis>1643113921956</millis> <nanos>575000</nanos> <sequence>2190</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113921956;
nextExpiration=1643113921955; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:02.963818400Z</date>
<millis>1643113922963</millis> <nanos>818400</nanos> <sequence>2191</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113922963;
nextExpiration=1643113922956; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:03.977380300Z</date>
<millis>1643113923977</millis> <nanos>380300</nanos> <sequence>2192</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113923977;
nextExpiration=1643113923963; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:04.983547Z</date>
<millis>1643113924983</millis> <nanos>547000</nanos> <sequence>2193</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113924983;

nextExpiration=1643113924977; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:05.985476600Z</date>
<millis>1643113925985</millis> <nanos>476600</nanos> <sequence>2194</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113925985;
nextExpiration=1643113925983; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:06.997788700Z</date>
<millis>1643113926997</millis> <nanos>788700</nanos> <sequence>2195</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113926997;
nextExpiration=1643113926985; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:08.009098400Z</date>
<millis>1643113928009</millis> <nanos>98400</nanos> <sequence>2196</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113928009;
nextExpiration=1643113927997; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:09.020659400Z</date>
<millis>1643113929020</millis> <nanos>659400</nanos> <sequence>2197</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113929020;
nextExpiration=1643113929009; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:10.036178400Z</date>
<millis>1643113930036</millis> <nanos>178400</nanos> <sequence>2198</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113930036;
nextExpiration=1643113930020; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:11.038712500Z</date>
<millis>1643113931038</millis> <nanos>712500</nanos> <sequence>2199</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113931038;
nextExpiration=1643113931036; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:12.050637800Z</date>
<millis>1643113932050</millis> <nanos>637800</nanos> <sequence>2200</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113932050;
nextExpiration=1643113932038; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:13.065599600Z</date>
<millis>1643113933065</millis> <nanos>599600</nanos> <sequence>2201</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113933065;

nextExpiration=1643113933050; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:14.078523800Z</date>
<millis>1643113934078</millis> <nanos>523800</nanos> <sequence>2202</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113934078;
nextExpiration=1643113934065; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:15.087005300Z</date>
<millis>1643113935087</millis> <nanos>5300</nanos> <sequence>2203</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113935087;
nextExpiration=1643113935078; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:16.090380200Z</date>
<millis>1643113936090</millis> <nanos>380200</nanos> <sequence>2204</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113936090;
nextExpiration=1643113936087; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:17.102886200Z</date>
<millis>1643113937102</millis> <nanos>886200</nanos> <sequence>2205</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113937102;
nextExpiration=1643113937090; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:18.108451200Z</date>
<millis>1643113938108</millis> <nanos>451200</nanos> <sequence>2206</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113938108;
nextExpiration=1643113938102; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:19.112462800Z</date>
<millis>1643113939112</millis> <nanos>462800</nanos> <sequence>2207</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643113939112;
nextExpiration=1643113939108; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:32:19.873339100Z</date>
<millis>1643113939873</millis> <nanos>339100</nanos> <sequence>2208</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>16</thread> <message>Start expire sessions StandardManager at 1643113939873
sessioncount 0</message></record><record> <date>2022-01-25T12:32:19.873339100Z</date>
<millis>1643113939873</millis> <nanos>339100</nanos> <sequence>2209</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>16</thread> <message>End expire sessions StandardManager processingTime 0
expired sessions: 0</message></record><record> <date>2022-01-

25T12:32:20.124785900Z</date> <millis>1643113940124</millis> <nanos>785900</nanos>
<sequence>2210</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113940124; nextExpiration=1643113940112; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:21.138137500Z</date> <millis>1643113941138</millis> <nanos>137500</nanos>
<sequence>2211</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113941138; nextExpiration=1643113941124; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:22.152497300Z</date> <millis>1643113942152</millis> <nanos>497300</nanos>
<sequence>2212</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113942152; nextExpiration=1643113942138; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:23.158819800Z</date> <millis>1643113943158</millis> <nanos>819800</nanos>
<sequence>2213</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113943158; nextExpiration=1643113943152; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:24.169163400Z</date> <millis>1643113944169</millis> <nanos>163400</nanos>
<sequence>2214</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113944169; nextExpiration=1643113944158; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:25.174630200Z</date> <millis>1643113945174</millis> <nanos>630200</nanos>
<sequence>2215</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113945174; nextExpiration=1643113945169; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:26.176528200Z</date> <millis>1643113946176</millis> <nanos>528200</nanos>
<sequence>2216</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113946176; nextExpiration=1643113946174; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:27.178899300Z</date> <millis>1643113947178</millis> <nanos>899300</nanos>
<sequence>2217</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113947178; nextExpiration=1643113947176; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:32:28.181310900Z</date> <millis>1643113948181</millis> <nanos>310900</nanos>
<sequence>2218</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113948181; nextExpiration=1643113948178; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:29.193247100Z</date> <millis>1643113949193</millis> <nanos>247100</nanos>
<sequence>2219</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113949193; nextExpiration=1643113949181; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:30.198311Z</date> <millis>1643113950198</millis> <nanos>311000</nanos>
<sequence>2220</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113950198; nextExpiration=1643113950193; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:31.208225900Z</date> <millis>1643113951208</millis> <nanos>225900</nanos>
<sequence>2221</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113951208; nextExpiration=1643113951198; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:32.220437200Z</date> <millis>1643113952220</millis> <nanos>437200</nanos>
<sequence>2222</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113952220; nextExpiration=1643113952208; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:33.231596400Z</date> <millis>1643113953231</millis> <nanos>596400</nanos>
<sequence>2223</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113953231; nextExpiration=1643113953220; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:34.233363500Z</date> <millis>1643113954233</millis> <nanos>363500</nanos>
<sequence>2224</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113954233; nextExpiration=1643113954231; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:35.240138400Z</date> <millis>1643113955240</millis> <nanos>138400</nanos>
<sequence>2225</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113955240; nextExpiration=1643113955233; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:32:36.250098800Z</date> <millis>1643113956250</millis> <nanos>98800</nanos>
<sequence>2226</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113956250; nextExpiration=1643113956240; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:37.255076200Z</date> <millis>1643113957255</millis> <nanos>76200</nanos>
<sequence>2227</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113957255; nextExpiration=1643113957250; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:38.262599700Z</date> <millis>1643113958262</millis> <nanos>599700</nanos>
<sequence>2228</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113958262; nextExpiration=1643113958255; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:39.276499600Z</date> <millis>1643113959276</millis> <nanos>499600</nanos>
<sequence>2229</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113959276; nextExpiration=1643113959262; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:40.282357700Z</date> <millis>1643113960282</millis> <nanos>357700</nanos>
<sequence>2230</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113960282; nextExpiration=1643113960276; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:41.289234600Z</date> <millis>1643113961289</millis> <nanos>234600</nanos>
<sequence>2231</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113961289; nextExpiration=1643113961282; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:42.299774600Z</date> <millis>1643113962299</millis> <nanos>774600</nanos>
<sequence>2232</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113962299; nextExpiration=1643113962289; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:43.308740300Z</date> <millis>1643113963308</millis> <nanos>740300</nanos>
<sequence>2233</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113963308; nextExpiration=1643113963299; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:32:44.319269800Z</date> <millis>1643113964319</millis> <nanos>269800</nanos>
<sequence>2234</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113964319; nextExpiration=1643113964308; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:45.329797500Z</date> <millis>1643113965329</millis> <nanos>797500</nanos>
<sequence>2235</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113965329; nextExpiration=1643113965319; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:46.338222500Z</date> <millis>1643113966338</millis> <nanos>222500</nanos>
<sequence>2236</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113966338; nextExpiration=1643113966329; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:47.345049200Z</date> <millis>1643113967345</millis> <nanos>49200</nanos>
<sequence>2237</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113967345; nextExpiration=1643113967338; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:48.360042500Z</date> <millis>1643113968360</millis> <nanos>42500</nanos>
<sequence>2238</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113968360; nextExpiration=1643113968345; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:49.362813300Z</date> <millis>1643113969362</millis> <nanos>813300</nanos>
<sequence>2239</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113969362; nextExpiration=1643113969360; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:50.367923500Z</date> <millis>1643113970367</millis> <nanos>923500</nanos>
<sequence>2240</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113970367; nextExpiration=1643113970362; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:51.375285400Z</date> <millis>1643113971375</millis> <nanos>285400</nanos>
<sequence>2241</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113971375; nextExpiration=1643113971367; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:32:52.383357500Z</date> <millis>1643113972383</millis> <nanos>357500</nanos>
<sequence>2242</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113972383; nextExpiration=1643113972375; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:53.388336400Z</date> <millis>1643113973388</millis> <nanos>336400</nanos>
<sequence>2243</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113973388; nextExpiration=1643113973383; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:54.402045900Z</date> <millis>1643113974402</millis> <nanos>45900</nanos>
<sequence>2244</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113974402; nextExpiration=1643113974388; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:55.415885800Z</date> <millis>1643113975415</millis> <nanos>885800</nanos>
<sequence>2245</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113975415; nextExpiration=1643113975402; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:56.428800800Z</date> <millis>1643113976428</millis> <nanos>800800</nanos>
<sequence>2246</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113976428; nextExpiration=1643113976415; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:57.440344200Z</date> <millis>1643113977440</millis> <nanos>344200</nanos>
<sequence>2247</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113977440; nextExpiration=1643113977428; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:58.455725600Z</date> <millis>1643113978455</millis> <nanos>725600</nanos>
<sequence>2248</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113978455; nextExpiration=1643113978440; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:32:59.457887300Z</date> <millis>1643113979457</millis> <nanos>887300</nanos>
<sequence>2249</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113979457; nextExpiration=1643113979455; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:33:00.471502100Z</date> <millis>1643113980471</millis> <nanos>502100</nanos>
<sequence>2250</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113980471; nextExpiration=1643113980457; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:01.475206300Z</date> <millis>1643113981475</millis> <nanos>206300</nanos>
<sequence>2251</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113981475; nextExpiration=1643113981471; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:02.490202200Z</date> <millis>1643113982490</millis> <nanos>202200</nanos>
<sequence>2252</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113982490; nextExpiration=1643113982475; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:03.494845600Z</date> <millis>1643113983494</millis> <nanos>845600</nanos>
<sequence>2253</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113983494; nextExpiration=1643113983490; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:04.502024800Z</date> <millis>1643113984502</millis> <nanos>24800</nanos>
<sequence>2254</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113984502; nextExpiration=1643113984494; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:05.506922600Z</date> <millis>1643113985506</millis> <nanos>922600</nanos>
<sequence>2255</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113985506; nextExpiration=1643113985502; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:06.512289500Z</date> <millis>1643113986512</millis> <nanos>289500</nanos>
<sequence>2256</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113986512; nextExpiration=1643113986506; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:07.514297700Z</date> <millis>1643113987514</millis> <nanos>297700</nanos>
<sequence>2257</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113987514; nextExpiration=1643113987512; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:33:08.523470700Z</date> <millis>1643113988523</millis> <nanos>470700</nanos>
<sequence>2258</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113988523; nextExpiration=1643113988514; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:09.537158600Z</date> <millis>1643113989537</millis> <nanos>158600</nanos>
<sequence>2259</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113989537; nextExpiration=1643113989523; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:10.548395Z</date> <millis>1643113990548</millis> <nanos>395000</nanos>
<sequence>2260</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113990548; nextExpiration=1643113990537; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:11.553073Z</date> <millis>1643113991553</millis> <nanos>73000</nanos>
<sequence>2261</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113991553; nextExpiration=1643113991548; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:12.553220400Z</date> <millis>1643113992553</millis> <nanos>220400</nanos>
<sequence>2262</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113992553; nextExpiration=1643113992553; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:13.554439900Z</date> <millis>1643113993554</millis> <nanos>439900</nanos>
<sequence>2263</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113993554; nextExpiration=1643113993553; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:14.569506400Z</date> <millis>1643113994569</millis> <nanos>506400</nanos>
<sequence>2264</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113994569; nextExpiration=1643113994554; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:15.572868500Z</date> <millis>1643113995572</millis> <nanos>868500</nanos>
<sequence>2265</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113995572; nextExpiration=1643113995569; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-

25T12:33:16.580952800Z</date> <millis>1643113996580</millis> <nanos>952800</nanos>
<sequence>2266</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113996580; nextExpiration=1643113996572; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:17.589260400Z</date> <millis>1643113997589</millis> <nanos>260400</nanos>
<sequence>2267</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113997589; nextExpiration=1643113997580; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:18.603720900Z</date> <millis>1643113998603</millis> <nanos>720900</nanos>
<sequence>2268</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113998603; nextExpiration=1643113998589; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:19.606671700Z</date> <millis>1643113999606</millis> <nanos>671700</nanos>
<sequence>2269</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643113999606; nextExpiration=1643113999603; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:33:19.919658700Z</date> <millis>1643113999919</millis> <nanos>658700</nanos>
<sequence>2270</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>Start expire sessions
StandardManager at 1643113999919 sessioncount 0</message></record><record> <date>2022-
01-25T12:33:19.919658700Z</date> <millis>1643113999919</millis> <nanos>658700</nanos>
<sequence>2271</sequence> <logger>org.apache.catalina.session.ManagerBase</logger>
<level>FINE</level> <class>org.apache.catalina.session.ManagerBase</class>
<method>processExpires</method> <thread>16</thread> <message>End expire sessions
StandardManager processingTime 0 expired sessions: 0</message></record><record>
<date>2022-01-25T12:33:20.617363900Z</date> <millis>1643114000617</millis>
<nanos>363900</nanos> <sequence>2272</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114000617;
nextExpiration=1643114000606; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:21.626337500Z</date>
<millis>1643114001626</millis> <nanos>337500</nanos> <sequence>2273</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114001626;
nextExpiration=1643114001617; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:22.634677Z</date>
<millis>1643114002634</millis> <nanos>677000</nanos> <sequence>2274</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114002634;
nextExpiration=1643114002626; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:23.645667100Z</date>
<millis>1643114003645</millis> <nanos>667100</nanos> <sequence>2275</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114003645;
nextExpiration=1643114003634; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:24.649518300Z</date>
<millis>1643114004649</millis> <nanos>518300</nanos> <sequence>2276</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114004649;
nextExpiration=1643114004645; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:25.662258600Z</date>
<millis>1643114005662</millis> <nanos>258600</nanos> <sequence>2277</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114005662;
nextExpiration=1643114005649; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:26.669886600Z</date>
<millis>1643114006669</millis> <nanos>886600</nanos> <sequence>2278</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114006669;
nextExpiration=1643114006662; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:27.676684300Z</date>
<millis>1643114007676</millis> <nanos>684300</nanos> <sequence>2279</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114007676;
nextExpiration=1643114007669; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:28.684497Z</date>
<millis>1643114008684</millis> <nanos>497000</nanos> <sequence>2280</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114008684;
nextExpiration=1643114008676; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:29.698763300Z</date>
<millis>1643114009698</millis> <nanos>763300</nanos> <sequence>2281</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114009698;
nextExpiration=1643114009684; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:30.711437300Z</date>
<millis>1643114010711</millis> <nanos>437300</nanos> <sequence>2282</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114010711;
nextExpiration=1643114010698; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:31.721250300Z</date>
<millis>1643114011721</millis> <nanos>250300</nanos> <sequence>2283</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114011721;
nextExpiration=1643114011711; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:32.727738200Z</date>
<millis>1643114012727</millis> <nanos>738200</nanos> <sequence>2284</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114012727;
nextExpiration=1643114012721; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:33.735744500Z</date>
<millis>1643114013735</millis> <nanos>744500</nanos> <sequence>2285</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114013735;
nextExpiration=1643114013727; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:34.746301200Z</date>
<millis>1643114014746</millis> <nanos>301200</nanos> <sequence>2286</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114014746;
nextExpiration=1643114014735; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:35.751537500Z</date>
<millis>1643114015751</millis> <nanos>537500</nanos> <sequence>2287</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114015751;
nextExpiration=1643114015746; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:36.760503100Z</date>
<millis>1643114016760</millis> <nanos>503100</nanos> <sequence>2288</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114016760;
nextExpiration=1643114016751; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:37.774784500Z</date>
<millis>1643114017774</millis> <nanos>784500</nanos> <sequence>2289</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114017774;
nextExpiration=1643114017760; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:38.781150500Z</date>
<millis>1643114018781</millis> <nanos>150500</nanos> <sequence>2290</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114018781;
nextExpiration=1643114018774; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:39.786488400Z</date>
<millis>1643114019786</millis> <nanos>488400</nanos> <sequence>2291</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114019786;
nextExpiration=1643114019781; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:40.799496500Z</date>
<millis>1643114020799</millis> <nanos>496500</nanos> <sequence>2292</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114020799;
nextExpiration=1643114020786; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:41.808191200Z</date>
<millis>1643114021808</millis> <nanos>191200</nanos> <sequence>2293</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114021808;
nextExpiration=1643114021799; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:42.810500400Z</date>
<millis>1643114022810</millis> <nanos>500400</nanos> <sequence>2294</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114022810;
nextExpiration=1643114022808; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:43.811637800Z</date>
<millis>1643114023811</millis> <nanos>637800</nanos> <sequence>2295</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114023811;
nextExpiration=1643114023810; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:44.815431300Z</date>
<millis>1643114024815</millis> <nanos>431300</nanos> <sequence>2296</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114024815;
nextExpiration=1643114024811; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:45.818447100Z</date>
<millis>1643114025818</millis> <nanos>447100</nanos> <sequence>2297</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114025818;
nextExpiration=1643114025815; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:46.827625500Z</date>
<millis>1643114026827</millis> <nanos>625500</nanos> <sequence>2298</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114026827;
nextExpiration=1643114026818; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:47.835024200Z</date>
<millis>1643114027835</millis> <nanos>24200</nanos> <sequence>2299</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114027835;
nextExpiration=1643114027827; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:48.842804500Z</date>
<millis>1643114028842</millis> <nanos>804500</nanos> <sequence>2300</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114028842;
nextExpiration=1643114028835; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:49.843122800Z</date>
<millis>1643114029843</millis> <nanos>122800</nanos> <sequence>2301</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114029843;
nextExpiration=1643114029842; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:50.846860300Z</date>
<millis>1643114030846</millis> <nanos>860300</nanos> <sequence>2302</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114030846;
nextExpiration=1643114030843; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:51.858430400Z</date>
<millis>1643114031858</millis> <nanos>430400</nanos> <sequence>2303</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114031858;
nextExpiration=1643114031846; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:52.866932400Z</date>
<millis>1643114032866</millis> <nanos>932400</nanos> <sequence>2304</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114032866;
nextExpiration=1643114032858; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:53.874898700Z</date>
<millis>1643114033874</millis> <nanos>898700</nanos> <sequence>2305</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114033874;
nextExpiration=1643114033866; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:54.884916600Z</date>
<millis>1643114034884</millis> <nanos>916600</nanos> <sequence>2306</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114034884;
nextExpiration=1643114034874; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:55.890286100Z</date>
<millis>1643114035890</millis> <nanos>286100</nanos> <sequence>2307</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114035890;
nextExpiration=1643114035884; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:56.905311600Z</date>
<millis>1643114036905</millis> <nanos>311600</nanos> <sequence>2308</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114036905;
nextExpiration=1643114036890; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:57.906513200Z</date>
<millis>1643114037906</millis> <nanos>513200</nanos> <sequence>2309</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114037906;
nextExpiration=1643114037905; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:58.912120800Z</date>
<millis>1643114038912</millis> <nanos>120800</nanos> <sequence>2310</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114038912;
nextExpiration=1643114038906; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:33:59.916214400Z</date>
<millis>1643114039916</millis> <nanos>214400</nanos> <sequence>2311</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114039916;
nextExpiration=1643114039912; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:00.930228900Z</date>
<millis>1643114040930</millis> <nanos>228900</nanos> <sequence>2312</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114040930;
nextExpiration=1643114040916; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:01.938733500Z</date>
<millis>1643114041938</millis> <nanos>733500</nanos> <sequence>2313</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114041938;
nextExpiration=1643114041930; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:02.945883500Z</date>
<millis>1643114042945</millis> <nanos>883500</nanos> <sequence>2314</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114042945;
nextExpiration=1643114042938; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:03.953024200Z</date>
<millis>1643114043953</millis> <nanos>24200</nanos> <sequence>2315</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114043953;
nextExpiration=1643114043945; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:04.956546400Z</date>
<millis>1643114044956</millis> <nanos>546400</nanos> <sequence>2316</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114044956;
nextExpiration=1643114044953; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:05.969362100Z</date>
<millis>1643114045969</millis> <nanos>362100</nanos> <sequence>2317</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114045969;
nextExpiration=1643114045956; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:06.970206800Z</date>
<millis>1643114046970</millis> <nanos>206800</nanos> <sequence>2318</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114046970;
nextExpiration=1643114046969; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:07.970604100Z</date>
<millis>1643114047970</millis> <nanos>604100</nanos> <sequence>2319</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114047970;
nextExpiration=1643114047970; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:08.973184800Z</date>
<millis>1643114048973</millis> <nanos>184800</nanos> <sequence>2320</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114048973;
nextExpiration=1643114048970; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:09.977174800Z</date>
<millis>1643114049977</millis> <nanos>174800</nanos> <sequence>2321</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114049977;
nextExpiration=1643114049973; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:10.979988300Z</date>
<millis>1643114050979</millis> <nanos>988300</nanos> <sequence>2322</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114050979;
nextExpiration=1643114050977; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:11.982375600Z</date>
<millis>1643114051982</millis> <nanos>375600</nanos> <sequence>2323</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114051982;
nextExpiration=1643114051979; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:12.997020900Z</date>
<millis>1643114052997</millis> <nanos>20900</nanos> <sequence>2324</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114052997;
nextExpiration=1643114052982; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:14.008887100Z</date>
<millis>1643114054008</millis> <nanos>887100</nanos> <sequence>2325</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114054008;
nextExpiration=1643114053997; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:15.015026Z</date>
<millis>1643114055015</millis> <nanos>26000</nanos> <sequence>2326</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114055015;
nextExpiration=1643114055008; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:16.017144200Z</date>
<millis>1643114056017</millis> <nanos>144200</nanos> <sequence>2327</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114056017;
nextExpiration=1643114056015; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:17.023339700Z</date>
<millis>1643114057023</millis> <nanos>339700</nanos> <sequence>2328</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114057023;
nextExpiration=1643114057017; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:18.026851500Z</date>
<millis>1643114058026</millis> <nanos>851500</nanos> <sequence>2329</sequence>
<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114058026;
nextExpiration=1643114058023; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:19.036287100Z</date>
<millis>1643114059036</millis> <nanos>287100</nanos> <sequence>2330</sequence>

<logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level>
<class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method>
<thread>22</thread> <message>timeout completed: keys processed=0; now=1643114059036;
nextExpiration=1643114059026; keyCount=0; hasEvents=false;
eval=false</message></record><record> <date>2022-01-25T12:34:19.984483Z</date>
<millis>1643114059984</millis> <nanos>483000</nanos> <sequence>2331</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>16</thread> <message>Start expire sessions StandardManager at 1643114059984
sessioncount 0</message></record><record> <date>2022-01-25T12:34:19.984483Z</date>
<millis>1643114059984</millis> <nanos>483000</nanos> <sequence>2332</sequence>
<logger>org.apache.catalina.session.ManagerBase</logger> <level>FINE</level>
<class>org.apache.catalina.session.ManagerBase</class> <method>processExpires</method>
<thread>16</thread> <message>End expire sessions StandardManager processingTime 0
expired sessions: 0</message></record><record> <date>2022-01-
25T12:34:20.045840700Z</date> <millis>1643114060045</millis> <nanos>840700</nanos>
<sequence>2333</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643114060045; nextExpiration=1643114060036; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:34:21.049053800Z</date> <millis>1643114061049</millis> <nanos>53800</nanos>
<sequence>2334</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643114061049; nextExpiration=1643114061045; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:34:22.049402400Z</date> <millis>1643114062049</millis> <nanos>402400</nanos>
<sequence>2335</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643114062049; nextExpiration=1643114062049; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:34:23.058847400Z</date> <millis>1643114063058</millis> <nanos>847400</nanos>
<sequence>2336</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643114063058; nextExpiration=1643114063049; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:34:24.073108Z</date> <millis>1643114064073</millis> <nanos>108000</nanos>
<sequence>2337</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>
<method>timeout</method> <thread>22</thread> <message>timeout completed: keys
processed=0; now=1643114064073; nextExpiration=1643114064058; keyCount=0;
hasEvents=false; eval=false</message></record><record> <date>2022-01-
25T12:34:25.088367400Z</date> <millis>1643114065088</millis> <nanos>367400</nanos>
<sequence>2338</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger>
<level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114065088; nextExpiration=1643114065073; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:26.100520Z</date> <millis>1643114066100</millis> <nanos>520000</nanos> <sequence>2339</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114066100; nextExpiration=1643114066088; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:27.101017900Z</date> <millis>1643114067101</millis> <nanos>17900</nanos> <sequence>2340</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114067101; nextExpiration=1643114067100; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:28.114466500Z</date> <millis>1643114068114</millis> <nanos>466500</nanos> <sequence>2341</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114068114; nextExpiration=1643114068101; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:29.122581300Z</date> <millis>1643114069122</millis> <nanos>581300</nanos> <sequence>2342</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114069122; nextExpiration=1643114069114; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:30.134760700Z</date> <millis>1643114070134</millis> <nanos>760700</nanos> <sequence>2343</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114070134; nextExpiration=1643114070122; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:31.145072600Z</date> <millis>1643114071145</millis> <nanos>72600</nanos> <sequence>2344</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114071145; nextExpiration=1643114071134; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:32.174435300Z</date> <millis>1643114072174</millis> <nanos>435300</nanos> <sequence>2345</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114072174; nextExpiration=1643114072145; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:33.176254700Z</date> <millis>1643114073176</millis> <nanos>254700</nanos> <sequence>2346</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114073176; nextExpiration=1643114073174; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:34.190884600Z</date> <millis>1643114074190</millis> <nanos>884600</nanos> <sequence>2347</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114074190; nextExpiration=1643114074176; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:35.207719Z</date> <millis>1643114075207</millis> <nanos>719000</nanos> <sequence>2348</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114075206; nextExpiration=1643114075190; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:36.220719700Z</date> <millis>1643114076220</millis> <nanos>719700</nanos> <sequence>2349</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114076220; nextExpiration=1643114076207; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:37.228263500Z</date> <millis>1643114077228</millis> <nanos>263500</nanos> <sequence>2350</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114077228; nextExpiration=1643114077220; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:38.235648100Z</date> <millis>1643114078235</millis> <nanos>648100</nanos> <sequence>2351</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114078235; nextExpiration=1643114078228; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:39.236731300Z</date> <millis>1643114079236</millis> <nanos>731300</nanos> <sequence>2352</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114079236; nextExpiration=1643114079235; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:40.240891400Z</date> <millis>1643114080240</millis> <nanos>891400</nanos> <sequence>2353</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114080240; nextExpiration=1643114080236; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:41.245210800Z</date> <millis>1643114081245</millis> <nanos>210800</nanos> <sequence>2354</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class>

<method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114081245; nextExpiration=1643114081240; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:42.256585900Z</date> <millis>1643114082256</millis> <nanos>585900</nanos> <sequence>2355</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114082256; nextExpiration=1643114082245; keyCount=0; hasEvents=false; eval=false</message></record><record> <date>2022-01-25T12:34:43.265023100Z</date> <millis>1643114083265</millis> <nanos>23100</nanos> <sequence>2356</sequence> <logger>org.apache.tomcat.util.net.NioEndpoint</logger> <level>FINER</level> <class>org.apache.tomcat.util.net.NioEndpoint\$Poller</class> <method>timeout</method> <thread>22</thread> <message>timeout completed: keys processed=0; now=1643114083265; nextExpiration=1643114083256; keyCount=0; hasEvents=false; eval=false</message></record>

1.2. KRaj

Kraj!