New TO-DO: Click the on button "Add task"

Priority	Behavior	Туре	Layer
↑ High	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open application "TO-GO-MVP"

Step	1
Action	Click the on button "Add task" in the form of a circle with a plus in the center
Input data	
Expected result	The module for creating a new task is opened.

New TO-DO: Click the on back button to return to the main menu

PriorityBehaviorTypeLayero MediumPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-Not automatedActual

Pre-conditions

Open application "TO-GO-MVP"

Step	1
Action	Click the on back button in the form of an arrow to the left
Input data	
Expected result	Back to the main menu

New TO-DO: Enter only numbers in the input field "Title" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter only numbers in the input field "Title".
Input data	15
Expected result	The numbers are entered in the input field "Title".
Step	2
Action	Confirm the creation of the task.
Input data	

New TO-DO: Enter only special characters in the input field "Title" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter only special characters in the input field "Title".
Input data	\$\$\$
Expected result	The special characters are entered in the input field "Title".
	_
Step	2
Step	Confirm the creation of the task.
•	

New TO-DO: Enter only Cyrillic in the input field "Title" and confirm the creation of the task

Priority	Behavior	Туре	Layer
o Medium	Positive	Functional	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter only Cyrillic in the input field "Title".
Input data	Купить дом
Expected result	The Cyrillic are entered in the input field "Title".
Step	2
Action	Confirm the creation of the task.
Input data	

New TO-DO: Enter Latin in the input field "Title" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter Latin in the input field "Title".
Input data	New car
Expected result	The Latin are entered in the input field "Title".
Step	2
Action	Confirm the creation of the task.
Input data	
Expected result	New task is created.

New TO-DO: Leave the field empty "Title" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Negative	Functional	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Leave the field empty "Title".
Input data	
Expected result	The input field "Title" is empty.
Step	2
Action	Confirm the creation of the task.
Input data	
Expected result	The message "TO-DO canot be empty" is appeared.

New TO-DO: Enter only gap(s) in the input field "Title" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Negative	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP".
- 2. Click on the button "Add task".

Step	1
Action	Enter only gap(s) in the input field "Title".
Input data	New car
Expecte result	d The gaps are entered in the input field "Title".
Step	2
Action	Confirm the creation of the task.
Input data	
Expecte result	The message "TO-DO canot be empty" is appeared.

New TO-DO: Enter 1 character in the input field "Title" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter 1 character in the input field "Title".
Input data	a
Expected result	The character is entered in the input field "Title".
Step	2
Action	Confirm the creation of the task.
Input data	
Expected result	New task is created.

New TO-DO: Enter 255 characters in the input field "Title" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter 255 characters in the input field "Title".
Input data	255 characters
Expected result	The 255 characters are entered in the input field "Title".
Step	2
Step Action	2 Confirm the creation of the task.

New TO-DO: Enter only numbers in the input field "TO-DO" and confirm the creation of the task

Priority	Behavior	Туре	Layer
o Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter only numbers in the input field "TO-DO".
Input data	15
Expected result	The numbers are entered in the input field "TO-DO".
Step	2
Action	Confirm the creation of the task.
Input data	
Expected result	New task is created.

New TO-DO: Enter only special characters in the input field "TO-DO" and confirm the creation of the task

PriorityBehaviorTypeLayero MediumPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-Not automatedActual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter only special characters in the input field "TO-DO".
Input data	\$\$\$
Expected result	The special characters are entered in the input field "TO-DO".
	_
Step	2
Step Action	Confirm the creation of the task.
·	

New TO-DO: Enter only Cyrillic in the input field "TO-DO" and confirm the creation of the task

Priority	Behavior	Туре	Layer
o Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter only Cyrillic in the input field "TO-DO".
Input data	Купить дом
Expected result	The Cyrillic are entered in the input field "TO-DO".
Step	2
Action	Confirm the creation of the task.
Input data	
input data	

New TO-DO: Enter Latin in the input field "TO-DO" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter Latin in the input field "TO-DO".
Input data	New car
Expected result	The Latin are entered in the input field "TO-DO".
Step	2
Action	Confirm the creation of the task.
Input data	
Expected result	New task is created.

New TO-DO: Leave the field empty "TO-DO" and confirm the creation of the task

Priority	Behavior	Туре	Layer
o Medium	Negative	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Leave the field empty "TO-DO".
Input data	
Expected result	The input field "TO-DO" is empty.
Step	2
Action	Confirm the creation of the task.
Input data	
Expected result	The message "TO-DO canot be empty" is appeared.

New TO-DO: Enter only gap(s) in the input field "TO-DO" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Negative	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP".
- 2. Click on the button "Add task".

Step	1
Action	Enter only gap(s) in the input field "TO-DO".
Input data	New car
Expecte result	d The gaps are entered in the input field "TO-DO".
Step	2
Action	Confirm the creation of the task.
Input data	
Expecte result	The message "TO-DO canot be empty" is appeared.

New TO-DO: Enter 1 character in the input field "TO-DO" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter 1 character in the input field "TO-DO".
Input data	a
Expected result	The character is entered in the input field "TO-DO".
Step	2
Step Action	Confirm the creation of the task.

New TO-DO: Enter 255 characters in the input field "TO-DO" and confirm the creation of the task

Priority	Behavior	Туре	Layer
• Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter 255 characters in the input field "TO-DO".
Input data	255 characters
Expected result	The 255 characters are entered in the input field "TO-DO".
_	
Step	2
Step	2 Confirm the creation of the task.
·	

New TO-DO: Click the button "Add task" when the input fields are empty

Priority	Behavior	Туре	Layer
• Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Leave input fields empty.
Input data	15
Expecte result	d The input fields are not filled.
Step	2
Action	Confirm the creation of the task.
Input data	
Expecte result	The message "TO-DO canot be empty" is appeared.

New TO-DO: Click the button "Add task" when only the input field "Title" is filled

Priority	Behavior	Туре	Layer
• Medium	Positive	Functional	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter Latin in the input field "Title".
Input data	New car
Expecte result	d _{The Latin} are entered in the input field "Title".
Step	2
Action	Leave the field empty "TO-DO".
Input data	
Expecte result	^d The input field "TO-DO" is empty.
Step	3
Action	Confirm the creation of the task.
Input data	
Expecte result	New task is created.

New TO-DO: Click the button "Add task" when only the input field "TO-DO" is filled

PriorityBehaviorTypeLayero MediumPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-Not automatedActual

Pre-conditions

- 1. Open application "TO-GO-MVP"
- 2. Click on the button "Add task".

Step	1
Action	Enter Latin in the input field "TO-DO".
Input data	New car
Expecte result	^d The Latin are entered in the input field "TO-DO".
Step	2
Action	Leave the field empty "Title".
Input data	
Expecte result	^d The input field "Title" is empty.
Step	3
Action	Confirm the creation of the task.
Input data	
Expecte result	New task is created.

New TO-DO: Click on the virtual back button on the device itself to return to the main menu

PriorityBehaviorTypeLayero MediumPositiveFunctionalNot setIs FlakyMilestoneAutomationStatusNo-Not automatedActual

Pre-conditions

Open application "TO-GO-MVP"

Step	1
Action	Click on the virtual back button on the device itself (swipe rightmost panel)
Input data	
Expected result	Back to the main menu