


Users and authored content

Crow's-foot notation shows intended relationships for records created by the app. UID references are strings, not enforced foreign keys.



Each record has one author; each capsule has one sender and one recipient. The same user may fill both capsule roles.

||— 1 = exactly one


≧○— 0..* = zero or many

+○— 0..1 = optional one

ID = document/path key; REF = logical reference
 No SQL foreign keys or automatic cascade deletes.

Quests, device tokens and presence

One Auth user can own many quest records and device tokens, and at most one presence record in each database.



UserPresence and RealtimePresence share a UID; they are separate records and are not updated atomically.

|| 1 = exactly one

≧○ 0..* = zero or many


+○ 0..1 = optional one

ID = document/path key; REF = logical reference
No SQL foreign keys or automatic cascade deletes.

Code: src/composables/useDailyQuests.js; usePresence.js; netlify/functions/api.mjs:POST /api/register; firestore.rules

Embedded media and hosted assets

Dashed relationships indicate containment in `photos[]` arrays. Media items are embedded values, not separate Firestore collections.



Each embedded item belongs to one parent document and references one hosted asset by URL. The same URL may appear in multiple items. Cloudinary existence and URL uniqueness are not enforced by Firestore. Legacy `photoUrls[]` is also read by backend helpers.

== 1 = exactly one


≧ 0..* = zero or many

+ 0..1 = optional one

ID = document/path key; REF = logical reference
No SQL foreign keys or automatic cascade deletes.

Reminder logs and polymorphic references

These collections record notification attempts. Their document keys support deduplication; they are not per-recipient delivery tables.



0..1 on each anniversary source branch is conditional: together, the two branches identify exactly one source.

—+— 1 = exactly one

—>— 0..* = zero or many

—+○— 0..1 = optional one

ID = document/path key; REF = logical reference
No SQL foreign keys or automatic cascade deletes.

Code: netlify/functions/planReminders.mjs:dedupeKey and dedupeRef.set; anniversaryReminders.mjs:reminderKey and reminderRef.set