

## C\_CPI\_15

Question: 1

You want to dispatch messages only when a child element "Product" exists. Which condition do you set?

- A. **ProductSet/count(Product)>0**
- B. /ProductSet/count(Product)=0
- C. /ProductSet/count(Product)<0)
- D. /ProductSet/counter(Product)>0

Answers: A

Question: 2

You want to set up Exchange Properties in an integration flow. Besides a Content Modifier, what can you use?

- A. Python scripting
- B. **Groovy SDK scripting**
- C. Batch scripting
- D. XML scripting

Answers: B

Question: 3

What are the key capabilities of the SAP BTP Integration Suite? Note: There are 2 correct answers to this question.

- A. **API Management**
- B. **Connectivity Service**
- C. Open Connectors
- D. SAP Business Application Studio

Answers: A B

Question: 4

What are some advantages of creating an OData interface through an API provider? Note: There are 2 correct answers to this question.

- A. Automatic creation of a WSDL specification
- B. Automatic creation of a RAML specification
- C. **Automatic creation of a Swagger UI**
- D. **Automatic creation of an openAPI specification**

Answers: C D

Question: 5

What do you use in an integration flow to handle unexpected errors?

- A. Status code checks
- B. Exception handler integration flow elements
- C. Try-catch subprocesses
- D. **Exception-handling subprocesses**

Answers: D

Question: 6

What is the relationship between an API provider and an API proxy in the API Management capability within SAP Integration Suite?

- A. The API provider manages secure API access for an API proxy.
- B. The API proxy provides a unique URL and acts as a proxy for the API provider.**
- C. The API provider provides a unique URL for an API proxy.

Answers: B

Question: 7

Where must you configure an HTTPS inbound adapter with OAuth 2.0 authentication?

- A. In the adapter
- B. In the integration flow**
- C. In the SAP Integration Suite
- D. In the process runtime

Answers: B

Question: 8

In your integration flow process, the request reply returns a message with namespaces. What can you do to delete namespaces from this message?

Note: There are 2 correct answers to this question.

- A. Set up the request reply to delete the namespaces
- B. Use a Content Modifier**
- C. Set up the namespace mapping in the Runtime Configuration.
- D. Use an XSLT mapping.**

Answers: B D

Question: 9

You want to access individual entities of an HTTP call over XPath. What must you do if no namespace mapping exists?

- A. Convert the namespaces to JSON.
- B. Remove the namespaces.**
- C. Convert the namespaces to XML
- D. Remove the XML prolog.

Answers: B

Question: 10

What are the maturity levels of the SAP Integration Solution Advisory Methodology? Note: There are 2 answers to this question.

- A. Enable your integration structure.
- B. Design your hybrid integration platform.**
- C. Assess your integration strategy**
- D. Implement your integration architectural strategy.

Answers: B C

Question: 11

In the SAP Integration Suite, where can you change the virtual host name?

- A. Discover - APIs
- B. Design APIs
- C. Configure ? APIs
- D. Settings APIs

Answers: D

Question: 12

What can you do in the Cloud Integration capability within SAP Integration Suite? Note: There are 2 correct answers to this question

- A. Connect to different cloud runtime environments.
- B. Connect to multiple endpoints.
- C. Develop custom adapters.
- D. Develop complex integration scenarios in Python.

Answers: B C

Question: 13

Which log level must you use to examine the payload at specific processing steps in an integration flow?

- A. Error
- B. Debug
- C. Trace
- D. Info

Answers: C

Question: 14

Which of the following are markup languages that you can use to describe APIs? Note: There are 2 correct answers to this question.

- A. RAML
- B. CXML
- C. OpenAPI
- D. HTML

Answers: A C

Question: 15

You have created an API provider of the type Internet. What http response code indicates success?

- A. 203
- B. 403
- C. 200
- D. 401

Answers: C

Question: 16

You use an outbound HTTP adapter with basic authentication. In SAP Integration Suite, Monitor Integrations Manage Security, where must you set up and store a user and password?

- A. Security Material
- B. Access policies
- C. PGP Keys
- D. Keystore

Answers: A

Question: 17

In which of the following must you call `getBody()` to access the payload in a Groovy script?

- A. camelcontext
- B. property
- C. header
- D. message

Answers: D

Question: 18

You are creating an API in the API management capability within SAP Integration Suite using Edit in API Designer. What is the next step to consolidate the resources?

- A. Generate the server stubs
- B. Generate the database tables.
- C. Generate the client stubs
- D. Generate the microservices.

Answers: A

Question: 19

What kind of editor can you use to manipulate integration flows?

- A. Code editor
- B. Graphical editor
- C. Command-line editor

Answers: B

Question: 20

Which functionalities are used by OData?

- A. HTTP, AtomPub, and JSON
- B. TCP, AtomPub, and JSON
- C. SOAP, AtomPub, and JSON

Answers: A

Question: 21

You have set up an integration process to use a SOAP adapter. Which event allows you to run the integration flow directly after deployment?

- A. End Event
- B. End Message
- C. Start Event
- D. Start Message

Answers: D

Question: 22

What is Representational State Transfer (REST)?

- A. An architectural style
- B. A description language for APIs
- C. A message protocol
- D. An application protocol

Answers: A

Question: 23

What does an API consumer do?

- A. It provides the server-side implementation of an interface.
- B. It invokes an interface.
- C. It provides an interface.

Answers: B

Question: 24

Which SAP Cloud Integration process event allows you to run integration flows directly after deployment?

- A. Content Modifier
- B. Router
- C. Message Digest
- D. Timer

Answers: D

Question: 25

You want to call an OData v4.0 interface through an adapter in the Cloud Integration capability within SAP Integration Suite. Which adapter can you use?

- A. JMS
- B. ProcessDirect
- C. HTTPS
- D. SOAP

Answers: C

Question: 26

You want to set up an SAP backend system through the Cloud Connector with an API provider. Which connection type do you use?

- A. Internet
- B. On-premise
- C. Cloud Integration
- D. Open Connectors

Answers: B

Question: 27

You configured a content modifier as follows: Action Create. Name: ProductID. Source Type: XPath. Source Value: //ProductID. Data Type: java lang string. After testing the content modifier, you receive an error message that contains the following fragment: java.lang.ClassNotFoundException java lang string. What caused the error message?

- A. Incorrect name
- B. Incorrect source value
- C. Incorrect source type
- D. Incorrect data type

Answers: D

Question: 28

You want to use an HTTPS endpoint from an integration flow. In which of the following must you use the HTTP client?

- A. API Management capability within SAP Integration Suite
- B. Open Connectors capability within SAP Integration Suite
- C. SAP Integration Suite, advanced event mesh
- D. SAP Business Application Studio

Answers: B

Question: 29

Besides in SAP API Management, where can you find policy templates?

- A. In SAP API Business Accelerator Hub - Explore Discover Integrations
- B. In SAP API Business Accelerator Hub- Explore Categories ?? APIs
- C. In SAP API Business Accelerator Hub ? Explore Business Processes
- D. In SAP API Business Accelerator Hub- Explore Products

Answers: B

Question: 30

What can you use to prevent overload in an OData request and reply call?

- A. Query filter
- B. HTTP adapter
- C. Stop parameter
- D. Paging

Answers: D

Question: 31

Where can you find more information about APIs, policies, and integrations?

A. Cloud Integration capability within SAP Integration Suite

B. Open Connectors capability within SAP Integration Suite

C. SAP Business Accelerator Hub

Answers: C

Question: 32

What are some message protocols that the API Management capability within SAP Integration Suite supports? Note: There are 3 correct answers to this question.

A. SOAP

B. RFC

C. REST

D. OData

E. IDoc

Answers: A C D

Question: 33

In the Cloud Integration capability within SAP Integration Suite, which internal message format is used?

A. XML

B. JSON

C. XSLT

Answers: A

Question: 34

You want to integrate a SOAP adapter into an integration process and enable the adapter to send messages to the integration flow. Which user role must you set up in the SOAP adapter?

A. MessagingSendtoCI

B. MessagingSend

C. ESBMessaging send

Answers: C

Question: 35

You want to implement a synchronous call to a remote HTTP API as an integration flow component. Which adapter can you use?

A. OData

B. Mail

C. AMQP

D. SFTP

Answers: A

Question: 36

You use an APIKey for authentication in an HTTPS API call. In which part of the Content Modifier is the APIKey included?

- A. Message body
- B. Message header**
- C. Attachment
- D. Exchange property

Answers: B

Question: 37

What must you do to find out which entity sets are available in the OData V2.0 interface?

- A. Retrieve the service document from the interface.
- B. Retrieve the metadata document from the interface.**
- C. Contact the OData interface manufacturer
- D. Search in the Global Directory of all available OData interfaces.

Answers: B

Question: 38

Which expression language can you use to access the content of a message in an integration flow?

- A. JavaScript expression language
- B. XML expression language
- C. Spring expression language
- D. Simple expression language**

Answers: D

Question: 39

What are some advantages of the cloud integration capability within SAP Integration Suite? Note: There are 2 correct answers to this question.

- A. A local installation is not required.**
- B. Customer-to-Customer(C2C) integrations can be developed
- C. Integration processes can be developed offline.
- D. Predefined scenarios can be used out-of-the-box.**

Answers: A D

Question: 40

You have set up a basic authentication policy, but the API proxy returns an HTTP status of 401. What could be a reason?

- A. In the AssignMessage policy, the AssignTo tag has the type="postFlow"
- B. In the AssignMessage policy, the Assign To tag has the type="response"**
- C. In the AssignMessage policy, the AssignTo tag has the type="request"
- D. In the AssignMessage policy, the AssignTo tag has the type="preflow"



Answers: B

Question: 41

What are some aspects of "holistic integration" of the SAP Integration Suite?

Note: 3 answers are correct.

- A. Process Integration
- B. Cloud Integration
- C. Event Integration
- D. Domain Integration
- E. Data Integration

Answers: A C E

Question: 42

You want to split a message that contains recurring child nodes. Which of the following splitter types can you use? Note: There are 2 correct answers to this questions.

- A. EDI Splitter
- B. PKCS#7/CMS Splitter
- C. General Splitter
- D. Iterating Splitter

Answers: C D

Question: 43

What are target endpoints of an API? Note: There are 3 correct answers to this question.

- A. API provider
- B. API consumer
- C. Resources
- D. API proxy
- E. URL of original API

Answers: A D E

Question: 44

Which data store operation can you use to save a customer ID?

- A. GET
- B. SELECT
- C. POST
- D. WRITE

Answers: D

Question: 45

You want to build an architecture that is largely asynchronous. Which design do you use to exchange notifications between the partners involved?

- A. Event-driven design
- B. Hexagonal design
- C. Serverless design

#### D. Request-driven design

Answers: A

Question: 46

You want to send messages over an SOAP adapter to an integration flow. Which method do you use to send the messages?

- A. UPDATE
- B. PATCH
- C. GET
- D. POST

Answers: D

Question: 47

When does the "Trace" log level expire and when will the log files be removed?

- A. Expiration: 10 minutes Removal: After 24 hours
- B. Expiration: 15 minutes Removal: After 24 hours
- C. Expiration: 15 minutes Removal: After 10 hours
- D. Expiration: 10 minutes Removal: After 1 hour

Answers: D

Question: 48

How do you configure a SOAP adapter for asynchronous processing?

- A. Message Exchange Pattern: Request-Reply Process Settings Robust
- B. Message Exchange Pattern: Request-Reply Process Settings WS Standard
- C. Message Exchange Pattern: One-Way Process Settings: Robust
- D. Message Exchange Pattern: One-Way Process Settings: WS Standard

Answers: D

Question: 49

Using the Test Connectivity function, you want to test a connection to a backend system. The connection is provided by a Cloud Connector. Which parameter is required for the connection test?

- A. Connector ID
- B. Host
- C. Location ID
- D. Subaccount ID

Answers: C

Question: 50

You want to publish a new API product to the API business hub enterprise. What is a requirement?

- A. At least two deployed API Providers
- B. At least one deployed API Proxy
- C. At least one deployed API Provider
- D. At least two deployed API Proxies

Answers: B

Question: 51

Which part of the proxy URL is provided by the initial configuration step of the API Management?

- A. Name of the API management
- B. Service name
- C. Version
- D. Virtual host

Answers: D

Question: 52

What is a characteristic of a product in the API Management capability within SAP Integration Suite?

- A. It encapsulates the API provider.
- B. It is a separate artifact and is required for basic authentication.
- C. It is deployed as a separate artifact on the API business hub enterprise

Answers: C

Question: 53

What does the messaging model of the Apache Camel Data Model consist of?

- A. Header, Exchange ID, in-message
- B. Header, body, attachment
- C. Header, body, properties
- D. Header, properties, attachment

Answers: B

Question: 54

Which of the following can you use for an XSLT mapping in an integration flow?

- A. HTML
- B. JSON
- C. PHP
- D. XML

Answers: D

Question: 55

In a Content Modifier, you want to set up a call to the message body of the previous Content Modifier. Which notation do you use to implement this?

- A. S(inbody)
- B. S[bodyin]
- C. S{in body}
- D. S{body.in}

Answers: C

Question: 56

Where can you configure a static payload? Note: There are 2 correct answers to this question.

- A. In a Data Store Operation component
- B. In a Content Modifier component of the Message Body tab
- C. In a Content Modifier component of the Message Header tab
- D. In a Groovy script

Answers: A B

Question: 57

Which of the following capabilities within SAP Integration Suite are core for integration? Note: There are 3 correct answers to this question.

- A. Integration Advisor
- B. Open Connectors
- C. Integration Assessment
- D. Cloud Integration
- E. API Management

Answers: C D E

Question: 58

Why does the API Management capability of the SAP Integration Suite require API providers?

- A. To incorporate APIs from source systems
- B. To create APIs
- C. To create authenticated API instances

Answers: A

Question: 59

What does the "Open Integration" principle of the SAP Integration Suite mean?

- A. SAP Integration Suite allows SAP-to-SAP integrations.
- B. SAP Integration Suite by default supports integrations to other SAP software.
- C. SAP Integration Suite by default supports third-party software integration.

Answers: C

Question: 60

You are using a Data store Operation of the type Write. Which parameter must you select to avoid duplicate entries?

- A. Overwrite Existing Message
- B. Retention Threshold for Alerting
- C. Include Message Headers
- D. Encrypted stored Message

Answers: A