

Certification Questions

C_CPI_15

SAP Integration Suite Questions

Total Questions - 257

Question: 1

Your client is considering implementing S/4HANA in the cloud and is not sure which deployment option is the best fit. They need the full functional scope of SAP S/4HANA along with the ability to customize, modify, and extend it. What cloud deployment option satisfies these requirements?

- 1.) SAP S/4HANA Cloud, private option
- 2.) SAP S/4HANA private managed cloud
- 3.) SAP S/4HANA Cloud
- 4.) SAP S/4HANA

Correct Answer: 2

Question: 2

In SAP Integration Advisor, how can you group related information into reusable segments?

- 1.) By creating matching groups for nodes
- 2.) By qualifying nodes
- 3.) By assigning codelists to the leaf nodes
- 4.) By providing multiple payload data sets

Correct Answer: 3

Question: 3

Your iFlow has diverged into multiple branches. You want to merge these branches into one common branch. Which of the following routing options can you use?

- 1.) Aggregator
- 2.) Gather
- 3.) Join
- 4.) Multicast

Correct Answer: 3

Question: 4

Your client has a requirement that end users need to see analytic content in the form of charts and tiles. What service in SAP Cloud Platform does this "out of the box" without the need for coding?

- 1.) SAP Streaming Analytics
- 2.) SAP HANA Advance Analytics
- 3.) SAP Predictive service
- 4.) SAP Smart Business service

Correct Answer: 4

Question: 5

Which settings can you use to connect to twitter? (2 correct)

- 1.) Use Request and Reply with HTTP adapter
- 2.) Use only the Twitter outbound adapter
- 3.) Use Request and Reply with Twitter outbound adapter
- 4.) Use RFC adapter to connect directly to twitter

Correct Answer: 1,3

Question: 6

You develop an app using the SAP Cloud Application Programming Model (CAP). What do you use to define the data model?

- 1.) Core Data Services (CDS)
- 2.) SAP Cloud SDK
- 3.) SAP Cloud Platform SDK

Correct Answer: 1

Question: 7

Which SAP Cloud Integration process step allows you to run iFlows directly after deployment?

- 1.) Message Digest
- 2.) Content Modifier
- 3.) Scheduler
- 4.) Timer

Correct Answer: 4

Question: 8

At what levels do you secure message exchange? (2 correct)

- 1.) Message
- 2.) Deployment
- 3.) Transport
- 4.) Runtime

Correct Answer: 1,3

Question: 9

Which ISO codes are supported in SAP Integration Advisor code lists? (3 correct)

- 1.) Industry codes
- 2.) Currency codes
- 3.) Territory codes
- 4.) Language codes
- 5.) Country codes

Correct Answer: 2,4,5

Question: 10

Why does the API Management capability of the SAP Integration Suite require API providers?

- 1.) To incorporate APIs from other systems
- 2.) To create authenticated API instances
- 3.) To create new custom APIs

Correct Answer: 1

Question: 11

You split a message, modify the split message, merge the split message and send in a single message via a Web Service. What are the steps to accomplish this?

- 1.) 1. Split 2. Multicast 3. Aggregator 4. SEND
- 2.) 1. Split 2. Aggregator 3. Join 4. SEND
- 3.) 1- Split 2. SEND
- 4.) 1. Split 2. Join 3. Gather 4. SEND

Correct Answer: 4

Question: 12

You want to develop an SAP HANA extended application services, advanced model app. What can you use to define the database layer?

- 1.) Java Persistence API layer for SAP HANA (JPA)
- 2.) SAP HANA Deployment Infrastructure (HDI)
- 3.) SAP HANA SQL
- 4.) Core Data Services for SAP S/4HANA (CDS)

Correct Answer: 4

Question: 13

Which of the following are process templates of SAP's Intelligent Enterprise? (2 correct)

- 1.) Design-to-Cash
- 2.) Lead-to-Cash
- 3.) Lead-to-Pay
- 4.) Design-to-Operate

Correct Answer: 2,4

Question: 14

What are approaches to develop a REST API? (2 correct)

- 1.) Contract First
- 2.) Code First
- 3.) Protocol First
- 4.) Schema First

Correct Answer: 1,2

Question: 15

When you build an iFlow, what can you do to handle errors?

- 1.) Implement an exception handler iFlow element
- 2.) Place artifacts into a TRY-CATCH subprocess
- 3.) Create an exception-handling subprocess
- 4.) Use a condition to check status codes

Correct Answer: 3

Question: 16

Which usage options are offered by SAP Cloud Platform Integration? (2 correct)

- 1.) Value mapping
- 2.) SOAP service
- 3.) Data migration
- 4.) OData service

Correct Answer: 1,4

Question: 17

Which of the following tools can you use to set up secure communication between an SAP on- premise system and the SAP Cloud Platform?

- 1.) SAP Cloud Platform Integration Suite
- 2.) SAP Cloud Platform Open Connector
- 3.) SAP API Management
- 4.) SAP Cloud Connector

Correct Answer: 4

Question: 18

Where do you find information about APIs built by partners and SAP?

- 1.) SOA Manager
- 2.) Enterprise Service Repository
- 3.) SAP Cloud Platform API Management
- 4.) SAP API Business Hub

Correct Answer: 4

Question: 19

Why must an instance in SAP Open Connectors be authenticated?

- 1.) To build a custom connector to connect with an API provider
- 2.) To view the respective connector's API Docs
- 3.) To access the data in the associated third-party service tenant

Correct Answer: 3

Question: 20

What is an advantage of the consumption-based commercial model over the subscription-based commercial model?

- 1.) Customers pay a fixed price upfront for the services they plan to use.
- 2.) Customers can use all services paying a flat fee.
- 3.) Services can be used with service-specific commitment.
- 4.) Services can be used without service-specific commitment.

Correct Answer: 4

Question: 21

In what order do you set up outbound communication via HTTP to an on Prem back-end system? (2 correct)

- 1.) 1. SAPCPI 2. Web dispatcher 3. HTTP Interface
- 2.) 1. SAPCPI 2. SAP cloud Connector 3. HTTP Interface
- 3.) 1. SAPCPI 2. HTTP Interface
- 4.) 1. SAP CPI 2. SAP Business Connector 3. HTTP Interface

Correct Answer: 2,3

Question: 22

Which of the following is a publicly managed SAP solution?

- 1.) SAP S/4HANA Cloud, extended edition
- 2.) SAP S/4HANA Cloud, essentials edition
- 3.) SAP HANA Enterprise Cloud

Correct Answer: 2

Question: 23

You have created an SAP Open Connectors instance and want to create a product from it in API Management. Which sequence of steps must you perform?

- 1.) Create a Product. Create an API Provider. Create an API Proxy.
- 2.) Create a Product. Create an API Proxy. Create an API Provider.
- 3.) Create an API Provider. Create an API Proxy. Create a Product.
- 4.) Create an API Proxy. Create an API Provider. Create a Product.

Correct Answer: 3

Question: 24

What can you use to develop a microapp? (2 correct)

- 1.) SAP HANA extended application services, classic model
- 2.) SAP ABAP RESTful programming model
- 3.) SAP HANA extended application services, advanced model
- 4.) SAP Cloud Application Programming Model (CAP)

Correct Answer: 2,4

Question: 25

What are the optimal integration domains for SAP Cloud Platform Integration? (2 correct)

- 1.) OnPremise2OnPremise
- 2.) OnPremise2Cloud
- 3.) Cloud2Cloud
- 4.) Thing2Cloud

Correct Answer: 2,3

Question: 26

Your client asks you to identify a few features of SAP S/4HANA, private option. Which of the following are features? (2 correct)

- 1.) Half-year release cycle
- 2.) Annual release cycle
- 3.) Subscription licensing
- 4.) Bring your own license (BYOL)

Correct Answer: 2,4

Question: 27

What are components of the SAP Intelligent Enterprise Framework? (3 correct)

- 1.) Intelligent Technologies
- 2.) Intelligent Services
- 3.) Digital Deployment
- 4.) Intelligent Suite
- 5.) Digital Platform

Correct Answer: 1,4,5

Question: 28

In SAP Cloud Integration, what do you use to modify a message body? (2 correct)

- 1.) Python
- 2.) Groovy Script
- 3.) Mapping
- 4.) Content Modifier

Correct Answer: 2,4

Question: 29

Which of the following adapter types can you use for iFlow-to-iFlow communication?

- 1.) RFC
- 2.) OData
- 3.) ProcessDirect
- 4.) JMS

Correct Answer: 3

Question: 30

Which databases are supported by SAP Cloud Platform data and storage services? (3 correct)

- 1.) SAP MaX DB
- 2.) Apache Couch DB
- 3.) Redis on SAP Cloud Platform
- 4.) SAP HANA
- 5.) Postgre SQL on SAP Cloud Platform

Correct Answer: 3,4,5

Question: 31

Which technology is part of SAP's digital innovation system?

- 1.) Microservices
- 2.) Containers
- 3.) Internet of Things
- 4.) Analytics

Correct Answer: 3

Question: 32

You design a process to throw an exception while messages are being by the SAP Cloud Platform Integration service. What iFlow step type does this?

- 1.) Error Start
- 2.) Error End
- 3.) Terminate Message
- 4.) Escalation End

Correct Answer: 1

Question: 33

What are some features of SAP Cloud Integration? (2 correct)

- 1.) Versioning of iFlow packages
- 2.) Exporting iFlow packages
- 3.) Versioning of iFlow artifacts
- 4.) Exporting of iFlow steps

Correct Answer: 2,3

Question: 34

To subscribe to the Integration Suite service in an SAP BTP trial account, which identifier is required?

- 1.) Space
- 2.) Instance
- 3.) Plan
- 4.) App

Correct Answer: 1

Question: 35

What pattern is NOT contained in a Camel Exchange Message?

- 1.) Runtime node information
- 2.) In Message
- 3.) Exchange ID
- 4.) Exception

Correct Answer: 1

Question: 36

You are implementing an iFlow and need an adapter that is not available in the Adapter Type selection dialog. Which of the following options can you use to find additional adapters? (2 correct)

- 1.) SAP API Business Hub
- 2.) SAP Discovery Center
- 3.) SAP Tutorial Navigator
- 4.) Discover function in SAP Cloud Integration

Correct Answer: 1,4

Question: 37

In SAP Cloud Integration, what encoding schemes can you use to encode messages? (2 correct)

- 1.) MIME Multipart Encoder
- 2.) Hex Encoder
- 3.) HTML Encoder
- 4.) ZIP Compression

Correct Answer: 1,4

Question: 38

Which of the following hyperscalers run SAP Business Technology Platform? (2 correct)

- 1.) IBM Cloud
- 2.) Amazon Web Services
- 3.) Microsoft Azure
- 4.) VMware

Correct Answer: 2,3

Question: 39

What tool is used to perform extension on SAP S/4Hana Cloud?

- 1.) SAP Net weaver Developer Studio (NWDS)
- 2.) SAP Web IDE Full-Stack
- 3.) SE80
- 4.) OData

Correct Answer: 2

Question: 40

Where can you find and subscribe to SAP BTP SaaS applications?

- 1.) Service Marketplace
- 2.) Cloud Foundry
- 3.) SAP Discovery Center

Correct Answer: 1

Question: 41

What are the building blocks of the SAP Cloud Application Programming model (CAP)? (2 correct)

- 1.) SAP Cloud SDK
- 2.) Custom business objects
- 3.) Core Data Services
- 4.) SAP Cloud Platform SDK

Correct Answer: 1,4

Question: 42

What describes the basic principles of SAP Leonardo?

- 1.) Is a design-lead approach to combine cloud and on premise solutions.
- 2.) Is a Is a design-lead approach to innovation?
- 3.) Is a renaming of multi-cloud structures?

Correct Answer: 2

Question: 43

In SAP Cloud Integration, which iFlow element can use a namespace?

- 1.) Mapping
- 2.) Timer
- 3.) Script
- 4.) Filter

Correct Answer: 1

Question: 44

What is the SAP Smart Business service?

- 1.) A framework for supporting projects
- 2.) A framework for visualizing analytic content in the form of charts and tiles
- 3.) A framework for geocoding
- 4.) A framework for extended data cleansing

Correct Answer: 2

Question: 45

An HTTPS GET call using /\$metadata suffixed to the URL provides the result of the call in JSON format. Which API was used? (2 correct)

- 1.) IDoc API
- 2.) OData API
- 3.) REST API
- 4.) SOAP API

Correct Answer: 2,3

Question: 46

Which of the following mapping artifacts can be shared between SAP Process Integration and SAP cloud Platform Integration? (2 correct)

- 1.) ABAP Mapping
- 2.) Message Mapping
- 3.) Java Mapping
- 4.) Operation Mapping

Correct Answer: 2,4

Question: 47

What is used to define reusable composed message structures in a Message Implementation Guideline (MIG)?

- 1.) Type Systems
- 2.) Complex Types
- 3.) Qualifiers
- 4.) Simple Types

Correct Answer: 3

Question: 48

What information does SAP provide through the SAP API Business Hub? (2 correct)

- 1.) Events
- 2.) Integration content
- 3.) Data schemata
- 4.) IDoc definitions

Correct Answer: 1,2

Question: 49

You want to avoid manually altering iFlows to accommodate changes in values. How can you do this?

- 1.) Use targeted externalization of changing values
- 2.) Add the changing values as resources in the integration flow configuration
- 3.) Add a content enricher process step for changing values
- 4.) Set the changing exchange property values within process steps

Correct Answer: 1

Question: 50

What kind of cloud solution is SAP HANA Enterprise Cloud?

- 1.) On-premises managed
- 2.) Hybrid managed
- 3.) Public managed
- 4.) Private managed

Correct Answer: 4

Question: 51

Which of the following is a valid sequence of activities in SAP Integration Suite?

- 1.) Connect third-party API in SAP Open Connectors. Make API accessible in API Management. Use API in iFlow in Cloud Integration
- 2.) Connect third-party API in API Management. Make API accessible in Integration Advisor. Use API in iFlow in SAP Open Connectors
- 3.) Connect third-party API in Cloud Integration. Make API accessible in SAP Open Connectors. Use API in iFlow in API Management

Correct Answer: 1

Question: 52

While testing your iFlow, you notice that messages are being received but not processed, due to a problem with the user. The error the log reads as follows:
"com.sap.esb.application.services.cxf.interceptor.SimpleAuthorizingInterceptor user is not authorized". What should you do to fix this error?

- 1.) Redeploy the known hosts in the tenant key store.
- 2.) Redeploy the X.509 certificate in the tenant keystore for the user.
- 3.) Assign the ESBMessaging.send.role to the user.
- 4.) Change the method of authentication from Basic to Certificate to the user.

Correct Answer: 3

Question: 53

You want to perform content-specific filtering of a message. Which value types can you use? (2 correct)

- 1.) String
- 2.) Byte
- 3.) Double
- 4.) Nodelist

Correct Answer: 1,4

Question: 54

What are some of the core capabilities of the SAP Integration Suite? (2 correct)

- 1.) Connectivity service
- 2.) API Management
- 3.) SAP Business Application Studio
- 4.) Open Connectors

Correct Answer: 2,4

Question: 55

How is a message mapping created in SAP Integration Advisor? (MIG: Message Implementation Guideline, MAG: Mapping Guideline)

- 1.) Create MAG. Choose correct type system. Create Target MIG. Create Source MIG
- 2.) Create MAG. Choose correct type system. Create Source MIG. Create Target MIG
- 3.) Create Target MIG. Create Source MIG. Choose correct type system. Create MAG
- 4.) Choose correct type system. Create Source MIG. Create Target MIG. Create MAG

Correct Answer: 4

Question: 56

What authentication method is used with the Monitoring API?

- 1.) Single sign-on (SSO)
- 2.) Basic authentication
- 3.) Two-factor authentication
- 4.) OAuth2

Correct Answer: 2

Question: 57

Your client requests an SAP Cloud Platform Integration tenant from SAP and one is provided. As part of the tenant onboarding process, several application URIs are provided to your client. Which of the URIs below is for the SOAP adapter on the runtime node?

- 1.) https://customer.specific.url.hana.ondemand.com/cxf
- 2.) https://customer.specific.url.hana.ondemand.com/http
- 3.) https://customer.specific.url.hana.ondemand.com/gw

Correct Answer: 1

Question: 58

Which of the following are integrated solutions of SAP's Business Technology Platform? There are 2 correct answers to this question.' Choose:

- 1.) Blockchain
- 2.) Development and Deployment
- 3.) Analytics
- 4.) Application Development and Integration

Correct Answer: 3,4

Question: 59

You use a Local Call > Looping Process Call and the value of the Expression Type is Non-XML. What expression language can you use? (2 correct)

- 1.) Camel Simple Expression language
- 2.) Spring Expression Simple
- 3.) EL Expression Language
- 4.) Unified Expression Language

Correct Answer: 1,3

Question: 60

Which of the following can you connect with SAP Integration Suite Open Connectors?

- 1.) The SAP Business Technology Platform with non-SAP cloud applications
- 2.) Non-SAP cloud applications with SAP on-premise systems
- 3.) The SAP Business Technology Platform with SAP on-premise systems

Correct Answer: 1

Question: 61

You want to forward a notification (asynchronous) to a back-end system. What option can you use?

- 1.) Content Enricher
- 2.) Send
- 3.) Process Call
- 4.) Request Reply

Correct Answer: 2

Question: 62

Your caller sends only a decrypted message payload. Which security standard can use to encrypt this message payload? (2 correct)

- 1.) XML Signature
- 2.) Web Services Security (WS-Security)
- 3.) HIPAA secure messaging
- 4.) Open Pretty Good Privacy (Open PGP)

Correct Answer: 2,4

Question: 63

What is the relationship between an API Provider and an API Proxy in API Management?

- 1.) The API Proxy acts as a proxy for all API instances provided through the API Provider.
- 2.) The API Provider provides a URL for an API instance provided through the API Proxy.
- 3.) The API Proxy provides a URL for an API instance provided through the API Provider.

Correct Answer: 3

Question: 64

What are the main architecture layers of the SAP Cloud Stack? (3 correct)

- 1.) BaaS
- 2.) SaaS
- 3.) PaaS
- 4.) DaaS
- 5.) IaaS

Correct Answer: 2,3,5

Question: 65

What can you search using SAP Open Connectors Query Language (OCNQL)?

- 1.) Instances created in SAP Open Connectors
- 2.) Data provided by APIs in SAP Open Connectors
- 3.) Connectors provided in SAP Open Connectors

Correct Answer: 3

Question: 66

Which of the following describe the functionality of a polling sender adapter? (2 correct)

- 1.) Non-configurable execution schedule
- 2.) Only one execution at a time
- 3.) Configurable execution schedule
- 4.) Multiple executions at a time

Correct Answer: 2,3

Question: 67

Your client has a requirement that front-level service reps need role-based tiles hosted in SAP Fiori launchpad that show real-time temperature change readings coming from sensors placed in thermometers. What SAP Cloud Platform service do you recommend?

- 1.) SAP Leonardo Machine Learning
- 2.) SAP HANA for advanced analytics: Search, Text Analysis, and Mining
- 3.) SAP Smart Business service
- 4.) SAP HANA advanced analytics: Predictive Analytics

Correct Answer: 3

Question: 68

How do you configure a SSL outbound communication with HTTP?

- 1.) Import the Receiver Client Certificate in Operations > Manage Security > Security Material
- 2.) Import the Receiver Server Certificate in Operations > Manage Security > Security Material
- 3.) Import the Receiver Server Certificate in Operations > Manage Security > Manage Key store
- 4.) Import the Receiver Client Certificate in Operations > Manage Security > Manage Key store

Correct Answer: 3

Question: 69

Which of the following are features of digital business transformation? (3 correct)

- 1.) Perpetual license agreements
- 2.) Resource pooling
- 3.) Adaptive and Scalable operating model
- 4.) Simplified IT landscape
- 5.) Reduced time to realize business value

Correct Answer: 3,4,5

Question: 70

What criterion can you use to select fitting mapping proposals?

- 1.) Qualified variations
- 2.) Confidence score
- 3.) Constraints

Correct Answer: 3

Question: 71

Your client asks for advice regarding which SAP Cloud Platform service they should use placed in devices. Which SAP Cloud Platform service should they use?

- 1.) SAP Cloud Platform OData Provisioning
- 2.) SAP HANA smart data integration
- 3.) RabbitMQ on SAP Cloud Platform
- 4.) SAP API Business Hub

Correct Answer: 4

Question: 72

A user needs read-only access to the Data Store Viewer. What authorization group must be assigned to this user? (2 correct)

- 1.) AuthGroup.Administrator
- 2.) AuthGroup.IntegrationDeveloper
- 3.) AuthGroup.SystemDeveloper
- 4.) AuthGroup.BusinessExpert

Correct Answer: 3,4

Question: 73

You have to process an inbound EDIFACT message to an outbound SAP IDoc. Therefore, you have to map the EDIFACT message to the IDoc message in your iflow. What tool can you use? Please choose the correct answer. Response:

- 1.) SAP HANA studio
- 2.) SAP Web IDE Full-Stack
- 3.) SAP NetWeaver Developer Studio n Integration content advisor

Correct Answer: 3

Question: 74

You want to use a XSLT mapping in your iFlow. You want to use dynamic parameters that are set as exchange message properties. How can you do this?

- 1.) Use Java script within a special namespace in the XSL template.
- 2.) Use only dynamic parameters in the content modifier artifact.
- 3.) Use simple expression language within a special namespace in the XSL template.

Correct Answer: 3

Question: 75

Which of the following environments are available in the SAP Business Technology Platform? (3 correct)

- 1.) Kyma environment
- 2.) Cloud Foundry environment
- 3.) ABAP environment
- 4.) Netweaver environment
- 5.) Kubernetes environment

Correct Answer: 1,2,3

Question: 76

What are some advantages of the SAP Cloud Integration? (2 correct)

- 1.) Installation is not required
- 2.) Offline development
- 3.) Development of Customer-to-Customer (C2C) integrations
- 4.) Out-of-the-box usage of predefined scenarios

Correct Answer: 1,4

Question: 77

You are designing an iFlow and one of the requirements is to merge separate messages from different paths in the iFlow into one message. What step type should you use?

- 1.) Gather
- 2.) Multicast
- 3.) Router
- 4.) Aggregator

Correct Answer: 1

Question: 78

What are some tasks of an App Router? (2 correct)

- 1.) Acts as a reverse proxy
- 2.) Manages authorization flows
- 3.) Manages authentication flows
- 4.) Generates JSON tokens

Correct Answer: 1,4

Question: 79

You want to use cloud services from SAP. You want your data to be secured and stored exclusively by you. Which of the deployment models can you use? (3 correct)

- 1.) Private cloud
- 2.) Analytical cloud
- 3.) Public cloud
- 4.) Fiori cloud
- 5.) Hybrid cloud

Correct Answer: 1,3,5

Question: 80

Which of the following transformation steps can you use to add message headers to an iFlow message?

- 1.) Content Modifier
- 2.) Converter
- 3.) Decoder
- 4.) EDI Extractor

Correct Answer: 1

Question: 81

Which programming language can you use to developing-app extensibility?

- 1.) Node.js
- 2.) abap
- 3.) Java

Correct Answer: 3

Question: 82

Runtime artifacts generated by SAP Integration Advisor can be used in which middleware and runtime solutions? (2 correct)

- 1.) SAP Cloud Integration
- 2.) SAP S/4HANA Cloud
- 3.) SAP S/4HANA
- 4.) SAP Process Orchestration

Correct Answer: 1,4

Question: 83

You need to encrypt the contents of a message. What encryptor should you use?

- 1.) SFTP
- 2.) AES
- 3.) HTTPS
- 4.) PGP

Correct Answer: 4

Question: 84

One of the requirements of the project you are working on is to store data in JSON format without the need for static schemas or data extraction via SQL. What solution should you use to satisfy this requirement?

- 1.) Node.js
- 2.) PostgreSQL on SAP Cloud Platform
- 3.) Redis on SAP Cloud Platform
- 4.) SAP HANA

Correct Answer: 1

Question: 85

Where can you find an overview of the SAP Business Technology Platform services that you can subscribe to?

- 1.) In SAP API Business Hub
- 2.) In SAP API Management
- 3.) In the SAP Discovery Center
- 4.) In the SAP Voyager Center

Correct Answer: 3

Question: 86

What is the main role of the SAP Cloud Platform Integration Service?

- 1.) It integrates a customer's own application landscape with a private cloud.
- 2.) It integrates cloud applications into an application landscape.
- 3.) It integrates a customer's own application landscape with a public cloud.
- 4.) It integrates on premise apps with mobile app.

Correct Answer: 2

Question: 87

What are some characteristics of a distributed system? (2 correct)

- 1.) Connected computers appear connected through SAP Cloud Platform, Cloud Foundry environment.
- 2.) Individual computers are connected through a network.
- 3.) Individual computers are connected through Kubernetes.
- 4.) Connected computers appear as a single computer.

Correct Answer: 2,4

Question: 88

What is used to perform extension for SAP Ariba?

- 1.) OData API
- 2.) SAP Web IDE Full-Stack
- 3.) cXML
- 4.) Rest API

Correct Answer: 3

Question: 89

What is an SAP Integration Suite capability to establish connectivity with third-party applications? (2 correct)

- 1.) SAP Connectivity service
- 2.) SAP Open Connectors
- 3.) SAP Cloud Integration
- 4.) SAP Cloud Connector

Correct Answer: 2,3

Question: 90

Which of the following are Twelve Factor application principles? (2 correct)

- 1.) Do not strictly separate build and run stages
- 2.) One code base tracked in revision control, one deploy
- 3.) Strictly separate build and run stages
- 4.) One code base tracked in revision control, many deploys

Correct Answer: 3,4

Question: 91

What cloud deployment model does SAP Cloud Platform follow?

- 1.) Public
- 2.) Private
- 3.) On premise

Correct Answer: 1

Question: 92

What can you use to add business logic to SAP S/4HANA Cloud? (2 correct)

- 1.) In-app extensibility
- 2.) Extensibility services on SAP Cloud Platform
- 3.) Side-by-side extensibility
- 4.) SAP Enterprise Messaging

Correct Answer: 1,3

Question: 93

Which of the following content categories are available on SAP API Business Hub? (3 correct)

- 1.) Integrations
- 2.) ABAP packages
- 3.) Database tables
- 4.) APIs
- 5.) Business Processes

Correct Answer: 1,4,5

Question: 94

Your client has a requirement that all new reporting apps are to be deployed on SAP Cloud Platform, but those apps will access data from existing on premise systems via secure tunnels. They do not wish to use an SAP Gateway server to implement this access. What SAP Cloud Platform service eliminates the need for an SAP Gateway server for on premise data access?

- 1.) SAP API Business Hub
- 2.) SAP Cloud Platform Connectivity
- 3.) SAP Cloud Platform OData Provisioning
- 4.) SAP Cloud Platform API Management

Correct Answer: 3

Question: 95

What can you use to test a standard OData interface?

- 1.) An in-app extension
- 2.) The SAP API Business Hub
- 3.) A side-by-side extension
- 4.) An SAP Gateway service on SAP Cloud Platform

Correct Answer: 2

Question: 96

What can you select as a source to create an API in SAP Open Connectors? (2 correct)

- 1.) API Provider
- 2.) Product
- 3.) API Business Hub Enterprise Page
- 4.) API Proxy

Correct Answer: 1,4

Question: 97

What are the advantages of implementing local integration processes? (2 correct)

- 1.) Limit complexity
- 2.) Decrease modularization
- 3.) Boost performance
- 4.) Increase readability

Correct Answer: 1,4

Question: 98

You want to use inbound SOAP adapter for asynchronous communication. Which configuration is available in the Connection tab? (2 correct)

- 1.) Manual as Service Definition and one way as Message exchange Pattern
- 2.) Manual as Service Definition and the sender defines the asynchronous communication
- 3.) Manual as Service Definition and Request-Replay as Message Exchange Pattern
- 4.) WSDL as Service Definition with additional entries

Correct Answer: 1,4

Question: 99

What is NOT composed in a sequence of packets in a PGP message?

- 1.) Signature
- 2.) Public Key
- 3.) Literal data
- 4.) Integration flow ID

Correct Answer: 4

Question: 100

What feature applies to a SaaS application?

- 1.) Hardware license must be issued before the application can be used
- 2.) Delivered over the Internet
- 3.) Delivered via software bundle in a box
- 4.) Different version of the application can be used

Correct Answer: 2

Question: 101

You are new to the SAP BTP. Which of the following models are best suited for exploring SAP Business Technology Platform capabilities? (2 correct)

- 1.) SAP BTP Trial
- 2.) Free Tier Model
- 3.) Cloud Platform Enterprise Agreement
- 4.) PayAsYouGo

Correct Answer: 1,2

Question: 102

You have an asynchronous integration scenario. Which adapters enable asynchronous messaging? (2 correct)

- 1.) JMS
- 2.) LDAP
- 3.) ODC
- 4.) IDoc

Correct Answer: 1,4

Question: 103

In SAP Cloud Integration, which data format is accepted by the Filter process step?

- 1.) HTTP
- 2.) XML
- 3.) CSV
- 4.) JSON

Correct Answer: 2

Question: 104

Which of the following tools can you use to secure an OData interface? (2 correct)

- 1.) SAP API Management
- 2.) SAP Remote Access and Connectivity service
- 3.) SAP Cloud Connector
- 4.) SAP Cloud Platform Integration

Correct Answer: 1,4

Question: 105

You want to direct messages along a specific path using an expression. What element do you use?

- 1.) Router
- 2.) Splitter
- 3.) Join
- 4.) Aggregator

Correct Answer: 1

Question: 106

Which of the following are elements of an X.509 certificate? (2 correct)

- 1.) Adapter profile
- 2.) Issuer
- 3.) Distinguished name
- 4.) Communication rule

Correct Answer: 2,3

Question: 107

According to the National Institute of Standard and Technology (NIST), which of the following are key characteristics of cloud computing? (2 correct)

- 1.) Measured service
- 2.) Own infrastructure
- 3.) Limited elasticity
- 4.) Resource pooling

Correct Answer: 1,4

Question: 108

You want to detect errors while message processing but without a Message Failed status. Which events can you use? (2 correct)

- 1.) Message End Event in an Exception Sub process
- 2.) Escalation Event in an Exception Sub process
- 3.) Exception Message in an Exception Sub process
- 4.) Terminate Message in an Exception Sub process

Correct Answer: 1,2

Question: 109

Which of the following components are part of the SAP Cloud Platform Integration Suite? (2 correct)

- 1.) SAP API Business Hub
- 2.) Process Integration
- 3.) Integration Advisor
- 4.) API Management

Correct Answer: 3,4

Question: 110

What do service-related missions in the SAP Discovery Center contain?

- 1.) Learning games designed to train developers in SAP software
- 2.) Best practices and step-by-step guidance for implementing business use cases
- 3.) Ready-to-run integration flows for your business use cases

Correct Answer: 2

Question: 111

What are some benefits of value externalization in iFlows? (2 correct)

- 1.) Separation of business logic from iFlows
- 2.) Faster run time of iFlows
- 3.) Less memory consumption of iFlows
- 4.) Simplified portability of iFlows between different tenants

Correct Answer: 1,3

Question: 112

You assign a user to the AuthGroup. Business Expert Group. What specific task can this user perform? (3 correct)

- 1.) Delete messages from the transient data store
- 2.) Deploy integration content
- 3.) Manage security artifacts
- 4.) Access (read only) the data store viewer
- 5.) Read the message payload and attachments

Correct Answer: 3,4,5

Question: 113

What actions can you perform in an SAP BTP trial account? (2 correct)

- 1.) Assign users to a global account
- 2.) Create global accounts
- 3.) Create subaccounts
- 4.) Assign users to a subaccount

Correct Answer: 3,4

Question: 114

To which concept do OData entities correspond?

- 1.) Typed classes
- 2.) Packages
- 3.) Untyped classes
- 4.) Class properties

Correct Answer: 1

Question: 115

In a mail receiver adapter you use plain user/password for authentication. Where do you define the user and password?

- 1.) Manage Security Material > User Credentials
- 2.) Manage Security Material > Secure Parameter
- 3.) Create directly as user and password at the mail receiver adapter configuration
- 4.) Manage Security Material > OAuth2 Credentials

Correct Answer: 3

Question: 116

Your iflow receives a JSON inbound message. The outbound message should also be JSON, but structurally different from the inbound message. What steps can you perform?
(2 correct)

A)

1. Convert JSON2XML
2. Message Mapping
3. Convert XML2JSON

B)

1. Convert JSON2XML
2. Message Mapping
3. Convert JSON2XML

C)

1. Convert XML2JSON
2. Message Mapping
3. Convert JSON2XML

D)

1. Convert JSON2XML
2. XSLT Mapping
3. Convert XML2JSON

- 1.) Option A
- 2.) Option B
- 3.) Option C
- 4.) Option D

Correct Answer: 1,4

Question: 117

You want to create an API Proxy for a third-party API but cannot discover any API in the dialog. Which of the following steps might you have forgotten?

- 1.) Create a Product for the required API.
- 2.) Create an API Key policy.
- 3.) Add an API Provider for SAP Open Connectors.
- 4.) Add an API Provider for Cloud Integration.

Correct Answer: 1

Question: 118

You want to grant a new developer access to a service hosted on an SAP Cloud Platform Integration tenant. Where do you this?

- 1.) SAP Cloud Platform
- 2.) SAP ID service
- 3.) SAP Solution Manager
- 4.) SAP Cloud Platform Integration tenant setting

Correct Answer: 2

Question: 119

Which iFlow element in SAP Cloud Integration do you use to send a message to more than one recipient?

- 1.) Gather
- 2.) Message Digest
- 3.) Multicast
- 4.) Join

Correct Answer: 3

Question: 120

You are designing an iFlow and one of the requirements is to invoke an external OData service to update the message. What step type should you use?

- 1.) Send
- 2.) Request Reply
- 3.) Content Enricher
- 4.) Content Modifier

Correct Answer: 2

Question: 121

Which tool or service do can you use to link SAP Cloud Platform applications and On-premise systems together?

- 1.) Cloud Integration
- 2.) SAP HANA smart data integration
- 3.) SAP Business Connector
- 4.) SAP Cloud Connector

Correct Answer: 4

Question: 122

You want to modify a message using code. Which languages can you use? (2 correct)

- 1.) Swift
- 2.) C+ +
- 3.) Groovy
- 4.) JavaScript

Correct Answer: 3,4

Question: 123

You want to connect a third-party application to an SAP BTP landscape, via an Open Connector provided by the SAP Integration Suite. What must you do first?

- 1.) Create an instance of the required connector.
- 2.) Test the required connector.
- 3.) Download the connector artifacts and import them into the SAP Open Connectors.
- 4.) Create a custom implementation for the connector.

Correct Answer: 3

Question: 124

Which of the following are principles of cloud computing? (2 correct)

- 1.) Microservices
- 2.) Automation
- 3.) Serverless
- 4.) Integration

Correct Answer: 1,3

Question: 125

What features can you use in SAP Cloud Integration, DataStoreOperations? (2 correct)

- 1.) Delete
- 2.) Get
- 3.) Put
- 4.) Post

Correct Answer: 1,2

Question: 126

SAP Cloud Platform Integration is based on the Apache Camel integration framework. What is a feature of this integration framework?

- 1.) It is a payload free routing and mediation engine.
- 2.) It is a payload agnostic routing and mediation engine.
- 3.) It is a routing and mediation engine for only XML payload.
- 4.) It is a metadata payload routing and mediation engine.

Correct Answer: 2

Question: 127

In the SAP BTP cockpit, what functionality does a destination for Cloud Integration enable?

- 1.) Invoking function modules in on-premise ABAP systems via RFC from cloud applications
- 2.) Establishing connections between Integration Suite capabilities
- 3.) Consuming cloud applications in an on-premise back-end system via HTTP(S)
- 4.) Sending e-mails from web applications using public e-mail providers

Correct Answer: 2

Question: 128

Where do you define permissions for senders to process messages on a runtime node?

- 1.) SAP Cloud Platform > Members
- 2.) SAP Solution Manager
- 3.) SAP Cloud Platform > Security > Authorizations
- 4.) SAP Cloud Platform Integration Manage Security

Correct Answer: 3

Question: 129

What actions can you perform when creating a product in SAP API Management? (2 correct)

- 1.) Publish
- 2.) Deploy
- 3.) Save As Draft
- 4.) Save

Correct Answer: 1,3

Question: 130

You want to use SAP Cloud Platform Integration content for different integration platforms. What do you do to the product profiles?

- 1.) Use the SAP Cloud Platform Integration product profile for all target integration platforms.
- 2.) Change the product profile to your target platform on SAP Cloud Platform Integration.
- 3.) It works out of the box for all integration platforms.
- 4.) Change the product profile on the target platform.

Correct Answer: 2

Question: 131

You want to transform an inbound message to a specific structure that is needed in the outbound system. What mapping types can you use? (3 correct)

- 1.) AI-based mapping
- 2.) XSLT mapping
- 3.) Excel spreadsheet mapping
- 4.) Operation mapping
- 5.) Message mapping

Correct Answer: 2,4,5

Question: 132

What is required to access API Business Hub Enterprise?

- 1.) SAP API Business Hub
- 2.) SAP Business Application Studio
- 3.) SAP Extension Suite
- 4.) SAP Integration Suite

Correct Answer: 4

Question: 133

What are some SAP Business Technology Platform features? (2 correct)

- 1.) Application development using SAP Extension Suite
- 2.) SAP Analytics Cloud integration
- 3.) Third-party database systems extension
- 4.) Application development in SAP on-premise systems

Correct Answer: 1,2

Question: 134

Which of the following are primary capabilities of SAP Cloud Platform? (3 correct)

- 1.) It enriches an SAP HANA database
- 2.) It integrates cloud applications.
- 3.) It is positioned as the SAP SaaS platform.
- 4.) It extends On-premise applications
- 5.) It is an agile platform.

Correct Answer: 1,2,4

Question: 135

Why are Message Implementation Guidelines (MIGs) focused on semantics? (2 correct)

- 1.) To understand how information is used in different scenarios and business domains
- 2.) To improve translation of data objects
- 3.) To understand the meaning and properties of customized interface elements in a given business context
- 4.) To improve internationalization of data elements

Correct Answer: 1,3

Question: 136

Which call types can you use to invoke local integration processes through their parent iFlow? (2 correct)

- 1.) Node process call
- 2.) Looping process call
- 3.) Process call
- 4.) Child process call

Correct Answer: 2,3

Question: 137

You are using the HTTP adapter to connect to a third-party cloud software. Which operations are supported? (2 correct)

- 1.) HEAD
- 2.) OPTIONS
- 3.) TRACE
- 4.) PURGE

Correct Answer: 1,3

Question: 138

Your iFlow processes messages synchronously and you get the message status ESCALATED. What does this message status mean?

- 1.) NO error message is sent to the sender.
- 2.) An error message is sent to the sender.
- 3.) An error message is sent to the receiver.
- 4.) NO error message is sent to the receiver.

Correct Answer: 2

Question: 139

Which of the following are components of the SAP Integration Suite? (2 correct)

- 1.) Cloud Integration
- 2.) Automation Pilot
- 3.) Continuous Integration & Delivery
- 4.) Integration Advisor

Correct Answer: 1,4

Question: 140

What can you create in SAP Integration Suite API Management? (2 correct)

- 1.) API Proxies
- 2.) API Connectors
- 3.) API Portals
- 4.) API Providers

Correct Answer: 1,4

Question: 141

What can you use to deploy a cloud native micro app? Please choose the correct answer.
Choose one

- 1.) SAP Cloud Platform, Neo environment
- 2.) SAP Cloud Platform, Cloud Foundry environment
- 3.) SAP HANA Enterprise Cloud
- 4.) ABAP stack

Correct Answer: 2

Question: 142

Which service components are included in the Platform as a Service (PaaS) model? (2 correct)

- 1.) Data
- 2.) Middleware(s)
- 3.) Runtime(s)
- 4.) Networking services

Correct Answer: 2,3

Question: 143

What can you map with the message mapping transformer?

- 1.) Input to output message encoding
- 2.) Properties to messages
- 3.) XSLT to JSON format
- 4.) Input to output message structures

Correct Answer: 4

Question: 144

Which of the following capabilities are included with DevOps services? (3 correct)

- 1.) Enrichment
- 2.) Configuration
- 3.) Monitoring
- 4.) Deployment
- 5.) Scaling

Correct Answer: 2,3,4

Question: 145

You have created a custom business object in SAP S/4HANA. How can you access this object outside of SAP S/4HANA?

- 1.) Via an SAP S/4HANA OData interface
- 2.) Via an SAP S/4HANA Soap interface
- 3.) Via an SAP API Business Hub interface

Correct Answer: 1

Question: 146

You want to add a header variable to an exchange message. What type is NOT supported?

- 1.) Regular Expression
- 2.) Xpath
- 3.) Global Variable
- 4.) Expression

Correct Answer: 1

Question: 147

What is the fastest way to validate the quality of a Mapping Guideline (MAG)?

- 1.) Simulating and reviewing the results with previously provided sample output values
- 2.) Simulating and reviewing the results with automatically generated sample values
- 3.) Simulating and reviewing the results with previously provided sample input values

Correct Answer: 3

Question: 148

You want to break down a composite message into a series of individual messages. Which standard splitting methods are available? (2 correct)

- 1.) IDoc Splitter
- 2.) Mail Splitter
- 3.) JSON Splitter
- 4.) PKCS#7/CMS Splitter

Correct Answer: 1,4

Question: 149

For which of the following does the Integration Advisor Proposal Service provide suggestions?

- 1.) How to combine message mappings
- 2.) Working with simulation values and their outcomes
- 3.) Working with XSLT, JavaScript, and Groovy scripts
- 4.) How to customize an interface

Correct Answer: 2

Question: 150

Which of the following are characteristics of the cloud native process model? (2 correct)

- 1.) Continuous delivery
- 2.) Use of containers
- 3.) Client server
- 4.) Waterfall

Correct Answer: 1,2

Question: 151

Which of the following is a valid sequence of steps to incorporate information from an external source into an iFlow?

- 1.) Add external call "Request Reply". Add process participant "Receiver". Connect "Request Reply" with "Receiver". Choose an appropriate adapter type.
- 2.) Add external call "Send". Add process participant "Receiver". Connect "Send" with "Receiver". Choose an appropriate adapter Utype
- 3.) Add external call "Request Reply". Add process participant "Sender". Connect "Request Reply" with "Sender". Choose an appropriate adapter type

Correct Answer: 1

Question: 152

Which capability of the SAP Integration Suite can you use to provide processed data to other applications and consumers?

- 1.) SAP Integration Advisor
- 2.) SAP Cloud Integration
- 3.) SAP API Management
- 4.) SAP Open Connectors

Correct Answer: 2

Question: 153

How do SAP Data Centers operate? (2 correct)

- 1.) It runs explicitly in Germany.
- 2.) It runs also in secure environments.
- 3.) It runs at multiple locations around the world.
- 4.) It runs only in secure and certified environments.

Correct Answer: 3,4

Question: 154

You want to debug your iFlow at run time. What log level do you use if you want to check the payloads at every process step?

- 1.) Debug
- 2.) Trace
- 3.) Info
- 4.) Create a script

Correct Answer: 2

Question: 155

What is the main feature of the Low/No-Code programming model in SAP Business Technology Platform?

- 1.) Working graphically
- 2.) Using APIs and special libraries for easier and more secure programming
- 3.) Working with all known cloud patterns

Correct Answer: 1

Question: 156

Every SAP Cloud Platform Integration tenant has at least one tenant management node and one runtime node. Which of the following tasks does the tenant management node perform? (2 correct)

- 1.) It Processes messages that are exchanged
- 2.) It interacts with data storage
- 3.) It reads the data from the database for monitoring.
- 4.) It starts and stops runtime nodes.

Correct Answer: 3,4

Question: 157

Which of the following does a Message Implementation Guideline (MIG) describe? (2 correct)

- 1.) The validation of payloads via XSD
- 2.) The meaning of each defined element
- 3.) The structure of a customized interface
- 4.) The mappings between source and target code values

Correct Answer: 3,4

Question: 158

You want to use outbound communication based on HTTPS. Which authentication options do you have? (2 correct)

- 1.) Basic authentication
- 2.) Client-certificate authentication
- 3.) Two-factor authentication
- 4.) Root-certificate authentication

Correct Answer: 1,2

Question: 159

What happens to the log level of an iFlow when this iFlow is deleted from the system?

- 1.) The log level is kept.
- 2.) The log level is set to None.
- 3.) The log level is set to the default value.
- 4.) The log level is removed.

Correct Answer: 4

Question: 160

What are some characteristics of SAP Integration Suite capabilities? (2 correct)

- 1.) Integration Advisor can be used to automatically create iFlows in Cloud Integration.
- 2.) SAP Open Connectors can act as an API Provider for API Management.
- 3.) SAP Open Connectors can be used to create iFlows in Integration Advisor.
- 4.) APIs published in API Management can be used in iFlows in Cloud Integration.

Correct Answer: 2,4

Question: 161

What do you need to specify in the connection when you add an API provider in SAP Open Connectors?

- 1.) API key
- 2.) Policy template
- 3.) Organization secret and user secret

Correct Answer: 3

Question: 162

While testing your iFlow you discover that a data store operation step fetches multiple messages instead of one. What data store operation step type will fetch a specific message from the data store?

- 1.) Get
- 2.) Delete
- 3.) Select
- 4.) Write

Correct Answer: 1

Question: 163

You want to use an inbound SOAP adapter for synchronous communication. What SOAP version can you use?

- 1.) SOAP 1.x
- 2.) SAP RM
- 3.) All available SOAP versions
- 4.) SOAP WS-RM

Correct Answer: 1

Question: 164

In an SAP Cloud Integration iFlow you want to compress message content into a ZIP archive. Which of the following message transformer steps do you use?

- 1.) Converter
- 2.) Decoder
- 3.) Encoder
- 4.) Content Modifier

Correct Answer: 3

Question: 165

Your client is unsure of how SAP Cloud Platform enhances SAP S/4HANA and needs more information. What additional capabilities does a customer gain if they have SAP Cloud Platform along with SAP S/4HANA? (3 correct)

- 1.) Perform in-app extensibility.
- 2.) Use extension services.
- 3.) Create new standalone cloud apps.
- 4.) Platform side-by-side extensibility.
- 5.) Integrate with SAP Cloud apps third-party solutions.

Correct Answer: 3,4,5

Question: 166

What is a connector in SAP Open Connectors?

- 1.) A custom-built integration flow with a third-party provider
- 2.) A pre-built API integration with a third-party provider
- 3.) A custom-built API integration with a third-party provider
- 4.) A pre-built integration flow with a third-party provider

Correct Answer: 2

Question: 167

What information can you provide to the Integration Advisor to enhance the validity of proposals? (3 correct)

- 1.) Workflow role
- 2.) Location information
- 3.) Business context
- 4.) Industry classification
- 5.) Technical context

Correct Answer: 2,3,4

Question: 168

What are the characteristics of the Authorization and Trust Management service in the SAP Cloud Platform, cloud foundry environment (XSUAA)? (2 correct)

- 1.) It works only with SAML 2.0.
- 2.) It manages authentications.
- 3.) It acts as an OAuth provider for a microapp.
- 4.) It provides JSON web tokens.

Correct Answer: 3,4

Question: 169

What are the main features of SAP Data Quality Management? (2 correct)

- 1.) Address cleaning
- 2.) Geocoding
- 3.) Automated analysis
- 4.) Platform to create a business service packages

Correct Answer: 1,2

Question: 170

In SAP Cloud Integration, what DataStoreOperations control do you use to specify the number of polled messages to send to the receiver?

- 1.) Read
- 2.) Select
- 3.) Join
- 4.) Fetch

Correct Answer: 2

Question: 171

Which transport and message protocols are used with an inbound IDoc adapter?

- 1.) tRFC and IDoc
- 2.) HTTP(s) and SOAP
- 3.) HTTP(s) and IDoc
- 4.) tRFC and SOAP

Correct Answer: 3

Question: 172

Which of the following adapter types are available for a sender to transfer a message to SAP Cloud Platform Integration? (2 correct)

- 1.) SAP Success factors
- 2.) SAP Ariba
- 3.) Twitter
- 4.) Face book

Correct Answer: 1,2

Question: 173

Which service components are included in the Infrastructure as a Service (IaaS) model? (2 correct)

- 1.) Storage
- 2.) Data
- 3.) Runtime
- 4.) Virtualization

Correct Answer: 1,4

Question: 174

In SAP Cloud Integration, which decoding schemes are available to decode a message? (2 correct)

- 1.) GZIP Decompression
- 2.) CNN-based Decoder
- 3.) QC-MDPC Decoding
- 4.) Base64 Decoder

Correct Answer: 1,4

Question: 175

Where do you create a Slack instance?

- 1.) In the Integration Advisor
- 2.) In SAP Cloud Integration
- 3.) In SAP Open Connectors
- 4.) In the API portal

Correct Answer: 3

Question: 176

Which incoming formats are available for the aggregation strategy in a Gather step type?
(2 correct)

- 1.) ASCII
- 2.) Plain Text
- 3.) XML (Different Format)
- 4.) JSON

Correct Answer: 2,3

Question: 177

To what service model does the SAP Cloud Platform Integration service belong?

- 1.) A standalone app
- 2.) A service on an SaaS
- 3.) A service on an IaaS
- 4.) A service on a PaaS

Correct Answer: 4

Question: 178

In SAP Cloud Integration, what are some element types of an iFlow? (2 correct)

- 1.) Events
- 2.) Mapping Guidelines (MAG)
- 3.) Senders and receivers
- 4.) Integration artifacts

Correct Answer: 1,3

Question: 179

What can you use to transport your iFlow from DEV to PROD? (2 correct)

- 1.) BRF+
- 2.) MTAR download
- 3.) MTA download
- 4.) CTS+

Correct Answer: 2,4

Question: 180

In SAP Cloud Integration, what converter options are available to convert a message from one format to another in one step? (2 correct)

- 1.) JSON -> XML
- 2.) XML -> EDI
- 3.) CSV -> JSON
- 4.) EDI -> CSV

Correct Answer: 1,2

Question: 181

You want to encode/compress messages. Which schemes can you use? (2 correct)

- 1.) GZIP Compression
- 2.) RAR Compression
- 3.) Base64 Encoder
- 4.) 7plus Encoder

Correct Answer: 1,3

Question: 182

Your iFlow builds a payload and sends it to another system. You have activated the Trace log level. In the Message Processing Monitor, what must you investigate to find this payload?

- 1.) iFlow data
- 2.) Artifact details
- 3.) iFlow Message Outcome
- 4.) Message content

Correct Answer: 4

Question: 183

What does the "Open integration" principle of the SAP Integration Suite mean?

- 1.) SAP software by default supports any third-party integration.
- 2.) SAP's integration technology portfolio covers all kinds of integration.
- 3.) SAP software by default supports integrations to other SAP software.

Correct Answer: 2

Question: 184

What is the integration style that SAP Cloud Platform Integration follows?

- 1.) Data Movement
- 2.) Thing Integration
- 3.) User Centric Consumption
- 4.) Process Invocation

Correct Answer: 4

Question: 185

You want to allow a new developer to access the design view of your SAP Cloud Platform Integration tenant. Where do you set these access rights?

- 1.) SAP Cloud Platform Integration tenant settings
- 2.) SAP Solution Manager
- 3.) SAP identity provider
- 4.) SAP Cloud Platform

Correct Answer: 3

Question: 186

What predefined role is necessary to send HTTPS-based messages to an SAP Cloud Platform Integration endpoint?

- 1.) Message.send
- 2.) HttpMessaging.send
- 3.) ESB Messaging.send
- 4.) Inbound Message.send

Correct Answer: 3

Question: 187

When you want to try out APIs on SAP API Business Hub, which of the following is the default test environment?

- 1.) Sandbox
- 2.) Climbing frame
- 3.) Testing ground
- 4.) Playground

Correct Answer: 1

Question: 188

Which of the following components are provided by SAP Business Technology Platform environments? (3 correct)

- 1.) Runtime
- 2.) Tools
- 3.) Applications
- 4.) Services
- 5.) Systems

Correct Answer: 1,3,4

Question: 189

What kind of editor do you use to manipulate iFlows?

- 1.) Command-line editor
- 2.) Graphical editor
- 3.) Code editor

Correct Answer: 2

Question: 190

What must you assign so that a user can access an SAP Integration Suite capability?

- 1.) Role templates to the user
- 2.) The user to the SAP Integration Suite
- 3.) The user to the SAP integration Suite capability
- 4.) Role collections to the user

Correct Answer: 4

Question: 191

What can you do in SAP Integration Suite, Cloud Integration? (2 correct)

- 1.) Connect to different cloud runtime environment
- 2.) Develop complex integration scenarios in Python
- 3.) Connect to multiple endpoints
- 4.) Develop custom adapters

Correct Answer: 3,4

Question: 192

Your client is evaluating an SAP HANA Enterprise Cloud purchase and needs more information options. Which of the following SLA options cover SAP HANA Enterprise Cloud Productive infrastructure?

- 1.) Digital Business Services
- 2.) Standard Technical Services
- 3.) Application Management Services
- 4.) Enhanced Management Services

Correct Answer: 3

Question: 193

Where in SAP Integration Suite Open Connectors can you test connector instances?

- 1.) Validation
- 2.) Setup
- 3.) Resources
- 4.) API docs

Correct Answer: 3

Question: 194

You want to use a Groovy script to modify the headers of an exchange message. What import library must you use?

- 1.) `com.sap.gateway.ip.core.customdev.util.Message;`
- 2.) `com.sap.gateway.integration.flow.Message;`
- 3.) `com.sap.gateway.xiinspector.xml. Message;`
- 4.) `com.apache.camel.framework.util.Message;`

Correct Answer: 1

Question: 195

Which of the following are integrated solutions of SAP's Business Technology Platform?
There are 2 correct answers to this question.' Choose:

- 1.) Blockchain
- 2.) Development and Deployment
- 3.) Analytics
- 4.) Application Development and Integration

Correct Answer: 3,4

Question: 196

Your client is using SAP Hybris for sales order quotes. A large percentage of customers registered in SAP Hybris have duplicate addresses. What SAP Cloud Platform service do you recommend to cleanse the customer address?

- 1.) SAP Hybris as a Service (YaaS) on SAP Cloud Platform
- 2.) SAP Cloud Platform Business Rules service
- 3.) SAP Data Quality Management. Micro services for location data
- 4.) SAP Cloud Platform Identity Provisioning

Correct Answer: 3

Question: 197

To call an application in the SAP API Business Hub, what do you need?

- 1.) User secret
- 2.) API Key
- 3.) Certificate

Correct Answer: 2

Question: 198

Your client is unsure about the possible options to implement their cloud transformation journey and needs more information. Which of the following products are cloud transformation options? (3 correct)

- 1.) SAP Cloud Platform
- 2.) SAP HANA Enterprise Cloud
- 3.) SAP Cloud Trust Center
- 4.) SAP Cloud Connector
- 5.) SAP cloud apps (SAP SuccessFactors, SAP Concur, etc.)

Correct Answer: 1,2,5

Question: 199

When you create a Message Implementation Guideline (MIG), you can choose directions. Which direction must you choose for a system to receive and process payloads?

- 1.) Custom
- 2.) Out
- 3.) In

Correct Answer: 3

Question: 200

What does the "Out-of-the-box integration" principle of the SAP Integration Suite mean?

- 1.) SAP software by default supports integrations to other SAP software.
- 2.) SAP's integration technology portfolio covers all kinds of integration.
- 3.) SAP software by default supports any third-party integration.

Correct Answer: 1

Question: 201

What are some artifacts that can be added to content packages within the SAP Cloud Integration? (3 correct)

- 1.) REST API
- 2.) Integration Flow
- 3.) Script Collection
- 4.) Integration Collection
- 5.) Workflow

Correct Answer: 2,3,5

Question: 202

To test a POST request of APIs in the API Business Hub Enterprise page, what do you need?

- 1.) Certificate
- 2.) User secret
- 3.) Application Key

Correct Answer: 1

Question: 203

You want to send messages over an SOAP adapter to an integration flow. Which method do you use to send the messages?

- 1.) UPDATE
- 2.) PATCH
- 3.) GET
- 4.) POST

Correct Answer: 4

Question: 204

Where can you configure a static payload? (2 correct)

- 1.) In a Data Store Operation component
- 2.) In a Content Modifier component of the Message Body tab
- 3.) In a Content Modifier component of the Message Header tab
- 4.) In a Groovy script

Correct Answer: 1,2

Question: 205

You want to implement a synchronous call to a remote HTTP API as an integration flow component. Which adapter can you use?

- 1.) OData
- 2.) Mail
- 3.) AMQP
- 4.) SFTP

Correct Answer: 1

Question: 206

Which data store operation can you use to save a customer ID?

- 1.) GET
- 2.) SELECT
- 3.) POST
- 4.) WRITE

Correct Answer: 4

Question: 207

What can you do in the Cloud Integration capability within SAP Integration Suite? (2 correct)

- 1.) Connect to different cloud runtime environments.
- 2.) Connect to multiple endpoints.
- 3.) Develop custom adapters.
- 4.) Develop complex integration scenarios in Python.

Correct Answer: 2,3

Question: 208

You have set up an integration process to use a SOAP adapter. Which event allows you to run the integration flow directly after deployment?

- 1.) End Event
- 2.) End Message
- 3.) Start Event
- 4.) Start Message

Correct Answer: 4

Question: 209

Which expression language can you use to access the content of a message in an integration flow?

- 1.) JavaScript expression language
- 2.) XML expression language
- 3.) Spring expression language
- 4.) Simple expression language

Correct Answer: 4

Question: 210

You use an outbound HTTP adapter with basic authentication. In SAP Integration Suite, Monitor Integrations Manage Security, where must you set up and store a user and password?

- 1.) Security Material
- 2.) Access policies
- 3.) PGP Keys
- 4.) Keystore

Correct Answer: 1

Question: 211

You use an API Key for authentication in an HTTPS API call. In which part of the Content Modifier is the API Key included?

- 1.) Message body
- 2.) Message header
- 3.) Attachment
- 4.) Exchange property

Correct Answer: 2

Question: 212

What are the key capabilities of the SAP BTP Integration Suite? (2 correct)

- 1.) API Management
- 2.) Connectivity Service
- 3.) Open Connectors
- 4.) SAP Business Application Studio

Correct Answer: 1,2

Question: 213

In which of the following must you call `getBody()` to access the payload in a Groovy script?

- 1.) `camelcontext`
- 2.) `property`
- 3.) `header`
- 4.) `message`

Correct Answer: 4

Question: 214

You configured a content modifier as follows:

Action Create. Name: ProductID. Source Type: XPath. Source Value: `//ProductID`. Data Type: `java lang string`.

After testing the content modifier, you receive an error message that contains the following fragment: `java.lang.ClassNotFoundException java lang string`. What caused the error message?

- 1.) Incorrect name
- 2.) Incorrect source value
- 3.) Incorrect source type
- 4.) Incorrect data type

Correct Answer: 4

Question: 215

What is Representational State Transfer (REST)?

- 1.) An architectural style
- 2.) A description language for APIs
- 3.) A message protocol
- 4.) An application protocol

Correct Answer: 1

Question: 216

Which of the following are markup languages that you can use to describe APIs? (2 correct)

- 1.) RAML
- 2.) CXML
- 3.) Open API
- 4.) HTML

Correct Answer: 1,3

Question: 217

You want to use an HTTPS endpoint from an integration flow. In which of the following must you use the HTTP client?

- 1.) API Management capability within SAP Integration Suite
- 2.) Open Connectors capability within SAP Integration Suite
- 3.) SAP Integration Suite, advanced event mesh
- 4.) SAP Business Application Studio

Correct Answer: 2

Question: 218

You want to call an OData v4.0 interface through an adapter in the Cloud Integration capability within SAP Integration Suite. Which adapter can you use?

- 1.) JMS
- 2.) ProcessDirect
- 3.) HTTPS
- 4.) SOAP

Correct Answer: 3

Question: 219

You want to access individual entities of an HTTP call over XPath. What must you do if no namespace mapping exists?

- 1.) Convert the namespaces to JSON.
- 2.) Remove the namespaces.
- 3.) Convert the namespaces to XML
- 4.) Remove the XML prolog.

Correct Answer: 2

Question: 220

You want to integrate a SOAP adapter into an integration process and enable the adapter to send messages to the integration flow. Which user role must you set up in the SOAP adapter?

- 1.) MessagingSendtoCI
- 2.) MessagingSend
- 3.) ESBMessaging send

Correct Answer: 3

Question: 221

How do you configure a SOAP adapter for asynchronous processing?

- 1.) Message Exchange Pattern: Request-Reply Process Settings Robust
- 2.) Message Exchange Pattern: Request-Reply Process Settings WS Standard
- 3.) Message Exchange Pattern: One-Way Process Settings: Robust
- 4.) Message Exchange Pattern: One-Way Process Settings: WS Standard

Correct Answer: 4

Question: 222

Which of the following capabilities within SAP Integration Suite are core for integration?
(3 correct)

- 1.) Integration Advisor
- 2.) Open Connectors
- 3.) Integration Assessment
- 4.) Cloud Integration
- 5.) API Management

Correct Answer: 3,4,5

Question: 223

When does the "Trace" log level expire and when will the log files be removed?

- 1.) Expiration. 10 minutes Removal. After 24 hours
- 2.) Expiration: 15 minutes Removal: After 24 hours
- 3.) Expiration: 15 minutes Removal: After 10 hours
- 4.) Expiration: 10 minutes Removal: After 1 hour

Correct Answer: 4

Question: 224

What are some advantages of creating an OData interface through an API provider? (2 correct)

- 1.) Automatic creation of a WSDL specification
- 2.) Automatic creation of a RAML specification
- 3.) Automatic creation of a Swagger UI
- 4.) Automatic creation of an openAPI specification

Correct Answer: 3,4

Question: 225

Which part of the proxy URL is provided by the initial configuration step of the API Management?

- 1.) Name of the API management
- 2.) Service name
- 3.) Version
- 4.) Virtual host

Correct Answer: 4

Question: 226

Where must you configure an HTTPS inbound adapter with OAuth 2.0 authentication?

- 1.) In the adapter
- 2.) In the integration flow
- 3.) In the SAP Integration Suite
- 4.) In the process runtime

Correct Answer: 2

Question: 227

You are creating an API in the API management capability within SAP Integration Suite using Edit in API Designer. What is the next step to consolidate the resources?

- 1.) Generate the server stubs
- 2.) Generate the database tables.
- 3.) Generate the client stubs
- 4.) Generate the microservices.

Correct Answer: 1

Question: 228

In the SAP Integration Suite, where can you change the virtual host name?

- 1.) Discover - APIs
- 2.) Design APIs
- 3.) Configure ? APIs
- 4.) Settings APIs

Correct Answer: 4

Question: 229

You want to publish a new API product to the API business hub enterprise. What is a requirement?

- 1.) At least two deployed API Providers
- 2.) At least one deployed API Proxy
- 3.) At least one deployed API Provider
- 4.) At least two deployed API Proxies

Correct Answer: 2

Question: 230

Where can you find more information about APIs, policies, and integrations?

- 1.) Cloud Integration capability within SAP Integration Suite
- 2.) Open Connectors capability within SAP Integration Suite
- 3.) SAP Business Accelerator Hub

Correct Answer: 3

Question: 231

In your integration flow process, the request reply returns a message with namespaces. What can you do to delete namespaces from this message? (2 correct)

- 1.) Set up the request reply to delete the namespaces
- 2.) Use a Content Modifier
- 3.) Set up the namespace mapping in the Runtime Configuration.
- 4.) Use an XSLT mapping.

Correct Answer: 2,4

Question: 232

You have created an API provider of the type Internet. What http response code indicates success?

- 1.) 203
- 2.) 403
- 3.) 200
- 4.) 401

Correct Answer: 3

Question: 233

You want to set up an SAP backend system through the Cloud Connector with an API provider. Which connection type do you use?

- 1.) Internet
- 2.) On-premise
- 3.) Cloud Integration
- 4.) Open Connectors

Correct Answer: 2

Question: 234

Which SAP Cloud Integration process event allows you to run integration flows directly after deployment?

- 1.) Content Modifier
- 2.) Router
- 3.) Message Digest
- 4.) Timer

Correct Answer: 4

Question: 235

What does an API consumer do?

- 1.) It provides the server-side implementation of an interface.
- 2.) It invokes an interface.
- 3.) It provides an interface.

Correct Answer: 2

Question: 236

What are some message protocols that the API Management capability within SAP Integration Suite supports? (3 correct)

- 1.) SOAP
- 2.) RFC
- 3.) REST
- 4.) OData
- 5.) IDoc

Correct Answer: 1,3,4

Question: 237

In the Cloud Integration capability within SAP Integration Suite, which internal message format is used?

- 1.) XML
- 2.) JSON
- 3.) XSLT

Correct Answer: 1

Question: 238

You want to dispatch messages only when a child element "Product" exists. Which condition do you set?

- 1.) ProductSet/count(Product)>0
- 2.) /ProductSet/count(Product)=0
- 3.) /ProductSet/count(Product)<0
- 4.) /ProductSet/counter(Product)>0

Correct Answer: 1

Question: 239

Besides in SAP API Management, where can you find policy templates?

- 1.) In SAP API Business Accelerator Hub - Explore Discover Integrations
- 2.) In SAP API Business Accelerator Hub- Explore Categories ?? APIs
- 3.) In SAP API Business Accelerator Hub ? Explore Business Processes
- 4.) In SAP API Business Accelerator Hub- Explore Products

Correct Answer: 2

Question: 240

What can you use to prevent overload in an OData request and reply call?

- 1.) Query filter
- 2.) HTTP adapter
- 3.) Stop parameter
- 4.) Paging

Correct Answer: 4

Question: 241

What are some aspects of "holistic integration" of the SAP Integration Suite? (3 correct)

- 1.) Process Integration
- 2.) Cloud Integration
- 3.) Event Integration
- 4.) Domain Integration
- 5.) Data Integration

Correct Answer: 1,3,5

Question: 242

What must you do to find out which entity sets are available in the OData V2.0 interface?

- 1.) Retrieve the service document from the interface.
- 2.) Retrieve the metadata document from the interface.
- 3.) Contact the OData interface manufacturer
- 4.) Search in the Global Directory of all available OData interfaces.

Correct Answer: 1

Question: 243

Using the Test Connectivity function, you want to test a connection to a backend system. The connection is provided by a Cloud Connector. Which parameter is required for the connection test?

- 1.) Connector ID
- 2.) Host
- 3.) Location ID
- 4.) Subaccount ID

Correct Answer: 3

Question: 244

You are using a Data store Operation of the type Write. Which parameter must you select to avoid duplicate entries?

- 1.) Overwrite Existing Message
- 2.) Retention Threshold for Alerting
- 3.) Include Message Headers
- 4.) Encrypted stored Message

Correct Answer: 1

Question: 245

You want to split a message that contains recurring child nodes. Which of the following splitter types can you use? (2 correct)

- 1.) EDI Splitter
- 2.) PKCS#7/CMS Splitter
- 3.) General Splitter
- 4.) Iterating Splitter

Correct Answer: 3,4

Question: 246

You want to set up Exchange Properties in an integration flow. Besides a Content Modifier, what can you use?

- 1.) Python scripting
- 2.) Groovy SDK scripting
- 3.) Batch scripting
- 4.) XML scripting

Correct Answer: 2

Question: 247

You want to build an architecture that is largely asynchronous. Which design do you use to exchange notifications between the partners involved?

- 1.) Event-driven design
- 2.) Hexagonal design
- 3.) Serverless design
- 4.) Request-driven design

Correct Answer: 1

Question: 248

What is a characteristic of a product in the API Management capability within SAP Integration Suite?

- 1.) It encapsulates the API provider.
- 2.) It is a separate artifact and is required for basic authentication.
- 3.) It is deployed as a separate artifact on the API business hub enterprise

Correct Answer: 3

Question: 249

Which functionalities are used by OData?

- 1.) HTTP, AtomPub, and JSON
- 2.) TCP, AtomPub, and JSON
- 3.) SOAP, AtomPub, and JSON

Correct Answer: 1

Question: 250

What are the maturity levels of the SAP Integration Solution Advisory Methodology? (2 correct)

- 1.) Enable your integration structure.
- 2.) Design your hybrid integration platform.
- 3.) Assess your integration strategy
- 4.) Implement your integration architectural strategy.

Correct Answer: 2,3

Question: 251

What do you use in an integration flow to handle unexpected errors?

- 1.) Status code checks
- 2.) Exception handler integration flow elements
- 3.) Try-catch subprocesses
- 4.) Exception-handling subprocesses

Correct Answer: 4

Question: 252

What are target endpoints of an API? (3 correct)

- 1.) API provider
- 2.) API consumer
- 3.) Resources
- 4.) API proxy
- 5.) URL of original API

Correct Answer: 1,4,5

Question: 253

What does the messaging model of the Apache Camel Data Model consist of?

- 1.) Header, Exchange ID, in-message
- 2.) Header, body, attachment
- 3.) Header, body, properties
- 4.) Header, properties, attachment

Correct Answer: 2

Question: 254

Which log level must you use to examine the payload at specific processing steps in an integration flow?

- 1.) Error
- 2.) Debug
- 3.) Trace
- 4.) Info

Correct Answer: 3

Question: 255

Which of the following can you use for an XSLT mapping in an integration flow?

- 1.) HTML
- 2.) JSON
- 3.) PHP
- 4.) XML

Correct Answer: 4

Question: 256

You have set up a basic authentication policy, but the API proxy returns an HTTP status of 401. What could be a reason?

- 1.) In the AssignMessage policy, the AssignTo tag has the type="postFlow"
- 2.) In the AssignMessage policy, the Assign To tag has the type="response"
- 3.) In the AssignMessage policy, the AssignTo tag has the type="request"
- 4.) In the AssignMessage policy, the AssignTo tag has the type="preflow"

Correct Answer: 2

Question: 257

In a Content Modifier, you want to set up a call to the message body of the previous Content Modifier. Which notation do use to implement this?

- 1.) S(inbody)
- 2.) S[bodyin]
- 3.) S{in body)
- 4.) S{body.in}

Correct Answer: 3