

Quotation

Ref: FSEXP/00008/Qtn-26
Date: 24-Sep-2026
To: M/s. PSF Wood Industries LLC
Umm Al Quwain, U.A.E
Project Name: The Avenues Riyadh – T5 Conrad Hotel
Project Location: Outside U.A.E
Subject: Supply of High-Performance Fire Rated Wooden Door Sets

Dear Sir/Madam,

We thank you for the enquiry and have pleasure in submitting our best offer as below details & attached BOQ

Scope: Supply of High-Performance Fire Rated Wooden Door Sets having Third Party approval conforming to the following specifications in brief.
Outer Frame: 45x240mm, Solid Meranti Wood
Architrave: 15x60mm, Solid Meranti Wood
FR Core: IDEAL Mineral Core Tested to UL-10C
Facing: BROWN MDF
Outer Skin: Mahogany veneer pressed on both sides
Lipping: Solid Meranti Wood
Finish: PU Polish
Intumescent seal: As per IDEAL specification, supplied along with door set.
Hardware set: Excluded

Total Quotation value: ₪ 3,431,516.00 (Dirhams Three Million Four Hundred Thirty One Thousand Five Hundred Sixteen Only)
For detailed quotation refer the attached sheet.

1. Payment Terms

50% advance on order confirmation & balance against delivery

2. Validity

3 days

3. Delivery

Ex works Ajman Free Zone.

4. Notes

- A. **Quoted prices are based on current market rates and availability. Any unfulfilled portion of the Purchase Order/Contract may be subject to cancellation, and a revised Purchase Order will be required based on updated pricing and availability at the time of confirmation.**
- B. The following are **excluded** from our scope:
 - i. Moulding, paneling and any other design work apart from what is mentioned above.
 - ii. Any other items which is not specifically mentioned.
 - iii. Sub frame
 - iv. Installation of door sets
 - v. Vision panel, top panel & cladding, metal trim and metal work on the door and frame
 - vi. Ironmongeries
 - vii. Bubble Seals
 - viii. Transportation
 - ix. All Customs/Duties
 - x. Any applicable taxes such as VAT
 - xi. Any additional charges applicable in KSA
- C. Alteration of any kind of our doors (for instance making grooves or recesses) can have a significant impact on their performance and hence are not to be done without our prior concurrence.
- D. Installation must be carried out in accordance with standard practice for Acoustic and Fire doors, the details of which shall be made available upon supply.
- E. Vision panels wherever applicable shall be strictly built-in as per specific size during fabrication at an additional cost and under no circumstance added later.
- F. In case of Fire rated doors, all ironmongeries and accessories shall have necessary fire rating certification and Civil Defense approval. Intumescent protection to hardware like hinges, lock case, closer, etc. must be provided.
- G. On completion of the job, labels and Civil Defense Certificate shall be provided after our inspection. (for Fire rating only.) Manufacturer's certificate for Acoustic rating will be provided.
- H. Issuance of labels and certificate is subject to settlement of outstanding payments, if there exists.
- I. In the event of any changes to the size, finish, or specification from the above mentioned or attached BOQ, the same will incur a variation.
- J. Frame jamb size in excess of 150mm shall have joint/s.
- K. These prices do not include Estidama/Green building / FSC requirements.
- L. Kindly note that all fire-rated and acoustic doors have been tested with exposed hardware. Therefore, we are unable to certify or qualify the fire-rated and acoustic doors with concealed hardware.
- M. Kindly note that the detailed drawings, specifications, and door jamb sizes have not been received as part of the tender documents. This quotation has been prepared based solely on the BOQ provided
- N. Please note that gate passes, storage, site access, insurance, third-party testing, and HSE approvals shall be provided by the client and are excluded from our scope of work.
- O. This quotation is based on our tested fire-rated/acoustic-rated door system. Any design or specification changes by the Client may impact the certified performance and compliance of the door and shall be subject to our technical review and approval
- P. Since no specification has been provided for the door set finishes, we have considered our standard specifications for the purpose of this quotation. Any changes, upgrades, or additional requirements to the proposed specifications shall be treated as a variation and will be subject to additional cost.

We trust our offer meets with your requirement & look forward to your valued order confirmation.

Assuring you of our best services at all times.

Thanks and Regards

For Ideal Special Products F.Z.C

Jerry Thomas

Sales Manager

+971 50 942 1886

STAMP_2_OF_5

Page 1 of 5

+971 67404840

sales@ideal.ae

www.ideal.ae

Gate No. 2, Ajman Free Zone
Ajman, UAE, P.O. Box: 9033



The mark of
responsible forestry
FSC® C223618

SL. NO.	Door Ref	Product Ref.	Fire Rating (Min)	Acoustic Rating (dB)	Structural Opening		Jamb (mm)	Leaf Thick (mm)	Door Type	Vision Panel (mm)	Hardware Set	Qty (Nos)	Unit Price (₹)	Total Unit Price (₹)
					Width (mm)	Height (mm)								
1	DT-14.1	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	3	3,165.00	9,495.00
2	DT-14.2	Ideal UL 60	60	N/A	900	2400	240	50	Single	N/A	N/A	7	3,701.00	25,907.00
3	DT-14.3	Ideal UL 60	60	N/A	1100	2400	240	50	Single	N/A	N/A	1	3,732.00	3,732.00
4	DT-25	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	22	3,227.00	70,994.00
5	DT-23A.2	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	1	3,227.00	3,227.00
6	DT-01A.2	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	8	3,165.00	25,320.00
7	DT-03	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	8	3,196.00	25,568.00
8	DT-06A.2	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	4	3,165.00	12,660.00
9	DT-08A.2	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	2	3,165.00	6,330.00
10	DT-08A.4	Ideal UL 45	45	N/A	1000	2400	240	50	Single	N/A	N/A	2	3,196.00	6,392.00
11	DT-08A.5	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	4	3,227.00	12,908.00
12	DT-08A.6	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	1	3,196.00	3,196.00
13	DT-08A.7	Ideal UL 45	45	N/A	1000	2400	240	50	Single	N/A	N/A	1	3,196.00	3,196.00
14	DT-09A.1	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	2	3,165.00	6,330.00
15	DT-09A.2	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	1	3,196.00	3,196.00
16	DT-09A.3	Ideal UL 45	45	N/A	1000	2400	240	50	Single	N/A	N/A	1	3,196.00	3,196.00
17	DT-09A.4	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	3	3,227.00	9,681.00
18	DT-24	Ideal UL 45	45	N/A	1100	2400	240	50	Double	N/A	N/A	2	3,302.00	6,604.00
19	DT-04.1	Ideal UL 45	45	N/A	600	2400	240	50	Single	N/A	N/A	7	3,102.00	21,714.00
20	DT-04.2	Ideal UL 45	45	N/A	750	2400	240	50	Single	N/A	N/A	3	3,165.00	9,495.00
21	DT-04.3	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	1	3,196.00	3,196.00
22	DT-06A.3	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	4	3,196.00	12,784.00
23	DT-06.6	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	3	3,165.00	9,495.00
24	DT-11A.3	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	1	3,227.00	3,227.00
25	DT-23A.3	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	4	3,227.00	12,908.00
26	DT-10A.1	Ideal UL 90	90	N/A	900	2400	240	50	Single	N/A	N/A	3	3,938.00	11,814.00
27	DT-10A.2	Ideal UL 90	90	N/A	950	2400	240	50	Single	N/A	N/A	2	3,938.00	7,876.00
28	DT-27A.1	Ideal UL 90	90	N/A	1350	2400	240	50	Double	N/A	N/A	2	5,557.00	11,114.00
29	DT-27A.2	Ideal UL 90	90	N/A	1700	2400	240	50	Double	N/A	N/A	2	5,932.00	11,864.00
30	DT-27A.3	Ideal UL 90	90	N/A	1900	2400	240	50	Double	N/A	N/A	2	5,995.00	11,990.00
31	DT-32	Ideal UL 90	90	N/A	1100	2400	240	50	Single	N/A	N/A	22	3,969.00	87,318.00
32	DT-06A.2	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	1	3,165.00	3,165.00
33	DT-08A.3	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	1	3,196.00	3,196.00
34	DT-06A.3	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	1	3,196.00	3,196.00

STAMP_3_OF_5



The mark of responsible forestry
FSC® C223618

SL. NO.	Door Ref	Product Ref.	Fire Rating (Min)	Acoustic Rating (dB)	Structural Opening		Jamb (mm)	Leaf Thick (mm)	Door Type	Vision Panel (mm)	Hardware Set	Qty (Nos)	Unit Price (₹)	Total Unit Price (₹)
					Width (mm)	Height (mm)								
35	DT-28	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	2	3,227.00	6,454.00
36	DT-10A.1	Ideal UL 90	90	N/A	900	2400	240	50	Single	N/A	N/A	4	3,938.00	15,752.00
37	DT-23B.1	Ideal UL 45	45	N/A	1000	2400	240	50	Single	N/A	N/A	1	3,196.00	3,196.00
38	DT-06B.1	Ideal UL 45	45	N/A	750	2400	240	50	Single	N/A	N/A	10	3,165.00	31,650.00
39	DT-06B.2	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	12	3,165.00	37,980.00
40	DT-08B.1	Ideal UL 45	45	N/A	750	2400	240	50	Single	N/A	N/A	4	3,165.00	12,660.00
41	DT-08B.2	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	1	3,165.00	3,165.00
42	DT-08B.3	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	1	3,196.00	3,196.00
43	DT-09B.1	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	1	3,165.00	3,165.00
44	DT-09B.2	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	2	3,196.00	6,392.00
45	DT-15.1	Ideal UL 45	45	N/A	750	2400	240	50	Single	N/A	N/A	4	3,165.00	12,660.00
46	DT-06B.3	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	3	3,196.00	9,588.00
47	DT-06B.7	Ideal UL 45	45	N/A	950	2400	240	50	Single	N/A	N/A	3	3,196.00	9,588.00
48	DT-16.1	Ideal UL 45	45	N/A	750	2400	240	50	Single	N/A	N/A	2	3,165.00	6,330.00
49	DT-16.3	Ideal UL 45	45	N/A	1000	2400	240	50	Single	N/A	N/A	2	3,196.00	6,392.00
50	DT-23B.3	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	3	3,227.00	9,681.00
51	DT-23B.4	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	1	3,227.00	3,227.00
52	DT-26	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	1	3,227.00	3,227.00
53	DT-10B.1	Ideal UL 90	90	N/A	900	2400	240	50	Single	N/A	N/A	1	3,938.00	3,938.00
54	DT-10B.3	Ideal UL 90	90	N/A	950	2400	240	50	Single	N/A	N/A	3	3,938.00	11,814.00
55	DT-12.1	Ideal UL 90	90	N/A	815	2400	240	50	Single	N/A	N/A	1	3,913.00	3,913.00
56	DT-27B.2	Ideal UL 90	90	N/A	1700	2400	240	50	Double	N/A	N/A	1	5,932.00	5,932.00
57	DT-06A.2	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	1	3,165.00	3,165.00
58	DT-17	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	100	3,196.00	319,600.00
59	DT-06A.3	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	44	3,196.00	140,624.00
60	DT-23A.4	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	11	3,227.00	35,497.00
61	DT-10A.1	Ideal UL 90	90	N/A	900	2400	240	50	Single	N/A	N/A	30	3,938.00	118,140.00
62	DT-10A.2	Ideal UL 90	90	N/A	950	2400	240	50	Single	N/A	N/A	3	3,938.00	11,814.00
63	DT-29/ DT-29.3	Ideal UL 45	45	N/A	980	2400	240	50	Single	N/A	N/A	104	3,196.00	332,384.00
64	DT-01A.2	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	2	3,165.00	6,330.00
65	DT-06A.2	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	16	3,165.00	50,640.00
66	DT-09A.1	Ideal UL 45	45	N/A	815	2400	240	50	Single	N/A	N/A	1	3,165.00	3,165.00
67	DT-20	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	313	3,196.00	1,000,348.00
68	DT-30.1	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	1	3,227.00	3,227.00

STAMP_4_OF_5

SL. NO.	Door Ref	Product Ref.	Fire Rating (Min)	Acoustic Rating (dB)	Structural Opening		Jamb (mm)	Leaf Thick (mm)	Door Type	Vision Panel (mm)	Hardware Set	Qty (Nos)	Unit Price (₹)	Total Unit Price (₹)
					Width (mm)	Height (mm)								
69	DT-30.2	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	81	3,227.00	261,387.00
70	DT-31.1	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	1	3,227.00	3,227.00
71	DT-31.2	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	5	3,227.00	16,135.00
72	DT-06A.3	Ideal UL 45	45	N/A	900	2400	240	50	Single	N/A	N/A	66	3,196.00	210,936.00
73	DT-23A.4	Ideal UL 45	45	N/A	1100	2400	240	50	Single	N/A	N/A	16	3,227.00	51,632.00
74	DT-10A.1	Ideal UL 90	90	N/A	900	2400	240	50	Single	N/A	N/A	43	3,938.00	169,334.00
75	DT-10A.2	Ideal UL 90	90	N/A	950	2400	240	50	Single	N/A	N/A	4	3,938.00	15,752.00
76	DT-27.3	Ideal UL 90	90	N/A	1900	2400	240	50	Double	N/A	N/A	1	5,995.00	5,995.00
Total Quantity:												1038		
Sub Total:													3,431,516.00	

Total Amount (₹):	3,431,516.00
Grand Total (₹):	3,431,516.00

STAMP_5_OF_5

