

Practical no. 15

Name :- Danish Altaf Solkar

Enrolment no. :-24111590805

Class :- CO3K – B

Subject :- DMS

Aim:- Execute Queries for Ordering and Grouping data

QUERY :- CREATE TABLE EMPL(EMPNO NUMBER(5) PRIMARY KEY, EMPNAME VARCHAR(10) NOT NULL, SALARY NUMBER(6), DEPT VARCHAR(12), ADDRESS VARCHAR(10));

```
Run SQL Command Line
SQL> CREATE TABLE EMPL(EMPNO NUMBER(5) PRIMARY KEY, EMPNAME VARCHAR(10) NOT NULL, SALARY NUMBER(6), DEPT VARCHAR(12), ADDRESS VARCHAR(10));
Table created.
```

QUERY :- INSERT into EMPL values(1,'Danish',25000,'Admin','Neral');

```
SQL> INSERT into EMPL values(1,'Danish',25000,'Admin','Neral');
1 row created.

SQL> INSERT into EMPL values(2,'Yasir',18000,'Sales','Mumbra');
1 row created.

SQL> INSERT into EMPL values(3,'Ayaan',27700,'Maintenance','Panvel');
1 row created.

SQL> INSERT into EMPL values(4,'Saifullah',22500,'Assembly','Bandra');
1 row created.

SQL> INSERT into EMPL values(7,'Hussain',35000,'Admin','Kurla');
1 row created.
```

QUERY :- SELECT * FROM EMPL;

```
Run SQL Command Line
SQL> SELECT * FROM EMPL;
```

EMPNO	EMPNAME	SALARY	DEPT	ADDRESS
1	Danish	25000	Admin	Neral
2	Yasir	18000	Sales	Mumbra
3	Ayaan	27700	Maintenance	Panvel
4	Saifullah	22500	Assembly	Bandra
5	Hussain	35000	Admin	Kurla

QUERY :- SELECT * FROM EMPL WHERE empno = 1;

```
SQL> SELECT * FROM EMPL WHERE empno = 1;
```

EMPNO	EMPNAME	SALARY	DEPT	ADDRESS
1	Danish	25000	Admin	Neral

QUERY :- SELECT * FROM EMPL WHERE salary>20000;

```
SQL> SELECT * FROM EMPL WHERE salary>20000;
```

EMPNO	EMPNAME	SALARY	DEPT	ADDRESS
1	Danish	25000	Admin	Neral
3	Ayaan	27700	Maintenance	Panvel
4	Saifullah	22500	Assembly	Bandra
5	Hussain	35000	Admin	Kurla

QUERY :- SELECT * FROM EMPL WHERE address='Panvel';

```
SQL> SELECT * FROM EMPL WHERE address='Panvel';
```

EMPNO	EMPNAME	SALARY	DEPT	ADDRESS
3	Ayaan	27700	Maintenance	Panvel

QUERY :- SELECT * FROM EMPL WHERE dept='Admin';

```
SQL> SELECT * FROM EMPL WHERE dept='Admin';
```

EMPNO	EMPNAME	SALARY	DEPT	ADDRESS
1	Danish	25000	Admin	Neral
5	Hussain	35000	Admin	Kurla

QUERY :- SELECT * FROM EMPL ORDER BY EMPNAME;

```
SQL> SELECT * FROM EMPL ORDER BY EMPNAME;
```

EMPNO	EMPNAME	SALARY	DEPT	ADDRESS
3	Ayaan	27700	Maintenance	Panvel
1	Danish	25000	Admin	Neral
5	Hussain	35000	Admin	Kurla
4	Saifullah	22500	Assembly	Bandra
2	Yasir	18000	Sales	Mumbra

QUERY :- SELECT * FROM EMPL ORDER BY SALARY;

```
SQL> SELECT * FROM EMPL ORDER BY SALARY;
```

EMPNO	EMPNAME	SALARY	DEPT	ADDRESS
2	Yasir	18000	Sales	Mumbra
4	Saifullah	22500	Assembly	Bandra
1	Danish	25000	Admin	Neral
3	Ayaan	27700	Maintenance	Panvel
5	Hussain	35000	Admin	Kurla

QUERY :- SELECT COUNT(dept),dept FROM EMPL GROUP BY dept;

```
SQL> SELECT COUNT(dept),dept from empl GROUP BY dept;

COUNT(DEPT) DEPT
-----
          1 Maintenance
          1 Assembly
          1 Sales
          2 Admin
```

QUERY :- SELECT MAX(salary),dept FROM EMPL GROUP BY dept;

```
SQL> SELECT MAX(salary),dept FROM EMPL GROUP BY dept;

MAX(SALARY) DEPT
-----
        27700 Maintenance
        22500 Assembly
        18000 Sales
        35000 Admin
```

QUERY :- SELECT MIN(salary),dept FROM EMPL GROUP BY dept;

```
SQL> SELECT MIN(salary),dept FROM EMPL GROUP BY dept;

MIN(SALARY) DEPT
-----
        27700 Maintenance
        22500 Assembly
        18000 Sales
        25000 Admin
```

QUERY :- SELECT SUM(salary),dept FROM EMPL GROUP BY dept;

```
SQL> SELECT SUM(salary),dept FROM EMPL GROUP BY dept;

SUM(SALARY) DEPT
-----
        27700 Maintenance
        22500 Assembly
        18000 Sales
        60000 Admin
```