

Practical no. 2

Name :- Danish Altaf Solkar

Enrolment no. :-24111590805

Class :- CO3K – B

Subject :- DMS

Aim:- Create Database Schema for given Application

QUERY :- CREATE TABLE coa(Rollno NUMBER(10),Name VARCHAR2(50),Sal NUMBER(6,2));

```
SQL> Run SQL Command Line
SQL> CONNECT
Enter user-name: Student
Enter password:
Connected.
SQL> CREATE TABLE coa(Rollno NUMBER(10),Name VARCHAR2(50),Sal NUMBER(6,2));
Table created.
```

QUERY :- CREATE TABLE Empl(Empno NUMBER(10)Primary key,Ename VARCHAR(50),Sal NUMBER(6,2));

```
SQL> CREATE TABLE Empl(Empno NUMBER(10)Primary key,Ename VARCHAR(50),Sal NUMBER(6,2));
Table created.
```

QUERY :- ALTER TABLE Empl ADD mgr NUMBER(20);

```
SQL> ALTER TABLE Empl ADD mgr NUMBER(20);
Table altered.
```

QUERY :- ALTER TABLE Empl DROP COLUMN mgr;

```
SQL> ALTER TABLE Empl DROP COLUMN mgr;
Table altered.
```

Exercise :-

1) How would you create a new database named EMP?

ANS. CREATE USER emp IDENTIFIED BY emp123;
GRANT CONNECT, RESOURCE TO emp;

2) Write the SQL commands to create the EMP table with the following structure:

- empno as a number datatype with up to 4 digits
- ename as a variable character datatype up to 10 characters
- job as a variable character up to 9 characters
- mgr as a number datatype with up to 4 digits
- hiredate as a date
- sal as a number with up to 7 digits, including 2 decimal places
- comm as a number with up to 7 digits, including 2 decimal places
- deptno as a number with up to 2 digits

ANS. CREATE TABLE EMP (
empno NUMBER(4),
ename VARCHAR2(10),
job VARCHAR2(9),
mgr NUMBER(4),
hiredate DATE,
sal NUMBER(7,2),
comm NUMBER(7,2),
deptno NUMBER(2)
);

3) How would you alter the EMP table to assign the empno column as the primary key?

ANS. ALTER TABLE EMP
ADD CONSTRAINT pk_emp PRIMARY KEY (empno);

4) Write the SQL commands to create the DEPT table with the following structure:

- deptno as a number with up to 2 digits
- dname as a variable character datatype up to 10 characters
- loc as a variable character up to 20 characters

ANS. CREATE TABLE DEPT (
deptno NUMBER(2),
dname VARCHAR2(10),
loc VARCHAR2(20));