

Practical no. 26

Name :- Danish Altaf Solkar

Enrolment no. :-24111590805

Class :- CO3K – B

Subject :- DMS

Aim:- Implement Triggers for given database

Program :-

```
Run SQL Command Line
SQL> CREATE TABLE emplog(empno NUMBER,empname VARCHAR2(10),action VARCHAR2(20),DDTT timestamp);
Table created.
```

Program :-

```
Run SQL Command Line
SQL> CREATE TABLE emplog(empno NUMBER,empname VARCHAR2(10),action VARCHAR2(20),DDTT timestamp);
Table created.

SQL> CREATE or REPLACE TRIGGER trgemplog after UPDATE or DELETE or INSERT on emp for each row
2  DECLARE vaction VARCHAR2(12);
3  BEGIN
4  IF updating THEN vaction := 'Updated';
5  INSERT INTO emplog VALUES(:old.id, :old.name,vaction,current_timestamp);
6  ELIF deleting THEN vaction := 'Deleted';
7  INSERT INTO emplog VALUES(:old.id, :old.name,vaction,current_timestamp);
8  ELSE vaction := 'Inserted';
9  INSERT INTO emplog VALUES(:new.id, :new.name,vaction,current_timestamp);
10 END IF;
11 END;
12 /
Trigger created.
```

```
Run SQL Command Line
SQL> UPDATE emp set salary = 55555 WHERE id = 1;
1 row updated.

SQL> DELETE FROM emp WHERE id = 2;
1 row deleted.

SQL> INSERT INTO emp VALUES(11,'Saifullah','Bandra',88888);
1 row created.
```

```
Run SQL Command Line
SQL> SELECT * FROM emp;
```

ID	NAME	PLACE	SALARY
1	Danish	Karjat	55555
3	Raiyan	Kurla	20000
4	Saud	Seawood	25000
5	Jareer	Panvel	25000
6	Hamza	Govandi	20000
7	Farzan	Kurla	20000
8	Fatir	Mumbra	25000
9	Ayaan	New Panvel	25000
10	Yasir	Mumbra	20000
11	Saifullah	Bandra	88888

10 rows selected.

```
SQL> SELECT * FROM emplog;
```

EMPNO	EMPNAME	ACTION
DDTT		
1	Danish	Updated
02-OCT-25	12.26.17.734000	PM
2	Kalam	Deleted
02-OCT-25	12.27.15.317000	PM
11	Saifullah	Inserted
02-OCT-25	12.28.24.298000	PM

Exercise :-

Program :-

1)

```
Run SQL Command Line
SQL> CREATE or REPLACE TRIGGER trgsal before INSERT or UPDATE on emp for each row
2 BEGIN
3 IF :new.salary < 5000
4 THEN raise_application_error(-200001,'Salary should not be less than 5000');
5 END IF;
6 END;
7 /

Trigger created.
```

2)

```
Run SQL Command Line
SQL> CREATE or REPLACE TRIGGER trgdep AFTER UPDATE ON department FOR EACH ROW
2 BEGIN
3 dbms_output.put_line('Department updated');
4 dbms_output.put_line('Old Department Name :- '|| :old.d_name);
5 dbms_output.put_line('New Department Name :- '|| :new.d_name);
6 END;
7 /

Trigger created.
```

```
Run SQL Command Line
SQL> UPDATE department SET d_name = 'Sales' WHERE d_no = 1;
Department updated
Old Department Name :- Admin
New Department Name :- Sales

1 row updated.
```