

Practical no. 3

Name :- Danish Altaf Solkar

Enrolment no. :-24111590805

Class :- CO3K – B

Subject :- DMS

Aim:- Execute DDL commands to manage database using SQL

QUERY :- CREATE TABLE Student(s_name VARCHAR(10),s_age NUMBER(3),s_roll NUMBER(2));

```
SQL> Run SQL Command Line
SQL> connect
Enter user-name: Student
Enter password:
Connected.
SQL> CREATE TABLE Student(s_name VARCHAR(10),s_age NUMBER(3),s_roll NUMBER(2));
Table created.
```

QUERY :- desc student;

```
SQL> desc student;
Name                               Null?    Type
-----
S_NAME                             VARCHA2(10)
S_AGE                              NUMBER(3)
S_ROLL                             NUMBER(2)
```

QUERY :- ALTER TABLE student RENAME TO stud;

```
SQL> ALTER TABLE student RENAME TO stud;
Table altered.
```

QUERY :- ALTER TABLE stud RENAME COLUMN s_roll TO s_rollno;

```
SQL> ALTER TABLE stud RENAME COLUMN s_roll TO s_rollno;
Table altered.
```

QUERY :- desc stud;

```
SQL> desc stud;
Name                               Null?    Type
-----
S_NAME                             VARCHA2(10)
S_AGE                              NUMBER(3)
S_ROLLNO                           NUMBER(2)
```

QUERY :- CREATE TABLE arkp(sr_no NUMBER(2),name VARCHAR(10),address VARCHAR(10));

```
SQL> CREATE TABLE arkp(sr_no NUMBER(2),name VARCHAR(10),address VARCHAR(10));
Table created.
```

QUERY :- INSERT INTO arkp VALUES(1,'Danish','Karjat');

```
SQL> INSERT INTO arkp VALUES(1,'Danish','Karjat');
1 row created.
```

QUERY :- SELECT * FROM arkp;

```
SQL> SELECT * FROM arkp;

  SR_NO NAME      ADDRESS
-----
      1 Danish    Karjat
```

QUERY :- TRUNCATE TABLE arkp;

```
SQL> TRUNCATE TABLE arkp;
Table truncated.
```

QUERY :- SELECT * FROM arkp;

```
SQL> SELECT * FROM arkp;
no rows selected
```

QUERY :- SELECT table_name FROM user_tables;

```
SQL> SELECT table_name FROM user_tables;
```

```
TABLE_NAME
-----
APEX$_WS_HISTORY
APEX$_WS_NOTES
APEX$_WS_LINKS
APEX$_WS_TAGS
APEX$_WS_FILES
APEX$_WS_WEBPG_SECTION_HISTORY
COA
EMPL
STUD
ARKP

21 rows selected.
```

QUERY :- DROP TABLE arkp;

```
SQL> DROP TABLE arkp;
```

```
Table dropped.
```

QUERY :- SELECT table_name FROM user_tables;

```
SQL> Select table_name FROM user_tables;
```

```
TABLE_NAME
```

```
-----  
APEX$_WS_HISTORY  
APEX$_WS_NOTES  
APEX$_WS_LINKS  
APEX$_WS_TAGS  
APEX$_WS_FILES  
APEX$_WS_WEBPG_SECTION_HISTORY  
COA  
EMPL  
STUD
```

```
20 rows selected.
```