

Practical no. 11

Name :- Danish Altaf Solkar

Enrolment no. :-24111590805

Class :- CO3K – B

Subject :- OOP

Aim :- WAP to implement inheritance shown below figure. Assume suitable member function.

Program :-

```
#include<iostream.h>

#include<conio.h>

class Furniture{

public:

char material[30];

int price;

};

class Table:public Furniture{

public:

int height;

char surface[50];

void accept(){

cout<<"\nEnter the Material :- ";

cin>>material;

cout<<"\nEnter the Price :- ";

cin>>price;

cout<<"\nEnter the Height of Table :- ";

cin>>height;

cout<<"\nEnter the Surface of Table :- ";

cin>>surface;

}
```

```


void display(){
    cout<<"\nMaterial :- "<<material;
    cout<<"\nPrice :- "<<price;
    cout<<"\nHeight of Table :- "<<height;
    cout<<"\nSurface of Table :- "<<surface;
}

};

void main(){
    Table t;
    clrscr();
    t.accept();
    cout<<"\n---Details of the Table---";
    t.display();
    getch();
}

```

OUTPUT:-



The screenshot shows a DOS window titled "NeuTroN DOS-C++ 0.77, Cpu speed: max 100% cycles,". The program prompts the user to enter details for a table. The user has entered: Material: Steel, Price: 5000, Height of Table: 50, and Surface of Table: Flat. The program then displays the entered details in a formatted output.

```

Enter the Material :- Steel
Enter the Price :- 5000
Enter the Height of Table :- 50
Enter the Surface of Table :- Flat

---Details of the Table---
Material :- Steel
Price :- 5000
Height of Table :- 50
Surface of Table :- Flat_

```

Aim :- WAP to implement following multi-level inheritance.

Program :-

```
#include<iostream.h>

#include<conio.h>

class Person{

public:

char name[30];

char gender[20];

int age;

};

class Employee:public Person{

public:

int emp_id;

char company[50];

int salary;

};

class Programmer:public Employee{

public:

int no_of_prog_lang_known;

void accept(){

cout<<"\nEnter your Name :- ";

cin>>name;

cout<<"\nEnter your Gender :- ";

cin>>gender;

cout<<"\nEnter your Age :- ";

cin>>age;
```

```

cout<<"\nEnter your Employee Id :- ";

cin>>emp_id;

cout<<"\nEnter your Company :- ";

cin>>company;

cout<<"\nEnter your Salary :- ";

cin>>salary;

cout<<"\nEnter the no. of Programming Languages :- ";

cin>>no_of_prog_lang_known;

}

void display(){

cout<<"\nName :- "<<name;

cout<<"\nGender :- "<<gender;

cout<<"\nAge :- "<<age;

cout<<"\nEmployee Id :- "<<emp_id;

cout<<"\nCompany :- "<<company;

cout<<"\nSalary :- "<<salary;

cout<<"\nNumber of Programming Languages known :- "<<no_of_prog_lang_known;

}

};

void main(){

Programmer p;

clrscr();

p.accept();

cout<<"\n---Programmer Details---";

p.display();

getch();

}

```

OUTPUT:-

```
NeuTroN DOS-C++ 0.77, Cpu speed: max 100% cycles, Frameskip

Enter your Name :- Danish
Enter your Gender :- Male
Enter your Age :- 17
Enter your Employee Id :- 805
Enter your Company :- XYZ
Enter your Salary :- 10000
Enter the no. of Programming Languages :- 2

---Programmer Details---
Name :- Danish
Gender :- Male
Age :- 17
Employee Id :- 805
Company :- XYZ
Salary :- 10000
Number of Programming Languages known :- 2
```