

Practical no. 20

Name :- Danish Altaf Solkar

Enrolment no. :-24111590805

Class :- CO3K – B

Subject :- OOP


Aim :- Write a C++ program to subtract to complex number using operator overloading by using member function.

Program :-

```
#include<iostream.h>
#include<conio.h>
class Complex{
float real, imag;
public:
Complex(){
real=0;
imag=0;
}
Complex(float r,float i){
real =r;
imag =i;
}
Complex operator-(Complex c2){
Complex temp;
temp.real= real - c2.real;
temp.imag=imag-c2.imag;
return temp;
}
void display(){
cout<<real<<"+"<<imag<<"i"<<endl;
}
};
```

```
int main(){
clrscr();
Complex c1(6.4,3.2);
Complex c2(2.1,1.5);
Complex diff = c1-c2;
cout<<"First Complex Number:";
c1.display();
cout<<"Second Complex Number:";
c2.display();
cout<<"Difference of Complex Number:";
diff.display();
getch ();
return 0;
};
```

Output :-

A screenshot of a DOSBox terminal window. The title bar reads "DOSBox 0.74, Cpu speed: max 100% cycles,". The terminal output shows three lines of text: "First Complex Number:6.4+3.2i", "Second Complex Number:2.1+1.5i", and "Difference of Complex Number:4.3+1.7i".

```
DOSBox 0.74, Cpu speed: max 100% cycles,
First Complex Number:6.4+3.2i
Second Complex Number:2.1+1.5i
Difference of Complex Number:4.3+1.7i
```