

Practical no. 26

Name :- Danish Altaf Solkar

Enrolment no. :-24111590805

Class :- CO3K – B

Subject :- OOP

Aim :- Write a program to write and read objects in binary file using write() and read() methods.

Program :-

```
#include <iostream.h>

#include <fstream.h>

#include <conio.h>

class Student {

int roll;

char name[30];

public:

void getData() {

cout << "Enter Roll No: " << endl;

cin >> roll;

cout << "Enter Name: " << endl;

cin >> name;

}

void showData() {

cout << "Roll No: " << roll << endl;

cout << "Name : " << name << endl;

}

};

void main() {

clrscr();


Student s1, s2;

s1.getData();

ofstream fout("student.dat", ios::binary);
```

```
fout.write((char*)&s1, sizeof(s1));  
fout.close();  
cout << "Object written to file successfully!" << endl;  
ifstream fin("student.dat", ios::binary);  
fin.read((char*)&s2, sizeof(s2));  
fin.close();  
cout << "Object read from file:" << endl;  
s2.showData();  
getch();  
}
```

Output :-



```
DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip 0, Program: TC  
Copying content...  
Content copied successfully!  
  
Content of destination file:  
Hello Turbo C++  
This is a file copy program.
```

Aim :- Write a program to copy entire content of one binary file at a time using read() and write().

Program :-

```
#include <iostream.h>

#include <fstream.h>

#include <conio.h>

void main()

{

ifstream fin("source.dat", ios::in | ios::binary);

ofstream fout("target.dat", ios::out | ios::binary);

if (!fin || !fout)

{

cout << "File could not be opened!";

getch();

return;

}

char buffer[1024];

while (fin.read(buffer, sizeof(buffer)))

fout.write(buffer, fin.gcount());

// handle last partial read


fout.write(buffer, fin.gcount());

cout << "Binary file copied successfully!";

getch();

}
```

Output :-

A screenshot of a DOSBox 0.74 window. The title bar reads "DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip 0, Program: TC". The command prompt shows the message "Source file could not be opened!" followed by a cursor. The window has a black background with white text.

```
DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip 0, Program: TC
Source file could not be opened!
_
```