

Practical no. 3

Name :- Danish Altaf Solkar

Enrolment no. :-24111590805

Class :- CO3K – B

Subject :- OOP

Aim :- To find the area of rectangle by casting double data into float and int type.

Program :-

```
#include<iostream.h>

#include<conio.h>

void main()

{

double l=24.56;

double b=56.24;

double area=l*b;

clrscr();

cout<<"Area in double:- "<<area;

//to float

float areaf=(float)area;

cout<<"\nArea in float:- "<<areaf;

//to int


int areai=(int)area;

cout<<"\nArea in int:- "<<areai;

getch();

}
```

OUTPUT:-

A screenshot of a DOSBox 0.74 window. The title bar reads "DOS BOX DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip". The terminal output shows three lines: "Area in double:- 1381.2544", "Area in float:- 1381.254395", and "Area in int:- 1381_". The text is white on a black background.

```
DOS BOX DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip
Area in double:- 1381.2544
Area in float:- 1381.254395
Area in int:- 1381_
```

Aim :- To show use of implicit type casting to calculate the average of two numbers.

Program :-

```
#include<iostream.h>

#include<conio.h>

void main()

{

int num1,num2;

clrscr();

cout<<"Enter value of num 1:- ";

cin>>num1;

cout<<"Enter value of num 2:- ";

cin>>num2;


float avg=(float)(num1+num2)/2;

cout<<"Average of num1 and num2:- "<<avg;

getch();

}
```

OUTPUT:-

A screenshot of a DOSBox 0.74 terminal window. The title bar at the top reads "DOS BOX DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip 0, Program:". The terminal content shows the program's execution: "Enter value of num 1:- 5", "Enter value of num 2:- 6", and "Average of num1 and num2:- 5.5_".

```
DOS BOX DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip 0, Program:
Enter value of num 1:- 5
Enter value of num 2:- 6
Average of num1 and num2:- 5.5_
```

Aim :- To display the percentage of students which accept marks of three subjects from user.

Program :-

```
#include<iostream.h>

#include<conio.h>

void main()

{

int m1,m2,m3;

clrscr();

cout<<"Enter marks of 1st subject:- ";

cin>>m1;

cout<<"Enter marks of 2nd subject:- ";

cin>>m2;

cout<<"Enter marks of 3rd subject:- ";

cin>>m3;


float per=(float)(m1+m2+m3)/300*100;

cout<<"Your percentage of 3 subject:- "<<per;

getch();

}
```

OUTPUT:-

A screenshot of a DOSBox 0.74 terminal window. The title bar at the top reads "DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip". The terminal displays the output of the C++ program, showing prompts for marks of three subjects and the resulting percentage. The input for each subject is 50, and the output percentage is 50.

```
DOSBox 0.74, Cpu speed: max 100% cycles, Frameskip
Enter marks of 1st subject:- 50
Enter marks of 2nd subject:- 50
Enter marks of 3rd subject:- 50
Your percentage of 3 subject:- 50
```