



Molecular and Functional Properties of Milk

Exam Question 09: Increased Protein Degradation

Lucas Daniel Paz Zuleta, TZS159

MSc student at the University of Copenhagen

Last compiled: 27-03-2025

Link to Git repo.: https://github.com/DanishUnicorn/fp_exam_2025



Question 09

Situation

You are the manager of a medium-sized Danish co-operative dairy plant in Northern Jutland and suspect an increased protein degradation occurring in your milk.

Your task

Map out the reasons for this and determine which methods to use to prove that this is happening.

Advice

Explain the possible reasons for protein degradation occurring in milk and which proteins are susceptible, and the consequences for this proteolysis in selected products. List the methods which you would use to determine this and what actions you would take to prevent it occurring in the dairy plant and at the farm level.

Contents

1	Introduction	1
2	Milk Composition	1
3	Protein Degradation	1
3.1	Reasons for Protein Degradation	1
3.2	Susceptible Proteins	1
4	Consequences of Proteolysis in Milk Products	1
5	Methods	1
5.1	Determining Protein Degradation	1
5.2	Preventing Protein Degradation	1
5.2.1	Dairy Plant Level	1
5.2.2	Farm Level	1
6	Conclusion	1

Synopsis for Question 09

1 Introduction

Milk is an important nutritional source for humans, and serves as the basis for a variety of dairy products. As the main ingredient in dairy products, the microbiological and compositional quality of the raw milk is of great importance and is directly correlated with the quality of the final dairy product [1].

Proteins play an essential role in determining texture, flavour, and functional properties. If the proteins present in milk are degraded, either enzymatically or due to microbial activity, product quality can suffer significantly [2]. Upholding a high standard for milk is therefore not only of importance with respect to consumer acceptance, but also of economic relevance [1].

2 Milk Composition

3 Protein Degradation

3.1 Reasons for Protein Degradation

3.2 Susceptible Proteins

4 Consequences of Proteolysis in Milk Products

5 Methods

5.1 Determining Protein Degradation

5.2 Preventing Protein Degradation

5.2.1 Dairy Plant Level

5.2.2 Farm Level

6 Conclusion

Bibliography

- [1] Maria Åkerstedt et al. “Protein degradation in bovine milk caused by *Streptococcus agalactiae*”. In: *Journal of Dairy Research* 79.3 (2012), pp. 297–303. DOI: [10.1017/S0022029912000301](https://doi.org/10.1017/S0022029912000301).
- [2] Lotte B Larsen et al. “Proteases and protein degradation in milk from cows infected with *Streptococcus uberis*”. In: *International Dairy Journal* 14.10 (2004), pp. 899–907. ISSN: 0958-6946. DOI: <https://doi.org/10.1016/j.idairyj.2004.03.006>. URL: <https://www.sciencedirect.com/science/article/pii/S0958694604000792>.