

```

if(lvType.vEventType == enEventType.type_dialog)
{
    //create a text box
    vboxText = funBoxTextCreate(lvType.vText,
                                lvType.vActorPic, lvType.vActorName, "Information");
}
else if(lvType.vEventType == enEventType.type_message)
{
    //create a message box
    vboxText = funBoxMessageCreate(lvType.vText, "Information");
}
else if(lvType.vEventType == enEventType.type_choice)
{
    //create a choice box
    vboxText = funBoxChoice2Create(lvType.vText, lvType.vPic,
                                    lvType.vName,
                                    lvType.arrayOption[0], lvType.arrayOption[1], "Information");
}
else if(lvType.vEventType == enEventType.type_state_quest_change)
{
    //change a quest state
    //oControlQuest.arrayQuestState[lvType.vVarName] = lvType.vVarValue;
    funStateQuestSet(lvType.vVarName, lvType.vVarValue);
    //record the new quest state value
    var lvHealthData = new funDataQuestState(lvType.vVarName, lvType.vVarValue,

```

```

oControlGame.vGameFrame);
        ds_list_add(oControlDataLog.strDataGameSession.listQuestState, lvHealthData);
    }
    else if(lvType.vEventType == enEventType.type_object_state_event_change)
    {
        //change an internal event state of an interactable object
        for(var i = 0; i < array_length(oControlGame.arrayObjectStateEvent); i++)
        {
            if(oControlGame.arrayObjectStateEvent[i].vID == lvType.vTarget)
            {
                oControlGame.arrayObjectStateEvent[i].arrayState[lvType.vVarName] = lvType.vVarValue;
                break;
            }
        }
        //check if the instance also exists in the current room
        if((lvType.vTarget != undefined)&&(instance_exists(lvType.vTarget)))
            lvType.vTarget.arrayStateEvent[lvType.vVarName] = lvType.vVarValue;
    }
    else if(lvType.vEventType == enEventType.type_object_state_combat_change)
    {
        //change an internal combat state of an interactable object
        for(var i = 0; i < array_length(oControlGame.arrayObjectStateCombat); i++)
        {
            if(oControlGame.arrayObjectStateCombat[i].vID == lvType.vTarget)

```

```

        {
oControlGame.arrayObjectStateCombat[i].arrayState[lvType.vVarName] = lvType.vVarValue;
            break;
        }
    }
    //check if the instance also exists in the current room
    if((lvType.vTarget != undefined)&&(instance_exists(lvType.vTarget)))
        lvType.vTarget.arrayStateCombat[lvType.vVarName] = lvType.vVarValue;
}
else if(lvType.vEventType == enEventType.type_item_get)
{
    //check number of the item that would be added to the inventory
    if(lvType.vItemNum > 0)
    {
        //check item type, game or learning
        if(oControlItem.arrayItemDefinition[lvType.vItemName].vType !=
enItemType.type_learning)
        {
            //show_message("item = " +
oControlItem.arrayItemDefinition[lvType.vItemName].vName);
            //check if the item is already in inventory
            var lvFound = -1;
            for(var i = 0; i < ds_list_size(listInventoryItem); i++)
            {

```

```

lvType.vItemName)

if(listInventoryItem[| i].vItemName ==

{
    lvFound = i;
    break;
}
}
if(lvFound >= 0)
{
    //increase the number of that item in the inventory
    listInventoryItem[| lvFound].vItemNum++;
    //record the new interaction data
    var lvPosData = new funDataState(listInventoryItem[|
lvFound].vItemName, oControlGame.vGameFrame);

ds_list_add(oControlDataLog.strDataGameSession.listPlayerGetItem, lvPosData);
}
else
{
    //add the item to the inventory
    //check if there is still a free slot
    if(ds_list_size(listInventoryItem) <

vInventoryCapacityMax)

{
    var lvItemNew = new

```

```

funInventoryItem(lvType.vItemName,
lvType.vAnswer);

lvType.vItemNum,

ds_list_add(listInventoryItem, lvItemNew);
//record the new interaction data
var lvPosData = new

funDataState(lvType.vItemName, oControlGame.vGameFrame);

ds_list_add(oControlDataLog.strDataGameSession.listPlayerGetItem, lvPosData);

//show_message(string(ds_list_size(listInventoryItem) - 1));

//show_message(string(listInventoryItem[|
(ds_list_size(listInventoryItem) - 1)].vItemName));

//show_message("barang yang baru
ditambahkan = " + oControlItem.arrayItemDefinition[listInventoryItem[| (ds_list_size(listInventoryItem) -
1)].vItemName].vName);

}
else
{

//can't add the item
var lvArText = -1;
lvArText[0] = "Maaf, tas barangmu sudah

penuh ....";

vBoxText = funBoxMessageCreate(lvArText,
"Information");

```

```

    }
}
else
{
    //add the learning item to the inventory
    //check if there is still a free slot
    if(ds_list_size(listInventoryItemLearning) <
vInventoryCapacityMax)
    {
        var lvItemNew = new
            lvType.vItemNum, lvType.vAnswer);
        ds_list_add(listInventoryItemLearning, lvItemNew);
        //record the new interaction data
        var lvPosData = new funDataState(lvType.vItemName,
oControlGame.vGameFrame);

        ds_list_add(oControlDataLog.strDataGameSession.listPlayerGetItem, lvPosData);
        var lvPosData = new funDataState(lvType.vAnswer,
oControlGame.vGameFrame);

        ds_list_add(oControlDataLog.strDataGameSession.listLearningGet, lvPosData);
    }
    else

```

```

        {
            //can't add the item
            var lvArText = -1;
            lvArText[0] = "Maaf, tas barangmu sudah penuh ....";
            vboxText = funBoxMessageCreate(lvArText,
"Information");

            //vboxText = funBoxMessageCreate("Maaf, tas
barangmu sudah penuh ....");
        }
    }

//check events
else if((lvType.vEventType == enEventType.type_attribute_check)||
(lvType.vEventType == enEventType.type_item_check)||
(lvType.vEventType == enEventType.type_learning_check)||
(lvType.vEventType == enEventType.type_choice_check))
{
    var lvOK = false;
    if(lvType.vEventType == enEventType.type_attribute_check)
    {
        //check the attribute
        //under construction...
    }
    else if(lvType.vEventType == enEventType.type_item_check)

```

```

{
    //check the item
    for(var i = 0; i < ds_list_size(listInventoryItem); i++)
    {
        if(listInventoryItem[i].vItemName == lvType.vItemName)
        {
            if(funCompareNumber(listInventoryItem[i].vItemNum,
                                lvType.vItemNum, lvType.vOperator))
            {
                lvOK = true;
                break;
            }
        }
    }
}
else if(lvType.vEventType == enEventType.type_learning_check)
{
    if(lvType.vRule >= 0)
    {
        //get the player's answer element string
        var lvListAnswer = ds_list_create();
        funAnswerStringGet(lvListAnswer);
        /*CORRECT CODE
        var lvRule = funAnswerCheck(lvListAnswer);

```

```

        ds_list_destroy(lvListAnswer);
        if(lvRule == lvType.vRule)
        {
            lvOK = true;

        }*/
        //FOR TESTING THE ENVIRONMENTAL SCENARIO ONLY
        if(ds_list_size(lvListAnswer) ==
array_length(oControlLearning.arrayTopic[oControlLearning.vTopicActive].arrayLearningRule[oControlLearning.array
Topic[oControlLearning.vTopicActive].arrayLearningRuleActive[lvType.vRule]].arrayAnswer))
        {
            lvOK = true;

        }
        ds_list_destroy(lvListAnswer);
        //END OF LINES FOR TESTING ONLY
    }
    else
    {
        //just check if the player has any learning item at all
        if(ds_list_size(listInventoryItemLearning) >= 1)
        {
            lvOK = true;

        }
    }
}

```

```

    }
    else if(lvType.vEventType == enEventType.type_choice_check)
    {
        if(vEventCheckVar == lvType.vChoice)
        {
            lvOK = true;
        }
    }

    if(lvOK)
    {
        //check the block of code for true condition
        vEventNum++;
        lvType =
vEventObject.arrayEventSequence[vEventSequenceNum].arrayEvent[vEventNum];
        if(lvType.vEventType == enEventType.type_check_start)
        {
            //move one more event
            //vEventNum++;
            //lvType =
vEventObject.arrayEventSequence[vEventSequenceNum].arrayEvent[vEventNum];
        }
        else
        {
            //something's wrong!

```

```

                                show_message("ERROR! start of an event block not found...");
                                }
                            }
                        else
                        {
                            //check the block of code for false condition
                            //skip some events until an else event
                            vEventNum++;
                            lvType =
vEventObject.arrayEventSequence[vEventSequenceNum].arrayEvent[vEventNum];
                            if(lvType.vEventType == enEventType.type_check_start)
                            {
                                vEventBlockNum = 1;
                                while(1)
                                {
                                    vEventNum++;
                                    lvType =
vEventObject.arrayEventSequence[vEventSequenceNum].arrayEvent[vEventNum];
                                    if(lvType.vEventType == enEventType.type_check_end)
                                    {
                                        vEventBlockNum--;
                                    }
                                    else if(lvType.vEventType ==
enEventType.type_check_start)
                                    {

```

```

                                vEventBlockNum++;
                            }
                            if(vEventBlockNum <= 0)
                            {
                                break;
                            }
                        }
                        vEventNum++;
                        lvType =
vEventObject.arrayEventSequence[vEventSequenceNum].arrayEvent[vEventNum];
                        if(lvType.vEventType == enEventType.type_check_else)
                        {
                            vEventNum++;
                            lvType =
vEventObject.arrayEventSequence[vEventSequenceNum].arrayEvent[vEventNum];
                            if(lvType.vEventType == enEventType.type_check_start)
                            {
                                }
                            else
                            {
                                //something's wrong
                                show_message("ERROR! missing a start
event...");
                            }
                        }
                    }

```

```

        else
        {
            //else event not found
            //move back one event
            vEventNum--;
        }
    }
    else
    {
        //something's wrong!
        show_message("ERROR! start of an event block not found...");
    }
}

}
else if(lvType.vEventType == enEventType.type_check_end)
{
    //do nothing
}
else if(lvType.vEventType == enEventType.type_check_start)
{
    //oh dang, something's wrong
    show_message("ERROR! a rogue start of an event block found...");
}
else if(lvType.vEventType == enEventType.type_check_else)
{

```

```

        //skip some events
        vEventNum++;
        lvType =
vEventObject.arrayEventSequence[vEventSequenceNum].arrayEvent[vEventNum];
        if(lvType.vEventType == enEventType.type_check_start)
        {
            vEventBlockNum = 1;
            while(1)
            {
                vEventNum++;
                lvType =
vEventObject.arrayEventSequence[vEventSequenceNum].arrayEvent[vEventNum];
                if(lvType.vEventType == enEventType.type_check_end)
                {
                    vEventBlockNum--;
                }
                else if(lvType.vEventType == enEventType.type_check_start)
                {
                    vEventBlockNum++;
                }
                if(vEventBlockNum <= 0)
                {
                    break;
                }
            }
        }
    }

```

}

}