MainActivity

```
package com.example.myapplication;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
public class MainActivity extends AppCompatActivity {
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
    }
    public void GoActividad (View view) {
        Intent i = new Intent( this, Actividad.class);
        startActivity(i);
    }
}
```

Actividad

```
package com.example.myapplication;
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;
import android.content.DialogInterface;
import android.content.Intent;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;
public class Actividad extends AppCompatActivity {
    private EditText textol,texto2;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_actividad);
        textol = (EditText)findViewById(R.id.textol);
        texto2 = (EditText)findViewById(R.id.texto2);
    }
    public void GoActividad2 (View view){
```

```
public void onClick(DialogInterface dialog, int
which) {
                        finish();
which) {
```

Actividad2

```
package com.example.myapplication;
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;

import android.content.DialogInterface;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.EditText;
import android.widget.TextView;

public class Actividad2 extends AppCompatActivity {
    private TextView texto1,texto2;
```

```
super.onCreate(savedInstanceState);
       startActivity(i);
                    public void onClick(DialogInterface dialog, int
which) {
        .setNegativeButton("No", new DialogInterface.OnClickListener()
            public void onClick(DialogInterface dialog, int which) {
        titulo.setTitle("Salida");
```

```
package com.example.myapplication;
import androidx.appcompat.app.AppCompatActivity;
public class man1 extends AppCompatActivity {
        super.onCreate(savedInstanceState);
   public void GoActividad4 (View view) {
AlertDialog.Builder(man1.this);
which) {
                    public void onClick(DialogInterface dialog, int
which) {
        AlertDialog titulo = alerta.create();
        titulo.setTitle("Salida");
        titulo.show();
```

```
<androidx.constraintlayout.widget.ConstraintLayout</pre>
   <FrameLayout</pre>
        android:layout height="match parent">
            android:onClick="Salir'
        <TextView
        <EditText
            android:layout width="wrap content"
            android:layout height="wrap content"
            android:inputType="textPersonName"
            android:textSize="25dp" />
        <TextView
```

```
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginTop="230dp"
android:text="Genero:"
android:textSize="40dp" />

<EditText
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="150dp"
    android:layout_marginTop="230dp"
    android:layout_marginTop="230dp"
    android:inputType="textPersonName"
    android:textSize="25dp" />

<Button
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="550dp"
    android:onClick="GoActividad2"
    android:text="Siguiente" />

<pr
```

Activity main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity">

<frameLayout
    android:layout_width="match_parent"
    android:layout_height="match_parent">

    <Button
        android:layout_width="match_parent"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_marginTop="550dp"
        android:layout_marginTop="550dp"
        android:text="Entrar"
        android:textSize="24dp" />

<TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Menu Principal"
        android:textSize="50dp"
        android:layout_gravity="center_horizontal"</pre>
```

Activity actividad2.xml

```
xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout width="match parent"
        <TextView
        <TextView
            android:layout width="wrap content"
            android:layout marginTop="680dp"
```

Actividad2

```
package com.example.myapplication;
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;
import android.content.DialogInterface;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.EditText;
import android.widget.TextView;

public class Actividad2 extends AppCompatActivity {

    private TextView textol,texto2;
    public String datal,data2,data3,data4,data5;
    @Override
    protected void onCreate(Bundle savedInstanceState) {

        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_actividad2);

        texto1 = (TextView)findViewById(R.id.texto1);
        texto2 = (TextView)findViewById(R.id.texto2);

        String dato1 = getIntent().getStringExtra("dato1");
        texto1.setText(dato1);

        String dato2 = getIntent().getStringExtra("dato2");
        texto2.setText(dato2);

}

public void GoActividad3 (View view){
```

```
AlertDialog.Builder alerta = new
AlertDialog.Builder(Actividad2.this);
                .setCancelable(false)
which) {
```

man1

```
package com.example.myapplication;
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;
import android.content.DialogInterface;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.EditText;
import android.widget.TextView;

public class man1 extends AppCompatActivity {
    private EditText texto1, texto2;
```

```
.setCancelable(false)
                    public void onClick(DialogInterface dialog, int
which) {
                        finish();
which) {
```

activity_man1.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".man1">

    <FrameLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent">
        <TextView
        android:id="@+id/texto2"</pre>
```

```
<TextView
        android:layout height="wrap content"
        android:layout marginTop="650dp"
        android:layout marginLeft="230dp"/>
<ImageView</pre>
```

Woman1

```
package com.example.myapplication;
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;
import android.content.DialogInterface;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;

public class woman1 extends AppCompatActivity {
    @Override
    protected void onCreate(Bundle savedInstanceState) {
```

activity_woman

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".woman1">

<
```