

AGRICULTURE AND FISHERY ARTS PART 5

1. Which crop disease grows on leaf surface as white, gray or purple spots?

- A. Galls
- B. Leaf Spot
- C. Mildew
- D. Mosaic

2. Which crop disease is distinguished by the appearance of rings of different shades of brown, green or yellow that make spot on the leaves?

- A. Galls
- B. Leaf Spot
- C. Mildew
- D. Mosaic

3. Which are the larva stage of heel flies?

- A. Cattle Grubs
- B. Cattle Lice
- C. Mange Mites
- D. Sarcoptic Mange

4. Which avian disease is caused by mycoplasma or pleuropneumonia-like organism

- A. Coccidiosis
- B. Marek's Disease
- C. Avian Malaria
- D. Chronic Respiratory

5. Which insect pest tear, grind or chew their food?

- A. Chewing Insects
- B. Piercing-Sucking Insects
- C. Rasping-sucking insects
- D. Sponging Insects

6. All EXCEPT ONE are prevention and control of hog cholera or swine fever. Which one?

- A. Giving uncooked slops or kitchen scraps
- B. Vaccinating all pigs against the disease using a reliable vaccine
- C. Disposing all pigs against the disease using reliable vaccine
- D. Disinfecting contaminated pens and premises properly

7. Which type of poison is sprayed on plant surfaces and is taken in by the plant through absorption?

- A. Contact Poison
- B. Systematic Poison
- C. Stomach Poison
- D. Fumigants

8. Which is a way of controlling plant disease by isolating a patch of or a single diseased plant?

- A. Cultural Control
- B. Quarantine
- C. Integrated

D. Biological

9. Which is a combination of two or more methods of controlling disease to yield a higher chance of effectiveness?

- A. Cultural Control
- B. Quarantine
- C. Integrated
- D. Biological

10. Which poison is absorbed by plants and then ingested by the pest when it feeds?

- A. Contact Poison
- B. Systematic Poison
- C. Stomach Poison
- D. Fumigants

11. Which pest control involves sanitation, removing insect breeding and hiding and using insect resistant plant varieties?

- A. Cultural Control
- B. Quarantine
- C. Integrated
- D. Biological

12. Therapeutic bath in 0.7% salt solution from 3 to 20 days is the treatment for _____.

- A. trichodinosis
- B. whitespot
- C. red sore
- D. skin fluke

13. The following are measures to prevent or control Anthrax, EXCEPT _____.

- A. proper disposal of dead animals by burning or deep burial
- B. decontamination of all contaminated pens, feeding materials, beddings, etc.
- C. avoiding contact with infected animals and contaminated animals by products
- D. moving animals frequently

14. Which refers to the toxins extracted from the plants and applied on the infested crops?

- A. Inorganic pesticides
- B. Synthetic pesticides
- C. Heat Treatment
- D. Soil Sterilization

15. Which is done by covering the surface of the soil by applying heat before planting to kill pathogens?

- A. Cover Cropping
- B. Mulching
- C. Heat Treatment
- D. Soil Sterilization

16. Which is the process of treating the soil by applying heat before planting kill pathogens?

- A. Cover Cropping
- B. Mulching
- C. Heat Treatment
- D. Soil Sterilization

17. The following are steps to be taken to avoid cannibalism in poultry production, EXCEPT _____.

- A. if there is a ring leader or a persistent pecker, remove it from the stock
- B. isolate wounded birds until wound heals
- C. do not give food o water to the cockerel for 24 hours
- D. give the chicken plenty of fresh, green, leafy food

18. The following are factors that cause cannibalism in chicken, EXCEPT _____ .

- A. inability to perch well
- B. overcrowding
- C. boredom
- D. nutritional deficiency

19. Which condition in egg production is associated with infectious diseases? It is a sign of mineral deficiency, especially calcium and phosphorus.

- A. Double Yolks
- B. Extra-small Eggs
- C. Soft eggs
- D. Inter laying

20. Which of the following is the best way to prevent or remedy the laying of soft eggs?

- A. Give a sudden additional lighting
- B. Move hen to clean house
- C. Add crushed eggshell, oyster shell meal, or lime to the feed ration to remedy calcium and phosphorus deficiency.
- D. Give the birds a medication of either Erythromycin or Oxytetracycline.

**AGRICULTURE AND FISHERY ARTS PART 5 ANSWER
KEYS**

1. C
2. B
3. A
4. D
5. A
6. A
7. C
8. B
9. C
10. B
11. A
12. B
13. D
14. C
15. B
16. D
17. C
18. A
19. C
20. C