

BenchmarkEvaluator
EMPTY_DOCS_MESSAGE : str EVAL_MODE : BENCHMARK PHASE_LABELS : dict
get_documents(): List[DocumentRecord] load_phase1_records(doc_id: int, user: str): None load_phase2_records(doc_id: int, user: str): None render_phase1(item: Phase1Item): None render_phase1_actions(item: Phase1Item): None render_phase2(item: BasePhase2Item): None render_phase2_actions(item: BasePhase2Item): None

ProductionEvaluator
EMPTY_DOCS_MESSAGE : str EVAL_MODE : PRODUCTION PHASE_LABELS : dict
get_documents(): List[DocumentRecord] load_phase1_records(doc_id: int, user: str): None load_phase2_records(doc_id: int, user: str): None render_phase1(item: Phase1Item): None render_phase1_actions(item: Phase1Item): None render_phase2(item: BasePhase2Item): None render_phase2_actions(item: BasePhase2Item): None

BaseEvaluator
EMPTY_DOCS_MESSAGE : ClassVar[str] EVAL_MODE : ClassVar[EvalMode] PHASE_LABELS : ClassVar[dict[EvalPhase, str]]
get_documents(): List[DocumentRecord] load_phase1_records(doc_id: int, user: str): None load_phase2_records(doc_id: int, user: str): None render(doc_id: int, user: str): None render_phase1(item: Phase1Item): None render_phase1_actions(item: Phase1Item): None render_phase2(item: BasePhase2Item): None render_phase2_actions(item: BasePhase2Item): None