

Codificar el software asegurando la calidad de acuerdo con estándares de la industria

Desarrollar la solución de software de acuerdo con el diseño y metodológicas de desarrollo

Instructora:
Yazmin Martinez Bejarano

Aprendiz:
Danna Franchesca Perez Gonzalez

10 /11/2026

```
Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git commit -m "agregar archivo de notas"
[main a1c3f6c] agregar archivo de notas
 1 file changed, 1 insertion(+)
 create mode 100644 notas.txt

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git push origin main
info: please complete authentication in your browser...
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 24 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 333 bytes | 333.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/JKUTLN11/mi-primer-repositorio-K.git
   3a024b6..a1c3f6c  main -> main

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git log
commit a1c3f6cdd199dad49c5a41bf1d6a6f48a7c01a6e (HEAD -> main, origin/main, origin/HEAD)
Author: JKUTLN11 <kevins_rodriguezp@soy.sena.edu.co>
Date:   Tue Nov 10 07:35:18 2026 -0500

    agregar archivo de notas

commit 3a024b6689e6ee29c940a688f01bb3ecf61623ff
Author: JKUTLN11 <kevins_rodriguezp@soy.sena.edu.co>
Date:   Tue Nov 10 07:22:45 2026 -0500

    Initial commit

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git push - origin master
error: src refspec master does not match any
error: failed to push some refs to '-'

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git branch
* main

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git push - origin main
fatal: strange pathname '-' blocked

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git push origin main
Everything up-to-date

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git pull origin main
From https://github.com/JKUTLN11/mi-primer-repositorio-K
 * branch            main       -> FETCH_HEAD
Already up to date.

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git pull
Already up to date.

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git branch desarrollo

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git branch
  desarrollo
* main

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git switch desarrollo
Switched to branch 'desarrollo'

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (desarrollo)
$ git wtich main
git: 'wtich' is not a git command. See 'git --help'.

The most similar command is
        switch

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (desarrollo)
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git branch
  desarrollo
* main
```

```
Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~
$ git --version
git version 2.55.0.windows.4

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~
$ git congif --global user.name"JKUTLN11"
git: 'congif' is not a git command. See 'git --help'.

The most similar command is
        config

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~
$ git config --global user.name "JKUTLN11"

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~
$ git config --global "kevins_rodriguezp@soy.sena.edu.co"
error: invalid key: kevins_rodriguezp@soy.sena.edu.co

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~
$ git config --global user.email "kevins_rodriguezp@soy.sena.edu.co
> "

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=JKUTLN11
user.email=kevins_rodriguezp@soy.sena.edu.co


Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~
$ git clone ^[[200~
fatal: repository '?[200~' does not exist

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~
$ git clone https://github.com/JKUTLN11/mi-primer-repositorio-K.git
Cloning into 'mi-primer-repositorio-K'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~
$ cd mi-primer-repositorio-K

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ ls
README.md

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ touch notas

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ touch notas.txt

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ echo "mi primer ejercicio en github." > notas.txt

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ cat notas.txt
mi primer ejercicio en github.

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git add notas.txt
warning: in the working copy of 'notas.txt', LF will be replaced by CRLF the next time Git touches it

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git push origin main
fatal: User cancelled dialog.
error: unable to read askpass response from 'C:/Users/Aprendiz/AppData/Local/Programs/Git/mingw64/bin/git-askpass.exe'
Username for 'https://github.com':
error: unable to read askpass response from 'C:/Users/Aprendiz/AppData/Local/Programs/Git/mingw64/bin/git-askpass.exe'
Password for 'https://github.com':
remote: No anonymous write access.
fatal: Authentication failed for 'https://github.com/JKUTLN11/mi-primer-repositorio-K.git/'

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git commit -m "agregar archivo de notas"
[main a1c3f6c] agregar archivo de notas
 1 file changed, 1 insertion(+)
 create mode 100644 notas.txt
```

```
Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git switch desarrollo
Switched to branch 'desarrollo'

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (desarrollo)
$ git wtich main
git: 'wtich' is not a git command. See 'git --help'.

The most similar command is
        switch

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (desarrollo)
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git branch
  desarrollo
* main

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$ git merge desarrollo
Already up to date.

Aprendiz@SOAAPCDIECCSD8750 MINGW64 ~/mi-primer-repositorio-K (main)
$
```

```
Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~
$ git config --global user.name "danna"

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~
$ git config --global user.email "dannaf_perezg@soy.sena.edu.co"

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=danna
user.email=dannaf_perezg@soy.sena.edu.co
color.status.added=red
```

```
Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~ (main)
$ git clone https://github.com/Dannf8/portafolio-aprendiz.git
Cloning into 'portafolio-aprendiz'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
```

```
Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~ (main)
$ git remote -v
origin  https://github.com/Dannf8/portafolio-aprendiz.git (fetch)
origin  https://github.com/Dannf8/portafolio-aprendiz.git (push)

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~ (main)
$ cd portafolio-aprendiz

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ mkdir ejercicios proyectos evidencias

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ touch ejercicios1/.gittkeep proyectos2/.gitkeep evidencias3/.gitkeep
touch: cannot touch 'ejercicios1/.gittkeep': No such file or directory
touch: cannot touch 'proyectos2/.gitkeep': No such file or directory
touch: cannot touch 'evidencias3/.gitkeep': No such file or directory
```

```
$ mkdir ejercicios1 proyectos2 evidencias3 && touch ejercicios1/.gitkeep proyectos2/.gitkeep evidencias3/.gitkeep

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ Is -La ejercicios1 proyectos2 evidencias3
bash: Is: command not found

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ ls -la ejercicios1 proyectos2 evidencias3
ejercicios1:
total 4
drwxr-xr-x 1 Aprendiz 197121 0 Nov 12 07:20 ./
drwxr-xr-x 1 Aprendiz 197121 0 Nov 12 07:20 ../
-rw-r--r-- 1 Aprendiz 197121 0 Nov 12 07:20 .gitkeep

evidencias3:
total 4
drwxr-xr-x 1 Aprendiz 197121 0 Nov 12 07:20 ./
drwxr-xr-x 1 Aprendiz 197121 0 Nov 12 07:20 ../
-rw-r--r-- 1 Aprendiz 197121 0 Nov 12 07:20 .gitkeep

proyectos2:
total 4
drwxr-xr-x 1 Aprendiz 197121 0 Nov 12 07:20 ./
drwxr-xr-x 1 Aprendiz 197121 0 Nov 12 07:20 ../
-rw-r--r-- 1 Aprendiz 197121 0 Nov 12 07:20 .gitkeep

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```

```
$ git add .

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ git commit -m "agrego carpetas ejercicios1, proyectos2, evidencias3"
[main 6effd09] agrego carpetas ejercicios1, proyectos2, evidencias3
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 ejercicios1/.gitkeep
 create mode 100644 evidencias3/.gitkeep
 create mode 100644 proyectos2/.gitkeep

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ git push
remote: Permission to Dannf8/portafolio-aprendiz.git denied to Dannf8.
fatal: unable to access 'https://github.com/Dannf8/portafolio-aprendiz.git/': The requested URL retu
rned error: 403
git
grt

fffl kogit
grt

fffl kogit
grt
```

```
$ git
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
           [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
           [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--no-lazy-fetch]
           [--no-optional-locks] [--no-advice] [--bare] [--git-dir=<path>]
           [--work-tree=<path>] [--namespace=<name>] [--config-env=<name>=<envvar>]
           <command> [<args>]

These are common Git commands used in various situations:

start a working area (see also: git help tutorial)
   clone      Clone a repository into a new directory
   init       Create an empty Git repository or reinitialize an existing one

work on the current change (see also: git help everyday)
   add        Add file contents to the index
   mv         Move or rename a file, a directory, or a symlink
   restore    Restore working tree files
   rm         Remove files from the working tree and from the index

examine the history and state (see also: git help revisions)
   bisect     Use binary search to find the commit that introduced a bug
   diff       Show changes between commits, commit and working tree, etc
   grep       Print lines matching a pattern
   log        Show commit logs
   show       Show various types of objects
   status     Show the working tree status

grow, mark and tweak your common history
   backfill   Download missing objects in a partial clone
   branch     List, create, or delete branches
```

```
$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 24 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 384 bytes | 384.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Dannf8/portafolio-aprendiz.git
   4cedba2..6effd09  main -> main

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ git add README.md

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ git commit -m "Agrego README con título, subtítulo y lista"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ git push
Everything up-to-date

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ git add README.md

Aprendiz@SOAAPCDIECCSD8240 MINGW64 ~/portafolio-aprendiz (main)
$ git commit -m "Agrego README con título, subtítulo y lista"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```