

Question	# of Points Possible	# of Points Obtained	Grader
# 1	18		
# 2	17		
# 3	17		
# 4	16		
# 5	16		
# 6	16		
Total	100		

For full credit when sketching: remember to label axes and make locations and amplitudes clear.

Before starting the exam, read and sign the following agreement.


By signing this agreement, I agree to solve the problems of this exam while adhering to the policies and guidelines of the University of Florida and EEL 4750 / EEE 5502 and without additional external help. The guidelines include, but are not limited to,

- The University of Florida honor pledge: “On my honor, I have neither given nor received unauthorized aid in doing this assignment.”
- Only one 8.5 by 11 inch cheat sheet (double-sided) may be used
- No calculators or computers may be used
- No textbooks or additional notes may be used
- No collaboration is allowed
- No cheating is allowed

Student


Date

Question #1: Consider the Fourier Transform of a continuous-time signal $x(t)$ shown below.



- (a) (4 pts) Determine the Nyquist sampling rate for $z(t) = 2x(t) \cos(12\pi t)$.
- (b) (6 pts) Sketch (for $\Omega = -6\pi$ to $\Omega = +6\pi$) the Fourier transform $X_s(\Omega)$ of the sampled $X(\Omega)$ with a sampling rate of $\Omega_s = 5\pi$. **Do we experience aliasing?**
- (c) (6 pts) Sketch (for $\Omega = -6\pi$ to $\Omega = +6\pi$) the Fourier transform $X_s(\Omega)$ of the sampled $X(\Omega)$ with a sampling rate of $\Omega_s = 3\pi$. **Do we experience aliasing?**

Question #2: Consider the impulse response $h[n]$ below with frequency response $H(\omega)$.




(a) (6 pts) Sketch (for $-3\pi < \omega < 3\pi$) the magnitude of the DTFT of $x[n] = -2h[n - 10]$

(b) (5 pts) Sketch (for $-3\pi < \omega < 3\pi$) the magnitude of the DTFT of $y[n] = h[n] * (2/\pi)$

(c) (6 pts) Sketch (for $-3\pi < \omega < 3\pi$) the magnitude of the DTFT of

$$z[n] = H(\omega) \left[\sum_{k=-\infty}^{\infty} u(\omega + \pi/4 + 2\pi k) - u(\omega - \pi/4 + 2\pi k) \right]$$

Question #3: Consider the DTFT signal $X(\omega)$ shown below.



(a) (5 pts) Sketch the DTFT (from $\omega = -3\pi$ to $\omega = 3\pi$) of $y[n] = x[n] \cos(\pi n)$. Remember to label important locations / values.

(b) (5 pts) Sketch the DTFT (from $\omega = -3\pi$ to $\omega = 3\pi$) of $y[n] = x[n] \cos(10\pi n)$. Remember to label important locations / values.

(c) (7 pts) Sketch the result of the length-6 discrete-time circular convolution defined by

$$z[n] = [\delta[n - 2] + \delta[n - 4]] \circledast [\delta[n - 1] - \delta[n - 2]] .$$

Question #4: Consider the z-transform causal transfer function $H(z)$ defined by


$$H(z) = z^{-1} + 2z^{-3} + z^{-5}$$

(a) (6 pts) Compute the phase response for $\angle H(\omega)$.

(b) (5 pts) Compute the phase response for the DTFT of $v[n] = h[n] * h[-n]$.


(c) (5 pts) Compute the phase response for $G(\omega) = j$.

Question #5: Consider the following pole-zero plot, representing a causal LTI system.



- (a) (4 pts) Is this a low pass filter, bandpass filter, high pass filter, all-pass filter, or none-of-the above? **Explain why.**
- (b) (4 pts) Is the system stable? **Explain why.**
- (c) (4 pts) Is this a minimum phase system? **Explain why.**
- (d) (4 pts) Is this a linear phase system? **Explain why.**

Question #6: (10 pts) Consider the IIR all-pole direct form (left), FIR cascade form (center), and FIR direct form (right) implementations below.



- (a) (5 pts) Write the difference equation for the IIR all-pole direct form (left).
- (b) (5 pts) Write the z-transform transfer function for to the FIR cascade form (center).
- (c) (6 pts) Determine the weights b_0, b_1, b_2 for the FIR direct form (right) transfer function

$$H(z) = [1 - (1/2)z^{-1}][1 - (1/4)z^{-1}]$$

Table of Discrete-Time Fourier Transform Pairs:

$$\text{Discrete-Time Fourier Transform} \quad : \quad X(\omega) = \sum_{n=-\infty}^{\infty} x[n]e^{-j\omega n}$$

$$\text{Inverse Discrete-Time Fourier Transform} \quad : \quad x[n] = \frac{1}{2\pi} \int_{2\pi} X(\omega)e^{j\omega n} d\omega .$$

$x[n]$	$X(\omega)$	condition
$a^n u[n]$	$\frac{1}{1 - ae^{-j\omega}}$	$ a < 1$
$(n+1)a^n u[n]$	$\frac{1}{(1 - ae^{-j\omega})^2}$	$ a < 1$
$\frac{(n+r-1)!}{n!(r-1)!} a^n u[n]$	$\frac{1}{(1 - ae^{-j\omega})^r}$	$ a < 1$
$\delta[n]$	1	
$\delta[n - n_0]$	$e^{-j\omega n_0}$	
$x[n] = 1$	$2\pi \sum_{k=-\infty}^{\infty} \delta(\omega - 2\pi k)$	
$u[n]$	$\frac{1}{1 - e^{-j\omega}} + \sum_{k=-\infty}^{\infty} \pi \delta(\omega - 2\pi k)$	
$e^{j\omega_0 n}$	$2\pi \sum_{k=-\infty}^{\infty} \delta(\omega - \omega_0 - 2\pi k)$	
$\cos(\omega_0 n)$	$\pi \sum_{k=-\infty}^{\infty} \{\delta(\omega - \omega_0 - 2\pi k) + \delta(\omega + \omega_0 - 2\pi k)\}$	
$\sin(\omega_0 n)$	$\frac{\pi}{j} \sum_{k=-\infty}^{\infty} \{\delta(\omega - \omega_0 - 2\pi k) - \delta(\omega + \omega_0 - 2\pi k)\}$	
$\sum_{k=-\infty}^{\infty} \delta[n - kN]$	$\frac{2\pi}{N} \sum_{k=-\infty}^{\infty} \delta\left(\omega - \frac{2\pi k}{N}\right)$	
$x[n] = \begin{cases} 1 & , \quad n \leq N \\ 0 & , \quad n > N \end{cases}$	$\frac{\sin(\omega(N+1/2))}{\sin(\omega/2)}$	
$\frac{\sin(Wn)}{\pi n} = \frac{W}{\pi} \text{sinc}\left(\frac{Wn}{\pi}\right)$	$X(\omega) = \begin{cases} 1 & , \quad 0 \leq \omega \leq W \\ 0 & , \quad W < \omega \leq \pi \end{cases}$	
$X(\omega)$ is periodic with period 2π		

Table of Discrete-Time Fourier Transform Properties: For each property, assume

$$x[n] \xleftrightarrow{DTFT} X(\omega) \quad \text{and} \quad y[n] \xleftrightarrow{DTFT} Y(\omega)$$

Property	Time domain	DTFT domain
Linearity	$Ax[n] + By[n]$	$AX(\omega) + BY(\omega)$
Time Shifting	$x[n - n_0]$	$X(\omega)e^{-j\omega n_0}$
Frequency Shifting	$x[n]e^{j\omega_0 n}$	$X(\omega - \omega_0)$
Conjugation	$x^*[n]$	$X^*(-\omega)$
Time Reversal	$x[-n]$	$X(-\omega)$
Convolution	$x[n] * y[n]$	$X(\omega)Y(\omega)$
Multiplication	$x[n]y[n]$	$\frac{1}{2\pi} \int_{2\pi} X(\theta)Y(\omega - \theta)d\theta$
Differencing in Time	$x[n] - x[n - 1]$	$(1 - e^{-j\omega})X(\omega)$
Accumulation	$\sum_{k=-\infty}^{\infty} x[k]$	$\frac{1}{1 - e^{-j\omega}} + \pi X(0) \sum_{k=-\infty}^{\infty} \delta(\omega - 2\pi k)$
Frequency Differentiation	$nx[n]$	$j \frac{dX(\omega)}{d\omega}$
Parseval's Relation for Aperiodic Signals	$\sum_{k=-\infty}^{\infty} x[k] ^2$	$\frac{1}{2\pi} \int_{2\pi} X(\omega) ^2 d\omega$

Table of Z-Transform Pairs:

$$\text{Z-Transform} \quad : \quad X(z) = \sum_{n=-\infty}^{\infty} x[n]z^{-n}$$

$$\text{Inverse Z-Transform} \quad : \quad x[n] = \frac{1}{2\pi j} \oint_{\mathcal{C}} X(z)z^{n-1} dz .$$

$x[n]$	$X(\omega)$	ROC
$a^n u[n]$	$\frac{1}{1 - az^{-1}}$	$ z > a $
$-a^n u[-n - 1]$	$\frac{1}{1 - az^{-1}}$	$ z < a $
$na^n u[n]$	$\frac{az^{-1}}{(1 - az^{-1})^2}$	$ z > a $
$-na^n u[-n - 1]$	$\frac{az^{-1}}{(1 - az^{-1})^2}$	$ z < a $
$\delta[n]$	1	All z
$\delta[n - n_0]$	z^{-n_0}	All z
$u[n]$	$\frac{1}{1 - z^{-1}}$	$ z > 1$
$\cos(\omega_0 n)u[n]$	$\frac{1 - z^{-1} \cos(\omega_0)}{1 - 2z^{-1} \cos(\omega_0) + z^{-2}}$	$ z > 1$
$\sin(\omega_0 n)u[n]$	$\frac{z^{-1} \sin(\omega_0)}{1 - 2z^{-1} \cos(\omega_0) + z^{-2}}$	$ z > 1$
$a^n \cos(\omega_0 n)u[n]$	$\frac{1 - az^{-1} \cos(\omega_0)}{1 - 2az^{-1} \cos(\omega_0) + a^2 z^{-2}}$	$ z > a $
$a^n \sin(\omega_0 n)u[n]$	$\frac{az^{-1} \sin(\omega_0)}{1 - 2az^{-1} \cos(\omega_0) + a^2 z^{-2}}$	$ z > a $

Table of Z-Transform Properties: For each property, assume

$$x[n] \xleftrightarrow{Z} X(z) \quad \text{and} \quad y[n] \xleftrightarrow{Z} Y(z)$$

Property	Time domain	Z-domain
Linearity	$Ax[n] + By[n]$	$AX(z) + BY(z)$
Time Shifting	$x[n - n_0]$	$X(z)z^{-n_0}$
Z-scaling	$a^n x[n]$	$X(a^{-1}z)$
Conjugation	$x^*[n]$	$X^*(z^*)$
Time Reversal	$x[-n]$	$X(z^{-1})$
Convolution	$x[n] * y[n]$	$X(z)Y(z)$
Differentiation in z-domain	$nx[n]$	$-z \frac{dX(z)}{dz}$
Initial Value Theorem	$x[n]$ is causal	$x(0) = \lim_{z \rightarrow \infty} X(z)$