

```
import pickle
```

```
l = pickle.load(open('/content/churn.pkl', 'rb'))
```

Start coding or [generate](#) with AI.



```
-----
KeyError                                Traceback (most recent call last)
/usr/local/lib/python3.11/dist-packages/pandas/core/indexes/base.py in get_loc(self, key)
    3804         try:
-> 3805             return self._engine.get_loc(casted_key)
    3806         except KeyError as err:

index.pyx in pandas._libs.index.IndexEngine.get_loc()

index.pyx in pandas._libs.index.IndexEngine.get_loc()

pandas/_libs/hashtable_class_helper.pxi in pandas._libs.hashtable.PyObjectHashTable.get_item()

pandas/_libs/hashtable_class_helper.pxi in pandas._libs.hashtable.PyObjectHashTable.get_item()

KeyError: 0
```

The above exception was the direct cause of the following exception:

```
KeyError                                Traceback (most recent call last)
----- 2 frames -----
/usr/local/lib/python3.11/dist-packages/pandas/core/indexes/base.py in get_loc(self, key)
    3810         ):
    3811             raise InvalidIndexError(key)
-> 3812         raise KeyError(key) from err
    3813     except TypeError:
    3814         # If we have a listlike key, _check_indexing_error will raise

KeyError: 0
```