

Syntax

Component Story Format (CSF)

```
import { Story, Meta } from '@storybook/react/types-6-0';
import Button, { ButtonProps } from './Button';

// 1. Note the use of the default export
export default {
  title: 'Components/Button',
  component: Button,
} as Meta;

const Template: Story<ButtonProps> = (args) => <Button {...args} />;

// 2. Each named export represents the state of your UI component
export const Primary = Template.bind({});
Primary.args = {
  background: '#ff0',
  label: 'Button',
};

export const Secondary = Template.bind({});
Secondary.args = {
  ...Primary.args,
  label: '🤔👍🤔💯',
};

export const Tertiary = Template.bind({});
Tertiary.args = {
  ...Primary.args,
  label: '📺📺📺🤔',
};
```

Default export

The *default* export metadata controls how Storybook lists your stories and provides information used by addons.

Named export

The *default* export metadata controls how Storybook lists your stories and provides information used by addons.

Syntax

Component Story Format (CSF)

Default export

The default export defines **metadata** about your component, including the component itself, its **title** (where it will show up in the navigation UI story hierarchy), **decorators**, and **parameters**.

The component field is optional (but encouraged!), and is used by addons for automatic prop table generation and display of other component metadata.

```
import { Story, Meta } from '@storybook/react/types-6-0';
import Button, { ButtonProps } from './Button';

// 1. Note the use of the default export
export default {
  title: 'Components/Button',
  component: Button,
  decorators: [ ... ],
  parameters: { ... },
  args: {
    someProp: 'some value'
  }
} as Meta;
```