



Danny Cuenca

Creación del repositorio remoto y clonación: Genera un nuevo repositorio en GitHub y clónalo en tu máquina local para comenzar a trabajar en tu proyecto.

El repositorio debe ser público y agregar el README.md y el .gitignore

(0.5 pts)



Generación de los primeros commits: Una vez clonado el repositorio, crea algunos archivos básicos para tu proyecto, como README.md, index.html y un styles.css

```

$ git log
commit b442c433bdebff55d541ce4bc704dd627f9a732c (HEAD -> main, origin/main, origin/HEAD)
Author: DannyCecFp <131450856+DannyCecFp@users.noreply.github.com>
Date: Tue Feb 6 08:35:54 2024 +0100

    Initial commit

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ touch README.md

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ touch index.html

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ styles.css
bash: styles.css: command not found

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$

```

```

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git add .

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   index.html
        new file:   styles.css

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$

```

Realiza las modificaciones que quieras, genera otro commit con esos cambios y comenta el commit con el mensaje "Second commit".

```
AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ echo "Hola mundo" >> index.html

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

no changes added to commit (use "git add" and/or "git commit -a")

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ :
```

```
AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git commit -m "First commit"
[main 603ebb5] First commit
  Committer: Danny <danny.cuenca@alu.ceacfp.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 index.html
create mode 100644 styles.css

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ :
```

```

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git log
commit 488b4fed868a93456928065929ab1ea71c35730a (HEAD -> main)
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:50:15 2024 +0100

    Second commit

commit 603ebb5e9729ba5c9a40f90ed172cbfd89b144ac
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:44:21 2024 +0100

    First commit

commit b442c433bdebff55d541ce4bc704dd627f9a732c (origin/main, origin/HEAD)
Author: DannyCeacFp <131450856+DannyCeacFp@users.noreply.github.com>
Date: Tue Feb 6 08:35:54 2024 +0100

    Initial commit

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$

```

b. Representen los commits en forma de grafo.

```

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git log --graph
* commit 488b4fed868a93456928065929ab1ea71c35730a (HEAD -> main)
| Author: Danny <danny.cuenca@alu.ceacfp.com>
| Date: Tue Feb 6 08:50:15 2024 +0100
|
|     Second commit
|
| * commit 603ebb5e9729ba5c9a40f90ed172cbfd89b144ac
| | Author: Danny <danny.cuenca@alu.ceacfp.com>
| | Date: Tue Feb 6 08:44:21 2024 +0100
| |
| |     First commit
| |
| * commit b442c433bdebff55d541ce4bc704dd627f9a732c (origin/main, origin/HEAD)
| | Author: DannyCeacFp <131450856+DannyCeacFp@users.noreply.github.com>
| | Date: Tue Feb 6 08:35:54 2024 +0100
| |
| |     Initial commit
|
AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$

```

Tras realizar el segundo commit “Second commit”, renómbra para que pase a llamarse “Second commit – Release”

```
MINGW64:/c/Users/DannyCuenca-AlumnoCE/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git log
commit 23da6d3cfb554c18ec801fc3473e25c8efd6575f (HEAD -> main)
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:52:37 2024 +0100

    Second commit -Release

commit 603ebb5e9729ba5c9a40f90ed172cbfd89b144ac
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:44:21 2024 +0100

    First commit

commit b442c433bdebff55d541ce4bc704dd627f9a732c (origin/main, origin/HEAD)
Author: DannyCeacFp <131450856+DannyCeacFp@users.noreply.github.com>
Date: Tue Feb 6 08:35:54 2024 +0100

    Initial commit

MINGW64:/c/Users/DannyCuenca-AlumnoCE/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$
```

d. Añade una tag al segundo commit con valor v1.0.0

```
MINGW64:/c/Users/DannyCuenca-AlumnoCE/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git log
commit 23da6d3cfb554c18ec801fc3473e25c8efd6575f (HEAD -> main, tag: v1.0.0)
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:52:37 2024 +0100

    Second commit -Release

commit 603ebb5e9729ba5c9a40f90ed172cbfd89b144ac
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:44:21 2024 +0100

    First commit

commit b442c433bdebff55d541ce4bc704dd627f9a732c (origin/main, origin/HEAD)
Author: DannyCeacFp <131450856+DannyCeacFp@users.noreply.github.com>
Date: Tue Feb 6 08:35:54 2024 +0100

    Initial commit

MINGW64:/c/Users/DannyCuenca-AlumnoCE/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$
```

Inspecciona mediante comandos de git el contenido del segundo commit, visualizándose el tree y el contenido de los diferentes blobs

```
AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git log --oneline
23da6d3 (HEAD -> main, tag: v1.0.0) Second commit -Release
603ebb5 First commit
b442c43 (origin/main, origin/HEAD) Initial commit

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git show 23da6d3:
tree 23da6d3:

.gitignore
README.md
index.html
styles.css
```

```
AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$
```

```
AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git show 23da6d3:index.html
Hola mundo
```

```
AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$
```

Operación con ramas: El estado actual en el que se encuentra la AEA será parecido a este:

```
git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at 603ebb5 First commit

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea ((603ebb5...))
$ git log
commit 603ebb5e9729ba5c9a40f90ed172cbfd89b144ac (HEAD)
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:44:21 2024 +0100

    First commit

commit b442c433bdebff55d541ce4bc704dd627f9a732c (origin/main, origin/HEAD)
Author: DannyCeacFp <131450856+DannyCeacFp@users.noreply.github.com>
Date: Tue Feb 6 08:35:54 2024 +0100

    Initial commit

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR
DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea ((603ebb5...))
$
```

- Ejecuta los comandos necesarios para llegar a este estado:

```

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (home)
$ git log --graph --all
* commit ac52c0885deda81383fc07cd41dbe449c1c6ea2 (HEAD -> homepage)
  Author: Danny <danny.cuenca@alu.ceacfp.com>
  Date: Tue Feb 6 09:19:45 2024 +0100

    first homepage

* commit eec974ab7c4ce4e1e1db5b070b0801d80e730134 (section)
  / Author: Danny <danny.cuenca@alu.ceacfp.com>
  Date: Tue Feb 6 09:13:09 2024 +0100

    4commit

* commit e850a106ef77ae2333795bf3df17b5f47f2e5ca8
  Author: Danny <danny.cuenca@alu.ceacfp.com>
  Date: Tue Feb 6 09:12:26 2024 +0100

    3 commit

* commit ba575330846a5e19b52e49f5fcd119c849942bb0
  Author: Danny <danny.cuenca@alu.ceacfp.com>
  Date: Tue Feb 6 09:08:51 2024 +0100

    second commit

* commit 23da6d3cfb554c18ec801fc3473e25c8efd6575f (tag: v1.0.0, main)
  / Author: Danny <danny.cuenca@alu.ceacfp.com>
  Date: Tue Feb 6 08:52:37 2024 +0100

    Second commit -Release

* commit 603ebb5e9729ba5c9a40f90ed172cbfd89b144ac
  Author: Danny <danny.cuenca@alu.ceacfp.com>
  Date: Tue Feb 6 08:44:21 2024 +0100

    First commit

* commit b442c433dbb5f55d541ce4bc704dd627f9a732c (origin/main, origin/HEAD)
  Author: DannyCeacFp <131450856+DannyCeacFp@users.noreply.github.com>
  Date: Tue Feb 6 08:35:54 2024 +0100

    Initial commit

```

Elimina la rama section. Antes de eliminarlo, guarda el id del commit que tiene esa rama.

Id rama section: eec974ab7c4ce4e1e1db5b070b0801d80e730134

```

Author: DannyCeacFp <131450856+DannyCeacFp@users.noreply.github.com>
Date: Tue Feb 6 08:35:54 2024 +0100

    Initial commit

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (homepage)
$ git branch -d section
error: the branch 'section' is not fully merged.
If you are sure you want to delete it, run 'git branch -D section'

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (homepage)
$ git branch -D section
Deleted branch section (was eec974a).

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (homepage)
$ |

```

b. Lista todas la rama actuales tras la eliminación.

```

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (home)
$ git branch -a
* homepage
  main
  remotes/origin/HEAD -> origin/main
  remotes/origin/main

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (home)
$ |

```

Fusion y conflictos: Después de trabajar en ramas separadas para diferentes características, como son la rama master (o main) y homepage:

Asegúrate que los 3 ficheros que están en main y en homepage tienen contenido diferente. Si no fuera así, genere un commit adicional en master (o main) agregando contenido adicional que permita diferenciarlo de homepage

```
AzureAD+DannyCuenca-AlumnoCE9CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
  (use 'git push' to publish your local commits)

nothing to commit, working tree clean
AzureAD+DannyCuenca-AlumnoCE9CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ nano index.html
AzureAD+DannyCuenca-AlumnoCE9CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ ls
README.md  index.html  styles.css
AzureAD+DannyCuenca-AlumnoCE9CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ nano styles.css
AzureAD+DannyCuenca-AlumnoCE9CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ nano README.md
AzureAD+DannyCuenca-AlumnoCE9CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git add .
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'styles.css', LF will be replaced by CRLF the next time Git touches it
AzureAD+DannyCuenca-AlumnoCE9CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git commit -m "agregando contenido"
[main 1d7464f] agregando contenido
 1 file changed, 5 insertions(+), 1 deletion(-)
Committer: Danny <danny.cuenca@alu.ceacfp.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

2 files changed, 5 insertions(+), 1 deletion(-)
AzureAD+DannyCuenca-AlumnoCE9CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$
```

. Realiza el merge de la ramas homepage a la rama principal tras validar la diferencia. Prepárate para manejar conflictos que puedan surgir durante el proceso de fusión.


```

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 3 commits.
  (use "git push" to publish your local commits)

You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Changes to be committed:
  new file:   tatus

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both modified:   index.html

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git merge -m "reparando conflictos"
error: Merging is not possible because you have unmerged files.
hint: Fix them up in the work tree, and then use 'git add/rm <file>'
hint: as appropriate to mark resolution and make a commit.
fatal: Exiting because of an unresolved conflict.

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git che
checkout      cherry      cherry-pick

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git che
checkout      cherry      cherry-pick

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git che
checkout      cherry      cherry-pick

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git checkout homepage
error: you need to resolve your current index first
index.html: needs merge

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git staus
git: 'staus' is not a git command. See 'git --help'.

The most similar command is
    status

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 3 commits.
  (use "git push" to publish your local commits)

You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Changes to be committed:
  new file:   tatus

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both modified:   index.html

```

```

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ rm tatus

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 3 commits.
  (use "git push" to publish your local commits)

You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Changes to be committed:
  new file:   tatus

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both modified:   index.htm

Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    tatus

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git add .

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|MERGING)
$ git commit -m "modificando contenido"
[main c71b40a] modificando contenido
 1 file changed, 1 insertion(+), 1 deletion(-)
 create mode 100644 tatus
Committer: Danny <danny.cuenca@alu.ceacfp.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

```

```
AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git log --graph --all
* commit c71b40a98135bf77db162095f8aa304a66806f77 (HEAD -> main)
Merge: 1d7464f ac52c08
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:33:13 2024 +0100

    modificando contenido

* commit ac52c0885deda81383fc07cd41dbe449cc1c6ea2 (homepage)
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:19:45 2024 +0100

    first homepage

* commit e850a106ef77ae2333795bf3df17b5f47f2e5ca8
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:12:26 2024 +0100

    3 commit

* commit ba575330846a5e19b52e49f5fcd119c849942bb0
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:08:51 2024 +0100

    second commit

* commit 1d7464f52c982d017caf8700cd165fd7928a1c33
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:28:49 2024 +0100

    agregando contenido

* commit 23da6d3cfb554c18ec801fc3473e25c8efd6575f (tag: v1.0.0)
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:52:37 2024 +0100

    Second commit -Release

* commit 603ebb5e9729ba5c9a40f90ed172cbfd89b144ac
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:44:21 2024 +0100

    First commit

* commit b442c433bdebff55d541ce4bc704dd627f9a732c (origin/main, origin/HEAD)
Author: DannyCeacFp <131450856+DannyCeacFp@users.noreply.github.com>
Date: Tue Feb 6 08:35:54 2024 +0100

    Initial commit

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
```

Restablecimiento de rama y selección selectiva: Después de generar el merge, se quiere recuperar el commit perdido a la hora de borrar la rama section.

Vuelve a recuperar el seguimiento del commit que apunto anteriormente su id, generando nuevamente la rama section en él.

```
AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (section)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 7 commits.
(use "git push" to publish your local commits)

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git log --graph --all
* commit c71b40a98135bf77db162095f8aa304a66806f77 (HEAD -> main)
Merge: 1d7464f ac52c08
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:33:13 2024 +0100

    modificando contenido

* commit ac52c0885deda81383fc07cd41dbe449cc1c6ea2 (homepage)
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:19:45 2024 +0100

    first homepage

* commit 1d7464f52c982d017caf8700cd165fd7928a1c33
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:28:49 2024 +0100

    agregando contenido

* commit 23da6d3cfb554c18ec801fc3473e25c8efd6575f (tag: v1.0.0)
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:52:37 2024 +0100

    Second commit -Release

* commit eec974ab7c4ce4e1e1db5b070b0801d80e730134 (section)
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:13:09 2024 +0100

    4commit

* commit e850a106ef77ae2333795bf3df17b5f47f2e5ca8
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:12:26 2024 +0100

    3 commit

* commit ba575330846a5e19b52e49f5fcd119c849942bb0
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 09:08:51 2024 +0100

    second commit

* commit 603ebb5e9729ba5c9a40f90ed172cbfd89b144ac
Author: Danny <danny.cuenca@alu.ceacfp.com>
Date: Tue Feb 6 08:44:21 2024 +0100

    First commit

* commit b442c433bdebff55d541ce4bc704dd627f9a732c (origin/main, origin/HEAD)
Author: DannyCeacFp <131450856+DannyCeacFp@users.noreply.github.com>
Date: Tue Feb 6 08:35:54 2024 +0100

    Initial commit

AzureAD+DannyCuenca-AlumnoCE@CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
```

Agregue ese commit a master (o main) sin fusionar las ramas, seleccionando solo ese commit recuperado. Resuelva los conflictos en caso de ser necesario.

```
AzureAD+DannyCuenca-AlumnoCE8CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git log --oneline --graph --all
* c71b40a (HEAD -> main) modificando contenido
|
| * ac52c08 (homepage) first homepage
| | 1d7464f agregando contenido
| | 23da6d3 (tag: v1.0.0) Second commit -Release
| | * eec974a (section) 4commit
| | /
| | * e850a10 3 commit
| | * ba57533 second commit
| | /
| * 603ebb5 First commit
| * b442c43 (origin/main, origin/HEAD) Initial commit
|
AzureAD+DannyCuenca-AlumnoCE8CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git cherry-pick eec974a
Auto-merging index.html
CONFLICT (content): Merge conflict in index.html
error: could not apply eec974a... 4commit
hint: After resolving the conflicts, mark them with
hint: "git add/rm <paths>", then run
hint: "git cherry-pick --continue".
hint: You can instead skip this commit with "git cherry-pick --skip".
hint: To abort and get back to the state before "git cherry-pick",
hint: run "git cherry-pick --abort".

AzureAD+DannyCuenca-AlumnoCE8CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|CHERRY-PICKING)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 7 commits.
(use "git push" to publish your local commits)

You are currently cherry-picking commit eec974a.
(fix conflicts and run "git cherry-pick --continue")
(use "git cherry-pick --skip" to skip this patch)
(use "git cherry-pick --abort" to cancel the cherry-pick operation)

Unmerged paths:
(use "git add <file>..." to mark resolution)
    both modified:   index.html

no changes added to commit (use "git add" and/or "git commit -a")

AzureAD+DannyCuenca-AlumnoCE8CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|CHERRY-PICKING)
$ nano index.html

AzureAD+DannyCuenca-AlumnoCE8CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|CHERRY-PICKING)
$ git add index.html

AzureAD+DannyCuenca-AlumnoCE8CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main|CHERRY-PICKING)
$ git commit -m "recuperando section"
[main b60f214] recuperando section
Date: Tue Feb 6 09:13:09 2024 +0100
Committer: Danny <danny.cuenca@alu.ceacfp.com>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 2 insertions(+), 5 deletions(-)

AzureAD+DannyCuenca-AlumnoCE8CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$

AzureAD+DannyCuenca-AlumnoCE8CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ git log --oneline --graph --all
* b60f214 (HEAD -> main) recuperando section
* c71b40a modificando contenido
|
| * ac52c08 (homepage) first homepage
| | 1d7464f agregando contenido
| | 23da6d3 (tag: v1.0.0) Second commit -Release
| | * eec974a (section) 4commit
| | /
| | * e850a10 3 commit
| | * ba57533 second commit
| | /
| * 603ebb5 First commit
| * b442c43 (origin/main, origin/HEAD) Initial commit
|
AzureAD+DannyCuenca-AlumnoCE8CEACFP10414 MINGW64 ~/OneDrive - INSTITUTO SUPERIOR DE FORMACION PROFESIONAL CEAC FP/Escritorio/aea/aea (main)
$ |
```

Guardado en el repositorio remoto: Tras haber realizado todos los cambios mencionados anteriormente, es hora de guardar los cambios en el repositorio remoto. (0,5 pts)

Agrega la memoria en formato .pdf que has generado para esta practica en la rama master (o main), generando un nuevo commit *lo hace*

Actualiza el estado del repositorio remoto con todos los cambios realizados solo en la rama master (o main). *también lo hace*

By: Danny Cuenca