## Hourly EV Charging Demand Model

Danny Ettelson
11/27/2018

```
#load libraries
library(tidyverse)
## -- Attaching packages -----
                                             ----- tidyverse 1.2.1 --
## v ggplot2 3.1.0
                      v purrr
                                 0.2.5
## v tibble 1.4.2 v dplyr
                                 0.7.8
## v tidyr 0.8.2 v stringr 1.3.1
## v readr 1.1.1 v forcats 0.3.0
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                     masks stats::lag()
library(dplyr)
library(RColorBrewer)
#load data
#Price Schedule
Winter_TOU_2018 <- read.csv("Model_Map/2018_Winter_TOU_EV_D.csv")</pre>
Baseline_03_18_WP <- read.csv("Model_Map/03-18_WP_Avg.csv")</pre>
Chargers <- read.csv("Model_Map/Chargers_Installed_03-18.csv")</pre>
#Price Schedule
price_schedule <- data.frame(Hr = c(1:24)) %>%
  mutate(P0 = Winter_TOU_2018$P0)
#Baseline
WP_Chargers <- Chargers$Workplace #Number of Chargers (C)
EV_Demand <- mutate(price_schedule, Xi = Baseline_03_18_WP$Xi, X0 = Baseline_03_18_WP$Xi/340*WP_Charger
#creates our matrix based on the 24 elasticity .csv files.
#uses a for loop to call files rather than individually
#NOTE this matrix has each COLUMN to be used for each hour. Our excel used each ROW if trying to compar
x \leftarrow c(1:24) #used for the 24 hours in for loops (24 elasticity columns)
matrix <- data.frame(Hr = c(1:24))</pre>
for (val in x) {
 El <- read_csv(sub("XX", val, "Model_Map/Elasticities_XX.csv"))</pre>
 El \leftarrow El[-1,]
 El <- El[order(El$HR24),]</pre>
  matrix <- cbind(matrix, El$ELAST)</pre>
## Parsed with column specification:
## cols(
    ELAST = col_double(),
##
    HR24 = col_integer()
```

## )

```
## Parsed with column specification:
## cols(
##
    ELAST = col double(),
    HR24 = col_integer()
##
## Parsed with column specification:
   ELAST = col_double(),
##
   HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
## ELAST = col_double(),
## HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
    ELAST = col_double(),
    HR24 = col_integer()
## )
## Parsed with column specification:
   ELAST = col_double(),
##
##
   HR24 = col integer()
## )
## Parsed with column specification:
## cols(
   ELAST = col_double(),
##
   HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
##
    ELAST = col_double(),
    HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
##
   ELAST = col_double(),
##
   HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
## ELAST = col_double(),
## HR24 = col_integer()
## Parsed with column specification:
## cols(
    ELAST = col_double(),
    HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
## ELAST = col_double(),
## HR24 = col_integer()
```

```
## )
## Parsed with column specification:
## cols(
    ELAST = col_double(),
    HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
   ELAST = col_double(),
## HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
##
   ELAST = col_double(),
##
   HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
   ELAST = col_double(),
   HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
## ELAST = col double(),
## HR24 = col_integer()
## Parsed with column specification:
## cols(
## ELAST = col_double(),
## HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
## ELAST = col_double(),
##
   HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
## ELAST = col_double(),
   HR24 = col_integer()
##
## )
## Parsed with column specification:
## cols(
##
   ELAST = col_double(),
   HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
    ELAST = col_double(),
    HR24 = col_integer()
## )
## Parsed with column specification:
## cols(
## ELAST = col_double(),
```

```
HR24 = col_integer()
##
## )
## Parsed with column specification:
## cols(
     ELAST = col_double(),
   HR24 = col_integer()
##
## )
matrix<-matrix[,-1]</pre>
colnames(matrix) <- c(1:24)</pre>
price_change <- -0.05
intervention_hours <- c(13)</pre>
EV_Demand <- mutate(EV_Demand, P1 = price_schedule $P0) #Adds price schedule with intervention (P1)
EV_Demand$P1[intervention_hours] <-EV_Demand$P1[intervention_hours] + price_change #updates interventio
EV_Demand <- mutate(EV_Demand, P1p = (P1-P0)/P0) #Adds percentage change in price (P1p)
X1p <- as.vector(0)</pre>
for (val in x) {
  mat <- sub("XX",val, "matrix$`XX`")</pre>
  sum_prod <- crossprod(EV_Demand$P1p,eval(parse(text = mat)))</pre>
  X1p<- append(X1p,sum_prod)</pre>
} #crossprod() multiplies sumproduct of the percent change in price with each column in the matrix. Thi
X1p <- X1p[-1] # gets rid of the first dummy entry to the variable
EV_Demand <- mutate(EV_Demand, X1p = X1p) #add percent change in demand due to price onto EV_Demand (X1
EV_Demand <- mutate(EV_Demand, X1 = (1+X1p)*X0) #adds new demand in kW variable (X1)
throttle_amount <- 0 #throttling amount -0.5 - 50%
Tp \leftarrow rep(0,24)
throttle hours <- c(7:11) #hours that throttling occurs
Tp[throttle_hours] <- throttle_amount #Assigns each hour a throttling percentage
EV_Demand <- mutate(EV_Demand, Tp=Tp) #Adds throttling percentage to each hour (Tp)
E <- as.vector(0) #dummy for self-elasticities (E)
for (val in x) {
  self <- matrix[val,val]</pre>
 E <- append(E,self)</pre>
} #checks the matrix for the self elasticity and adds it to a vector, repeated 24 times as a for loop r
E <- E[-1] #removing dummy
EV_Demand <- mutate(EV_Demand, Ptp = Tp/E, Pt = (1+Ptp)*P1) #Creates an equivalent change in price durin
Xtp <- as.vector(0) #Dummy for change in demand due to throttling (Xtp)</pre>
for (val in x) {
  mat <- sub("XX",val, "matrix$`XX`")</pre>
  sum_prod <- crossprod(EV_Demand$Ptp,eval(parse(text = mat)))</pre>
  Xtp<- append(Xtp,sum_prod)</pre>
```

```
} #uses new price equivalent sumproduct with each hour's elasticities to find percent change in demand
Xtp <- Xtp[-1] #qets rid of dummy</pre>
EV_Demand <- mutate(EV_Demand, Xtp = Xtp, Xt = (Xtp+1)*X1) #adds (Xtp) and the new demand in kW due to
#to be completed...
#need to stack both demand curves in one data frame for a legend
graph_table <- EV_Demand[c(1,4,13)] %>%
  gather(condition, value, X0:Xt)
Demand_Graph <- ggplot(data = graph_table, aes(x = Hr)) +</pre>
  geom_line(aes(y = value, color=condition)) +
 theme(panel.grid.major = element_blank(), panel.grid.minor = element_blank(),
        panel.background = element_blank(), axis.line = element_line(colour = "black")) +
  labs(title="Hourly Demand Forecast",
       subtitle="$0.05 Discount 12 PM - 1 PM",
       y="EV Charging Demand (kW)",
       x="Hour",
       color=NULL) +
  scale_x_continuous(breaks = 1:24, limits = c(1,24), expand = c(0,0)) +
  scale_color_manual(labels=c("Baseline Demand", "Demand with Intervention"), values = c("blue", "red"))
  #geom_rect(aes(xmin=6,xmax=11,ymin=-Inf,ymax=Inf,fill="Throttle"),alpha=0.0075) +
  geom_rect(aes(xmin=12,xmax=13,ymin=-Inf,ymax=Inf, fill = "Discount"),alpha=0.0075) +
  #theme bw() + # theme bw() gives grid lines, could remove
  theme(plot.title = element_text(hjust = 0.5)) +
  theme(plot.subtitle = element_text(hjust = 0.5))+
 theme(legend.position="bottom") +
  scale_fill_manual('Interventions', values = c('green'), guide = guide_legend(override.aes = list(alph
# Aesthetic Notes:
# might try to remove space b/w Y-axis and hr0, as well as past hr24
# bold axis titles
# color brewer
# Midnight to 1AM is missing!
Demand_Graph
```

