

From Episodes to Revisable Concepts

The Experience Learning Layer for Evidence-Grounded Learning in
Language Agents

Danny Ruchtie

Living working draft v0.2 - 8 August 2026

OPEN RESEARCH SPECIFICATION / EXPERIMENTAL PROTOCOL

Version 0.2 retains the preregistered research proposal from v0.1 and adds the product architecture, governed memory model, provider boundaries, and verified Phase 0 implementation status established on 8 August 2026. The archived v0.1 PDF remains available for comparison.

Contents

Contents	2
Abstract	4
1. Introduction	4
1.1 Scope	5
1.2 Contributions	6
2. Problem Definition	6
2.1 Experience learning	6
2.2 Failure modes addressed	6
2.3 Research questions	7
2.4 Hypotheses	7
3. Related Work and Positioning	7
3.1 Persistent context and episodic retrieval	7
3.2 Reflection and non-parametric learning	8
3.3 Semantic, procedural, and graph-based abstraction	8
3.4 Evaluation of agent memory	9
3.5 Cognitive inspiration and its limits	9
4. Experience Learning Layer Architecture	9
4.1 Canonical episode store	9
4.2 Association layer	9
4.3 Reflection Engine	10
4.4 Concept Engine	10
4.5 Concept registry and evidence ledger	11
4.6 Learning retrieval and application	11
4.7 Outcome loop	11
4.8 Lifecycle	11
5. Proposed Algorithms	12
5.1 Reflection scheduling	12
5.2 Reflection generation and critique	12
5.3 Concept proposal	12
5.4 Evidence-weighted confidence	13
5.5 Revision and temporal validity	13
5.6 Merge and split	13
5.7 Retrieval with evidence restoration	13
5.8 Deletion and invalidation	13
6. Data Model and Public Interfaces	14

6.1 Core entities	14
6.2 Concept states	14
6.3 API contract	14
6.4 Storage independence	14
7. Experimental Design	15
7.1 Study status	15
7.2 Evaluation stages	15
7.3 Baselines	16
7.4 Model conditions	16
7.5 Metrics	16
7.6 Human evaluation	17
7.7 Ablations	17
7.8 Statistical analysis	17
8. Open-Source Reference Implementation	17
8.1 Licensing	17
8.2 Repository structure	18
8.3 Reproducibility requirements	18
8.4 Contribution model	18
8.5 Private data boundary	18
9. Ethics, Privacy, and Security	19
10. Limitations and Threats to Validity	19
11. Expected Outcomes and Falsifiability	20
12. Research and Implementation Roadmap	20
13. Product Architecture Expansion	21
13.1 Plural memory semantics	21
13.2 Source, event, and episode boundary	22
13.3 Governed candidate and commit path	22
13.4 Policy-bound evidence retrieval	22
13.5 Local-first and provider-neutral topology	23
14. Phase 0 Reference Implementation Status	23
14.1 Versioned contracts and deterministic identity	23
14.2 Pure governed kernel	23
14.3 Golden evaluation corpus	23
14.4 Remaining gates	24
15. Conclusion	24
Acknowledgements	24

Abstract

Large language model agents can store and retrieve previous interactions, yet retrieval alone does not establish that an agent has learned from experience. Learning requires a system to identify patterns across episodes, distinguish observations from hypotheses, form reusable concepts, apply those concepts in new situations, and revise them when later evidence disagrees. Recent agent-memory research has introduced reflection, experience-derived insights, workflow induction, dynamic memory graphs, semantic and procedural memory, schema induction, and temporally grounded updates. The remaining challenge is therefore not simply to add another memory store, but to make the transition from experience to general knowledge explicit, inspectable, revisable, and directly measurable.

This paper proposes the Experience Learning Layer (ELL), an open, model-independent architecture positioned between an agent’s experience history and its decision process. ELL preserves raw episodes in an append-only store, creates typed associations between them, represents reflections as provisional interpretations, and promotes compatible reflections into versioned concepts. Each concept records its scope, supporting evidence, counterevidence, confidence, temporal validity, lineage, and observed utility. Concepts can be corroborated, contested, revised, superseded, or retired without erasing their evidential history.

The paper contributes a typed architecture, a concept-lifecycle protocol, an evidence ledger, an experimental benchmark for controlled concept induction, and a reproducibility plan based on openly licensed code and open-weight models. The central hypothesis is that separating reflection from concept consolidation, while preserving support and counterevidence, will improve transfer to structurally similar situations and reduce unsupported generalisation compared with episode-only retrieval or direct summarisation. The proposal is deliberately falsifiable: concept correctness, evidence coverage, revision behaviour, transfer, downstream task success, calibration, and cost are all measured independently.

Keywords: agent memory; experiential learning; reflection; concept formation; semantic memory; continual learning; provenance; language agents; open source

1. Introduction

A language agent can remember an earlier event without learning anything general from it. A retrieval system may surface five examples of the same failure, yet the agent may still repeat that failure because the episodes have never been converted into a reusable and appropriately scoped principle. This distinction matters as agents move from single-turn assistance toward persistent collaboration, long-running tasks, and multi-session interaction.

The first generation of agent-memory systems established that external memory could improve continuity beyond a model’s context window. Generative Agents stored observations, ranked them for retrieval, and periodically synthesised higher-level reflections that influenced later plans (Park et al. 2023). Reflexion used textual feedback about prior attempts as a non-parametric learning signal (Shinn et al. 2023). ExpeL extracted natural-language insights from collections of task experiences and reused both insights and successful

trajectories at inference time (Zhao et al. 2024). MemGPT approached the problem as virtual context management, allowing an agent to move information between limited working context and external storage (Packer et al. 2023). CoALA organised these developments within a broader cognitive architecture containing working, episodic, semantic, and procedural memory (Sumers et al. 2024).

Subsequent systems have increasingly abstracted experience rather than merely retrieving it. Voyager accumulated reusable executable skills (G. Wang et al. 2023). Agent Workflow Memory induced recurring action routines from prior trajectories (Z. Z. Wang et al. 2025). A-MEM

dynamically linked and revised memory notes as new information arrived (Xu et al. 2025). Reflective Memory Management used prospective and retrospective reflection to improve memory granularity and retrieval (Z. Tan et al. 2025). Temporal Semantic Memory consolidated temporally related events into durative representations (Su et al. 2026). More recent architectures explicitly construct schemas, concepts, semantic knowledge, or procedural knowledge from episodes, including DCPM, GAAMA, and PlugMem (Fei et al. 2026; Paul, Sharma, and Sareen 2026; Yang et al. 2026).

This rapid progress changes the research question. It is no longer defensible to claim that transforming episodes into abstractions is itself novel. The more precise question is: How should an agent maintain a transparent and revisable chain from raw experience, through provisional interpretation, to general concepts whose evidential support and behavioural usefulness can be tested?

ELL addresses this question by separating four objects that are often collapsed into one textual memory: 1. An episode records what occurred in a specific context.

2. A reflection is a provisional interpretation of one or more episodes.

3. A concept is a reusable proposition or strategy supported by multiple reflections and episodes.

4. An application outcome records whether using a concept helped in a later situation.

The separation is important because a plausible explanation is not automatically reliable knowledge. Suppose a project proposal is rejected after stakeholders were consulted late. A reflection may state that late stakeholder involvement caused the rejection. That is a useful hypothesis, but a single episode does not justify a universal rule. A concept should only be promoted after corroborating cases, explicit checks for counterexamples, and a scope statement such as “cross-functional initiatives with external implementation dependencies.” New evidence may later narrow, challenge, or replace it.

ELL treats every concept as a versioned claim rather than a timeless fact. The system retains the episodes that support it, episodes that contradict it, the contexts in which it has been applied, and the outcomes of those applications. This makes concept formation inspectable and enables evaluation at the level where learning is claimed to occur.

The architecture is inspired by, but does not attempt to reproduce, human memory. Tulving’s distinction between episodic and semantic memory motivates the separation between event-specific records and general knowledge (Tulving 1972). Complementary Learning Systems theory motivates a fast episodic path and a slower consolidation path that integrates common structure across experiences (McClelland, McNaughton, and O’Reilly 1995; Kumaran, Hassabis, and McClelland 2016). Bartlett’s account of reconstructive remembering provides a warning as much as an inspiration: abstraction can impose existing schemas on ambiguous experience and thereby distort it (Bartlett 1932). For this reason, ELL preserves provenance, counterevidence, and reversible revisions.

1.1 Scope

ELL is an external learning layer. It does not update the parameters of the underlying language model. It does not prescribe how raw activity is captured from calendars, files, screens, sensors, or chat applications. It starts after an application has produced a canonical stream of consented experience records. It is designed to support conversation histories, task trajectories, product-work records, and other event streams through a shared schema.

The initial research scope is deliberately narrower than a complete personal-intelligence system. It focuses on:

- association between episodes;
- reflection over individual and grouped episodes;

- concept formation and consolidation;
- application of concepts to later decisions;
- revision after new evidence and outcomes;
- direct evaluation of concept quality and transfer. Perception, multimodal capture, large-scale identity resolution, and parametric fine-tuning are outside the first paper.

1.2 Contributions

This working paper specifies five intended contributions.

A typed experience-to-concept architecture. It defines distinct schemas and operations for episodes, associations, reflections, concepts, evidence links, applications, and outcomes.

An evidence-grounded concept lifecycle. Concepts move through explicit states—proposed, corroborated, contested, revised, superseded, and retired—while retaining lineage and provenance.

A separation between confidence and eloquence. Concept confidence is computed from observable evidence, contradiction, diversity, and outcome history rather than accepted directly from an LLM’s self-reported certainty.

A direct evaluation protocol. In addition to downstream task performance, the evaluation measures concept correctness, evidence precision and recall, scope accuracy, contradiction handling, revision latency, calibration, transfer, and cost.

An open reference implementation. Versioned releases will include code, schemas, prompts, experiment configurations, synthetic data generators, evaluation scripts, and paper sources under permissive licences, with reproducibility runs using open-weight models.

2. Problem Definition

2.1 Experience learning

Let an agent encounter an ordered experience stream $E = \{e_1, e_2, \dots, e_n\}$.

Each episode e_i contains a time-bounded record of context, observation, action, outcome, source, and metadata. Given this stream, an experience-learning system should produce a set of concepts C that improve decisions on future situations while remaining grounded in the episodes from which they were induced.

The goal is not to compress the entire history into a shorter text. Compression can preserve frequent information while losing exceptions, causal uncertainty, temporal change, and source identity. The desired output is a set of claims or strategies with explicit conditions and evidence.

A concept is useful only if it satisfies several properties:

- Grounded: its support can be traced to specific episodes and reflections.
- General: it applies beyond a single remembered case.
- Scoped: it states where it is expected to apply and where it may not.
- Revisable: contradictory evidence can change its status or content.
- Actionable: it can affect a later response, plan, or decision.
- Measurable: its correctness and utility can be evaluated independently.

2.2 Failure modes addressed

ELL is designed around seven common failure modes.

Episode replay without abstraction. Relevant cases are retrieved, but no reusable principle is formed.

Premature generalisation. A single salient episode becomes a broad rule.

Self-confirming reflection. Once a reflection is stored, later retrieval favours evidence that agrees with it.

Context collapse. A concept loses the conditions under which it was valid.

Temporal staleness. New evidence changes what is true, but the old concept continues to guide behaviour.

Provenance loss. A generated statement can no longer be connected to the experience that justified it.

Behavioural ambiguity. A system claims to have learned because it stored a summary, without showing improved transfer or decision quality.

2.3 Research questions

The first empirical study will answer four questions.

RQ1 — Separation. Does representing reflections as provisional objects before concept consolidation reduce unsupported generalisation compared with direct episode-to-rule summarisation?

RQ2 — Revision. Do explicit counterevidence, temporal validity, and versioned lifecycle states improve adaptation when the underlying pattern changes?

RQ3 — Transfer. Do consolidated concepts improve performance on new situations that share latent structure but differ in wording and surface details?

RQ4 — Efficiency. Can compact concepts plus selected source episodes match or improve downstream performance while using less retrieval context than episode-only methods?

2.4 Hypotheses

H1. ELL will produce higher concept-scope accuracy and lower overgeneralisation than a direct insight- extraction baseline.

H2. ELL will revise or contest invalid concepts more quickly after contradictory evidence than append-only reflection or rolling-summary baselines.

H3. ELL will yield a positive transfer gain on held-out tasks whose latent rule is represented in prior experiences, even when lexical similarity to those experiences is low.

H4. Retrieving concepts together with a small number of supporting episodes will reduce median input tokens per decision without reducing task success.

These hypotheses are falsified if the confidence intervals include no practically meaningful improvement, if concept-level gains fail to translate into behaviour, or if the added architecture costs more than the retrieval it replaces without delivering measurable benefits.

3. Related Work and Positioning

3.1 Persistent context and episodic retrieval

Long-term agent memory initially focused on maintaining continuity beyond a finite context window.

MemoryBank stored and updated user-related memories for sustained interaction (Zhong et al. 2024), while MemGPT introduced a virtual-memory analogy in which an agent manages different context tiers (Packer et al. 2023). Zep later represented evolving information in a temporal knowledge graph (Rasmussen et al. 2025).

These systems demonstrate that long-running interaction requires explicit write, update, and retrieval mechanisms rather than a single ever-growing prompt.

Benchmarks have exposed the limits of retrieval-centric designs. LoCoMo evaluates question answering, summarisation, and dialogue generation over long multi-session conversations (Maharana et al. 2024).

LongMemEval tests information extraction, cross-session reasoning, temporal reasoning, knowledge updates, and abstention (Wu et al. 2025). These tasks are central to persistent memory, but they primarily evaluate whether a system can recover or reason over stored information. They do not fully determine whether a general concept was correctly induced.

3.2 Reflection and non-parametric learning

Generative Agents introduced periodic reflection over accumulated observations, producing higher-level statements that could themselves be retrieved (Park et al. 2023). Reflexion showed that verbal feedback stored in episodic memory can improve repeated task attempts without weight updates (Shinn et al. 2023). ExpeL extended this idea by extracting insights across training experiences and transferring them to test tasks (Zhao et al. 2024). Reflective Memory Management used forward-looking summarisation and backward-looking evidence-based retrieval refinement (Z. Tan et al. 2025).

These systems establish reflection as a useful learning operator. ELL adopts that operator but makes a stricter distinction: a reflection is a candidate interpretation, not yet a trusted concept. This distinction enables explicit evidence thresholds, counterevidence checks, and lifecycle transitions.

3.3 Semantic, procedural, and graph-based abstraction

A second line of work converts experience into structured knowledge or reusable procedures. Voyager stores executable skills; Agent Workflow Memory induces reusable task routines; and A-MEM dynamically organises memory notes through contextual attributes and links (G. Wang et al. 2023; Z. Z. Wang et al. 2025; Xu et al. 2025). Temporal Semantic Memory aggregates temporally continuous evidence into durative user representations (Su et al. 2026).

The closest recent systems move explicitly from episodes to abstractions. DCPM separates fast fact updates from slower induction of schemas, intentions, and cross-domain patterns, with evidence links to supporting facts (Fei et al. 2026). GAAMA constructs a typed graph with episode, fact, reflection, and concept nodes (Paul, Sharma, and Sareen 2026). PlugMem derives semantic and procedural knowledge graphs from standardised episodic traces and maintains provenance to source episodes (Yang et al. 2026).

ELL is complementary to these architectures rather than a claim to precede them. Its intended distinction is the epistemic lifecycle of a concept. The core research object is not only a graph node or summary, but a claim with:

- separate supporting and contradicting evidence;
- an explicit applicability scope;
- a confidence calculation based on observable signals;
- temporal validity and version lineage;
- recorded downstream applications and outcomes;

- direct concept-level evaluation.

The implementation can use a graph, relational database, vector index, or a combination. The contribution is the contract and lifecycle, not a requirement for one storage technology.

3.4 Evaluation of agent memory

MemBench broadens evaluation to factual and reflective memory under different interaction roles, measuring effectiveness, efficiency, and capacity (H. Tan et al. 2025). MemoryArena further couples memory with later action in multi-session agent-environment loops (He et al. 2026). These directions are important because successful retrieval does not guarantee useful behaviour.

ELL adds a controlled concept-induction benchmark in which the latent patterns, exceptions, supporting episodes, and change points are known. Existing benchmarks are retained for ecological validity, while the controlled benchmark isolates whether a system formed the right concept for the right reasons.

3.5 Cognitive inspiration and its limits

The episodic-semantic distinction and complementary learning systems provide useful engineering metaphors (Tulving 1972; McClelland, McNaughton, and O'Reilly 1995; Kumaran, Hassabis, and McClelland 2016).

They suggest preserving specific experiences while separately integrating common structure. However, ELL is not a neuroscientific model. LLM-generated natural-language concepts, database records, and scheduled consolidation jobs are functional approximations. Biological terminology is used to clarify roles, not to claim mechanistic equivalence.

4. Experience Learning Layer Architecture

Figure 1. Proposed ELL architecture. The append-only episode store and evidence ledger preserve source history while reflections and concepts remain revisable.

ELL is organised as a write–associate–reflect–consolidate–apply–evaluate loop. Each component exposes a narrow interface so that models, stores, and retrieval methods can be replaced independently.

4.1 Canonical episode store

The input is a canonical episode rather than an application-specific chat message. An episode is represented as $e_i = (\square_i, t_i, \wedge t_i, x_i, o_i, a_i, y_i, s_i, p_i)$, where $\square_i$ is the episode identifier, t_i and $\wedge t_i$ are event and observation time, x_i is context, o_i is an observation, a_i is an action, y_i is an outcome, s_i is source metadata, and p_i contains privacy and access-control metadata. The two timestamps allow delayed reports and later corrections to be represented.

The raw episode store is append-only. Corrections create new records linked by relations such as corrects, supersedes, or retracts. This preserves an audit trail and prevents an abstraction process from silently rewriting its own evidence.

4.2 Association layer

The association layer creates typed links between episodes. Initial relation types are:

- semantic similarity;
- shared entities or participants;
- temporal proximity or sequence;
- shared goal or task;

- shared action pattern;
- similar outcome;
- candidate causal relation;
- contradiction or correction. Only some edges are objective. Temporal sequence and shared identifiers can be deterministic; causal and contradiction edges may be model-generated hypotheses. Every edge therefore records its method, score, model or rule version, and source evidence. The layer supports both local neighbourhood retrieval and clustering. Reflection should not operate only on the nearest embeddings because lexically distant episodes may share a goal, failure pattern, or outcome. Hybrid candidate generation combines semantic, structural, temporal, and outcome-based signals.

4.3 Reflection Engine

A reflection is a provisional interpretation: $r_j = (h_j, t_j, s_j, p_j, n_j, u_j, z_j)$.

Here h_j is a claim or question, t_j is reflection type, s_j is scope, p_j and n_j are supporting and counterevidence episode sets, u_j is uncertainty metadata, and z_j is review status.

Reflection types include:

- observation or recurring pattern;
- causal hypothesis;
- strategy or procedural lesson;
- preference hypothesis;
- anomaly or exception;
- unresolved question;
- candidate correction to an existing concept.

The Reflection Engine is triggered by configurable events: a cluster reaching a minimum size, a repeated failure, a surprising outcome, new contradiction, elapsed time, or an explicit request. It produces structured output and is followed by an evidence-validation pass. Reflections may remain unverified, be marked supported, or be rejected before they reach the Concept Engine.

4.4 Concept Engine

A concept is a reusable, versioned proposition or strategy: $c_k(v) = (q_k, s_k, a_k, i_k, p_k, n_k, g_k, t_k, v, z_k)$.

Here q_k is the proposition, s_k is scope, a_k is a set of applicability conditions, i_k is the expected implication or recommended behaviour, p_k and n_k are supporting and counterevidence sets, g_k is confidence, t_k is temporal validity, v is version, and z_k is lifecycle state.

Concept types include descriptive patterns, user preferences, causal hypotheses, strategies, constraints, and procedural rules. The first implementation focuses on textual concepts, but the schema permits executable procedures or references to code artefacts.

The Concept Engine performs five operations: 1. Propose: create a candidate concept from compatible reflections.

2. Merge: combine concepts that express the same claim and scope.

3. Split: separate an over-broad concept when evidence supports distinct conditions.

4. Revise: create a new version with changed claim, scope, validity, or confidence.

5. Retire or supersede: stop active use while preserving lineage.

Promotion requires evidence from more than one episode unless a domain-specific policy explicitly permits single-source facts. Evidence diversity is measured across time, source, participant, task, and surface form to reduce duplicate episodes being mistaken for independent support.

4.5 Concept registry and evidence ledger

The concept registry contains the current active version of each concept and its full version chain. The evidence ledger is append-only and records:

- which episodes supported or contradicted a reflection;
- which reflections contributed to a concept version;
- which model, prompt, rule, or human action produced a change;
- which concepts were retrieved for a decision;
- what action was taken and what outcome followed;
- deletions, access changes, and invalidations. This ledger supports explanation and reproducibility. A user or evaluator should be able to ask: “Why does the system believe this?”, “What evidence disagrees?”, “When did this change?”, and “Did using it help?”

4.6 Learning retrieval and application

At decision time, the retrieval service selects a mixture of concepts and source episodes. Concepts provide compact general guidance; episodes provide specificity, exception handling, and verification. The retrieval policy must be able to return either type independently.

A concept relevance score can initially be expressed as $R(c,q) = w_1 S_1 + w_2 S_2 + w_3 S_3 + w_4 S_4 + w_5 \square c - w_6 S_6$,

where S_1 through S_4 represent semantic relevance, scope match, temporal validity, and observed utility; $\square c$ is concept confidence; and S_6 is active contradiction. This formula is a design heuristic, not a validated scientific result. Weights will be tuned only on development data and frozen before test evaluation.

The retrieved package includes the concept statement, scope, confidence, current state, relevant support, relevant counterevidence, and source links. Applications can require a minimum confidence or allow contested concepts to be shown as uncertainty rather than instructions.

4.7 Outcome loop

Every use of a concept creates an application record: $am = (x_m, C_m, E_m, d_m, y_m, u_m)$.

Here x_m is the task context, C_m and E_m are the concepts and episodes used, d_m is the decision, y_m is the observed outcome, and u_m is utility. Outcome feedback can come from task reward, user correction, validator output, or later observed consequences. The system must not automatically treat every positive result as proof of causality; outcomes are recorded as validation signals with their own reliability. Repeated success can strengthen a concept, while failure can add counterevidence, narrow scope, or trigger revision.

4.8 Lifecycle

Figure 2. Concept lifecycle. Revisions create new versions rather than overwriting evidential history.

The lifecycle is intentionally reversible. Corroborated does not mean permanently true. Contested concepts may still be retrieved when their uncertainty is relevant. Superseded concepts remain available for historical questions, while retired concepts are excluded from ordinary guidance.

5. Proposed Algorithms

5.1 Reflection scheduling

Running reflection after every episode would be expensive and may create redundant interpretations. ELL therefore uses event-based scheduling. An episode or cluster enters the reflection queue when one or more conditions are met:

- the cluster contains at least n distinct episodes;
- a failure or unusually high reward occurs;
- a new episode contradicts an active concept;
- association novelty exceeds a threshold;
- the concept has not been reviewed within a time window;
- a user or agent explicitly requests reflection. The scheduler records why a job was triggered. This enables later analysis of whether a scheduling policy created useful concepts or unnecessary model calls.

5.2 Reflection generation and critique

The Reflection Engine receives a bounded evidence packet: selected episodes, existing nearby reflections, relevant active concepts, and an instruction to produce typed hypotheses. The generator must output structured fields rather than a free-form essay.

A separate validation pass performs four checks: 1. Entailment: Does each cited episode actually support the claim attributed to it?

2. Contradiction: Are there nearby episodes that disagree?

3. Scope: Is the claim broader than its evidence?

4. Novelty: Is the reflection meaningfully different from existing reflections or concepts?

The validator can be an independent model, a deterministic rule, a human reviewer, or a combination. Using a separate model call does not guarantee independence, so experiments will include same-model and cross-model validation conditions.

5.3 Concept proposal

Reflections are grouped by semantic compatibility and scope overlap. A proposed concept requires:

- at least m compatible reflections;
- at least d distinct supporting episodes;
- minimum evidence diversity;
- no unresolved high-confidence contradiction;
- an explicit scope and exception list;
- a concise proposition and expected implication. The default policy will require support from at least three episodes across at least two distinct contexts. This is a configurable research parameter rather than a universal rule. A simplified proposal procedure is: for each reflection cluster R : evidence = union(supporting episodes in R) counter = retrieve plausible counterevidence candidate = generate_concept(R , evidence, counter) checks = validate(candidate, evidence, counter) if checks pass promotion policy: register(candidate, state="proposed")

5.4 Evidence-weighted confidence

LLMs are not assumed to be calibrated judges of their own abstractions. ELL computes an operational confidence score from external features:

$\sigma(c) = \frac{1}{1 + e^{-z_c}}$, where z_c is a weighted score that increases with supporting evidence, evidence diversity, and observed application utility, and decreases with counterevidence, age without revalidation, and validator disagreement.

The formula is deliberately transparent and will be calibrated on held-out development data. A simpler Bayesian or rule-based alternative will be included as a baseline. Confidence is never used to hide counterevidence; the raw counts and links remain visible.

5.5 Revision and temporal validity

When new evidence conflicts with a concept, the system chooses among four responses:

- add exception: the core claim remains valid but has a narrower boundary;
- narrow scope: the concept was over-generalised;
- change validity interval: the pattern was true during one period but is no longer current;
- replace claim: a new concept version better explains the evidence. Revision produces a new immutable version linked by revises or supersedes. The old version retains its former validity interval and applications. This design supports historical reasoning and avoids treating changed preferences or conditions as contradictions that must erase the past.

5.6 Merge and split

Duplicate concepts increase retrieval noise, while over-broad concepts hide meaningful exceptions. Merge candidates are identified using proposition similarity, overlapping evidence, compatible scope, and similar implications. Split candidates are triggered when counterevidence clusters around a coherent condition or when application outcomes differ significantly by context.

Both operations require a lineage record. A merge creates a new concept that references all parents. A split creates child concepts whose evidence partitions are explicit. Automated operations above a risk threshold can require human approval.

5.7 Retrieval with evidence restoration

Concept retrieval follows two stages. The first stage selects concepts by semantic, structural, temporal, and utility signals. The second restores a small, query-specific set of source episodes. This prevents a compact concept from becoming an ungrounded instruction.

The retrieval budget is fixed in tokens or characters so that systems are compared under equal context cost.

This avoids rewarding a method merely for retrieving far more text. Results report both task utility and memory information density.

5.8 Deletion and invalidation

A user must be able to delete source data. Deletion cannot stop at the episode store because derived concepts may still encode the removed information. ELL maintains derivation links so a deletion request can: 1. remove or tombstone the source episode according to policy; 2. remove it from support and counterevidence sets; 3. recompute affected confidence values; 4. contest, revise, or retire concepts that no longer meet support thresholds; 5. record the deletion cascade without retaining prohibited content.

This is both a privacy requirement and a scientific requirement: provenance is incomplete if derived claims cannot be invalidated when their evidence disappears.

6. Data Model and Public Interfaces

6.1 Core entities

Entity Purpose Required fields Episode Immutable record of a bounded experience ID, event time, observed time, context, observation, action, outcome, source, access metadata Association Typed relation between episodes or knowledge objects source ID, target ID, relation type, score, method, provenance Reflection Provisional interpretation or question statement, type, scope, support, counterevidence, uncertainty, status Concept Reusable versioned knowledge object proposition, scope, conditions, implication, support, counterevidence, confidence, validity, version, lifecycle state Application Record of concept use task, retrieved concepts, retrieved episodes, decision, timestamp Outcome Evidence about application result reward or judgement, source, reliability, delay, linked application AuditEvent Immutable record of system change actor, operation, object, prior version, new version, method, timestamp

6.2 Concept states

- proposed: generated and valid enough to test, but not yet strongly supported;
- corroborated: meets evidence and validation thresholds;
- contested: important unresolved counterevidence exists;
- revised: a new immutable version has been created in response to changed evidence and is awaiting or recording validation;
- superseded: replaced by a newer or more precise concept;
- retired: no longer eligible for ordinary retrieval;
- deleted: content removed under deletion policy, with only non-sensitive structural audit metadata retained where legally permitted. A revision never overwrites its parent. A revised version can later become corroborated, contested, superseded, retired, or deleted while its lineage remains traceable.

6.3 API contract

The reference implementation exposes the following model-independent operations:
record_episode(episode) -> EpisodeID
associate(episode_id, policy) -> list[Association]
run_reflection(scope, trigger) -> list[Reflection]
reconcile_concepts(reflection_ids) -> list[ConceptVersion]
retrieve_learning(query, context, budget) -> LearningPacket
record_application(packet, decision) -> ApplicationID
record_outcome(application_id, outcome) -> list[ConceptUpdate]
explain_concept(concept_id, version=None) -> EvidenceReport
delete_subject_data(subject_id, policy) -> DeletionReport

LearningPacket is the central read object. It contains concepts, relevant evidence, conflicts, and budget accounting. It never contains only a naked concept statement.

6.4 Storage independence

The core schema is storage-neutral. The starter implementation uses an in-memory store; a SQLite adapter is planned as the first persistent baseline. Production adapters may add PostgreSQL, a vector index, or a graph database. Storage choices are evaluated by correctness, write cost, query latency, deletion support, and operational simplicity rather than by architectural fashion.

The same principle applies to model providers. The engine depends on a structured-generation interface, not a vendor SDK. Reproducibility experiments use open-weight models, while optional adapters may support hosted models for comparison.

7. Experimental Design

7.1 Study status

The evaluation is preregistered in this paper before results are collected. All thresholds, prompts, model versions, random seeds, exclusions, and statistical tests will be committed before the sealed test sets are run.

Any later changes will be reported as deviations rather than silently folded into the method.

7.2 Evaluation stages

Stage A: controlled latent-pattern streams

The project will release a synthetic benchmark in which each experience stream is generated from known latent concepts. A stream contains:

- recurring contextual rules;
- paraphrased surface forms;
- irrelevant but semantically similar episodes;
- exceptions with explicit conditions;
- contradictory observations;
- temporal change points;
- delayed outcomes;
- duplicated or correlated evidence. Example latent concept: When a task depends on another team and the owner is not involved before commitment, delivery risk increases; the pattern does not apply to independently executable tasks. The generator creates episodes that support, contradict, or fall outside the concept's scope. The benchmark therefore has gold labels for the concept, its conditions, its evidence, counterevidence, and validity interval. Three stream lengths are planned: 50, 200, and 1,000 episodes. Difficulty increases through noise, lexical distance, exceptions, and concept drift. A sealed test generator seed prevents manual prompt tuning against the exact cases.

Stage B: long-term conversational memory

LongMemEval and LoCoMo will test whether ELL remains competitive on factual extraction, cross-session reasoning, temporal reasoning, updates, abstention, and long-range dialogue understanding (Wu et al. 2025;

Maharana et al. 2024). MemBench will add reflective-memory and efficiency measures where licensing and harness compatibility permit (H. Tan et al. 2025).

ELL is not expected to dominate span-recall tasks solely because it forms concepts. These benchmarks test whether the abstraction layer preserves ordinary memory performance and whether concept retrieval helps multi-session inference.

Stage C: memory-dependent action

MemoryArena will test whether information learned in earlier sessions improves later task execution (He et al.

2026). A smaller open environment may be added for rapid iteration, but MemoryArena is the target action benchmark because it explicitly couples memory, agent decisions, and environment outcomes.

7.3 Baselines

At minimum, all experiments include: 1. no persistent memory; 2. full or maximum available context; 3. vector retrieval over raw episodes; 4. rolling summary memory; 5. episode retrieval plus direct insight extraction; 6. ELL without concept consolidation; 7. full ELL.

Where reproducible implementations and compatible licences are available, A-MEM, Reflective Memory Management, GAAMA, and PlugMem will be evaluated using their released code or carefully documented reimplementations (Xu et al. 2025; Z. Tan et al. 2025; Paul, Sharma, and Sareen 2026; Yang et al. 2026). A method will not be included under another system’s name if key behaviour cannot be reproduced.

7.4 Model conditions

The main reproducibility track uses at least two openly licensed instruction-tuned models from different model families and two capacity bands. Model names are recorded only when the experiment is frozen, because available open models change rapidly. All generation settings, quantisation, serving software, prompts, and hardware are logged.

A hosted-model comparison may be reported separately, but the paper’s core claims must remain reproducible without proprietary APIs.

7.5 Metrics

Downstream metrics

- task success or benchmark accuracy;
- answer faithfulness to retrieved evidence;
- transfer gain over the episode-only baseline;
- abstention quality;
- action efficiency, including steps to completion. Concept metrics Concept correctness. Does the induced proposition match the gold latent pattern or human judgement? Evidence precision. What proportion of cited support actually supports the concept?

Evidence recall. What proportion of relevant support was linked?

Counterevidence recall. Did the system find important exceptions and contradictions?

Scope accuracy. Does the concept apply to the right contexts without over-generalising?

Revision latency. How many contradictory episodes or how much time elapses before a stale concept is contested or revised?

Lineage correctness. Do revisions, merges, and splits preserve accurate parent and evidence links?

Calibration. Does stated confidence correspond to observed concept correctness and application success?

Brier score and expected calibration error will be reported.

Efficiency metrics

- input and output tokens per episode and per decision;
- model calls per accepted concept;

- storage growth;
- median and tail latency;
- energy or hardware-time proxy where measurable;
- task utility per 1,000 retrieved tokens.

7.6 Human evaluation

Concept quality cannot be reduced entirely to lexical matching. A stratified sample will be rated by at least three annotators who are blind to the system condition. The rubric covers correctness, support, scope, usefulness, and whether counterevidence was handled appropriately. Inter-rater agreement is reported using Krippendorff's alpha. Disagreements are retained rather than resolved solely by an LLM judge.

LLM-based judges may scale evaluation, but they will be calibrated against the human sample. Prompts and raw judgements will be released. The same model used to generate a concept will not be the only judge of that concept.

7.7 Ablations

The following components are removed one at a time:

- reflection–concept separation;
- counterevidence retrieval;
- evidence diversity threshold;
- temporal validity;
- lifecycle versioning;
- application-outcome feedback;
- source-episode restoration at retrieval;
- graph associations beyond vector similarity. Additional sweeps vary reflection frequency, promotion thresholds, retrieval budget, and confidence formulation.

7.8 Statistical analysis

Binary outcomes use paired tests such as McNemar's test where appropriate. Continuous or ordinal metrics use paired bootstrap confidence intervals and report effect sizes. Multiple random seeds are used for synthetic generation and stochastic inference. The primary comparisons and practical significance thresholds are frozen in the experiment configuration before the sealed tests.

Results are reported by task category and stream length, not only as a single average. Failure analysis separates write, association, reflection, consolidation, retrieval, reasoning, and application errors.

8. Open-Source Reference Implementation

8.1 Licensing

The proposed default licence split is:

- Apache License 2.0 for source code;
- CC BY 4.0 for the paper, diagrams, documentation, and synthetic benchmark content;

- third-party datasets retained under their original licences and downloaded separately. Apache-2.0 permits commercial and research use while providing an explicit patent grant. The starter repository includes root licence files, a NOTICE file, and machine-readable CITATION.cff; source-file SPDX headers and generated dependency attribution are required before an archival release.

8.2 Repository structure

experience-learning-layer/ README.md LICENSE CITATION.cff CONTRIBUTING.md
CODE_OF_CONDUCT.md SECURITY.md GOVERNANCE.md pyproject.toml
paper/ paper.md main.tex references.bib figures/ sections/
src/ell/ models.py interfaces.py reflection/ concepts/ retrieval/ evaluation/
storage/ providers/ schemas/ benchmarks/ synthetic/ examples/
tests/ docs/ The starter repository included with this draft contains typed domain models, interfaces, an in-memory store, deterministic baseline engines, evaluation utilities, a minimal example, and tests. It is a scaffold rather than the completed research system.

8.3 Reproducibility requirements

Every reported experiment must include:

- immutable configuration files;
- exact Git commit;
- model identifiers and hashes where available;
- prompts and structured-output schemas;
- random seeds;
- hardware and serving configuration;
- raw outputs and failure logs;
- evaluation code and judge prompts;
- token, latency, and storage accounting. A one-command small-scale reproduction should run on consumer hardware with a compact open model. Full benchmark results may require larger hardware, but the same code path and data format must be used.

8.4 Contribution model

The project begins with a lightweight maintainer model and public design records. Significant architecture decisions use short decision documents in docs/decisions/. Contributions require tests, provenance for benchmark changes, and a declaration when generated data or code was produced with model assistance.

Research claims are reviewed separately from software changes. A faster implementation is not accepted as scientifically equivalent unless its behaviour and evaluation remain comparable.

8.5 Private data boundary

Personal ChatGPT exports can be used locally to test ingestion and qualitative usefulness, but they are not part of the public benchmark and must not be committed. Public experiments use synthetic or properly licensed data. The starter repository includes data-governance guidance; redaction hooks, local namespaces, and tested deletion cascades are required before any longitudinal pilot.

9. Ethics, Privacy, and Security

A memory system can improve continuity while also increasing risk. Persistent concepts may encode sensitive information, amplify a mistaken interpretation, or influence actions long after the originating interaction.

Long-term memory is therefore a control channel, not merely a convenience layer. Research on trustworthy memory search similarly shows that semantically related memory can still be inappropriate or unsafe for the current task (Zhang et al. 2026).

ELL adopts the following principles.

Visibility. Users should be able to inspect active concepts, evidence, uncertainty, and change history.

Correction. A user correction is stored as high-priority evidence and can trigger immediate contestation, but it should not silently erase historical state when historical reasoning is required.

Deletion. Source deletion propagates to derived concepts. Derived content must not survive simply because it was transformed.

Least access. Retrieval enforces source-level permissions and subject namespaces before semantic relevance is considered.

No hidden certainty. Contested or weak concepts are labelled. Confidence and evidence counts are not replaced by persuasive prose.

Poisoning resistance. New memories do not automatically become trusted rules. Promotion requires independent evidence and validators, and sensitive actions can require human approval.

Purpose limitation. Concepts formed for one domain are not automatically reused in another. Cross-domain transfer is an explicit, auditable operation.

The system may still infer sensitive traits that were never stated directly. The research implementation therefore defaults to local processing, excludes sensitive-trait inference from public examples, and treats inferred personal concepts as user-governed data. Future work must test whether users can understand and meaningfully control these abstractions.

10. Limitations and Threats to Validity

First, textual concepts favour knowledge that can be expressed as propositions or instructions. Tacit motor skills, perceptual expertise, and distributed representations may not fit this format. ELL may therefore complement rather than replace parametric or executable skill learning.

Second, provenance does not guarantee truth. Episodes can be incorrect, duplicated, biased, or malicious. A perfectly traceable concept may still be grounded in poor evidence. Source reliability and adversarial robustness require separate study.

Third, LLM-generated reflections may introduce causal stories that are plausible but unsupported. The validation and counterevidence stages reduce this risk but cannot eliminate it. Human evaluation remains necessary for high-stakes domains.

Fourth, the proposed confidence formula is heuristic. Evidence counts are not independent observations, and application outcomes may be delayed or confounded. Calibration must be empirical and domain-specific.

Fifth, synthetic benchmarks can overstate progress if their latent rules resemble the system's representation.

The controlled benchmark is useful for diagnosis but must be paired with natural conversations and agentic tasks.

Sixth, comparisons across memory systems are difficult because ingestion granularity, retrieval budget, model backbone, prompts, and judge choice can dominate results. The protocol therefore fixes budgets and reports complete configurations, but residual implementation differences remain.

Seventh, the architecture adds cost and operational complexity. The system is unsuccessful if the concept layer does not deliver enough transfer, safety, or efficiency to justify reflection, validation, storage, and governance overhead.

Finally, cognitive analogies are limited. Human episodic and semantic memory motivate the separation of roles, but ELL should not be interpreted as an account of biological memory or consciousness.

11. Expected Outcomes and Falsifiability

This work is intended to produce a testable system rather than an unfalsifiable architecture diagram. The primary claim would be weakened or rejected under any of the following outcomes:

- concept-level metrics improve but downstream transfer does not;
- direct insight extraction matches ELL on scope and contradiction handling at lower cost;
- concepts systematically omit exceptions that episode retrieval preserves;
- confidence remains poorly calibrated across model families;
- revision creates instability or catastrophic concept churn;
- open-weight models cannot generate sufficiently reliable structured reflections;
- privacy-preserving deletion cannot remove derived information without rebuilding the store;
- performance gains disappear under equal retrieval budgets.

Negative results remain useful. They can show that explicit concept objects are unnecessary for some task classes, that reflection should be triggered only by failures, or that evidence-grounded retrieval is more valuable than consolidation. The repository and benchmark are structured so that these alternatives can be tested without preserving the original hypothesis.

12. Research and Implementation Roadmap

Phase 0 — Specification and scaffold

- publish the paper draft, schemas, repository structure, and governance files;
- implement typed models and in-memory stores;
- provide deterministic baseline engines and unit tests;
- open public issues for unresolved design choices. Exit criterion: a contributor can record episodes, create a reflection, promote a concept, retrieve it with evidence, and run the test suite locally.

Phase 1 — Controlled benchmark

- implement the latent-pattern stream generator;
- define gold concepts, evidence, counterevidence, exceptions, and change points;
- freeze metrics and annotation rubric;
- publish baseline results for raw retrieval, rolling summary, and direct insights. Exit criterion: a complete benchmark run produces concept and downstream metrics with fixed seeds. Phase 2 — Reflection and Concept Engines
- add structured model adapters for local open-weight inference;

- implement validation, promotion, merge, split, and revision;
- add the evidence ledger and lifecycle UI or report;
- run component ablations. Exit criterion: ELL can be compared with baselines on the sealed synthetic test set. Phase 3 — External benchmarks
- integrate LongMemEval and LoCoMo;
- integrate MemBench and MemoryArena where licences and compute permit;
- reproduce selected open memory baselines under equal budgets;
- complete human evaluation and calibration. Exit criterion: results can support or reject H1–H4 across at least one conversational and one action benchmark. Phase 4 — Paper completion
- replace this preregistration status with methods and results generated from tagged releases;
- add statistical analysis, failure cases, and limitations discovered in practice;
- release raw experiment artefacts and a reproducibility package;
- submit to an appropriate agent, NLP, HCI, or continual-learning venue.

13. Product Architecture Expansion

The research architecture above asks whether evidence-grounded concepts improve transfer and future behaviour. The product architecture developed after the v0.1 preregistration generalises that research scaffold into L: an open, local-first experience-learning layer usable by people, applications, and AI agents. This expansion does not replace the original empirical question. It makes the operational boundaries needed to test and eventually deploy it explicit.

L is not primarily a chatbot, note-taking application, vector database, or graph visualisation. Its product loop is to capture an experience, preserve its source, extract typed candidates, decide under deterministic policy what may become durable, consolidate related memories without losing contradictions, retrieve the smallest useful context, observe outcomes, and revise future behaviour. Models interpret meaning and propose. Deterministic services validate, authorize, version, and commit.

13.1 Plural memory semantics

The v0.1 paper distinguishes episodes, reflections, concepts, applications, and outcomes. The broader product architecture retains these objects while distinguishing additional memory semantics that have different authority, lifetime, and retrieval rules:

- source memory preserves immutable artifacts and exact addressable spans;
- working memory holds expiring state for the current task or conversation;
- episodic memory represents bounded experiences, decisions, actions, and outcomes;
- semantic memory represents temporal assertions rather than timeless key-value pairs;
- preference memory represents scoped choices, exceptions, strength, and explicitness;
- procedural memory represents versioned workflows, preconditions, approvals, evidence, and rollback;
- prospective memory represents commitments, reminders, deadlines, and unresolved threads;
- relational memory represents evidence-backed temporal edges;
- reflective memory records uncertainty, freshness, usefulness, contradictions, and knowledge gaps;

- policy memory defines retention, consent, provider, sharing, and deletion boundaries and is never ordinary model context.

These forms may share infrastructure, but they must not be flattened into one untyped table with identical lifecycle semantics. The useful product is the explainable connection layer, not a decorative node cloud.

13.2 Source, event, and episode boundary

All provider connectors terminate at a common normalization boundary. An immutable SourceArtifact preserves source identity, checksums, timestamps, sensitivity, consent, and stable spans. Normalized ExperienceEvents represent user messages, assistant messages, tool calls and results, file changes, decisions, feedback, and external events. One or more events form a bounded Episode containing inputs, responses, actions, observations, and outcomes.

Stable deterministic identifiers make ingestion rerunnable. The same connector, external reference, source version, and source event produce the same domain IDs. A ChatGPT export, Codex App Server stream, calendar connector, or future provider can therefore be replaced without placing its schema inside reflection, consolidation, policy, or retrieval services.

Historical consumer ChatGPT history is acquired through documented exports rather than undocumented APIs. A future live Codex source may map thread, turn, item, tool, and result events into the same boundary. ChatGPT account access through a Codex runtime is not treated as arbitrary access to consumer ChatGPT history.

13.3 Governed candidate and commit path

A model response is untrusted structured input. It enters a CandidateMemory quarantine and cannot participate in normal retrieval. Deterministic validation checks the schema, cited source and span existence, workspace access, sensitivity inheritance, temporal fields, allowed predicates, and referenced memories. Policy then selects one of three initial outcomes:

- explicit user statements, corrections, and user-confirmed candidates may commit after validation;
- supported ordinary inferences and inferred procedures wait for review;
- unsupported non-explicit claims and sensitive model inferences are rejected.

The commit service is the sole canonical writer. It uses idempotency keys and optimistic concurrency, writes an immutable revision, appends a content-minimized audit event, and schedules disposable projections. A correction creates a new memory and closes the validity of the superseded revision. It never rewrites history. A lower-authority inference cannot supersede explicit user evidence.

13.4 Policy-bound evidence retrieval

Retrieval is a typed service rather than direct database or vector-index access. A request includes actor, purpose, workspace, scope, allowed memory types, maximum sensitivity, evidence preference, and a fixed context budget. Authorization and lifecycle filtering happen before relevance ranking. Superseded, forgotten, expired, cross-workspace, and sensitivity-incompatible records do not enter ordinary results.

Candidate generation may combine lexical search, vectors, relation neighbourhoods, time, pinning, procedures, and later learned rerankers. Exact-vector, HNSW, and TurboVec indexes remain replaceable projections to benchmark; no index is canonical memory. The response is an EvidencePacket containing selected current claims, scoped preferences, episodes, procedures, commitments, citations, selection explanations, uncertainty, and known material contradictions. A compact concept never becomes a naked instruction detached from its source.

13.5 Local-first and provider-neutral topology

A complete usable state can live on one device. Network absence must not prevent capture, browsing, correction, or lexical retrieval. Remote processing visibly degrades to local processors or queued work. A practical reference adapter may use SQLite, content-addressed encrypted files, FTS5, and a replaceable vector index, but these technologies do not define the domain.

Four authentication concerns remain separate: L user identity, workspace authorization, model-provider credentials, and connector grants. OpenAI and Codex integration likewise has distinct directions: L may call a model API; ChatGPT, Codex, or another client may call L through MCP; L may optionally supervise a documented local Codex runtime; or L may export a scoped context bundle. An API key is not an L login, and a consumer ChatGPT subscription is not assumed to create a third-party application credential.

Forgetting immediately excludes a record, writes a tombstone, removes projections, and triggers evidence-aware invalidation. Sync must not resurrect tombstoned content. Sensitive trait inference is disabled for automatic durable learning. Imported documents are untrusted content, never system instructions. Secrets do not enter prompts, canonical memory, exports, analytics, or logs.

14. Phase 0 Reference Implementation Status

The repository now contains an executable Phase 0 proof aligned with the expanded architecture. This is implementation evidence, not an empirical result for H1-H4.

14.1 Versioned contracts and deterministic identity

Immutable Pydantic boundary models define SourceArtifact, SourceSpan, ExperienceEvent, Episode, CandidateMemory, MemoryRecord, AuditEvent, RetrievalRequest, and EvidencePacket. A registry exposes draft 2020-12 JSON Schemas with stable v1 identifiers and rejects unknown schema versions. Deterministic UUID derivation covers sources, events, and episodes so normalization can be rerun without changing identity.

14.2 Pure governed kernel

The LearningKernel runs without a database, network, or model. In-memory reference adapters implement artifact storage, candidate quarantine, immutable memory revisions, optimistic concurrency, idempotent mutation results, and append-only audit events. The deterministic policy and commit path enforce evidence, workspace, sensitivity, authority, correction, contradiction, forgetting, and retrieval lifecycle rules.

A fixture-backed DeterministicMockProvider advertises provider-neutral capabilities and validates every configured response against the requested Pydantic model. Missing or malformed fixtures fail loudly. It performs no network I/O and cannot invent a fallback response.

14.3 Golden evaluation corpus

The versioned synthetic corpus covers explicit scoped preferences, single-event inference, unsupported claims, sensitive inference, explicit correction, material contradiction, temporal change, Dutch evidence, and prompt injection embedded in imported content. Each JSONL case has a stable ID, exact evidence excerpt, typed candidate description, and expected policy or lifecycle outcome. Corpus validation rejects malformed or duplicate cases.

At this revision, the paper-first repository contains 28 passing tests. Strict static type checking passes for 14 source files, and repository-wide Ruff lint and formatting pass. The disconnected web, database, provider, and TencentDB scaffolding from the initial repository has been removed so the tracked implementation surface matches the paper's current Phase 0 proof.

14.4 Remaining gates

The in-memory proof does not yet demonstrate persistent SQLite rebuilds, deletion propagation through projections, encrypted sync, extension capability isolation, provider egress enforcement, job checkpoint recovery, or live cross-client operation. Those invariants are explicit deferred release gates for the phases that introduce the relevant adapters. Phase 1 should next make normalized episode ingestion deterministic and persistent, beginning with incremental ChatGPT export import, while leaving association-index and live-provider work behind stable ports.

15. Conclusion

The Experience Learning Layer begins from a simple distinction: access to old experience is not the same as learning from it. Current research already demonstrates reflection, dynamic memory organisation, schema induction, concept graphs, and semantic or procedural abstraction. The next useful contribution is therefore a stricter account of how an abstraction earns trust, remains connected to evidence, changes when challenged, and improves future behaviour.

ELL proposes an explicit path from episodes to provisional reflections, from reflections to versioned concepts, and from concepts to measured applications and outcomes. The architecture preserves both support and counterevidence, treats scope and temporal validity as first-class fields, and makes revision reversible and auditable. Its value will be determined empirically, not by the plausibility of the design.

The project is open by default. The paper, schemas, benchmark generator, implementation, prompts, and evaluation harness are intended to make the research easy to inspect, reproduce, criticise, and extend. The immediate next step is not to claim a finished learning system, but to build the controlled benchmark and reference implementation needed to test whether the proposed lifecycle actually works.

Acknowledgements

This working draft was developed as part of the open Experience Learning Layer project. Future versions will list contributors according to documented authorship and contribution criteria.

References

- Bartlett, Frederic C. 1932. *Remembering: A Study in Experimental and Social Psychology*. Cambridge University Press.
- Fei, Tianxiang, Mingyang Song, Mao Zheng, and Xiang Yu. 2026. 'Memory Beyond Recall: A Dual-Process Cognitive Memory System for Self-Evolving LLM Agents'. <https://arxiv.org/abs/2606.09483>.
- He, Zexue, Yu Wang, Churan Zhi, Yuanzhe Hu, Tzu-Ping Chen, Lang Yin, Ze Chen, et al. 2026. 'MemoryArena: Benchmarking Agent Memory in Interdependent Multi-Session Agentic Tasks'. <https://arxiv.org/abs/2602.16313>.
- Kumaran, Dharshan, Demis Hassabis, and James L. McClelland. 2016. 'What Learning Systems Do Intelligent Agents Need? Complementary Learning Systems Theory Updated'. *Trends in Cognitive Sciences* 20 (7): 512–34. <https://doi.org/10.1016/j.tics.2016.05.004>.
- Maharana, Adyasha, Dong-Ho Lee, Sergey Tulyakov, Mohit Bansal, Francesco Barbieri, and Yuwei Fang. 2024. 'Evaluating Very Long-Term Conversational Memory of LLM Agents'. In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics*, 13851–70.

<https://doi.org/10.18653/v1/2024.acl-long.747>.

McClelland, James L., Bruce L. McNaughton, and Randall C. O'Reilly. 1995. 'Why There Are Complementary Learning Systems in the Hippocampus and Neocortex: Insights from the Successes and Failures of Connectionist Models of Learning and Memory'.

Psychological Review 102 (3): 419–57. <https://doi.org/10.1037/0033-295X.102.3.419>.

Packer, Charles, Sarah Wooders, Kevin Lin, Vivian Fang, Shishir G. Patil, Ion Stoica, and Joseph E. Gonzalez. 2023. 'MemGPT: Towards LLMs as Operating Systems'. <https://arxiv.org/abs/2310.08560>.

Park, Joon Sung, Joseph C. O'Brien, Carrie J. Cai, Meredith Ringel Morris, Percy Liang, and Michael S. Bernstein. 2023. 'Generative Agents: Interactive Simulacra of Human Behavior'. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology*, 1–22. <https://doi.org/10.1145/3586183.3606763>.

Paul, Swarna Kamal, Shubhendu Sharma, and Nitin Sareen. 2026. 'GAAMA: Graph Augmented Associative Memory for Agents'.

<https://arxiv.org/abs/2603.27910>.

Rasmussen, Preston, Pavlo Paliychuk, Travis Beauvais, Jack Ryan, and Daniel Chalef. 2025. 'Zep: A Temporal Knowledge Graph Architecture for Agent Memory'. <https://arxiv.org/abs/2501.13956>.

Shinn, Noah, Federico Cassano, Edward Berman, Ashwin Gopinath, Karthik Narasimhan, and Shunyu Yao. 2023. 'Reflexion: Language Agents with Verbal Reinforcement Learning'. In *Advances in Neural Information Processing Systems*. Vol. 36.

<https://arxiv.org/abs/2303.11366>.

Su, Miao, Yucan Guo, Zhongni Hou, Long Bai, Zixuan Li, Yufei Zhang, Guojun Yin, et al. 2026. 'Beyond Dialogue Time: Temporal Semantic Memory for Personalized LLM Agents'. <https://arxiv.org/abs/2601.07468>.

Sumers, Theodore R., Shunyu Yao, Karthik Narasimhan, and Thomas L. Griffiths. 2024. 'Cognitive Architectures for Language Agents'.

Transactions on Machine Learning Research. <https://arxiv.org/abs/2309.02427>.

Tan, Haoran, Zeyu Zhang, Chen Ma, Xu Chen, Quanyu Dai, and Zhenhua Dong. 2025. 'MemBench: Towards More Comprehensive Evaluation on the Memory of LLM-Based Agents'. In *Findings of the Association for Computational Linguistics: ACL 2025*.

<https://arxiv.org/abs/2506.21605>.

Tan, Zhen, Jun Yan, I-Hung Hsu, Rujun Han, Zifeng Wang, Long T. Le, Yiwen Song, et al. 2025. 'In Prospect and Retrospect: Reflective Memory Management for Long-Term Personalized Dialogue Agents'. In *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics*, 8416–39. <https://doi.org/10.18653/v1/2025.acl-long.413>.

Tulving, Endel. 1972. 'Episodic and Semantic Memory'. In *Organization of Memory*, edited by Endel Tulving and Wayne Donaldson, 381–403. Academic Press.

Wang, Guanzhi, Yuqi Xie, Yunfan Jiang, Ajay Mandlekar, Chaowei Xiao, Yuke Zhu, Linxi Fan, and Anima Anandkumar. 2023.

'Voyager: An Open-Ended Embodied Agent with Large Language Models'. In *Transactions on Machine Learning Research*.

<https://arxiv.org/abs/2305.16291>.

Wang, Zora Zhiruo, Jiayuan Mao, Daniel Fried, and Graham Neubig. 2025. 'Agent Workflow Memory'. In *Proceedings of the 42nd International Conference on Machine Learning*,

267:63897–911. Proceedings of Machine Learning Research.

Wu, Di, Hongwei Wang, Wenhao Yu, Yuwei Zhang, Kai-Wei Chang, and Dong Yu. 2025. ‘LongMemEval: Benchmarking Chat Assistants on Long-Term Interactive Memory’. In International Conference on Learning Representations.

<https://arxiv.org/abs/2410.10813>.

Xu, Wujiang, Zujie Liang, Kai Mei, Hang Gao, Juntao Tan, and Yongfeng Zhang. 2025. ‘A-MEM: Agentic Memory for LLM Agents’.

In Advances in Neural Information Processing Systems. <https://arxiv.org/abs/2502.12110>.

Yang, Ke, Zixi Chen, Xuan He, Jize Jiang, Michel Galley, Chenglong Wang, Jianfeng Gao, Jiawei Han, and ChengXiang Zhai. 2026.

‘PlugMem: A Task-Agnostic Plugin Memory Module for LLM Agents’. <https://arxiv.org/abs/2603.03296>.

Zhang, Jiawen, Kejia Chen, Jiachen Ma, Yangfan Hu, Lipeng He, Yechao Zhang, Jian Liu, Xiaohu Yang, Tianwei Zhang, and Ruoxi Jia.

2026. ‘Beyond Similarity: Trustworthy Memory Search for Personal AI Agents’. <https://arxiv.org/abs/2606.06054>.

Zhao, Andrew, Daniel Huang, Quentin Xu, Matthieu Lin, Yong-Jin Liu, and Gao Huang. 2024. ‘ExpeL: LLM Agents Are Experiential Learners’. In Proceedings of the AAAI Conference on Artificial Intelligence, 38:19632–42. 17.

<https://doi.org/10.1609/aaai.v38i17.29936>.

Zhong, Wanjun, Lianghong Guo, Qiqi Gao, He Ye, and Yanlin Wang. 2024. ‘MemoryBank: Enhancing Large Language Models with Long-Term Memory’. In Proceedings of the AAAI Conference on Artificial Intelligence, 38:19724–31. 17.

<https://doi.org/10.1609/aaai.v38i17.29946>.