TREPATH 2.1 - Penetration Testing Report

Target Assessment Host (192.168.195.139) | TrePath 2.1 + EvidenceCore Proof-Driven Deliverable

Client / Scope	Internal Testing Lab - VMware Lab Pentest Engagement (http://192.168.195.139/) (192.168.195.139)
Scan Execution Window	Executed: 2026-11-01 17:46:47 UTC | Report Rendered: 2026-11-01 22:30 UTC (Scan #35 | Profile: authorized_pentest)
Assessment Engine	TrePath 2.2 Autonomous Proof Validation, EvidenceCore & AttackGraph Engine
Document Classification	CONFIDENTIAL - Executive, Technical & Cryptographic Deliverable
T0 Baseline Calibrated Risk	HIGH (7.2 / 10 | 71.9 / 100 Calibrated 7-Dimension Risk Index)
T1 Post-Retest Verified Risk	0 Executed Retests Recorded in RTEX Ledger (Ready for Live Closure Verification)
Hypothetical SLA Forecast	Projected Post-Hardening Risk: 2.1 / 10 (LOW) upon completion of WP-01..WP-05
Verified Compromise / Admin Auth Status	0 CONFIRMED_ADMIN_AUTH (No authenticated admin console access verified in this scan) + 2 IMPACT_VERIFIED Safe PoC(s) (SMB-LIST-EP-SMB-ASSET-00007, WEB-PATH-PHPINFO_PHP)
Host Scope Reconciliation	1 Responsive Multi-Service Linux/Samba Host (192.168.195.139) | 15 Open TCP Ports | 10 HTTP Endpoints
Finding Reconciliation (6-Tier)	73 Raw Observations -> 24 Consolidated Security Findings + 29 Recon/Surface Items + 1 Sensor Health Event
Calibrated Threat Intelligence (KEV)	5 Raw KEV Matches -> 2 Unique KEV CVEs | 1 CVE_APPLICABILITY_CONFIRMED | 1 CVE_CORRELATED (Banner Only)
Scan Completeness & Sensor Status	Active Sensors: Nmap v7.95, Nuclei, OWASP ZAP, Safe PoC Adapters (COMPLETED) | OpenVAS GVM: STANDBY_OFFLINE (Disclosed in Exec Summary)
EvidenceCore & Consistency Score	Evidence Consistency Score: 100.0% (5/5 Cross-Section Invariants Verified | Full 64-Hex SHA-256 Digests)
Platform-Aware Remediation	Target OS Verified: Ubuntu Linux 2.6.24 / Samba smbd 3.X -> Linux /etc/samba/smb.conf & Service Hardening Enforced
Pre-Render Quality Gate	**PASSED (26/26 Acceptance Rules Verified | Score=71.9/100 (7.2/10) | Obs=73->24 | Zero Port-0 Attribution)**

Prepared by Expedite Consults Ltd | Generated 2026-11-01 22:30 UTC | TREPATH 2.1 ASSESSMENT ORCHESTRATOR

1. Executive Summary & Proof-Driven Assessment Overview

This assessment was executed by TrePath 2.1 against target host 192.168.195.139 (http://192.168.195.139/) under the 'authorized_pentest' Rules of Engagement. TrePath 2.1 enforces strict root-cause deduplication, granular post-exploitation proof substates (CONFIRMED_ADMIN_AUTH, SHARE_ENUMERATION_VERIFIED, CONFIG_AND_PATH_DISCLOSURE_VERIFIED), precondition-validated CVE/KEV scoring, and platform-accurate Linux/Samba remediation.

1.0A Executive Priority Risk & Critical Business Impact View (Demonstrated Proof vs. Config Hygiene)

Posture Panel	State Type	Risk Score	Key Drivers & Proof Scope
PANEL-1-MEASURED-BASELINE	MEASURED_AT_T0	**7.2 / 10 (HIGH)**	**24 Consolidated Security Findings: 0 CONFIRMED_ADMIN_AUTH (No authenticated admin console access verified in this scan) + 2 IMPACT_VERIFIED Safe PoC(s) (SMB-LIST-EP-SMB-ASSET-00007, WEB-PATH-PHPINFO_PHP).**
PANEL-2-MEASURED-POST-RETEST	MEASURED_AT_T1	7.2 / 10 (0 Retests)	RTEX Ledger active (0 retests recorded). Execute Stage 8 retests after applying Samba/Tomcat/PHP fixes.
PANEL-3-HYPOTHETICAL-FORECAST	FORECAST_SLA	2.1 / 10 (LOW)	Projected residual risk once Tomcat Manager, Samba guest shares, phpinfo.php, and legacy daemons are remediated.

ID & Finding Key	Host : Port & Consolidated Title	Verified Proof Category & Substate	Priority & Remediation Action
F-01 (DAST-VER-INTEL-TECH-00068)	192.168.195.139 : 80 | [VER-INTEL-001] Outdated Software Component Identified (Ve	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Priority 73.1/100 | Upgrade PHP (5.2.4-2ubuntu5) to a current vendor-supported release and apply security advisorie
F-02 (DAST-VER-INTEL-TECH-00069)	192.168.195.139 : 21 | [VER-INTEL-001] Outdated Software Component Identified (Ve	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Priority 73.1/100 | Upgrade vsFTPd (2.3.4) to a current vendor-supported release and apply security advisories.
F-03 (DAST-VER-INTEL-TECH-00070)	192.168.195.139 : 22 | [VER-INTEL-001] Outdated Software Component Identified (Ve	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Priority 73.1/100 | Upgrade SSH-2.0-OpenSSH (4.7) to a current vendor-supported release and apply security advisori
F-04 (SMB-LIST-EP-SMB-ASSET-00007)	192.168.195.139 : 445 | [SMB-LIST-001] Anonymous SMB Share Enumeration Verified on	**IMPACT_VERIFIED :: SHARE_ENUMERATION_VERIFIED**	Priority 70.9/100 | Harden Samba configuration in `/etc/samba/smb.conf`: set `map to guest = Never`, `restrict anon
F-05 (PORT-OPEN-23-TELNET)	192.168.195.139 : 23 | Service Port Open: 23/TCP (Telnet) on 192.168.195.139	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Priority 61.7/100 | Unencrypted remote terminal daemon. Disable Telnet daemon and replace with SSH.
F-06 (PORT-OPEN-512-REXEC)	192.168.195.139 : 512 | Service Port Open: 512/TCP (Rexec) on 192.168.195.139	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Priority 61.7/100 | Legacy cleartext remote execution. Disable rexec.

1.1 Six-Tier Finding & Observation Reconciliation (Root-Cause Deduplication)

Reconciliation Tier	Count	Scope & Deduplication Rule
Tier 1 - Raw Scanner Observations	73	All raw Nmap, Nuclei, httpx, ZAP, and PoC probe records prior to root-cause grouping.
Tier 2 - Unique Assets & Open Services	1 Host / 15 Ports	Target host 192.168.195.139 with 15 open TCP services and 10 HTTP endpoints.
Tier 3 - Consolidated Security Findings	24	Deduplicated by (asset, port, service_family, root_cause_slug); merges duplicate service/banner/CVE rows.
Tier 4 - Confirmed Exploitable / Admin Auth	2	**0 CONFIRMED_ADMIN_AUTH + 2 IMPACT_VERIFIED + 0 RUNTIME_REPRODUCED.**


Reconciliation Tier	Count	Scope & Deduplication Rule
Tier 5 - Impact-Verified Safe PoCs	2	**2 IMPACT_VERIFIED Safe PoC(s) (SMB-LIST-EP-SMB-ASSET-00007, WEB-PATH-PHPINFO_PHP)**
Tier 6 - Recon & Scanner Health Telemetry	29 Recon / 1 Sensor	Port discovery telemetry and OPENVAS-SENSOR-STANDBY separated from target vulnerabilities.


1.2 Seven-State Evidence Proof Classification & Granular PoC Substates

Proof State	Count	Granular Substate & Evidentiary Meaning
DISCOVERED	29	Port/surface reachability observation only (CVSS 0.0; excluded from vulnerability count).
OBSERVATION_CONFIRMED	6	Service banner, protocol handshake, or cryptographic key observation confirmed.
CONTROL_GAP_CONFIRMED	16	Missing security header, legacy EOL version, or cleartext protocol exposure confirmed.
RUNTIME_REPRODUCED	0	Active behavioral probe reproduced deterministic service response.
CONFIRMED_ADMIN_AUTH	0	ADMIN_CONSOLE_ACCESS_VERIFIED: Authenticated Tomcat Manager console access (no WAR uploaded).
IMPACT_VERIFIED	2	SHARE_ENUMERATION_VERIFIED (SMB-LIST-001) & CONFIG_AND_PATH_DISCLOSURE_VERIFIED (PHPINFO-001).
REMEDIATION_VERIFIED	0	Post-fix retest execution verified vulnerability closure in RTEX ledger.

1.3 Consolidated Security Vulnerability Severity Distribution & Visual Telemetry

Severity Level	Consolidated Count	CVSS v3.1 Band	Operational SLA Target
CRITICAL	0	9.0 - 10.0	Immediate containment (< 24 - 48 hours)
HIGH	9	7.0 - 8.9	Priority hardening (< 7 days)
MEDIUM	10	4.0 - 6.9	Scheduled remediation (< 30 days)
LOW	5	0.1 - 3.9	Defense-in-depth maintenance (< 90 days)





1.4 Explainable 7-Dimension Risk Score Decomposition (RiskEngine 2.1)

Risk Dimension	Calibrated Score	Mathematical & Evidentiary Rationale
Confirmed Exploitability	18.2 / 25.0 pts	2 confirmed exploitable/PoC findings, 17 confirmed control gaps.
Verified Technical Impact	8.0 / 20.0 pts	Admin Auth Verified: No, SMB Share Enum/Read: Yes, PHPInfo Config/Path Disclosure: Yes.
Attack Surface Exposure	15.0 / 15.0 pts	15 open TCP ports and 10 HTTP endpoints exposed.
Applicable Threat Intelligence	13.2 / 15.0 pts	1 confirmed applicable KEVs, 1 unverified banner KEV candidates (discounted 75%), confirmed EPSS=0.938 (raw banner max EPSS=0.952).
Evidence-Backed Attack Paths	4.0 / 10.0 pts	0 evidence-validated attack paths, 2 correlated exposure clusters.
Asset Criticality	8.5 / 10.0 pts	Multi-service target host (192.168.195.139).

Risk Dimension	Calibrated Score	Mathematical & Evidentiary Rationale
Evidence Confidence	5.0 / 5.0 pts	73 FIPS 180-4 SHA-256 sealed artifacts across 73 raw observations.
TOTAL CALIBRATED RISK INDEX	71.9 / 100.0 pts (7.2 / 10)	Overall Rating: HIGH | Applicable Max EPSS: 0.938 (Raw Banner EPSS: 0.952)

2. Assessment Scope, Asset Reconciliation & Autonomous Transition Model

Host IP	Scope State	Open Ports	Asset Role & OS Fingerprint	Consolidated Sec Findings	Verified PoC / Admin Auth
192.168.195.139	IN_SCOPE_RESPONSIVE	21, 22, 23, 25, 53, 80, 111, 139, 445, 512, 513, 514...	Multi-Service Linux Lab Server (Ubuntu 8.04 / Linux 2.6.24 / Samba 3.0.20)	24	**2 Verified (0 CONFIRMED_ADMIN_AUTH (No authenticated admin console access verified in this scan) + 2 IMPACT_VERIFIED Safe PoC(s) (SMB-LIST-EP-SMB-ASSET-00007, WEB-PATH-PHPINFO_PHP))**

2.2 Mandatory Authorization & Rules-of-Engagement (RoE) Safety Policy Engine

Rule ID	Policy Control	Enforcement Mechanism	Status
ROE-01	Authorized Scope Lock	All probes restricted to authorized target 192.168.195.139 (authorized_pentest).	ENFORCED
ROE-02	Read-Only SMB PoC Boundary	SMB-LIST-001 & SMB-READ-001 execute non-destructive listing only; zero file writes.	ENFORCED
ROE-03	Safe Admin Console Verification	TOMCAT-MGR-001 verifies HTTP 200 auth on /manager/html without deploying WAR payloads.	ENFORCED
ROE-04	Evidence Overclaim Prevention	Share listing cannot claim write access; admin auth cannot claim OS command execution.	ENFORCED
ROE-05	FIPS 180-4 SHA-256 Sealing	Every probe transcript is hashed and persisted in EvidenceCore before report generation.	ENFORCED

3A. Consolidated Security Vulnerabilities (F-01 through F-24)

ID	Host:Port	Severity (CVSS)	Proof Category & Substate	Consolidated Title	CVE / CWE & Validation	Merged Raw Obs
F-01	192.168.195.139:80	**HIGH (9.8)**	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	[VER-INTEL-001] Outdated Software Component Identified (Version Fingerprint): PHP 5.2.4-2ubuntu5 (CVE-2012-1823)	CVE-2012-1823 (CVE_CANDIDATE)	4 raw (DAST-VER-INTEL-TECH-00068, NUCLEI-PHP-DETECT)
F-02	192.168.195.139:21	**HIGH (9.8)**	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	[VER-INTEL-001] Outdated Software Component Identified (Version Fingerprint): vsFTPd 2.3.4 (CVE-2011-2523)	CVE-2011-2523 (APPLICABILITY_VALIDATED)	6 raw (DAST-VER-INTEL-TECH-00069, DAST-VER-INTEL-TECH-00083)
F-03	192.168.195.139:22	**HIGH (9.8)**	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	[VER-INTEL-001] Outdated Software Component Identified (Version Fingerprint): SSH-2.0-OpenSSH 4.7 (CVE-2023-38408)	CVE-2023-38408 (CVE_CANDIDATE)	6 raw (DAST-VER-INTEL-TECH-00070, DAST-VER-INTEL-TECH-00085)
F-04	192.168.195.139:445	**HIGH (7.5)**	**IMPACT_VERIFIED :: SHARE_ENUMERATION_VERIFIED**	[SMB-LIST-001] Anonymous SMB Share Enumeration Verified on 192.168.195.139:445	CWE-284 (VERSION_DETECTED)	1 raw (SMB-LIST-EP-SMB-ASSET-00007)

ID	Host:Port	Severity (CVSS)	Proof Category & Substate	Consolidated Title	CVE / CWE & Validation	Merged Raw Obs
F-05	192.168.195.139:23	**HIGH (7.8)**	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Service Port Open: 23/TCP (Telnet) on 192.168.195.139	CWE-319 (VERSION_DETECTED)	3 raw (PORT-OPEN-23-TELNET, NMAP-SERVICE-23-TELNET)
F-06	192.168.195.139:512	**HIGH (7.8)**	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Service Port Open: 512/TCP (Rexec) on 192.168.195.139	CWE-319 (VERSION_DETECTED)	3 raw (PORT-OPEN-512-REXEC, NMAP-SERVICE-512-EXEC)
F-07	192.168.195.139:513	**HIGH (7.8)**	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Service Port Open: 513/TCP (Rlogin) on 192.168.195.139	CWE-319 (VERSION_DETECTED)	2 raw (PORT-OPEN-513-RLOGIN, NMAP-SERVICE-513-LOGIN)
F-08	192.168.195.139:5432	MEDIUM (7.8)	CONTROL_GAP_CONFIRMED :: SERVICE_HANDSHAKE_EXPOSED_AUTH_REQUIRED	Service Port Open: 5432/TCP (PostgreSQL) on 192.168.195.139	CWE-200 (VERSION_DETECTED)	2 raw (PORT-OPEN-5432-POSTGRESQL, NMAP-SERVICE-5432-POSTGRESQL)
F-09	192.168.195.139:80	MEDIUM (7.5)	CONTROL_GAP_CONFIRMED :: LOGIN_INTERFACE_EXPOSED_AUTH_GATE_PRESENT	[ADMIN-ACCESS-001] Administrative Interface Login Interface Exposed (Auth Gate Present, HTTP 200) on http://192.168.195.139/phpMyAdmin/	CWE-284 (VERSION_DETECTED)	2 raw (DAST-ADMIN-ACCESS-EP-00038, NUCLEI-PHPMYADMIN-PANEL)
F-10	192.168.195.139:2049	**HIGH (7.8)**	OBSERVATION_CONFIRMED :: OBSERVATION_CAPTURED	Service Port Open: 2049/TCP (NFS) on 192.168.195.139	CWE-284 (VERSION_DETECTED)	2 raw (PORT-OPEN-2049-NFS, NMAP-SERVICE-2049-RPCBIND)
F-11	192.168.195.139:80	**HIGH (7.8)**	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	[VER-INTEL-001] Outdated Software Component Identified (Version Fingerprint): Apache 2.2.8 (CVE-2011-3192)	CVE-2011-3192 (CVE_CANDIDATE)	10 raw (DAST-VER-INTEL-TECH-00067, DAST-VER-INTEL-TECH-00089)
F-12	192.168.195.139:3306	MEDIUM (7.5)	CONTROL_GAP_CONFIRMED :: SERVICE_HANDSHAKE_EXPOSED_AUTH_REQUIRED	[VER-INTEL-001] Outdated Software Component Identified (Version Fingerprint): MySQL 5.0.51a-3ubuntu5 (CVE-2012-2122)	CVE-2012-2122 (CVE_CANDIDATE)	5 raw (PORT-OPEN-3306-MYSQL, ENUM-PROTO-MYSQL-3306)
F-13	192.168.195.139:80	MEDIUM (5.5)	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Missing Content-Security-Policy	CWE-693 (VERSION_DETECTED)	1 raw (HTTP-HEADER-CONTENT_SECURITY_POLICY)
F-14	192.168.195.139:80	MEDIUM (5.5)	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Missing anti-framing header	CWE-693 (VERSION_DETECTED)	1 raw (HTTP-HEADER-X_FRAME_OPTIONS)
F-15	192.168.195.139:80	MEDIUM (5.5)	**IMPACT_VERIFIED :: CONFIG_AND_PATH_DISCLOSURE_VERIFIED**	Reachable Path Discovered: phpinfo.php (HTTP 200 OK)	CWE-200 (VERSION_DETECTED)	2 raw (WEB-PATH-PHPINFO_PHP, NUCLEI-PHPINFO-FILES)
F-16	192.168.195.139:445	MEDIUM (5.5)	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Nmap Deep Fingerprint: Samba smbd 3.X - 4.X (139/TCP)	CWE-200 (VERSION_DETECTED)	6 raw (NMAP-SERVICE-139-NETBIOS-SSN, NMAP-SERVICE-445-NETBIOS-SSN)

ID	Host:Port	Severity (CVSS)	Proof Category & Substate	Consolidated Title	CVE / CWE & Validation	Merged Raw Obs
F-17	192.168.195.139:80	MEDIUM (5.5)	OBSERVATION_CONFIRMED :: OBSERVATION_CAPTURED	HTTP endpoint does not enforce HTTPS redirect	CWE-319 (VERSION_DETECTED)	1 raw (HTTP-NO-HTTPS-REDIRECT)
F-18	192.168.195.139:111	MEDIUM (5.5)	OBSERVATION_CONFIRMED :: OBSERVATION_CAPTURED	Service Port Open: 111/TCP (RPCBind/NFS) on 192.168.195.139	CWE-284 (VERSION_DETECTED)	2 raw (PORT-OPEN-111-RPCBIND/NFS, NMAP-SERVICE-111-RPCBIND)
F-19	192.168.195.139:514	MEDIUM (5.5)	OBSERVATION_CONFIRMED :: OBSERVATION_CAPTURED	Service Port Open: 514/TCP (Rsh/Syslog) on 192.168.195.139	CWE-319 (VERSION_DETECTED)	2 raw (PORT-OPEN-514-RSH/SYSLOG, NMAP-SERVICE-514-TCPWRAPPED)
F-20	192.168.195.139:80	LOW (4.3)	OBSERVATION_CONFIRMED :: BOLA_CANDIDATE_PARAMETER	[BOLA-IDOR-001] Unauthenticated Object Identifier Parameter (`id`) Accepted on /	CWE-639 (VERSION_DETECTED)	1 raw (DAST-BOLA-IDOR-EP-00034)
F-21	192.168.195.139:80	LOW (3.2)	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Missing X-Content-Type-Options	CWE-693 (VERSION_DETECTED)	1 raw (HTTP-HEADER-X_CONTENT_TYPE_OPTIONS)
F-22	192.168.195.139:80	LOW (3.2)	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Missing Referrer-Policy	CWE-693 (VERSION_DETECTED)	1 raw (HTTP-HEADER-REFERRER_POLICY)
F-23	192.168.195.139:80	LOW (3.2)	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED	Missing Permissions-Policy	CWE-693 (VERSION_DETECTED)	1 raw (HTTP-HEADER-PERMISSIONS_POLICY)
F-24	192.168.195.139:25	INFO (2.0)	OBSERVATION_CONFIRMED :: OBSERVATION_CAPTURED	[NetRecon] SMTP EHLO Capabilities Enumerated on 192.168.195.139:25 (STARTTLS=Yes)	CWE-200 (VERSION_DETECTED)	4 raw (ENUM-PROTO-SMTP-25, PORT-OPEN-25-SMTP)

3A.1 Detailed Technical Findings & Cryptographic Evidence Cards

F-01: [VER-INTEL-001] Outdated Software Component Identified (Version Fingerprint): PHP 5.2.4-2ubuntu5 (CVE-2012-1823) [HIGH | CVSS 9.8 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 73.1 / 100)
CVE / CWE & Applicability Gate	CVE: CVE-2012-1823 | CWE: CWE-78 | State: CVE_CANDIDATE (PHP 5.2.4 and allow_url_include=On observed via /phpinfo.php, but CGI SAPI execution mode and argument-injection behavior were not verified -> classified as CVE_CANDIDATE (CVE_CORRELATED).)
Deduplicated Observations	4 raw scanner observations merged (DAST-VER-INTEL-TECH-00068, NUCLEI-PHP-DETECT, NUCLEI-PHP-EOL, NUCLEI-TECH-DETECT-PHP)
Technical Description	Version intelligence check `VER-INTEL-001` verified fingerprinted component `PHP 5.2.4-2ubuntu5` (CPE: `cpe:/a:php:php:5.2.4-2ubuntu5`, Banner: `GET http://192.168.195.139/ HTTP 200 date: Sun, 01 Nov 2026 17:45:16 GMT server: Apache/2.2.8 (Ubuntu) DAV/2 x-powered-by: PHP/5.2.4-2ubuntu5.10 keep-alive: timeout=15, max=100 connection: Keep-Alive `). Outdated PHP runtime correlated with CGI argument injection and end-of-life advisories.
Platform-Aware Remediation	Upgrade PHP (5.2.4-2ubuntu5) to a current vendor-supported release and apply security advisories.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/892/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-01 / DAST-VER-INTEL-TECH-00068):

```
Finding Key: DAST-VER-INTEL-TECH-00068 | Consolidated Root-Cause Group:
80:php:php-5.2-eol-and-cgi-exposure
Merged Raw Scanner Observations (4): DAST-VER-INTEL-TECH-00068, NUCLEI-PHP-DETECT, NUCLEI-PHP-EOL,
NUCLEI-TECH-DETECT-PHP
EvidenceCore SHA-256 Digest: 3058cb09143cce1af76b9b115605f17658ab316fbaf1afd9b88ab0839dfacf7b (Artifact
#892 | Unique Forensic Transcript)
```

F-02: [VER-INTEL-001] Outdated Software Component Identified (Version Fingerprint): vsFTPd 2.3.4 (CVE-2011-2523) [HIGH | CVSS 9.8 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/21 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 73.1 / 100)
CVE / CWE & Applicability Gate	CVE: CVE-2011-2523 | CWE: CWE-78 | State: APPLICABILITY_VALIDATED (Exact version 2.3.4 matched on TCP/21; backdoor listener trigger was not actively executed under read-only ROE.)
Deduplicated Observations	6 raw scanner observations merged (DAST-VER-INTEL-TECH-00069, DAST-VER-INTEL-TECH-00083, ENUM-PROTO-FTP-21, PORT-OPEN-21-FTP_CONTROL, NMAP-SERVICE-21-FTP, NMAP-NSE-21-BANNER)
Technical Description	Version intelligence check `VER-INTEL-001` verified fingerprinted component `vsFTPd 2.3.4` (CPE: `cpe:/a:vsftpd:vsftpd:2.3.4`, Banner: `220 (vsFTPd 2.3.4)`). vsftpd 2.3.4 backdoor command execution vulnerability correlation.
Platform-Aware Remediation	Upgrade vsFTPd (2.3.4) to a current vendor-supported release and apply security advisories.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/893/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-02 / DAST-VER-INTEL-TECH-00069):

```
Finding Key: DAST-VER-INTEL-TECH-00069 | Consolidated Root-Cause Group:
21:vsftpd:vsftpd-2.3.4-backdoor-and-exposure
Merged Raw Scanner Observations (6): DAST-VER-INTEL-TECH-00069, DAST-VER-INTEL-TECH-00083,
ENUM-PROTO-FTP-21, PORT-OPEN-21-FTP_CONTROL, NMAP-SERVICE-21-FTP, NMAP-NSE-21-BANNER
EvidenceCore SHA-256 Digest: 76504c18047a2f268268aa9dcecf1cc77c38fd2acdd74751267eeacf16249cdc (Artifact
#893 | Unique Forensic Transcript)
```

F-03: [VER-INTEL-001] Outdated Software Component Identified (Version Fingerprint): SSH-2.0-OpenSSH 4.7 (CVE-2023-38408) [HIGH | CVSS 9.8 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/22 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 73.1 / 100)
CVE / CWE & Applicability Gate	CVE: CVE-2023-38408 | CWE: CWE-287 | State: CVE_CANDIDATE (Banner-only version heuristic; ssh-agent forwarding and PKCS#11 preconditions were not observed.)
Deduplicated Observations	6 raw scanner observations merged (DAST-VER-INTEL-TECH-00070, DAST-VER-INTEL-TECH-00085, PORT-OPEN-22-SSH, NMAP-SERVICE-22-SSH, NMAP-NSE-22-BANNER, NMAP-NSE-22-SSH-HOSTKEY)
Technical Description	Version intelligence check `VER-INTEL-001` verified fingerprinted component `SSH-2.0-OpenSSH 4.7` (CPE: `cpe:/a:ssh-2.0-openssh:ssh-2.0-openssh:4.7`, Banner: `SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1`). Legacy OpenSSH daemon version correlated with ssh-agent forwarding & authentication advisories.
Platform-Aware Remediation	Upgrade SSH-2.0-OpenSSH (4.7) to a current vendor-supported release and apply security advisories.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/894/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-03 / DAST-VER-INTEL-TECH-00070):

```
Finding Key: DAST-VER-INTEL-TECH-00070 | Consolidated Root-Cause Group:
22:openssh:openssh-legacy-service-and-hostkey
Merged Raw Scanner Observations (6): DAST-VER-INTEL-TECH-00070, DAST-VER-INTEL-TECH-00085,
PORT-OPEN-22-SSH, NMAP-SERVICE-22-SSH, NMAP-NSE-22-BANNER, NMAP-NSE-22-SSH-HOSTKEY
EvidenceCore SHA-256 Digest: fe38c99cdc3346dda77001af573cc2104e42e40755a4cba00eef3e68253100c2 (Artifact
#894 | Unique Forensic Transcript)
```

F-04: [SMB-LIST-001] Anonymous SMB Share Enumeration Verified on 192.168.195.139:445 [HIGH | CVSS 7.5 | IMPACT_VERIFIED]

Target Asset & Port	192.168.195.139 : TCP/445 (http://192.168.195.139/)

Proof Category & Substate	IMPACT_VERIFIED :: SHARE_ENUMERATION_VERIFIED (Priority: 70.9 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-284 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	1 raw scanner observations merged (SMB-LIST-EP-SMB-ASSET-00007)
Technical Description	Safe PoC exploitation check `SMB-LIST-001` established an unauthenticated SMB null-session to `192.168.195.139:445` and enumerated the following network shares: IPC$, ADMIN$, print$, tmp. Post-exploitation impact confirmed unauthorized disclosure of share topology.
Platform-Aware Remediation	Harden Samba configuration in `/etc/samba/smb.conf`: set `map to guest = Never`, `restrict anonymous = 2`, and `usershare allow guests = no` under `[global]`. Under `[tmp]`, set `guest ok = no`, `browseable = no`, and `read only = yes`, then reload `smbd`.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/854/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-04 / SMB-LIST-EP-SMB-ASSET-00007):

```
Finding Key: SMB-LIST-EP-SMB-ASSET-00007  |  Consolidated Root-Cause Group:
445:samba:smb-anonymous-share-enumeration
Merged Raw Scanner Observations (1): SMB-LIST-EP-SMB-ASSET-00007
Command / Probe Trace: Anonymous SMB session established to 192.168.195.139:445; enumerated 4 shares
(IPC$, ADMIN$, print$, tmp).
Verified Proof Summary: Post-Exploitation Verification: Unauthenticated principal listed 4 network
shares (IPC$, ADMIN$, print$, tmp) on 192.168.195.139:445 without credentials.
EvidenceCore SHA-256 Digest: c7234d2d06b37a4a07762ca5d18473cf7e2059c5ba5d2fd7c691b0e651ae6bc3 (Artifact
#854 | Unique Forensic Transcript)
```

F-05: Service Port Open: 23/TCP (Telnet) on 192.168.195.139 [HIGH | CVSS 7.8 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/23 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 61.7 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-319 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	3 raw scanner observations merged (PORT-OPEN-23-TELNET, NMAP-SERVICE-23-TELNET, NMAP-NSE-23-BANNER)
Technical Description	A live TCP handshake succeeded on port 23/TCP (Telnet) on target 192.168.195.139. Captured Daemon Banner: ÿý ÿý ÿý#ýý' Unencrypted remote terminal daemon. Disable Telnet daemon and replace with SSH.
Platform-Aware Remediation	Unencrypted remote terminal daemon. Disable Telnet daemon and replace with SSH.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/835/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-05 / PORT-OPEN-23-TELNET):

```
Finding Key: PORT-OPEN-23-TELNET  |  Consolidated Root-Cause Group: 23:telnetd:cleartext-telnet-exposure
Merged Raw Scanner Observations (3): PORT-OPEN-23-TELNET, NMAP-SERVICE-23-TELNET, NMAP-NSE-23-BANNER
EvidenceCore SHA-256 Digest: 84e72af408aca8eb8e4869c9a6ea93fb9fc3800606311dc8b24cf5d78ffb0d76 (Artifact
#835 | Unique Forensic Transcript)
```

F-06: Service Port Open: 512/TCP (Rexec) on 192.168.195.139 [HIGH | CVSS 7.8 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/512 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 61.7 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-319 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	3 raw scanner observations merged (PORT-OPEN-512-REXEC, NMAP-SERVICE-512-EXEC, NMAP-NSE-512-BANNER)
Technical Description	A live TCP handshake succeeded on port 512/TCP (Rexec) on target 192.168.195.139. Legacy cleartext remote execution. Disable rexec.
Platform-Aware Remediation	Legacy cleartext remote execution. Disable rexec.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/842/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-06 / PORT-OPEN-512-REXEC):

```
Finding Key: PORT-OPEN-512-REXEC  |  Consolidated Root-Cause Group: 512:rexecd:cleartext-rexec-exposure
Merged Raw Scanner Observations (3): PORT-OPEN-512-REXEC, NMAP-SERVICE-512-EXEC, NMAP-NSE-512-BANNER
EvidenceCore SHA-256 Digest: edcfee1fed724a29c0dcc9b60ce17884657de1464489cc9197264b011ac50aff (Artifact
#842 | Unique Forensic Transcript)
```

F-07: Service Port Open: 513/TCP (Rlogin) on 192.168.195.139 [HIGH | CVSS 7.8 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/513 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 61.7 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-319 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	2 raw scanner observations merged (PORT-OPEN-513-RLOGIN, NMAP-SERVICE-513-LOGIN)
Technical Description	A live TCP handshake succeeded on port 513/TCP (Rlogin) on target 192.168.195.139. Legacy cleartext remote login. Disable rlogin.
Platform-Aware Remediation	Legacy cleartext remote login. Disable rlogin.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/843/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-07 / PORT-OPEN-513-RLOGIN):

```
Finding Key: PORT-OPEN-513-RLOGIN  |  Consolidated Root-Cause Group:
513:rlogind:cleartext-rlogin-exposure
Merged Raw Scanner Observations (2): PORT-OPEN-513-RLOGIN, NMAP-SERVICE-513-LOGIN
EvidenceCore SHA-256 Digest: 50cdc615051c3d81fff4f96102168e9fd0eef2e16e74b1c0bf7ba4b656d5b98e (Artifact
#843 | Unique Forensic Transcript)
```

F-08: Service Port Open: 5432/TCP (PostgreSQL) on 192.168.195.139 [MEDIUM | CVSS 7.8 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/5432 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: SERVICE_HANDSHAKE_EXPOSED_AUTH_REQUIRED (Priority: 61.7 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-200 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	2 raw scanner observations merged (PORT-OPEN-5432-POSTGRESQL, NMAP-SERVICE-5432-POSTGRESQL)
Technical Description	A live TCP handshake succeeded on port 5432/TCP (PostgreSQL) on target 192.168.195.139. PostgreSQL database listener. Restrict from direct client subnets.
Platform-Aware Remediation	PostgreSQL database listener. Restrict from direct client subnets.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/847/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-08 / PORT-OPEN-5432-POSTGRESQL):

```
Finding Key: PORT-OPEN-5432-POSTGRESQL  |  Consolidated Root-Cause Group:
5432:postgresql:postgresql-network-exposure
Merged Raw Scanner Observations (2): PORT-OPEN-5432-POSTGRESQL, NMAP-SERVICE-5432-POSTGRESQL
EvidenceCore SHA-256 Digest: 754dac3d5bb46282c6b4cd6fe5f1e9d1199924cb0eb017ef473fdf41225bad29 (Artifact
#847 | Unique Forensic Transcript)
```

F-09: [ADMIN-ACCESS-001] Administrative Interface Login Interface Exposed (Auth Gate Present, HTTP 200) on http://192.168.195.139/phpMyAdmin/ [MEDIUM | CVSS 7.5 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: LOGIN_INTERFACE_EXPOSED_AUTH_GATE_PRESENT (Priority: 59.5 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-284 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	2 raw scanner observations merged (DAST-ADMIN-ACCESS-EP-00038, NUCLEI-PHPMYADMIN-PANEL)
Technical Description	Administrative boundary test `ADMIN-ACCESS-001` probed `http://192.168.195.139/phpMyAdmin/` and received `HTTP 200`. The administrative surface responded with HTTP 200 OK without requiring prior network/HTTP authentication.

Platform-Aware Remediation	Restrict administrative interfaces (/admin, :8080/manager) to internal management VPNs or bastion hosts and enforce MFA.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/853/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-09 / DAST-ADMIN-ACCESS-EP-00038):

```
Finding Key: DAST-ADMIN-ACCESS-EP-00038  |  Consolidated Root-Cause Group:
80:phpmyadmin:phpmyadmin-admin-console-exposure
Merged Raw Scanner Observations (2): DAST-ADMIN-ACCESS-EP-00038, NUCLEI-PHPMYADMIN-PANEL
EvidenceCore SHA-256 Digest: dcdc5ee1f9a903494f96768c49162c9cae038db78ab7963f3c0cb7c86a4419de (Artifact
#853 | Unique Forensic Transcript)
```

F-10: Service Port Open: 2049/TCP (NFS) on 192.168.195.139 [HIGH | CVSS 7.8 | OBSERVATION_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/2049 (http://192.168.195.139/)
Proof Category & Substate	OBSERVATION_CONFIRMED :: OBSERVATION_CAPTURED (Priority: 58.8 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-284 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	2 raw scanner observations merged (PORT-OPEN-2049-NFS, NMAP-SERVICE-2049-RPCBIND)
Technical Description	A live TCP handshake succeeded on port 2049/TCP (NFS) on target 192.168.195.139. Network File System daemon.
Platform-Aware Remediation	Network File System daemon.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/845/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-10 / PORT-OPEN-2049-NFS):

```
Finding Key: PORT-OPEN-2049-NFS  |  Consolidated Root-Cause Group:
2049:nfs:nfs-network-filesystem-exposure
Merged Raw Scanner Observations (2): PORT-OPEN-2049-NFS, NMAP-SERVICE-2049-RPCBIND
EvidenceCore SHA-256 Digest: 51850eadb6f82fbcb5d959a3757da5aa2c00cdded50b9c632d19b85cf1469fe1 (Artifact
#845 | Unique Forensic Transcript)
```

F-11: [VER-INTEL-001] Outdated Software Component Identified (Version Fingerprint): Apache 2.2.8 (CVE-2011-3192) [HIGH | CVSS 7.8 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 58.4 / 100)
CVE / CWE & Applicability Gate	CVE: CVE-2011-3192 | CWE: CWE-693 | State: CVE_CANDIDATE (Ubuntu 8.04 LTS Apache/2.2.8 banner detected; DoS verification out of scope.)
Deduplicated Observations	10 raw scanner observations merged (DAST-VER-INTEL-TECH-00067, DAST-VER-INTEL-TECH-00089, HTTP-TECHNOLOGY-DISCLOSURE, NUCLEI-APACHE-DETECT, NUCLEI-APACHE-HTTPD-EOL, NMAP-SERVICE-80-HTTP, NMAP-NSE-80-HTTP-HEADERS, NMAP-NSE-80-HTTP-TITLE, NMAP-NSE-80-HTTP-METHODS, NUCLEI-WAF-DETECT-APACHEGENERIC)
Technical Description	Version intelligence check `VER-INTEL-001` verified fingerprinted component `Apache 2.2.8` (CPE: `cpe:/a:apache:apache:2.2.8`, Banner: `GET http://192.168.195.139/ HTTP 200 date: Sun, 01 Nov 2026 17:45:16 GMT server: Apache/2.2.8 (Ubuntu) DAV/2 x-powered-by: PHP/5.2.4-2ubuntu5.10 keep-alive: timeout=15, max=100 connection: Keep-Alive `). Apache HTTP Server 2.2.x Range Header DoS & End-of-Life security advisory correlation (CVE-2011-3192 / CVE-2017-9798 Optionsbleed).
Platform-Aware Remediation	Upgrade Apache (2.2.8) to a current vendor-supported release and apply security advisories.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/891/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-11 / DAST-VER-INTEL-TECH-00067):

```
Finding Key: DAST-VER-INTEL-TECH-00067  |  Consolidated Root-Cause Group:
80:apache:apache-2.2-eol-and-fingerprint
Merged Raw Scanner Observations (10): DAST-VER-INTEL-TECH-00067, DAST-VER-INTEL-TECH-00089,
HTTP-TECHNOLOGY-DISCLOSURE, NUCLEI-APACHE-DETECT, NUCLEI-APACHE-HTTPD-EOL, NMAP-SERVICE-80-HTTP,
NMAP-NSE-80-HTTP-HEADERS, NMAP-NSE-80-HTTP-TITLE, NMAP-NSE-80-HTTP-METHODS,
NUCLEI-WAF-DETECT-APACHEGENERIC
EvidenceCore SHA-256 Digest: b9d8ecdff7e267d04cdc5431f41e5b179f862c9ad640ce15ca25da0a7f7f8d77 (Artifact
#891 | Unique Forensic Transcript)
```

F-12: [VER-INTEL-001] Outdated Software Component Identified (Version Fingerprint): MySQL 5.0.51a-3ubuntu5 (CVE-2012-2122) [MEDIUM | CVSS 7.5 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/3306 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: SERVICE_HANDSHAKE_EXPOSED_AUTH_REQUIRED (Priority: 56.2 / 100)
CVE / CWE & Applicability Gate	CVE: CVE-2012-2122 | CWE: CWE-287 | State: CVE_CANDIDATE (Banner match only on TCP/3306; authentication brute-force not executed.)
Deduplicated Observations	5 raw scanner observations merged (PORT-OPEN-3306-MYSQL, ENUM-PROTO-MYSQL-3306, DAST-VER-INTEL-TECH-00084, NMAP-SERVICE-3306-MYSQL, NMAP-NSE-3306-BANNER)
Technical Description	Version intelligence check `VER-INTEL-001` verified fingerprinted component `MySQL 5.0.51a-3ubuntu5` (CPE: `cpe:/a:mysql:mysql:5.0.51a-3ubuntu5`, Banner: `> 5.0.51a-3ubuntu5 ©÷ c1i?>Vxy ,ª xoEHwC(;0~K< `). Legacy MySQL 5.x server correlated with authentication bypass & end-of-life advisories.
Platform-Aware Remediation	Upgrade MySQL (5.0.51a-3ubuntu5) to a current vendor-supported release and apply security advisories.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/896/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-12 / DAST-VER-INTEL-TECH-00084):

```
Finding Key: DAST-VER-INTEL-TECH-00084  |  Consolidated Root-Cause Group:
3306:mysql:mysql-5.0-network-exposure
Merged Raw Scanner Observations (5): PORT-OPEN-3306-MYSQL, ENUM-PROTO-MYSQL-3306,
DAST-VER-INTEL-TECH-00084, NMAP-SERVICE-3306-MYSQL, NMAP-NSE-3306-BANNER
EvidenceCore SHA-256 Digest: 003769a053c9d85161d2d9ec18754bbf905538399ec9235d895f2ae360fb5559 (Artifact
#896 | Unique Forensic Transcript)
```

F-13: Missing Content-Security-Policy [MEDIUM | CVSS 5.5 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 41.7 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-693 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	1 raw scanner observations merged (HTTP-HEADER-CONTENT_SECURITY_POLICY)
Technical Description	The HTTP response did not include the content-security-policy response header. This confirms a header observation only; it does not prove an exploit.
Platform-Aware Remediation	Define a restrictive CSP based on the application's required script, style, image and connection sources.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/826/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-13 / HTTP-HEADER-CONTENT_SECURITY_POLICY):

```
Finding Key: HTTP-HEADER-CONTENT_SECURITY_POLICY  |  Consolidated Root-Cause Group:
80:http-headers:missing-csp
Merged Raw Scanner Observations (1): HTTP-HEADER-CONTENT_SECURITY_POLICY
EvidenceCore SHA-256 Digest: 9f3b5f20c819468b5a510703258b67600e2673f2780f50a0c2714bf60926474c (Artifact
#826 | Shared HTTP Response Transcript across Artifacts [826, 827, 828, 829, 830]; Evaluated Rule:
HTTP-HEADER-CONTENT_SECURITY_POLICY)
```

F-14: Missing anti-framing header [MEDIUM | CVSS 5.5 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 41.7 / 100)

CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-693 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	1 raw scanner observations merged (HTTP-HEADER-X_FRAME_OPTIONS)
Technical Description	The HTTP response did not include the x-frame-options response header. This confirms a header observation only; it does not prove an exploit.
Platform-Aware Remediation	Use CSP frame-ancestors; retain X-Frame-Options where legacy clients require it.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/830/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-14 / HTTP-HEADER-X_FRAME_OPTIONS):

```
Finding Key: HTTP-HEADER-X_FRAME_OPTIONS  |  Consolidated Root-Cause Group: 80:http-headers:missing-xfo
Merged Raw Scanner Observations (1): HTTP-HEADER-X_FRAME_OPTIONS
EvidenceCore SHA-256 Digest: 9f3b5f20c819468b5a510703258b67600e2673f2780f50a0c2714bf60926474c (Artifact
#830 | Shared HTTP Response Transcript across Artifacts [826, 827, 828, 829, 830]; Evaluated Rule:
HTTP-HEADER-X_FRAME_OPTIONS)
```

F-15: Reachable Path Discovered: /phpinfo.php (HTTP 200 OK) [MEDIUM | CVSS 5.5 | IMPACT_VERIFIED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	IMPACT_VERIFIED :: CONFIG_AND_PATH_DISCLOSURE_VERIFIED (Priority: 41.7 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-200 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	2 raw scanner observations merged (WEB-PATH-PHPINFO_PHP, NUCLEI-PHPINFO-FILES)
Technical Description	Endpoint http://192.168.195.139/phpinfo.php responded with HTTP 200 OK. PHP Information Diagnostic Exposure.
Platform-Aware Remediation	Disable diagnostic phpinfo() scripts in staging and production.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/851/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-15 / WEB-PATH-PHPINFO_PHP):

```
Finding Key: WEB-PATH-PHPINFO_PHP  |  Consolidated Root-Cause Group:
80:php:phpinfo-environment-disclosure
Merged Raw Scanner Observations (2): WEB-PATH-PHPINFO_PHP, NUCLEI-PHPINFO-FILES
EvidenceCore SHA-256 Digest: 71d34d09de55e5c046bb50dd16de5fed6d9b4da041b516e6bdf946e8ab325155 (Artifact
#851 | Unique Forensic Transcript)
```

F-16: Nmap Deep Fingerprint: Samba smbd 3.X - 4.X (139/TCP) [MEDIUM | CVSS 5.5 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/445 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 41.7 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-200 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	6 raw scanner observations merged (NMAP-SERVICE-139-NETBIOS-SSN, NMAP-SERVICE-445-NETBIOS-SSN, PORT-OPEN-139-NETBIOS_SSN, PORT-OPEN-445-SMB/CIFS, NMAP-HOSTNSE-SMB-SECURITY-MODE, NMAP-HOSTNSE-SMB-OS-DISCOVERY)
Technical Description	Nmap deep service inspection (--version-intensity 7) against 192.168.195.139:139 identified Samba smbd 3.X - 4.X. Extra info: workgroup: WORKGROUP. OS type: Unspecified. CPEs: cpe:/a:samba:samba.
Platform-Aware Remediation	Ensure Samba smbd on port 139 is updated to the latest patched release and restrict network exposure.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/870/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-16 / NMAP-SERVICE-139-NETBIOS-SSN):

```
Finding Key: NMAP-SERVICE-139-NETBIOS-SSN  |  Consolidated Root-Cause Group:
445:samba:samba-service-and-cve-exposure
Merged Raw Scanner Observations (6): NMAP-SERVICE-139-NETBIOS-SSN, NMAP-SERVICE-445-NETBIOS-SSN,
PORT-OPEN-139-NETBIOS_SSN, PORT-OPEN-445-SMB/CIFS, NMAP-HOSTNSE-SMB-SECURITY-MODE,
NMAP-HOSTNSE-SMB-OS-DISCOVERY
EvidenceCore SHA-256 Digest: 59bf2f158093be027a69e2e1f77c51d6ac174f5137f5d183ce1074e7228a578d (Artifact
#870 | Unique Forensic Transcript)
```

F-17: HTTP endpoint does not enforce HTTPS redirect [MEDIUM | CVSS 5.5 | OBSERVATION_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	OBSERVATION_CONFIRMED :: OBSERVATION_CAPTURED (Priority: 39.7 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-319 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	1 raw scanner observations merged (HTTP-NO-HTTPS-REDIRECT)
Technical Description	The HTTP endpoint responded without a redirect. This observation does not verify whether an HTTPS service is available.
Platform-Aware Remediation	Deploy and validate HTTPS, then redirect HTTP requests to the canonical HTTPS origin.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/831/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-17 / HTTP-NO-HTTPS-REDIRECT):

```
Finding Key: HTTP-NO-HTTPS-REDIRECT  |  Consolidated Root-Cause Group: 80:http-headers:missing-hsts
Merged Raw Scanner Observations (1): HTTP-NO-HTTPS-REDIRECT
EvidenceCore SHA-256 Digest: d4cfaaa0e29bb39ecf993d251beb260dcf4f04af8379b34d4ee4c3741fdab589 (Artifact
#831 | Unique Forensic Transcript)
```

F-18: Service Port Open: 111/TCP (RPCBind/NFS) on 192.168.195.139 [MEDIUM | CVSS 5.5 | OBSERVATION_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/111 (http://192.168.195.139/)
Proof Category & Substate	OBSERVATION_CONFIRMED :: OBSERVATION_CAPTURED (Priority: 39.7 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-284 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	2 raw scanner observations merged (PORT-OPEN-111-RPCBIND/NFS, NMAP-SERVICE-111-RPCBIND)
Technical Description	A live TCP handshake succeeded on port 111/TCP (RPCBind/NFS) on target 192.168.195.139. RPC port mapper. Restrict from untrusted networks.
Platform-Aware Remediation	RPC port mapper. Restrict from untrusted networks.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/839/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-18 / PORT-OPEN-111-RPCBIND/NFS):

```
Finding Key: PORT-OPEN-111-RPCBIND/NFS  |  Consolidated Root-Cause Group:
111:rpcbind:rpcbind-portmapper-exposure
Merged Raw Scanner Observations (2): PORT-OPEN-111-RPCBIND/NFS, NMAP-SERVICE-111-RPCBIND
EvidenceCore SHA-256 Digest: a7986e7dfb229b10eb7c7e6304e87ee3b7e324c6ea6e788bcc33f57fdd97c1e4 (Artifact
#839 | Unique Forensic Transcript)
```

F-19: Service Port Open: 514/TCP (Rsh/Syslog) on 192.168.195.139 [MEDIUM | CVSS 5.5 | OBSERVATION_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/514 (http://192.168.195.139/)
Proof Category & Substate	OBSERVATION_CONFIRMED :: OBSERVATION_CAPTURED (Priority: 39.7 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-319 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	2 raw scanner observations merged (PORT-OPEN-514-RSH/SYSLOG, NMAP-SERVICE-514-TCPWRAPPED)
Technical Description	A live TCP handshake succeeded on port 514/TCP (Rsh/Syslog) on target 192.168.195.139. Legacy remote shell daemon. Disable rsh.

Platform-Aware Remediation	Legacy remote shell daemon. Disable rsh.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/844/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-19 / PORT-OPEN-514-RSH/SYSLOG):

```
Finding Key: PORT-OPEN-514-RSH/SYSLOG  |  Consolidated Root-Cause Group: 514:rshd:cleartext-rsh-exposure
Merged Raw Scanner Observations (2): PORT-OPEN-514-RSH/SYSLOG, NMAP-SERVICE-514-TCPWRAPPED
EvidenceCore SHA-256 Digest: be8647e6c0ac60d3c5a7f0a17e32d6eaf329a631c39fcf87df4cf39203c1f4b9 (Artifact
#844 | Unique Forensic Transcript)
```

F-20: [BOLA-IDOR-001] Unauthenticated Object Identifier Parameter (`id`) Accepted on / [LOW | CVSS 4.3 | OBSERVATION_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	OBSERVATION_CONFIRMED :: BOLA_CANDIDATE_PARAMETER (Priority: 31.1 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-639 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	1 raw scanner observations merged (DAST-BOLA-IDOR-EP-00034)
Technical Description	Targeted object-level authorization test `BOLA-IDOR-001` probed `id=1` and `id=2` on `/` without credentials. Both returned `HTTP 200 OK`.
Platform-Aware Remediation	Enforce server-side object-level authorization checks verifying that the authenticated caller owns the requested resource ID.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/852/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-20 / DAST-BOLA-IDOR-EP-00034):

```
Finding Key: DAST-BOLA-IDOR-EP-00034  |  Consolidated Root-Cause Group:
80:web-app:bola-idor-parameter-observation
Merged Raw Scanner Observations (1): DAST-BOLA-IDOR-EP-00034
EvidenceCore SHA-256 Digest: f6ac33d1297d7ab5d281cea6a7513b06ab71fcf3b63cd47b6cab257240659385 (Artifact
#852 | Unique Forensic Transcript)
```

F-21: Missing X-Content-Type-Options [LOW | CVSS 3.2 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 24.6 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-693 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	1 raw scanner observations merged (HTTP-HEADER-X_CONTENT_TYPE_OPTIONS)
Technical Description	The HTTP response did not include the x-content-type-options response header. This confirms a header observation only; it does not prove an exploit.
Platform-Aware Remediation	Set X-Content-Type-Options: nosniff.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/827/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-21 / HTTP-HEADER-X_CONTENT_TYPE_OPTIONS):

```
Finding Key: HTTP-HEADER-X_CONTENT_TYPE_OPTIONS  |  Consolidated Root-Cause Group:
80:http-headers:missing-xcto
Merged Raw Scanner Observations (1): HTTP-HEADER-X_CONTENT_TYPE_OPTIONS
EvidenceCore SHA-256 Digest: 9f3b5f20c819468b5a510703258b67600e2673f2780f50a0c2714bf60926474c (Artifact
#827 | Shared HTTP Response Transcript across Artifacts [826, 827, 828, 829, 830]; Evaluated Rule:
HTTP-HEADER-X_CONTENT_TYPE_OPTIONS)
```

F-22: Missing Referrer-Policy [LOW | CVSS 3.2 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 24.6 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-693 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	1 raw scanner observations merged (HTTP-HEADER-REFERRER_POLICY)

Technical Description	The HTTP response did not include the referrer-policy response header. This confirms a header observation only; it does not prove an exploit.
Platform-Aware Remediation	Set a policy such as strict-origin-when-cross-origin after compatibility review.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/828/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-22 / HTTP-HEADER-REFERRER_POLICY):

```
Finding Key: HTTP-HEADER-REFERRER_POLICY  |  Consolidated Root-Cause Group:
80:http-headers:missing-referrer-policy
Merged Raw Scanner Observations (1): HTTP-HEADER-REFERRER_POLICY
EvidenceCore SHA-256 Digest: 9f3b5f20c819468b5a510703258b67600e2673f2780f50a0c2714bf60926474c (Artifact
#828 | Shared HTTP Response Transcript across Artifacts [826, 827, 828, 829, 830]; Evaluated Rule:
HTTP-HEADER-REFERRER_POLICY)
```

F-23: Missing Permissions-Policy [LOW | CVSS 3.2 | CONTROL_GAP_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/80 (http://192.168.195.139/)
Proof Category & Substate	CONTROL_GAP_CONFIRMED :: CONTROL_MISCONFIGURATION_CONFIRMED (Priority: 24.6 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-693 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	1 raw scanner observations merged (HTTP-HEADER-PERMISSIONS_POLICY)
Technical Description	The HTTP response did not include the permissions-policy response header. This confirms a header observation only; it does not prove an exploit.
Platform-Aware Remediation	Disable browser features the application does not require.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/829/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-23 / HTTP-HEADER-PERMISSIONS_POLICY):

```
Finding Key: HTTP-HEADER-PERMISSIONS_POLICY  |  Consolidated Root-Cause Group:
80:http-headers:missing-permissions-policy
Merged Raw Scanner Observations (1): HTTP-HEADER-PERMISSIONS_POLICY
EvidenceCore SHA-256 Digest: 9f3b5f20c819468b5a510703258b67600e2673f2780f50a0c2714bf60926474c (Artifact
#829 | Shared HTTP Response Transcript across Artifacts [826, 827, 828, 829, 830]; Evaluated Rule:
HTTP-HEADER-PERMISSIONS_POLICY)
```

F-24: [NetRecon] SMTP EHLO Capabilities Enumerated on 192.168.195.139:25 (STARTTLS=Yes) [INFO | CVSS 2.0 | OBSERVATION_CONFIRMED]

Target Asset & Port	192.168.195.139 : TCP/25 (http://192.168.195.139/)
Proof Category & Substate	OBSERVATION_CONFIRMED :: OBSERVATION_CAPTURED (Priority: 15.0 / 100)
CVE / CWE & Applicability Gate	CVE: N/A | CWE: CWE-200 | State: VERSION_DETECTED (No CVE identifier associated; scored by CWE control category.)
Deduplicated Observations	4 raw scanner observations merged (ENUM-PROTO-SMTP-25, PORT-OPEN-25-SMTP, NMAP-SERVICE-25-SMTP, NMAP-NSE-25-BANNER)
Technical Description	SMTP daemon on 192.168.195.139:25 responded with banner `220 metasploitable.localdomain ESMTP Postfix (Ubuntu)` and EHLO capabilities: 250-metasploitable.localdomain 250-PIPELINING 250-SIZE 10240000 250-VRFY 250-ETRN 250-STARTTLS 250-ENHANCEDSTATUSCODES 250-8BITMIME 250 DSN
Platform-Aware Remediation	Enable STARTTLS on SMTP listeners and disable VRFY/EXPN user enumeration commands.
Verification & Closure Rule	Execute deterministic retest via POST /api/v1/findings/849/retest/execute and confirm REMEDIATION_VERIFIED state in RTEX ledger.

Captured Technical Evidence (F-24 / ENUM-PROTO-SMTP-25):

```
Finding Key: ENUM-PROTO-SMTP-25  |  Consolidated Root-Cause Group: 25:postfix:smtp-service-exposure
Merged Raw Scanner Observations (4): ENUM-PROTO-SMTP-25, PORT-OPEN-25-SMTP, NMAP-SERVICE-25-SMTP,
NMAP-NSE-25-BANNER
EvidenceCore SHA-256 Digest: 71b59f3d4434ad5ea54793a1cf73efed2beadc7bb2e47dff3d706036a2bc469e (Artifact
#849 | Unique Forensic Transcript)
```

3B. Consolidated Reconnaissance Surface & Scanner Health Telemetry

ID	Telemetry Key	Observation / Sensor Title	State	Assessment Coverage Note
SENSOR-01	OPENVAS-SENSOR-STANDBY	[OpenVAS] Infrastructure Sensor Status: Standby / Offline	STANDBY	OpenVAS/GVM sensor was in standby mode during this run. Assessment coverage was fulfilled by Nmap v7.95, ProjectDiscovery Nuclei, httpx, OWASP ZAP, and TrePath Safe PoC Adapters.

4. Evidence-Backed Attack Graph, Edge Provenance & Choke-Point Analysis

TrePath 2.1 requires every attack-path edge to declare an explicit evidentiary state (OBSERVED, PRECONDITION_CONFIRMED, TECHNIQUE_VALIDATED, or INFERRED) and never chains unrelated services without shared credentials or pivot proof.

Path ID	Stage	Finding Key	Edge Evidence State	Step Summary & Rationale	Remediation Chokepoint
PATH-00012	Step 1 (Initial Network Reconnaissance)	PORT-OPEN-21-FTP_CONTROL	OBSERVED	Service Port Open: 21/TCP (FTP-Control) on 192.168.195.139	Cleartext file transfer protocol. Migrate to SFTP or FTPS.
PATH-00012	Step 2 (Version / CVE Weaponization)	ENUM-PROTO-MYSQL-3306	INFERRED	[NetRecon] MySQL Server Handshake Exposed on 192.168.195.139:3306 (Version: 5.0.51a-3ubuntu5)	Bind MySQL (3306/TCP) to 127.0.0.1 or restrict network access strictly to application tier hosts.
PATH-00012	Step 3 (Privilege / Administrative Boundary Gap)	DAST-ADMIN-ACCESS-EP-00038	INFERRED	[ADMIN-ACCESS-001] Administrative Interface Reachable (HTTP 200) on http://192.168.195.139/phpMyAdmin/	Restrict administrative interfaces (/admin, :8080/manager) to internal management VPNs or bastion hosts and enforce MFA.
PATH-00013	Step 1 (Cleartext Transport Exposure)	HTTP-NO-HTTPS-REDIRECT	OBSERVED	HTTP endpoint does not enforce HTTPS redirect	Deploy and validate HTTPS, then redirect HTTP requests to the canonical HTTPS origin.
PATH-00013	Step 2 (Authentication / Credential Challenge Exposure)	DAST-BOLA-IDOR-EP-00034	INFERRED	[BOLA-IDOR-001] Unauthenticated Object Identifier Parameter (`id`) Accepted on /	Enforce server-side object-level authorization checks verifying that the authenticated caller owns the requested resource ID.
PATH-00013	Step 3 (Session Token / Browser Policy Hardening Gap)	NMAP-NSE-80-HTTP-HEADERS	INFERRED	[Nmap NSE] http-headers on 80/TCP	Review Nmap NSE 'http-headers' output for port 80 and apply vendor security patches or configuration hardening.

5. Stage 9 (9.1 - 9.7) Exploitation Validation & Post-Exploitation Matrix

Following Scan #35 Engineering Directives, Stage 9 separates discovered topology and correlated observations from proven exploitation transitions, validates access boundaries across anonymous and authenticated principals, and verifies that SMB share enumeration is not conflated with cross-host lateral movement.

5.1 Stage 9.3 & 9.4 Access Boundary & Post-Exploitation Verification Table

Target Surface	Principal Tested	Verified Boundary State	Proven Capability	Explicitly Unproven Boundary	Artifact & Full SHA-256
SMB / CIFS Service (TCP/445)	NT AUTHORITY\ANONYMOUS LOGON (Null Session)	SHARE_ENUMERATION_VERIFIED (Share Read/Write Not Proven by Listing Alone)	Enumerated 4 shares: IPC$, ADMIN$, print$, tmp	Reading files inside ADMIN$/print$ or writing files to tmp without explicit SMB-READ-001 / SMB-WRITE-001 execution	#854 (c7234d2d06b37a4a07762ca5d18473cf7e2059c5ba5d2fd7c691b0e651ae6bc3)
phpMyAdmin Web Interface (/phpMyAdmin/)	Unauthenticated HTTP Client	LOGIN_GATE_ENFORCED (Control Gap: Admin Login Exposed on Network)	HTTP 200 login page reachable over cleartext HTTP	Database administrative login and SQL table access are blocked by authentication gate (not proven)	#853 (dcdc5ee1f9a903494f96768c49162c9cae038db78ab7963f3c0cb7c86a4419de)
MySQL Database Listener (TCP/3306)	Unauthenticated TCP Socket Client	HANDSHAKE_EXPOSED_AUTH_REQUIRED	MySQL 5.0.51a-3ubuntu5 server greeting packet received without host ACL rejection	Authenticated SQL session and schema read/write access are not established by greeting banner	#846 (60e11e0d249882676c7c478b0bc1a4101c8abf47112bcab79ef221a5f689ce8b)
Object Parameter Probe (/?id=1 vs /?id=2)	Unauthenticated HTTP Client	PARAMETER_ACCEPTED_OWNERSHIP_NOT_PROVEN	Endpoint returned HTTP 200 for query parameters id=1 and id=2	Does not establish BOLA/IDOR without differential private object content and multi-user ownership context	#852 (f6ac33d1297d7ab5d281cea6a7513b06ab71fcf3b63cd47b6cab257240659385)

5.2 Stage 9.5 Lateral Movement Validation & Stage 9.6 CIA Impact Assessment

Stage / Dimension	Validation Status	Demonstrated Evidence & Scope Boundary
Stage 9.5 Lateral Movement	NOT_PROVEN (Single-Host Topology Discovery Only)	Anonymous SMB share enumeration (`SMB-LIST-001`) proves unauthenticated share discovery on the target asset, but does not constitute confirmed lateral movement to other systems.
Stage 9.6 Confidentiality	DEMONSTRATED (Bounded)	Share names/comments (`IPC$`, `ADMIN$`, `print$`, `tmp`) disclosed.
Stage 9.6 Integrity	PRECONDITION_IDENTIFIED (Not Actively Modified)	Identified writable share metadata (`tmp`) and `allow_url_include=On` precondition; zero bytes modified on target.
Stage 9.6 Availability	NOT_TESTED (Out of Scope per Non-Destructive ROE)	Zero service disruption; all probes completed within deterministic rate limits.

6. Four-Tier Evidence-Driven Compliance Control Mapping

Primary Finding	PCI-DSS v4.0	NIST SP 800-53 Rev 5	ISO/IEC 27001:2022	CIS Controls v8
TOMCAT-MGR-001 (Default Admin Auth)	Req 2.2.2 / 8.2.1	IA-5 / AC-6	A.5.17 / A.8.2	Control 4.7 / 5.2
SMB-LIST-001 (Samba Anonymous Enum)	Req 1.3.1 / 2.2.4	AC-3 / SC-7	A.8.20 / A.8.3	Control 3.3 / 4.1
PHPINFO-001 (Config/Path Disclosure)	Req 2.2.6 / 6.4.1	CM-6 / SI-11	A.8.9 / A.8.28	Control 4.1 / 16.11
Legacy Daemons (vsFTPd, OpenSSH, Apache)	Req 6.3.3	SI-2 / CM-8	A.8.8 (Vuln Mgmt)	Control 7.1 / 7.4

7. ENUMCORE 6-Stage CVE Applicability Validation & Threat Intelligence

CVE / CWE	Validation State	Preconditions Verified	CVSS	EPSS	CISA KEV	Applicability & Precondition Note
CVE-2011-3192	CVE_CANDIDATE	No (Banner Only)	7.8	91.4%	No	Ubuntu 8.04 LTS Apache/2.2.8 banner detected; DoS verification out of scope.

CVE / CWE	Validation State	Preconditions Verified	CVSS	EPSS	CISA KEV	Applicability & Precondition Note
CVE-2012-1823	CVE_CANDIDATE	No (Banner Only)	9.8	95.2%	YES	PHP 5.2.4 and allow_url_include=On observed via /phpinfo.php, but CGI SAPI execution mode and argument-injection behavior were not verified -> classified as CVE_CANDIDATE (CVE_CORRELATED).
CVE-2011-2523	APPLICABILITY_VALIDATED	No (Banner Only)	9.8	89.2%	No	Exact version 2.3.4 matched on TCP/21; backdoor listener trigger was not actively executed under read-only ROE.
CVE-2023-38408	CVE_CANDIDATE	No (Banner Only)	9.8	68.4%	No	Banner-only version heuristic; ssh-agent forwarding and PKCS#11 preconditions were not observed.
CVE-2017-7494	PRECONDITIONS_VALIDATED	YES	9.8	93.8%	YES	Anonymous SMB share 'tmp' enumerated on TCP/445; write-and-load payload execution intentionally not performed.
CVE-2012-2122	CVE_CANDIDATE	No (Banner Only)	7.5	88.1%	No	Banner match only on TCP/3306; authentication brute-force not executed.
CWE-693	VERSION_DETECTED	No (Banner Only)	5.5	8.0%	No	No CVE identifier associated; scored by CWE control category.
CWE-319	VERSION_DETECTED	No (Banner Only)	5.5	8.0%	No	No CVE identifier associated; scored by CWE control category.
CWE-284	VERSION_DETECTED	No (Banner Only)	5.5	8.0%	No	No CVE identifier associated; scored by CWE control category.
CWE-200	VERSION_DETECTED	No (Banner Only)	5.5	8.0%	No	No CVE identifier associated; scored by CWE control category.
CWE-287	VERSION_DETECTED	No (Banner Only)	7.5	28.0%	No	No CVE identifier associated; scored by CWE control category.

8. Prioritized Remediation Roadmap & Executed Retest Ledger (Stage 8)

Task ID	Priority	Status	Owner	Work Package Title	Platform-Accurate Fix Guidance	Verification & Closure Rule
REM-00074	P1-Urgent	open	Application Security & Platform Engineering	Remediate DAST-VER-INTEL-TECH-00068: [VER-INTEL-001] Outdated Software Component Verified: PHP 5.2.4-2ubuntu5 (CVE-2012-1823)	Upgrade PHP (5.2.4-2ubuntu5) to a current vendor-supported release and apply security advisories.	Re-execute TrePath Orchestrator retest adapter for DAST-VER-INTEL-TECH-00068 and verify proof_state transitions to REMED
REM-00075	P1-Urgent	open	Application Security & Platform Engineering	Remediate DAST-VER-INTEL-TECH-00069: [VER-INTEL-001] Outdated Software Component Verified: vsFTPd 2.3.4 (CVE-2011-2523)	Upgrade vsFTPd (2.3.4) to a current vendor-supported release and apply security advisories.	Re-execute TrePath Orchestrator retest adapter for DAST-VER-INTEL-TECH-00069 and verify proof_state transitions to REMED
REM-00076	P1-Urgent	open	Application Security & Platform Engineering	Remediate DAST-VER-INTEL-TECH-00070: [VER-INTEL-001] Outdated Software Component Verified: SSH-2.0-OpenSSH 4.7 (CVE-2023-38408)	Upgrade SSH-2.0-OpenSSH (4.7) to a current vendor-supported release and apply security advisories.	Re-execute TrePath Orchestrator retest adapter for DAST-VER-INTEL-TECH-00070 and verify proof_state transitions to REMED
REM-00077	P1-Urgent	open	Application Security & Platform Engineering	Remediate DAST-VER-INTEL-TECH-00083: [VER-INTEL-001] Outdated Software Component Verified: FTP 2.3.4 (CVE-2011-2523)	Upgrade FTP (2.3.4) to a current vendor-supported release and apply security advisories.	Re-execute TrePath Orchestrator retest adapter for DAST-VER-INTEL-TECH-00083 and verify proof_state transitions to REMED

Task ID	Priority	Status	Owner	Work Package Title	Platform-Accurate Fix Guidance	Verification & Closure Rule
REM-00078	P1-Urgent	open	Application Security & Platform Engineering	Remediate DAST-VER-INTEL-TECH-00085: [VER-INTEL-001] Outdated Software Component Verified: OpenSSH 4.7p1 Debian 8ubuntu1 (CVE-2023-38408)	Upgrade OpenSSH (4.7p1 Debian 8ubuntu1) to a current vendor-supported release and apply security advisories.	Re-execute TrePath Orchestrator retest adapter for DAST-VER-INTEL-TECH-00085 and verify proof_state transitions to REMED
REM-00079	P1-Urgent	open	Application Security & Platform Engineering	Remediate SMB-LIST-EP-SMB-ASSET-00007: [SMB-LIST-001] Anonymous SMB Share Enumeration Verified on 192.168.195.139:445	Disable SMB null sessions (RestrictAnonymous=1 / RestrictNullSessAccess=1), enforce SMBv3 packet signing, and require authenticated ACLs on	Re-execute TrePath Orchestrator retest adapter for SMB-LIST-EP-SMB-ASSET-00007 and verify proof_state transitions to REM
REM-00080	P1-Urgent	open	Network & Infrastructure Engineering	Remediate PORT-OPEN-23-TELNET: Service Port Open: 23/TCP (Telnet) on 192.168.195.139	Unencrypted remote terminal daemon. Disable Telnet daemon and replace with SSH.	Re-execute TrePath Orchestrator retest adapter for PORT-OPEN-23-TELNET and verify proof_state transitions to REMEDIATION
REM-00081	P1-Urgent	open	Network & Infrastructure Engineering	Remediate PORT-OPEN-512-REXEC: Service Port Open: 512/TCP (Rexec) on 192.168.195.139	Legacy cleartext remote execution. Disable rexec.	Re-execute TrePath Orchestrator retest adapter for PORT-OPEN-512-REXEC and verify proof_state transitions to REMEDIATION
REM-00082	P1-Urgent	open	Network & Infrastructure Engineering	Remediate PORT-OPEN-513-RLOGIN: Service Port Open: 513/TCP (Rlogin) on 192.168.195.139	Legacy cleartext remote login. Disable rlogin.	Re-execute TrePath Orchestrator retest adapter for PORT-OPEN-513-RLOGIN and verify proof_state transitions to REMEDIATIO
REM-00083	P1-Urgent	open	Network & Infrastructure Engineering	Remediate PORT-OPEN-3306-MYSQL: Service Port Open: 3306/TCP (MySQL) on 192.168.195.139	MySQL database listener. Restrict to localhost or private app tier.	Re-execute TrePath Orchestrator retest adapter for PORT-OPEN-3306-MYSQL and verify proof_state transitions to REMEDIATIO
REM-00084	P1-Urgent	open	Network & Infrastructure Engineering	Remediate PORT-OPEN-5432-POSTGRESQL: Service Port Open: 5432/TCP (PostgreSQL) on 192.168.195.139	PostgreSQL database listener. Restrict from direct client subnets.	Re-execute TrePath Orchestrator retest adapter for PORT-OPEN-5432-POSTGRESQL and verify proof_state transitions to REMED
REM-00085	P1-Urgent	open	Network & Infrastructure Engineering	Remediate ENUM-PROTO-FTP-21: [NetRecon] Anonymous FTP Login Enabled on 192.168.195.139:21	Disable anonymous FTP access and migrate file transfers to SFTP/SSH.	Re-execute TrePath Orchestrator retest adapter for ENUM-PROTO-FTP-21 and verify proof_state transitions to REMEDIATION_V
REM-00086	P1-Urgent	open	Network & Infrastructure Engineering	Remediate ENUM-PROTO-MYSQL-3306: [NetRecon] MySQL Server Handshake Exposed on 192.168.195.139:3306 (Version: 5.0.51a-3ubuntu5)	Bind MySQL (3306/TCP) to 127.0.0.1 or restrict network access strictly to application tier hosts.	Re-execute TrePath Orchestrator retest adapter for ENUM-PROTO-MYSQL-3306 and verify proof_state transitions to REMEDIATI

Task ID	Priority	Status	Owner	Work Package Title	Platform-Accurate Fix Guidance	Verification & Closure Rule
REM-00087	P1-Urgent	open	Application Security & Platform Engineering	Remediate DAST-ADMIN-ACCESS-EP-00038: [ADMIN-ACCESS-001] Administrative Interface Reachable (HTTP 200) on http://192.168.195.139/phpMyAdmin/	Restrict administrative interfaces (/admin, :8080/manager) to internal management VPNs or bastion hosts and enforce MFA.	Re-execute TrePath Orchestrator retest adapter for DAST-ADMIN-ACCESS-EP-00038 and verify proof_state transitions to REME
REM-00088	P1-Urgent	open	Network & Infrastructure Engineering	Remediate PORT-OPEN-2049-NFS: Service Port Open: 2049/TCP (NFS) on 192.168.195.139	Network File System daemon.	Re-execute TrePath Orchestrator retest adapter for PORT-OPEN-2049-NFS and verify proof_state transitions to REMEDIATION_

8.2 Deterministic Retest Execution Ledger (RTEX-xxxxx)

Retest Key	Target Finding	Execution Status	Resulting Proof State	Evidence Artifact	Verification Notes
RTEX-STANDBY	All Open Findings	AWAITING_PATCH	PENDING_RETEST	EvidenceCore Ready	Use POST /api/v1/findings/{id}/retest/execute after applying remediation to record cryptographic closure proof.

9. EvidenceCore Cryptographic Integrity, Consistency Score & Pre-Render Quality Gate

Gate ID	Verification Domain	Dynamic Acceptance Rule & Live Scan Telemetry	Status
AT-2.1-01	Root-Cause Deduplication	73 raw observations deduplicated into 24 unique root-cause security findings.	**PASSED**
AT-2.1-02	Sensor Standby Separation	OPENVAS-SENSOR-STANDBY isolated into Scanner Health Telemetry (1 sensor event).	**PASSED**
AT-2.1-03	Granular SMB Proof Taxonomy	SMB-LIST-001 reports SHARE_ENUMERATION_VERIFIED without claiming write access or cross-host pivot.	**PASSED**
AT-2.1-04	Linux/Samba Remediation	Samba smb.conf directives (map to guest = Never, restrict anonymous = 2) enforced.	**PASSED**
AT-2.1-05	PHPInfo & CGI Precondition	PHPINFO-001 classified as CONFIG_AND_PATH_DISCLOSURE_VERIFIED; CVE-2012-1823 requires CGI SAPI proof.	**PASSED**
AT-2.1-06	Admin Auth Reconciliation	**Executive & Section 1.2 agree: CONFIRMED_ADMIN_AUTH = 0, IMPACT_VERIFIED = 2.**	**PASSED**
AT-2.1-07	CVE Precondition Gate	Raw KEV (5) -> Unique KEV (2); version-only CVEs discounted 75%.	**PASSED**
AT-2.1-08	AttackGraph & Endpoint Ports	All 24 consolidated findings resolve to valid non-zero TCP ports (Port-0 count = 0).	**PASSED**
AT-2.1-09	7-Dimension Risk Calibration	7 risk dimensions sum (71.9/100) matches headline score (71.9/100 = 7.2/10).	**PASSED**
AT-2.1-10	Evidence Consistency Score	Evidence Consistency Score = 100.0% (Shared HTTP artifacts explicitly annotated).	**PASSED**

10. Autonomous 8-Stage Orchestration Architecture & Benchmark Summary

Stage	Engine Module	Execution Outcome
Stage 1-2	Scope & Surface Discovery	Verified host 192.168.195.139, 15 TCP services, and 10 HTTP endpoints.
Stage 3	ENUMCORE 6-Stage CVE Engine	Mapped CPEs and separated precondition-verified KEVs from banner-only candidates.
Stage 4-5	Policy Engine & Safe PoC Probes	Executed SMB-LIST-001, SMB-READ-001, PHPINFO-001, and TOMCAT-MGR-001 within RoE.

Stage	Engine Module	Execution Outcome
Stage 6-7	Proof Validator & AttackGraph	Assigned granular proof substates and built per-edge evidence-backed attack chains.
Stage 8	RiskEngine 2.1 & RTEX Ledger	Computed 7-dimension risk (7.2/10) and generated platform-aware remediation tasks.

11. Sign-Off & Deliverables Attestation

Role	Attestation Statement	Signature / Timestamp
Lead Penetration Tester	All findings and PoC transcripts verified against EvidenceCore SHA-256 seals.	SIGNED | 2026-11-01 22:30 UTC
Principal Security Architect	26-Rule Quality Gate and TrePath 2.1 AT-2.1-01..10 acceptance checks passed.	VERIFIED | 2026-11-01 22:30 UTC
Client System Owner	Acknowledges receipt of prioritized remediation roadmap and RTEX retest workflow.	_____