PENETRATION TEST REPORT

Active Directory Security Assessment
Target: 192.168.195.139, 192.168.195.140, 192.168.195.137, 192.168.195.128, 192.168.195.155
Date: August 22, 2026
Assessment ID: 2026-08-22

Exposure Score: 100/100 (CRITICAL)

METRIC	VALUE
Total Findings	814
Critical	112
High	238
Medium	260
Low	203
Attack Paths	100
Compound Risks	0
Tools Executed	3
Duration	0.0s

1. EXECUTIVE SUMMARY

This assessment identified **112 critical** and **238 high** severity findings across the target Active Directory environment (192.168.195.139, 192.168.195.140, 192.168.195.137, 192.168.195.128, 192.168.195.155). **100 viable attack paths** were identified that could lead to full domain compromise. The overall exposure score is **100/100 (CRITICAL)**, indicating an immediate threat requiring urgent remediation.

1.1 Finding Distribution



2. SCOPE & METHODOLOGY

Target: 192.168.195.139, 192.168.195.140, 192.168.195.137, 192.168.195.128, 192.168.195.155
Mode: Active autonomous penetration testing
Tools Executed: Nmap, Nuclei, XStrike Exploit Engine
Duration: 0.0 seconds
Methodology: PTES, OWASP, MITRE ATT&CK;, NIST CSF, CIS Controls
Phases: Recon → Vuln Scan → Exploit → PrivEsc → OWASP → Post-Ex → Lateral → Cloud → EDR → Report

2.1 Discovery Summary

Metric	Count
Hosts Found	10
Ports Found	77

3. CONFIRMED EXPLOITATIONS

No vulnerabilities were successfully exploited during this assessment.

4. UNVERIFIED VULNERABILITIES

814 potential vulnerabilities detected by scanners but NOT exploited. These require manual verification.

#	Severity	Title	Host	Scanner	Status
1	Critical	vsftpd Backdoor: 192.168.195.139	192.168.195.139	AutoPentest-VulnScan	Not Exploited
2	Critical	SMB EternalBlue Candidate: 192.168.195.139	192.168.195.139	AutoPentest-VulnScan	Not Exploited
3	Critical	SMB EternalBlue Candidate: 192.168.195.140	192.168.195.140	AutoPentest-VulnScan	Not Exploited
4	Critical	SMB EternalBlue Candidate: 192.168.195.155	192.168.195.155	AutoPentest-VulnScan	Not Exploited
5	Critical	SMB EternalBlue Candidate: 192.168.195.1	192.168.195.1	AutoPentest-VulnScan	Not Exploited
6	Critical	OpenVAS: Apache HTTP Server 'mod_auth_digest' Mul	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
7	Critical	OpenVAS: Apache HTTP Server < 2.4.49 Multiple Vul	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
8	Critical	OpenVAS: Apache HTTP Server < 2.4.54 Multiple Vul	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
9	Critical	OpenVAS: Apache HTTP Server < 2.4.55 Multiple Vul	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
10	Critical	OpenVAS: Apache HTTP Server < 2.4.60 Multiple Vul	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
11	Critical	OpenVAS: Apache HTTP Server <= 2.4.51 Buffer Over	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
12	Critical	OpenVAS: Apache HTTP Server <= 2.4.52 Multiple Vul	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
13	Critical	OpenVAS: Apache HTTP Server End of Life (EOL) Det	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
14	Critical	OpenVAS: Apache HTTP Server Multiple Security Vul	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
15	Critical	OpenVAS: Apache HTTP Server Multiple Security Vul	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
16	Critical	OpenVAS: Apache HTTP Server Multiple Security Vul	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
17	Critical	OpenVAS: Apache HTTP Server Multiple Vulnerabilit	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
18	Critical	OpenVAS: ISC BIND End of Life (EOL) Detection - L	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
19	Critical	OpenVAS: jQuery End of Life (EOL) Detection - Lin	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
20	Critical	OpenVAS: MySQL 5.x Unspecified Buffer Overflow Vul	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
21	Critical	OpenVAS: OpenBSD OpenSSH < 9.3p2 RCE Vulnerability	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
22	Critical	OpenVAS: OpenBSD OpenSSH < 9.3p2 RCE Vulnerability	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
23	Critical	OpenVAS: OpenSSH < 7.2 X11 Forwarding Security By	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
24	Critical	OpenVAS: OpenSSL 'bn_wexpend()' Error Handling Vu	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
25	Critical	OpenVAS: OpenSSL 'bn_wexpend()' Error Handling Vu	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
26	Critical	OpenVAS: OpenSSL < 0.9.8s, 1.0.x < 1.0.0f Multiple	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
27	Critical	OpenVAS: OpenSSL < 0.9.8s, 1.0.x < 1.0.0f Multiple	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
28	Critical	OpenVAS: Operating System (OS) End of Life (EOL)	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
29	Critical	OpenVAS: Oracle MySQL Server <= 5.5.52 / 5.6 <= 5.	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
30	Critical	OpenVAS: Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.	192.168.195.139	AutoPentest-OpenVAS	Not Exploited

... and 784 additional unverified findings.

5. ATTACK PATHS

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

© Expedite Consults — Enterprise Security Assessment

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

© Expedite Consults — Enterprise Security Assessment

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

© Expedite Consults — Enterprise Security Assessment

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path (Risk: 0/100, Confidence: 0%)
Chain:

■ Unknown Path (Risk: 0/100, Confidence: 0%)
Chain:

■ Unknown Path (Risk: 0/100, Confidence: 0%)
Chain:

6. REMEDIATION ROADMAP

IMMEDIATE (0-48 hours)

• **vsftpd Backdoor: 192.168.195.139:** Upgrade vsftpd immediately. Remove backdoored binary. Audit for compromise.

• **SMB EternalBlue Candidate: 192.168.195.139:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

• **SMB EternalBlue Candidate: 192.168.195.140:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

• **SMB EternalBlue Candidate: 192.168.195.155:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

• **SMB EternalBlue Candidate: 192.168.195.1:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

SHORT-TERM (1-2 weeks)

• **Telnet Cleartext: 192.168.195.139:** Replace Telnet with SSH. Disable Telnet service entirely.

• **MySQL Exposed: 192.168.195.139:3306:** Bind MySQL to localhost only. Require authentication. Disable remote root login.

• **PostgreSQL Exposed: 192.168.195.139:5432:** Bind PostgreSQL to localhost only. Require authentication. Disable remote root login.

• **PostgreSQL Exposed: 192.168.195.1:5432:** Bind PostgreSQL to localhost only. Require authentication. Disable remote root login.

MEDIUM-TERM (1-3 months)

• **Web App Surface: 192.168.195.139:80:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.140:80:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.140:443:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.140:8080:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.1:80:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

6.1 Exposure Score Breakdown