PENETRATION TEST REPORT

Active Directory Security Assessment
Target: 192.168.195.139, 192.168.195.140, 192.168.195.137, 192.168.195.128, 192.168.195.155
Date: August 23, 2026
Assessment ID: 2026-08-24

Exposure Score: 100/100 (CRITICAL)

METRIC	VALUE
Total Findings	1360
Critical	60
High	181
Medium	232
Low	886
Attack Paths	89
Compound Risks	0
Tools Executed	3
Duration	0.0s

1. EXECUTIVE SUMMARY

This assessment identified **60 critical** and **181 high** severity findings across the target Active Directory environment (192.168.195.139, 192.168.195.140, 192.168.195.137, 192.168.195.128, 192.168.195.155). **89 viable attack paths** were identified that could lead to full domain compromise. The overall exposure score is **100/100 (CRITICAL)**, indicating an immediate threat requiring urgent remediation.

1.1 Finding Distribution



2. SCOPE & METHODOLOGY

Target: 192.168.195.139, 192.168.195.140, 192.168.195.137, 192.168.195.128, 192.168.195.155
Mode: Active autonomous penetration testing
Tools Executed: Nmap, Nuclei, XStrike Exploit Engine
Duration: 0.0 seconds
Methodology: PTES, OWASP, MITRE ATT&CK;, NIST CSF, CIS Controls
Phases: Recon → Vuln Scan → Exploit → PrivEsc → OWASP → Post-Ex → Lateral → Cloud → EDR → Report

2.1 Discovery Summary

Metric	Count
Hosts Found	10
Ports Found	60

3. CONFIRMED EXPLOITATIONS

No vulnerabilities were successfully exploited during this assessment.

4. UNVERIFIED VULNERABILITIES

1360 potential vulnerabilities detected by scanners but NOT exploited. These require manual verification.

#	Severity	Title	Host	Scanner	Status
1	Critical	vsftpd Backdoor: 192.168.195.139	192.168.195.139	AutoPentest-VulnScan	Not Exploited
2	Critical	SMB EternalBlue Candidate: 192.168.195.139	192.168.195.139	AutoPentest-VulnScan	Not Exploited
3	Critical	SMB EternalBlue Candidate: 192.168.195.140	192.168.195.140	AutoPentest-VulnScan	Not Exploited
4	Critical	SMB EternalBlue Candidate: 192.168.195.155	192.168.195.155	AutoPentest-VulnScan	Not Exploited
5	Critical	SMB EternalBlue Candidate: 192.168.195.1	192.168.195.1	AutoPentest-VulnScan	Not Exploited
6	Critical	OpenVAS: Apache HTTP Server Multiple Security Vul...	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
7	Critical	OpenVAS: Apache HTTP Server Multiple Security Vul...	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
8	Critical	OpenVAS: MySQL 5.x Unspecified Buffer Overflow Vul...	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
9	Critical	OpenVAS: OpenBSD OpenSSH < 9.3p2 RCE Vulnerability	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
10	Critical	OpenVAS: OpenBSD OpenSSH < 9.3p2 RCE Vulnerability	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
11	Critical	OpenVAS: OpenSSL 'bn_wexpend()' Error Handling Vul...	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
12	Critical	OpenVAS: OpenSSL 'bn_wexpend()' Error Handling Vul...	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
13	Critical	OpenVAS: OpenSSL < 0.9.8s, 1.0.x < 1.0.0f Multiple...	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
14	Critical	OpenVAS: OpenSSL < 0.9.8s, 1.0.x < 1.0.0f Multiple...	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
15	Critical	OpenVAS: ProFTPD < 1.3.3c Multiple Vulnerabilities	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
16	Critical	OpenVAS: ProFTPD < 1.3.3g RCE Vulnerability	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
17	Critical	OpenVAS: ProFTPD <= 1.3.6 Arbitrary File Copy Vul...	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
18	Critical	OpenVAS: Samba 'TALLOC_FREE()' Function RCE Vulne...	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
19	Critical	OpenVAS: Samba 'TALLOC_FREE()' Function RCE Vulne...	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
20	Critical	OpenVAS: Samba 3.0.0 <= 3.0.25rc3 Remote Code Exe...	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
21	Critical	OpenVAS: Samba 3.0.0 <= 3.6.3 Remote Code Execution	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
22	Critical	OpenVAS: Samba 3.0.0 <= 3.6.3 Remote Code Execution	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
23	Critical	OpenVAS: Samba Elevation of Privilege Vulnerability	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
24	Critical	OpenVAS: Samba End of Life (EOL) Detection	192.168.195.139	AutoPentest-OpenVAS	Not Exploited
25	Critical	OpenVAS: Samba End of Life (EOL) Detection	192.168.195.140	AutoPentest-OpenVAS	Not Exploited
26	Critical	vsFTPd 2.3.4 Backdoor	192.168.195.139	XStrike-BuiltinVuln	Not Exploited
27	Critical	PHP-CGI Remote Code Execution	192.168.195.139	XStrike-BuiltinVuln	Not Exploited
28	Critical	SMBv1 Protocol Enabled	192.168.195.139	XStrike-BuiltinVuln	Not Exploited
29	Critical	SMBv1 Protocol Enabled	192.168.195.140	XStrike-BuiltinVuln	Not Exploited
30	Critical	vsftpd 2.3.4 Backdoor RCE → Root Shell: 192.168.1...	192.168.195.139	AutoPentest-Exploit	Not Exploited

... and 1330 additional unverified findings.

5. ATTACK PATHS

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

© Expedite Consults — Enterprise Security Assessment

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

© Expedite Consults — Enterprise Security Assessment

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

© Expedite Consults — Enterprise Security Assessment

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path (Risk: 0/100, Confidence: 0%)
Chain:

■ Unknown Path (Risk: 0/100, Confidence: 0%)
Chain:

■ Unknown Path (Risk: 0/100, Confidence: 0%)
Chain:

■ Unknown Path (Risk: 0/100, Confidence: 0%)
Chain:

■ Unknown Path (Risk: 0/100, Confidence: 0%)
Chain:

■ Unknown Path (Risk: 0/100, Confidence: 0%)
Chain:

6. REMEDIATION ROADMAP

IMMEDIATE (0-48 hours)

• **vsftpd Backdoor: 192.168.195.139:** Upgrade vsftpd immediately. Remove backdoored binary. Audit for compromise.

• **SMB EternalBlue Candidate: 192.168.195.139:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

• **SMB EternalBlue Candidate: 192.168.195.140:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

• **SMB EternalBlue Candidate: 192.168.195.155:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

• **SMB EternalBlue Candidate: 192.168.195.1:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

SHORT-TERM (1-2 weeks)

• **Telnet Cleartext: 192.168.195.139:** Replace Telnet with SSH. Disable Telnet service entirely.

• **MySQL Exposed: 192.168.195.139:3306:** Bind MySQL to localhost only. Require authentication. Disable remote root login.

• **PostgreSQL Exposed: 192.168.195.139:5432:** Bind PostgreSQL to localhost only. Require authentication. Disable remote root login.

• **PostgreSQL Exposed: 192.168.195.1:5432:** Bind PostgreSQL to localhost only. Require authentication. Disable remote root login.

MEDIUM-TERM (1-3 months)

• **Web App Surface: 192.168.195.139:80:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.140:80:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.140:443:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.140:8080:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.1:80:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

6.1 Exposure Score Breakdown