PENETRATION TEST REPORT

Active Directory Security Assessment
Target: 192.168.195.139, 192.168.195.140, 192.168.195.137, 192.168.195.128, 192.168.195.155
Date: August 28, 2026
Assessment ID: 2026-08-29

Exposure Score: 100/100 (CRITICAL)

METRIC	VALUE
Total Findings	1815
Critical	44
High	116
Medium	199
Low	1455
Attack Paths	92
Compound Risks	0
Tools Executed	3
Duration	0.0s

1. EXECUTIVE SUMMARY

This assessment identified **44 critical** and **116 high** severity findings across the target Active Directory environment (192.168.195.139, 192.168.195.140, 192.168.195.137, 192.168.195.128, 192.168.195.155). **92 viable attack paths** were identified that could lead to full domain compromise. The overall exposure score is **100/100 (CRITICAL)**, indicating an immediate threat requiring urgent remediation.

1.1 Finding Distribution



2. SCOPE & METHODOLOGY

Target: 192.168.195.139, 192.168.195.140, 192.168.195.137, 192.168.195.128, 192.168.195.155
Mode: Active autonomous penetration testing
Tools Executed: Nmap, Nuclei, XStrike Exploit Engine
Duration: 0.0 seconds
Methodology: PTES, OWASP, MITRE ATT&CK;, NIST CSF, CIS Controls
Phases: Recon → Vuln Scan → Exploit → PrivEsc → OWASP → Post-Ex → Lateral → Cloud → EDR → Report

2.1 Discovery Summary

Metric	Count
Hosts Found	10
Ports Found	71

3. CONFIRMED EXPLOITATIONS

No vulnerabilities were successfully exploited during this assessment.

4. UNVERIFIED VULNERABILITIES

1815 potential vulnerabilities detected by scanners but NOT exploited. These require manual verification.

#	Severity	Title	Host	Scanner	Status
1	Critical	vsftpd Backdoor: 192.168.195.139	192.168.195.139	AutoPentest-VulnScan	Not Exploited
2	Critical	SMB EternalBlue Candidate: 192.168.195.139	192.168.195.139	AutoPentest-VulnScan	Not Exploited
3	Critical	SMB EternalBlue Candidate: 192.168.195.140	192.168.195.140	AutoPentest-VulnScan	Not Exploited
4	Critical	SMB EternalBlue Candidate: 192.168.195.155	192.168.195.155	AutoPentest-VulnScan	Not Exploited
5	Critical	SMB EternalBlue Candidate: 192.168.195.1	192.168.195.1	AutoPentest-VulnScan	Not Exploited
6	Critical	vsFTPd 2.3.4 Backdoor	192.168.195.139	XStrike-BuiltinVuln	Not Exploited
7	Critical	PHP-CGI Remote Code Execution	192.168.195.139	XStrike-BuiltinVuln	Not Exploited
8	Critical	SMBv1 Protocol Enabled	192.168.195.139	XStrike-BuiltinVuln	Not Exploited
9	Critical	PHP-CGI Remote Code Execution	192.168.195.140	XStrike-BuiltinVuln	Not Exploited
10	Critical	SMBv1 Protocol Enabled	192.168.195.140	XStrike-BuiltinVuln	Not Exploited
11	Critical	SMBv1 Protocol Enabled	192.168.195.155	XStrike-BuiltinVuln	Not Exploited
12	Critical	vsftpd 2.3.4 Backdoor RCE → Root Shell: 192.168.19	192.168.195.139	AutoPentest-Exploit	Not Exploited
13	Critical	FTP Credential Access: msfadmin:msfadmin: 192.168	192.168.195.139	AutoPentest-Exploit	Not Exploited
14	Critical	SQL Injection → Data Extraction: 192.168.195.139:8	192.168.195.139	AutoPentest-Exploit	Not Exploited
15	Critical	phpMyAdmin No-Auth Access: 192.168.195.139:80	192.168.195.139	AutoPentest-Exploit	Not Exploited
16	Critical	rsh Remote Command Execution: 192.168.195.139:514	192.168.195.139	AutoPentest-Exploit	Not Exploited
17	Critical	Ingreslock Root Shell (port 1524): 192.168.195.139	192.168.195.139	AutoPentest-Exploit	Not Exploited
18	Critical	PostgreSQL Access: postgres:postgres: 192.168.195	192.168.195.139	AutoPentest-Exploit	Not Exploited
19	Critical	PrivEsc: suid_privesc: 192.168.195.139:22	192.168.195.139	AutoPentest-Exploit	Not Exploited
20	Critical	PrivEsc: suid_privesc: 192.168.195.139:22	192.168.195.139	AutoPentest-Exploit	Not Exploited
21	Critical	phpMyAdmin No-Auth Access: 192.168.195.140:80	192.168.195.140	AutoPentest-Exploit	Not Exploited
22	Critical	SQL Injection → Data Extraction: 192.168.195.1:90	192.168.195.1	AutoPentest-Exploit	Not Exploited
23	Critical	PrivEsc: suid_privesc on 192.168.195.139	192.168.195.139	AutoPentest-PrivEsc	Not Exploited
24	Critical	PrivEsc: suid_privesc on 192.168.195.139	192.168.195.139	AutoPentest-PrivEsc	Not Exploited
25	Critical	Unattended Deployment XML Credentials Exposed	192.168.195.139	AutoPentest-WinPrivE	Not Exploited
26	Critical	Accessible Offline SAM Registry Hive Backup	192.168.195.139	AutoPentest-WinPrivE	Not Exploited
27	Critical	WSL Root Execution & Shadow File Access	192.168.195.139	AutoPentest-WinPrivE	Not Exploited
28	Critical	Weak Service Registry Key Permissions — ' in	192.168.195.139	AutoPentest-WinPrivE	Not Exploited
29	Critical	Unattended Deployment XML Credentials Exposed	192.168.195.140	AutoPentest-WinPrivE	Not Exploited
30	Critical	Accessible Offline SAM Registry Hive Backup	192.168.195.140	AutoPentest-WinPrivE	Not Exploited

... and 1785 additional unverified findings.

5. ATTACK PATHS

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

© Expedite Consults — Enterprise Security Assessment

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

© Expedite Consults — Enterprise Security Assessment

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

© Expedite Consults — Enterprise Security Assessment

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

■ Unknown Path **(Risk: 0/100, Confidence: 0%)**
Chain:

6. REMEDIATION ROADMAP

IMMEDIATE (0-48 hours)

• **vsftpd Backdoor: 192.168.195.139:** Upgrade vsftpd immediately. Remove backdoored binary. Audit for compromise.

• **SMB EternalBlue Candidate: 192.168.195.139:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

• **SMB EternalBlue Candidate: 192.168.195.140:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

• **SMB EternalBlue Candidate: 192.168.195.155:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

• **SMB EternalBlue Candidate: 192.168.195.1:** Disable SMBv1. Apply MS17-010 patch. Require SMB signing. Disable null sessions.

SHORT-TERM (1-2 weeks)

• **Telnet Cleartext: 192.168.195.139:** Replace Telnet with SSH. Disable Telnet service entirely.

• **MySQL Exposed: 192.168.195.139:3306:** Bind MySQL to localhost only. Require authentication. Disable remote root login.

• **PostgreSQL Exposed: 192.168.195.139:5432:** Bind PostgreSQL to localhost only. Require authentication. Disable remote root login.

• **PostgreSQL Exposed: 192.168.195.1:5432:** Bind PostgreSQL to localhost only. Require authentication. Disable remote root login.

MEDIUM-TERM (1-3 months)

• **Web App Surface: 192.168.195.139:80:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.140:80:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.140:443:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.140:8080:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

• **Web App Surface: 192.168.195.1:8080:** Run OWASP Top 10 assessment. Deploy WAF. Enforce HTTPS.

6.1 Exposure Score Breakdown