廣告受眾鎖定功能 開發規格文件

受眾管理

年齡興趣受眾包

- 移除API – POST `api/v1/superdsp/companies/{id}/interest_audiences`
- 移除API – GET `api/v1/superdsp/interest_audiences/{id}`
- 移除API – POST `api/v1/superdsp/companies/{id}/interest_audiences/calculate`

廣告活動受眾包

建立廣告活動受眾包

methods	`POST`
path	`api/v1/superdsp/companies/{id}/campaign_audiences`
status	modify API

request	{
	"name": "廣告互動受眾包",
	"exclude_segment_ids": [1, 2], //移除參數
	"audience_range": {
	"min": 123,
	"max": 7654
	},
	"extra_options": {
	"one_campaign_ids": [15294],
	"events": ["click_ad", "30s_or_complete"],
	"measurement_option": 3,
	"expansion_range": 2
	}
	}

controller	api/v1/superdsp/campaing_audiences_controller.rb > create
response	
備註	request & response 移除參數： `exclude_segment_ids` 後端要調整 swagger `public/apidocs/superdsp.yaml`

取得單一廣告活動受眾包

methods	`GET`
path	`api/v1/superdsp/campaign_audiences/{id}`
status	modify API
request	
controller	api/v1/superdsp/campaign_audiences_controller.rb > show

response	{
	"status": "success",
	"data": {
	"id": 86,
	"name": "修改名字受眾包",
	"extra_options": {
	"measurement_option": 3,
	"expansion_range": 2,
	"one_campaign_ids": [15294],
	"events": ["click_ad","30s_or_complete"]
	},

	``
	"audience_range": {
	"min": 123,
	"max": 7654
	},
	}
	}
	``

備註	移除參數：`exclude_segment_ids` 後端要調整 swagger `public/apidocs/superdsp.yaml`

計算UU

methods	`POST`
path	`api/v1/superdsp/companies/{id}/campaign_audiences/calculate`
status	modify API

request	```
	{
	"exclude_segment_ids": [119], //移除參數
	"one_campaign_ids": [123, 456],
	"events": ["click_ad", "30s_or_complete"],
	"measurement_option": 3,
	"expansion_range": 2
	}
	``

controller	api/v1/superdsp/campaing_audiences_controller.rb > `calculate`
response	``` ```
備註	移除參數：`exclude_segment_ids` 後端要調整 swagger `public/apidocs/superdsp.yaml`

網站流量受眾包

建立網站流量受眾包

methods	`POST`
path	`api/v1/superdsp/companies/{id}/website_audiences`
status	modify API

request	```
	{
	"name": "網站流量受眾包",
	"demographic_ids": [1,2], //移除參數
	"interest_ids": [1,2,3], //移除參數
	"keyword_ids": [], //移除參數
	"audience_range": {
	"min": 123,
	"max": 7654
	},
	"exclude_segment_ids": [3, 5, 6], //移除參數
	"extra_options": {
	"tag_uid": 772797806,
	"tag_events": [404524404, 291212955],
	"data_lookback_period": 180,
	"measurement_option": 3,
	"expansion_range": 10
	}
	}
	``

controller	api/v1/superdsp/website_audiences_controller.rb > create
response	
備註	request & response 移除參數：`exclude_segment_ids`，`demographic_ids`，`interest_ids`，`keyword_ids`

	後端要調整 swagger `public/apidocs/superdsp.yaml`

取得單一網站流量受眾包

methods	`GET`
path	`api/v1/superdsp/website_audiences/{id}`
status	modify API
request	
controller	api/v1/superdsp/website_audiences_controller.rb > show

response	{
	"status": "success",
	"data": {
	"id": 79,
	"name": "網站流量受眾包",
	"extra_options": {
	"tag_uid": 772797806,
	"data_lookback_period": 180,
	"measurement_option": 3,
	"expansion_range": 10,
	"tag_events": [404524404]
	},
	"audience_range": {
	"min": 123,
	"max": 7654
	},
	}
	}

備註	移除參數：`exclude_segment_ids, demographic_ids, interest_ids, keyword_ids` 後端要調整 swagger `public/apidocs/superdsp.yaml`

計算UU數

methods	`POST`
path	`api/v1/superdsp/companies/{id}/website_audiences/calculate`
status	modify API

request	{
	"demographic_ids": [1, 2], //移除參數
	"interest_ids": [1, 2, 3], //移除參數
	"keyword_ids": [], //移除參數
	"exclude_segment_ids": [3, 5, 6], //移除參數
	"tag_uid": 772797806,
	"tag_events": [404524404, 291212955],
	"data_lookback_period": 180,
	"measurement_option": 3,
	"expansion_range": 10
	}

controller	api/v1/superdsp/website_audiences_controller.rb > `calculate`
response	
備註	移除參數：`exclude_segment_ids, demographic_ids, interest_ids, keyword_ids` 後端要調整 swagger `public/apidocs/superdsp.yaml`

廣告組合－受眾鎖定功能

segment options

methods	`GET`
path	`api/v1/superdsp/target_segments`
status	new API
request	
controller	api/v1/superdsp/target_segments_controller.rb > index
response	

```
{
  status: "success",
  data: [
    {
      name: "特定族群",
      data: [
        {
          id: 1,
          path: "將來銀行 > 出國 > 動漫",
          name: "將來銀行 6月出國刷卡優惠活動"
        }
      ]
    },
    {
      name: "產業鑽石受眾",
      data: [
        {
          id: 11,
          path: "將來銀行 > 出國 > 動漫",
          name: "6月刷卡優惠活動"
        }
      ]
    }
  }
}
```

備註	

廣告組合RM - 新增

methods	`POST`
path	`api/v1/superdsp/campaigns/{campaign_id}/ad_groups`
status	modify API
request	

```
{
  "ad_group": {
    "name": "麥當勞大麥克活動",
    "ad_format_type_id": 2,
    "start_date": "2021-02-04",
    "end_date": "2021-03-01",
    "budget": 12345,
    "margin": 20,
    "pricing_model_id": 2,
    "uniprice": 100,
    "freq": 2,
    "audience_id":2,                //移除
    "superdsp_pack_id": 34,
    "target_devices": [2, 3],
    "excluded_medium_ids": [1, 2],
    "hourlies": [1, 2, 4],
    "regions": [1, 2, 4],
    "cities": [1, 4],
    "targets": {                    //新增
      "include": {
        "demographic_ids": [1, 2],
        "interest_ids": [1, 2, 3],
        "keyword_ids": [],
        "segment_ids": [],
        "audience_ids": [1, 2, 3],
      },
      "exclude": {
        "audience_ids": [1, 2, 3],
      },
    }
```

```
    }
  }
```

controller	api/v1/superdsp/ad_groups_controller.rb > create
response	

```
{
  status: "success"
}
```

備註	

廣告组合RM - 更新

methods	`PUT`
path	`api/v1/superdsp/ad_groups/{id}`
status	modify API
request	

```
{
  "ad_group": {
    "name": "麥當勞大麥克活動",
    "ad_format_type_id": 2,
    "start_date": "2021-02-04",
    "end_date": "2021-03-01",
    "budget": 12345,
    "margin": 20,
    "pricing_model_id": 2,
    "uniprice": 100,
    "freq": 2,
    "audience_id":2,                //移除
    "superdsp_pack_id": 34,
    "target_devices": [2, 3],
    "excluded_medium_ids": [1, 2],
    "hourlies": [1, 2, 4],
    "regions": [1, 2, 4],
    "cities": [1, 4],
    "targets": {                    //新增
      "include": {
        "demographic_ids": [1, 2],
        "interest_ids": [1, 2, 3],
        "keyword_ids": [],
        "segment_ids": [],
        "audience_ids": [1, 2, 3],
      },
      "exclude": {
        "audience_ids": [1, 2, 3],
      },
    }
  }
}
```

controller	api/v1/superdsp/ad_groups_controller.rb > update
response	

```
{
  status: "success"
}
```

備註	

廣告组合RM - 取得

methods	`GET`
path	`ad_groups/{id}`
status	modify API
request	
controller	api/v1/superdsp/ad_groups_controller.rb > show

response	

```
{
  "status": "success",
  "data": {
    "id": 13422,
    "name": "麥當勞大麥克活動",
    "ad_format_type_id": 2,
    "start_date": "2021-02-04",
    "end_date": "2021-03-01",
    "budget": 12345,
    "margin": 20,
    "pricing_model_id": 2,
    "uniprice": 100,
    "freq": 2,
    "audience_id": 2,              //移除
    "superdsp_pack_id": 34,
    "target_devices": [2, 3],
    "excluded_medium_ids": [5, 6, 7],
    "hourlies": [1, 2, 4],
    "regions": [1, 2, 4],
    "cities": [1, 4],
    "superdsp_status": "draft",
    "deliver_strategy": 'ASAP'
    "targets": {                   //新增
      "include": {
        "demographic_ids": [1, 2],
        "interest_ids": [1, 2, 3],
        "keyword_ids": [],
        "segment_ids": [],
        "audience_ids": [1, 2, 3],
      },
      "exclude": {
        "audience_ids": [1, 2, 3],
      },
    }
  }
}
```

備註	

廣告組合RM - 複製

methods	`POST`
path	`/ad_groups/{id}/duplicate`
status	modify API
request	
controller	api/v1/superdsp/ad_groups_controller.rb > `duplicate`
response	

```
{
  "status": "success",
  "data": {
    "id": 13422,
  }
}
```

備註	

廣告組合InStream - 新增

methods	`POST`
path	`api/v1/superdsp/campaigns/{campaign_id}/ad_groups_instream`
status	modify API
request	
controller	api/v1/superdsp/ad_groups_instream_controller.rb > create

response	```
	{
	status: "success"
	}
	``

備註	同RM, 移除 `audience_id` , 新增 `targets`

廣告組合InStream – 更新

methods	`PUT`
path	`api/v1/superdsp/ad_groups_instream/{id}`
status	modify API
request	
controller	api/v1/superdsp/ad_groups_instream_controller.rb > update

response	```
	{
	status: "success"
	}
	``

備註	同RM, 移除 `audience_id` , 新增 `targets`

廣告組合InStream – 取得

methods	`GET`
path	`ad_groups_instream/{id}`
status	modify API
request	
controller	api/v1/superdsp/ad_groups_instream_controller.rb > show
response	
備註	同RM, 移除 `audience_id` , 新增 `targets`

廣告組合 取得預估量體

methods	`POST`
path	`api/v1/superdsp/campaigns/#{campaign_id}/ad_groups/estimate`
status	new API

request	```
	{
	"include": {
	"demographic_ids": [1, 2],
	"interest_ids": [1, 2, 3],
	"keyword_ids": [],
	"segment_ids": [],
	"audience_ids": [1, 2, 3],
	},
	"exclude": {
	"audience_ids": [1, 2, 3],
	},
	}
	``

controller	api/v1/superdsp/ad_groups_controller.rb > `estimate`

response	```
	{
	status: "success",
	data: {
	``

	``` 4 max: 0 5 min: 1000 6 }, 7 } ```
備註	

受眾洞察報告

報表欄位

methods	`GET`
path	api/v1/superdsp/campaigns/report_options
status	modify API
request	
controller	api/v1/superdsp/campaigns_controller.rb > `report_options`
response	
備註	前端多帶 product_category_id, 後端篩選資料後給前端

下載大數據報告

methods	`POST`
path	`/campaigns/{id}/generate_report_xls`
status	modify API
request	
controller	api/v1/superdsp/campaigns_controller.rb > `generate_report_xls`
response	
備註	`target_colnames` 依據 report_options 做調整，所以這隻前端不用動