Cucumber Report

| Start : Mar 03, 3:16:30.736 PM	End : Mar 03, 3:21:32.608 PM	Duration : 5 m 1.872 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 18 SKIPPED - 0	PASSED - 0 FAILED - 27 SKIPPED - 0	PASSED - 23 FAILED - 27 SKIPPED - 126

18

27

176

Pass % 0 %

Pass % 0 %

Pass % 13 %

| Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Pengujian Fitur Koreksi Absen di Aplikasi Hadir	23.134 s	4	0	4	0	34	5	4	25
Pengujian Fitur Izin Terlambat di Aplikasi Hadir Mobile	6.266 s	2	0	2	0	13	2	2	9
Pengujian Fitur Izin Pulang Cepat di Aplikasi Hadir Mobile	1.198 s	2	0	2	0	11	1	2	8
Pengujian Fitur Izin Off di Aplikasi Hadir Mobile	12.261 s	2	0	2	0	11	1	2	8
Pengujian Fitur Aplikasi Hadir	48.894 s	4	0	4	0	16	1	4	11
Tambah Departements Setting	15.532 s	1	0	1	0	7	1	1	5
Tambah Departements Setting Data Kosong	15.432 s	1	0	1	0	7	1	1	5
Tambah Departements Setting Data Duplikat	15.457 s	1	0	1	0	7	1	1	5
Tambah Departements Setting	15.452 s	1	0	1	0	5	1	1	3
Tambah Posisi	16.421 s	1	0	1	0	8	1	1	6
Tambah Posisi	16.560 s	1	0	1	0	7	1	1	5
Tambah Posisi departemen kosong	16.483 s	1	0	1	0	7	1	1	5
Tambah Posisi	16.492 s	1	0	1	0	6	1	1	4
Tambah Posisi	16.429 s	1	0	1	0	8	1	1	6
Tambah Posisi	16.436 s	1	0	1	0	8	1	1	6
Tambah Posisi	16.416 s	1	0	1	0	8	1	1	6
Tambah Posisi	16.446 s	1	0	1	0	7	1	1	5

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Tambah Posisi	16.435 s	1	0	1	0	6	1	1	4

| #	Feature Name	Scenario Name
1	*Pengujian Fitur Koreksi Absen di Aplikasi Hadir*	*Melakukan koreksi absen setelah melakukan absensi dengan mengisi semua field dengan data Tipe absen "WFO"*
2		*Melakukan koreksi absen setelah melakukan absensi dengan mengisi semua field dengan data Tipe absen "WFH"*
3		*Melakukan koreksi absen setelah melakukan absensi dengan mengosongkan semua field*
4		*Melakukan koreksi absen dengan mengisi salah satu field yaitu jam masuk saja*
5	*Pengujian Fitur Izin Terlambat di Aplikasi Hadir Mobile*	*Melakukan pengajuan izin terlambat dengan mengisi semua field dengan data yang valid dan terdapat izin terlambat yang belum di approve*
6		*Melakukan pengajuan izin terlambat dengan mengosongkan semua field*
7	*Pengujian Fitur Izin Pulang Cepat di Aplikasi Hadir Mobile*	*Melakukan pengajuan izin pulang cepat dengan mengisi semua field dengan data yang valid*
8		*Melakukan pengajuan izin pulang cepat dengan mengosongkan semua field*

#	Feature Name	Scenario Name
9	*Pengujian Fitur Izin Off di Aplikasi Hadir Mobile*	*Melakukan pengajuan izin off dan mengisi semua field dengan kondisi terdapat data yang belum di approve*
10		*Melakukan pengajuan izin Off dengan mengosongkan semua field*
11	*Pengujian Fitur Aplikasi Hadir*	*Menguji Upload File dalam Import Status*
12		*Menguji Upload File dalam Import Status (Selain Excel)*
13		*Mendownload File Template Untuk Data Import*
14		*Menguji Upload File Excel Kosongan dalam Import Status*
15	*Tambah Departements Setting*	*Admin menambahkan departement baru*
16	*Tambah Departements Setting Data Kosong*	*Admin menambahkan departement baru dengan data kosong*
17	*Tambah Departements Setting Data Duplikat*	*Admin menambahkan departement baru dengan data duplikat*
18	*Tambah Departements Setting*	*Admin menambahkan departement baru*
19	*Tambah Posisi*	*Admin menambahkan posisi baru*
20		*Admin menambahkan posisi baru*

| #	Feature Name	Scenario Name
21	Tambah Posisi departemen kosong	Admin menambahkan posisi baru
22	Tambah Posisi	Admin menambahkan posisi baru
23		Admin menambahkan posisi baru
24		Admin mengedit posisi
25		Admin mengedit posisi
26		Admin hapus posisi
27		Admin hapus posisi

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@koreksi	4	0	4	0	1	0	1	0
@test	10	0	10	0	4	0	4	0
@positive	12	0	12	0	10	0	10	0
@medium	10	0	10	0	4	0	4	0
@critical	6	0	6	0	2	0	2	0
@negative	11	0	11	0	11	0	11	0
@izin	6	0	6	0	3	0	3	0
@major	4	0	4	0	2	0	2	0
@terlambat	2	0	2	0	1	0	1	0
@pulangCepat	2	0	2	0	1	0	1	0
@off	2	0	2	0	1	0	1	0
@Import	4	0	4	0	1	0	1	0
@unitSetting	4	0	4	0	4	0	4	0
@posisi	9	0	9	0	9	0	9	0

#	Feature Name	T	P	F	S	Duration
1	Pengujian Fitur Koreksi Absen di Aplikasi Hadir	4	0	4	0	23.134 s
2	Pengujian Fitur Izin Terlambat di Aplikasi Hadir Mobile	2	0	2	0	6.266 s
3	Pengujian Fitur Izin Pulang Cepat di Aplikasi Hadir Mobile	2	0	2	0	1.198 s
4	Pengujian Fitur Izin Off di Aplikasi Hadir Mobile	2	0	2	0	12.261 s
5	Pengujian Fitur Aplikasi Hadir	4	0	4	0	48.894 s
6	Tambah Departements Setting	1	0	1	0	15.532 s
7	Tambah Departements Setting Data Kosong	1	0	1	0	15.432 s
8	Tambah Departements Setting Data Duplikat	1	0	1	0	15.457 s
9	Tambah Departements Setting	1	0	1	0	15.452 s
10	Tambah Posisi	1	0	1	0	16.421 s

#	Feature Name	T	P	F	S	Duration
11	*Tambah Posisi*	1	0	1	0	16.560 s
12	*Tambah Posisi departemen kosong*	1	0	1	0	16.483 s
13	*Tambah Posisi*	1	0	1	0	16.492 s
14	*Tambah Posisi*	1	0	1	0	16.429 s
15	*Tambah Posisi*	1	0	1	0	16.436 s
16	*Tambah Posisi*	1	0	1	0	16.416 s
17	*Tambah Posisi*	1	0	1	0	16.446 s
18	*Tambah Posisi*	1	0	1	0	16.435 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Pengujian Fitur Koreksi Absen di Aplikasi Hadir	Melakukan koreksi absen setelah melakukan absensi dengan mengisi semua field dengan data Tipe absen "WFO"	14	2	1	11	5.925 s
2		Melakukan koreksi absen setelah melakukan absensi dengan mengisi semua field dengan data Tipe absen "WFH"	11	3	1	7	14.918 s
3		Melakukan koreksi absen setelah melakukan absensi dengan mengosongkan semua field	3	0	1	2	1.111 s
4		Melakukan koreksi absen dengan mengisi salah satu field yaitu jam masuk saja	6	0	1	5	1.105 s
5	Pengujian Fitur Izin Terlambat di Aplikasi Hadir Mobile	Melakukan pengajuan izin terlambat dengan mengisi semua field dengan data yang valid dan terdapat izin terlambat *	9	1	1	7	4.126 s
6		Melakukan pengajuan izin terlambat dengan mengosongkan semua field	4	1	1	2	2.134 s
7	Pengujian Fitur Izin Pulang Cepat di Aplikasi Hadir Mobile	Melakukan pengajuan izin pulang cepat dengan mengisi semua field dengan data yang valid	7	0	1	6	0.038 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Pengujian Fitur Izin Pulang Cepat di Aplikasi Hadir Mobile	Melakukan pengajuan izin pulang cepat dengan mengosongkan semua field	4	1	1	2	1.152 s
9	Pengujian Fitur Izin Off di Aplikasi Hadir Mobile	Melakukan pengajuan izin off dan mengisi semua field dengan kondisi terdapat data yang belum di approve	7	0	1	6	1.113 s
10		Melakukan pengajuan izin Off dengan mengosongkan semua field	4	1	1	2	11.139 s
11	Pengujian Fitur Aplikasi Hadir	Menguji Upload File dalam Import Status	6	1	1	4	15.580 s
12		Menguji Upload File dalam Import Status (Selain Excel)	3	0	1	2	13.228 s
13		Mendownload File Template Untuk Data Import	2	0	1	1	10.047 s
14		Menguji Upload File Excel Kosongan dalam Import Status	5	0	1	4	10.011 s
15	Tambah Departements Setting	Admin menambahkan departement baru	7	1	1	5	15.532 s
16	Tambah Departements Setting Data Kosong	Admin menambahkan departement baru dengan data kosong	7	1	1	5	15.432 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
17	Tambah Departements Setting Data Duplikat	Admin menambahkan departement baru dengan data duplikat	7	1	1	5	15.457 s
18	Tambah Departements Setting	Admin menambahkan departement baru	5	1	1	3	15.452 s
19	Tambah Posisi	Admin menambahkan posisi baru	8	1	1	6	16.421 s
20		Admin menambahkan posisi baru	7	1	1	5	16.560 s
21	Tambah Posisi departemen kosong	Admin menambahkan posisi baru	7	1	1	5	16.483 s
22	Tambah Posisi	Admin menambahkan posisi baru	6	1	1	4	16.492 s
23		Admin menambahkan posisi baru	8	1	1	6	16.429 s
24		Admin mengedit posisi	8	1	1	6	16.436 s
25		Admin mengedit posisi	8	1	1	6	16.416 s
26		Admin hapus posisi	7	1	1	5	16.446 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
27	Tambah Posisi	Admin hapus posisi	6	1	1	4	16.435 s

Pengujian Fitur Koreksi Absen di Aplikasi Hadir

FAILED	DURATION - 23.134 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 34 Pass - 5 Fail - 4 Skip - 25	34
/ 3:16:30.736 PM // 3:16:53.870 PM /					

Melakukan koreksi absen setelah melakukan absensi dengan mengisi semua field dengan data Tipe absen "WFO"

FAILED	DURATION - 5.925 s		Steps Total - 14 Pass - 2 Fail - 1 Skip - 11	14
/ 3:16:30.741 PM // 3:16:36.666 PM /				
Pengujian Fitur Koreksi Absen di Aplikasi Hadir				
@koreksi @test @positive @medium @critical				

#	Step / Hook Details	Status	Duration
1	Given Pengguna Login menggunakan email "tejo@gmail.com" dan password "tejo@123"	PASSED	3.858 s
2	And Pengguna melakukan scroll mengarah ke menu koreksi absen	PASSED	2.017 s
3	And Pengguna menekan menu Koreksi Absen	FAILED	0.029 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='__next']/div/div/div/div[3]/div/div/div[2]/div/div/a"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[@id='__next']/div/div/div/div[3]/div/div/div[2]/div/div/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.koreksiAbsen.KoreksiAbsenPage.clickButtonMenuKoreksiAbsen(KoreksiAbsenPage.java:92) at com.aplikasihadir.steps.KoreksiAbsenDefinition.KoreksiAbsenPagePositiveTestWFODefinition. clickMenuKoreksiAbsen(KoreksiAbsenPagePositiveTestWFODefinition.java:46) at ?.Pengguna menekan menu Koreksi Absen(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/01_KoreksiAbsen.feature:7) * Not displayable characters are replaced by '?'.		
4	When Pengguna menekan tombol Ajukan Koreksi	SKIPPED	0.000 s
5	And Pengguna menekan field Jam Masuk	SKIPPED	0.000 s
6	And Pengguna memilih Tahun, Bulan, Tanggal	SKIPPED	0.000 s
7	And Pengguna memilih Jam dan Menit	SKIPPED	0.000 s
8	And Pengguna memilih field Jam Keluar	SKIPPED	0.000 s
9	And Pengguna memilih Tahun, Bulan, Tanggal Jam Keluar	SKIPPED	0.000 s
10	And Pengguna memilih Jam dan Menit Jam Keluar	SKIPPED	0.000 s
11	And Pengguna menekan field Tipe Absen	SKIPPED	0.000 s
12	And Pengguna memilih WFO	SKIPPED	0.000 s
13	And Pengguna menekan tombol Ajukan	SKIPPED	0.000 s
14	Then Pengguna akan melihat text Total akan bertambah	SKIPPED	0.000 s

Melakukan koreksi absen setelah melakukan absensi dengan mengisi semua field dengan data Tipe absen "WFH"

FAILED	DURATION - 14.918 s

/ 3:16:36.704 PM // 3:16:51.622 PM /

Pengujian Fitur Koreksi Absen di Aplikasi Hadir

@koreksi @test @positive @medium @critical

Steps
Total - 11
Pass - 3
Fail - 1
Skip - 7

#	Step / Hook Details	Status	Duration
1	Given Pengguna1 menekan tombol Ajukan Koreksi	PASSED	5.105 s
2	When Pengguna1 menekan field Jam Masuk	PASSED	2.163 s
3	And Pengguna1 memilih Tahun, Bulan, Tanggal	PASSED	7.605 s
4	And Pengguna1 memilih Jam dan Menit	FAILED	0.035 s

org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.27.0', revision: 'd6e718d134'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.
ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, actions {actions=[org.openqa.selenium.interactions.
Sequence@4b0b64cc]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome:
{chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true,
goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:
windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:
true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,
webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520)
  at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182)
  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
  at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204)
  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
  at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
  at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
  at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)
  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
  at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
  at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
  at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204)
  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222)		
	at java.base/java.util.Map.forEach(Map.java:713)		
	at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)		
	at org.openqa.selenium.json.Json.toJson(Json.java:133)		
	at org.openqa.selenium.json.Json.toJson(Json.java:119)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:631)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:613)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:578)		
	at com.aplikasihadir.pages.koreksiAbsen.KoreksiAbsenPage.clickJam07(KoreksiAbsenPage.java:128)		
	at com.aplikasihadir.steps.KoreksiAbsenDefinition.KoreksiAbsenPagePositiveTestWFHDefinition. clickJam_Menit(KoreksiAbsenPagePositiveTestWFHDefinition.java:44)		
	at ?.Pengguna1 memilih Jam dan Menit(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/01_KoreksiAbsen.feature:25)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json. toJson(Json.java:131) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) at org.openqa.selenium.remote.HttpCommandExecutor. execute(HttpCommandExecutor.java:178) at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:631) at org.openqa.selenium.interactions. Actions$BuiltAction.perform(Actions.java:613) at org.openqa.selenium.interactions.Actions.perform(Actions.java:578) at com. aplikasihadir.pages.koreksiAbsen.KoreksiAbsenPage.clickJam07(KoreksiAbsenPage.java:128) at com.aplikasihadir.steps. KoreksiAbsenDefinition.KoreksiAbsenPagePositiveTestWFHDefinition.clickJam_Menit(KoreksiAbsenPagePositiveTestWFHDefinition.java:44) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect. NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl. invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java. Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition. invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io. cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch. runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io. cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io. cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration

	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner. lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext. lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector. executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext. runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method. java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng. internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker. invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker. invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker. java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList. forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner. java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng. SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org. testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng. TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.apache.maven.surefire.testng. TestNGExecutor.run(TestNGExecutor.java:308) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite. java:71) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:113) at org.apache.maven.surefire.booter. ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter. java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter. ForkedBooter.main(ForkedBooter.java:495) Caused by: java.lang.reflect.InvocationTargetException
	
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516)
	   at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182)
	   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	   at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204)
	   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
	   at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
	   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
	   at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)
	   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
	   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	   at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
	   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
	   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		
	at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222)		
	at java.base/java.util.Map.forEach(Map.java:713)		
	at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)		
	at org.openqa.selenium.json.Json.toJson(Json.java:133)		
	at org.openqa.selenium.json.Json.toJson(Json.java:119)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:631)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:613)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:578)		
	at com.aplikasihadir.pages.koreksiAbsen.KoreksiAbsenPage.clickJam07(KoreksiAbsenPage.java:128)		
	at com.aplikasihadir.steps.KoreksiAbsenDefinition.KoreksiAbsenPagePositiveTestWFHDefinition. clickJam_Menit(KoreksiAbsenPagePositiveTestWFHDefinition.java:44)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:308)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:71)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:113)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@aria-label='7 hours']"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//span[@aria-label='7 hours']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion:		

| #	Step / Hook Details	Status	Duration

	133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy25.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:259)
	  at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:208)
	  at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72)
	  at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81)
	* Not displayable characters are replaced by '?'.		

5	And Pengguna1 memilih field Jam Keluar	SKIPPED	0.000 s
6	And Pengguna1 memilih Tahun, Bulan, Tanggal Jam Keluar	SKIPPED	0.000 s
7	And Pengguna1 memilih Jam dan Menit Jam Keluar	SKIPPED	0.001 s
8	And Pengguna1 menekan field Tipe Absen	SKIPPED	0.000 s
9	And Pengguna1 memilih WFH	SKIPPED	0.000 s
10	And Pengguna1 menekan tombol Ajukan	SKIPPED	0.000 s
11	Then Pengguna1 akan melihat text Total akan bertambah	SKIPPED	0.001 s

Melakukan koreksi absen setelah melakukan absensi dengan mengosongkan semua field

FAILED	DURATION - 1.111 s
/ 3:16:51.642 PM // 3:16:52.753 PM /	
Pengujian Fitur Koreksi Absen di Aplikasi Hadir	
@koreksi @test @negative @medium @critical	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Pengguna2 menekan tombol Ajukan Koreksi	FAILED	1.109 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button class="MuiButtonBase-root MuiButton-root MuiButton-contained MuiButton-containedPrimary MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-root MuiButton-contained MuiButton-containedPrimary MuiButton-sizeMedium MuiButton-containedSizeMedium css-ie3dwq" tabindex="0" type="button" id="month">...</button> is not clickable at point (630, 133). Other element would receive the click: <button class="MuiButtonBase-root MuiIconButton-root MuiIconButton-colorInherit MuiIconButton-sizeMedium MuiPickersToolbar-penIconButton css-dy7s7" tabindex="0" type="button" aria-label="calendar view is open, go to text input view">...</button> (Session info: chrome=133.0.6943.142) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, clickElement {id=f.9EC58CFE35CD400B91FF5804FB1D8D21.d.99749BF719B7F5F19CF2E4BB09C4AB66.e.80}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a37a975c0d65b08ea5b3d29446e40d9a)] -> xpath: (//button[@type='button'])[2]] Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.koreksiAbsen.KoreksiAbsenPage.clickButtonAjukanKoreksi(KoreksiAbsenPage.java:97) at com.aplikasihadir.steps.KoreksiAbsenDefinition.KoreksiAbsenPageNegativeTestNoInputDefinition. clickAjukanKoreksiButton(KoreksiAbsenPageNegativeTestNoInputDefinition.java:25) at ?.Pengguna2 menekan tombol Ajukan Koreksi(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/ 01_KoreksiAbsen.feature:36) * Not displayable characters are replaced by '?'.		
2	When Pengguna2 menekan tombol Ajukan	SKIPPED	0.002 s
3	Then Pengguna2 akan melihat alert "Salah satu harus diisi!"	SKIPPED	0.000 s

Melakukan koreksi absen dengan mengisi salah satu field yaitu jam masuk saja

| FAILED	DURATION - 1.105 s
/ 3:16:52.765 PM // 3:16:53.870 PM /	
Pengujian Fitur Koreksi Absen di Aplikasi Hadir	
@koreksi @test @positive @medium @critical	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	Given Pengguna3 menekan field Jam Masuk	FAILED	1.102 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button class="MuiButtonBase-root MuiButton-root MuiButton-outlined MuiButton-outlinedPrimary MuiButton-sizeMedium MuiButton-outlinedSizeMedium MuiButton-root MuiButton-outlined MuiButton-outlinedPrimary MuiButton-sizeMedium MuiButton-outlinedSizeMedium css-11jib8o" tabindex="0" type="button" id="year">...</button> is not clickable at point (744, 133). Other element would receive the click: <div class="MuiDialog-container MuiDialog-scrollPaper css-ekeie0" role="presentation" tabindex="-1" style="opacity: 1; transition: opacity 225ms cubic-bezier(0.4, 0, 0.2, 1);">...</div> (Session info: chrome=133.0.6943.142) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, clickElement {id=f.9EC58CFE35CD400B91FF5804FB1D8D21.d. 99749BF719B7F5F19CF2E4BB09C4AB66.e.67}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true,		

#	Step / Hook Details	Status	Duration

	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a37a975c0d65b08ea5b3d29446e40d9a)] -> xpath: (//button[@type='button'])[3]] Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)
	    at com.aplikasihadir.pages.koreksiAbsen.KoreksiAbsenPage.clickButtonJamMasuk(KoreksiAbsenPage.java:102)
	    at com.aplikasihadir.steps.KoreksiAbsenDefinition.KoreksiAbsenPagePositiveTestOnlyJamMasukDefinition.clickJamMasukButton(KoreksiAbsenPagePositiveTestOnlyJamMasukDefinition.java:29)
	    at ?.Pengguna3 menekan field Jam Masuk(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/01_KoreksiAbsen.feature:42)
	* Not displayable characters are replaced by '?'.		

2	When Pengguna3 memilih Tahun, Bulan, Tanggal	SKIPPED	0.000 s
3	And Pengguna3 memilih Jam dan Menit	SKIPPED	0.000 s
4	And Pengguna3 menekan tombol Ajukan	SKIPPED	0.000 s
5	Then Pengguna3 akan melihat text Total akan bertambah	SKIPPED	0.000 s
6	And Pengguna 3 keluar dari halaman koreksi absen	SKIPPED	0.001 s

Pengujian Fitur Izin Terlambat di Aplikasi Hadir Mobile

| FAILED	DURATION - 6.266 s	Scenarios		Steps	
		Total - 2		Total - 13	
/ 3:16:53.887 PM // 3:17:00.153 PM /		Pass - 0	2	Pass - 2	13
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 9	

Melakukan pengajuan izin terlambat dengan mengisi semua field dengan data yang valid dan terdapat izin terlambat yang belum di approve

FAILED	DURATION - 4.126 s		Steps
/ 3:16:53.887 PM // 3:16:58.013 PM /			Total - 9
			Pass - 1
Pengujian Fitur Izin Terlambat di Aplikasi Hadir Mobile			Fail - 1
			Skip - 7
@test @izin @major @terlambat @positive @medium		9	

#	Step / Hook Details	Status	Duration
1	Given Pengguna melakukan scroll mengarah ke menu izin	PASSED	3.029 s
2	And Pengguna klik menu izin	FAILED	1.093 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="MuiBox-root css-11uwjng">...</div> is not clickable at point (576, 281). Other element would receive the click: <button type="button" tabindex="-1" class="PrivatePickersYear-yearButton css-15fs6wl">...</button> (Session info: chrome=133.0.6943.142) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, clickElement {id=f.9EC58CFE35CD400B91FF5804FB1D8D21.d.99749BF719B7F5F19CF2E4BB09C4AB66.e.88}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a37a975c0d65b08ea5b3d29446e40d9a)] -> xpath: //*[@id='__next']/div/div/div[1]/div[3]/div/div/div[3]/div/div/a/div] Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.Izin.TerlambatPage.clickBtnMenuIzin(TerlambatPage.java:63) at com.aplikasihadir.steps.IzinDefinition.TerlambatDefinition.IzinTerlambatPagePositiveTest. clickMenuIzinButton(IzinTerlambatPagePositiveTest.java:32) at ?.Pengguna klik menu izin(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/02_IzinTerlambat. feature:6) * Not displayable characters are replaced by '?'.		
3	When Pengguna klik tombol ajukan izin terlambat	SKIPPED	0.000 s
4	And Pengguna isi field tanggal	SKIPPED	0.001 s
5	And Pengguna isi field Jam	SKIPPED	0.000 s
6	And Pengguna isi field keterangan	SKIPPED	0.000 s
7	And Pengguna klik tombol ajukan	SKIPPED	0.000 s
8	Then Muncul notifikasi "Permintaan izin terlambat sebelumnya belum di approve"	SKIPPED	0.001 s
9	And Pengguna merefresh halaman	SKIPPED	0.000 s

Melakukan pengajuan izin terlambat dengan mengosongkan semua field

FAILED	DURATION - 2.134 s
/ 3:16:58.019 PM // 3:17:00.153 PM /	
Pengujian Fitur Izin Terlambat di Aplikasi Hadir Mobile	
@test @negative @izin @major @terlambat @medium	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

4

#	Step / Hook Details	Status	Duration
1	Given Pengguna1 klik tombol ajukan izin terlambat	PASSED	2.115 s
2	When Pengguna1 klik tombol ajukan	FAILED	0.016 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='submit']"}   (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//button[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.Izin.TerlambatPage.clickbtnAjukan(TerlambatPage.java:104) at com.aplikasihadir.steps.IzinDefinition.TerlambatDefinition.IzinTerlambatPageNegativeTest.clickTombolAjukan(IzinTerlambatPageNegativeTest.java:32) at ?.Pengguna1 klik tombol ajukan(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/02_IzinTerlambat.feature:18) * Not displayable characters are replaced by '?'.		
3	Then Muncul notifikasi "Tanggal Harus diisi!", "Jam Harus diisi!", "Keterangan Harus diisi!"	SKIPPED	0.000 s
4	And Pengguna1 merefresh halaman	SKIPPED	0.000 s

Pengujian Fitur Izin Pulang Cepat di Aplikasi Hadir Mobile

FAILED	DURATION - 1.198 s				
/ 3:17:00.162 PM // 3:17:01.360 PM /		Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 11 Pass - 1 Fail - 2 Skip - 8	11

Melakukan pengajuan izin pulang cepat dengan mengisi semua field dengan data yang valid

FAILED	DURATION - 0.038 s		
/ 3:17:00.162 PM // 3:17:00.200 PM /			
Pengujian Fitur Izin Pulang Cepat di Aplikasi Hadir Mobile		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	7
@pulangCepat @test @izin @major @positive @medium			

#	Step / Hook Details	Status	Duration
1	Given Pengguna1 klik tombol pulang cepat dihalaman izin	FAILED	0.034 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=133.0.6943.142) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, clickElement {id=f.9EC58CFE35CD400B91FF5804FB1D8D21.d.99749BF719B7F5F19CF2E4BB09C4AB66.e.67}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir:		

| #	Step / Hook Details	Status	Duration

	C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a37a975c0d65b08ea5b3d29446e40d9a)] -> xpath: (//button[@type='button'])[3]] Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	  at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)
	  at com.aplikasihadir.pages.Izin.PulangCepatPage.clickBtnMenuPulangCepat(PulangCepatPage.java:61)
	  at com.aplikasihadir.steps.IzinDefinition.PulangCepatDefinition.IzinPulangCepatPagePositiveTest.clickMenuPulangCepatButton(IzinPulangCepatPagePositiveTest.java:29)
	  at ?.Pengguna1 klik tombol pulang cepat dihalaman izin(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/03_IzinPulangCepat.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When Pengguna1 klik tombol ajukan izin pulang cepat	SKIPPED	0.000 s
3	And Pengguna1 isi field tanggal	SKIPPED	0.000 s
4	And Pengguna1 isi field Jam	SKIPPED	0.000 s
5	And Pengguna1 isi field keterangan	SKIPPED	0.000 s
6	And Klik tombol ajukan	SKIPPED	0.000 s
7	Then Text Total akan bertambah	SKIPPED	0.000 s

Melakukan pengajuan izin pulang cepat dengan mengosongkan semua field

| FAILED	DURATION - 1.152 s
/ 3:17:00.208 PM // 3:17:01.360 PM /	
Pengujian Fitur Izin Pulang Cepat di Aplikasi Hadir Mobile	
@pulangCepat @test @negative @izin @major @medium	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Pengguna2 klik tombol ajukan izin pulang cepat	PASSED	1.112 s
2	When Pengguna2 klik tombol ajukan	FAILED	0.040 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='submit']"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//button[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)		
	at com.aplikasihadir.pages.Izin.PulangCepatPage.clickbtnAjukan(PulangCepatPage.java:102)		
	at com.aplikasihadir.steps.IzinDefinition.PulangCepatDefinition.IzinPulangCepatPageNegativeTest. clickAnjukanPulangCepatButton(IzinPulangCepatPageNegativeTest.java:34)		
	at ?.Pengguna2 klik tombol ajukan(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/ 03_IzinPulangCepat.feature:16)		
	* Not displayable characters are replaced by '?'.		
3	Then Muncul pesan error "Tanggal Harus diisi!", "Jam Harus diisi!", "Keterangan Harus diisi!"	SKIPPED	0.000 s
4	And Pengguna2 merefresh halaman	SKIPPED	0.000 s

Pengujian Fitur Izin Off di Aplikasi Hadir Mobile

FAILED	DURATION - 12.261 s	Scenarios	Steps
/ 3:17:01.367 PM // 3:17:13.628 PM /		Total - 2 Pass - 0 Fail - 2 Skip - 0	Total - 11 Pass - 1 Fail - 2 Skip - 8

Melakukan pengajuan izin off dan mengisi semua field dengan kondisi terdapat data yang belum di approve

FAILED	DURATION - 1.113 s		Steps
/ 3:17:01.368 PM // 3:17:02.481 PM /			Total - 7 Pass - 0 Fail - 1 Skip - 6
Pengujian Fitur Izin Off di Aplikasi Hadir Mobile			
@test @off @izin @positive @medium @critical			

#	Step / Hook Details	Status	Duration
1	Given Pengguna klik tombol izin off dihalaman izin	FAILED	1.111 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button class="MuiButtonBase-root MuiButton-root MuiButton-contained MuiButton-containedPrimary MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-root MuiButton-contained MuiButton-containedPrimary MuiButton-sizeMedium MuiButton-containedSizeMedium css-ctijcz" tabindex="0">		

#	Step / Hook Details	Status	Duration
	type="button">...</button> is not clickable at point (512, 579). Other element would receive the click: <div class="MuiDialog-container MuiDialog-scrollPaper css-ekeie0" role="presentation" tabindex="-1" style="opacity: 1; transition: opacity 225ms cubic-bezier(0.4, 0, 0.2, 1);">...</div> (Session info: chrome=133.0.6943.142) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, clickElement {id=f.9EC58CFE35CD400B91FF5804FB1D8D21.d.99749BF719B7F5F19CF2E4BB09C4AB66.e.66}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a37a975c0d65b08ea5b3d29446e40d9a)] -> xpath: (//button[@type='button'])[4]] Session ID: a37a975c0d65b08ea5b3d29446e40d9a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.Izin.IzinOffPage.clickBtnMenuIzinOff(IzinOffPage.java:54) at com.aplikasihadir.steps.IzinDefinition.OffDefinition.IzinOffPagePositiveTest.clickMenuIzinOffButton(IzinOffPagePositiveTest.java:27) at ?.Pengguna klik tombol izin off dihalaman izin(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/04_IzinOff.feature:5) * Not displayable characters are replaced by '?'.		
2	When Pengguna klik tombol ajukan izin off	SKIPPED	0.001 s
3	And Pengguna mengisi tanggal izin off	SKIPPED	0.000 s
4	And Pengguna mengisi field alasan off	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
5	And Klik tombol ajukan setelah mengisi semua field	SKIPPED	0.001 s
6	Then Akan muncul alert "Permintaan dalam proses"	SKIPPED	0.000 s
7	And Pengguna merefresh halaman izin off	SKIPPED	0.000 s

Melakukan pengajuan izin Off dengan mengosongkan semua field

FAILED	DURATION - 11.139 s
/ 3:17:02.489 PM // 3:17:13.628 PM /	
Pengujian Fitur Izin Off di Aplikasi Hadir Mobile	
@test @negative @off @izin @medium @critical	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given Pengguna1 menekan tombol ajukan izin off	PASSED	1.079 s
2	When Pengguna1 langsung menekan tombol ajukan	FAILED	10.059 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@type='submit']"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//button[@type='submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.Izin.IzinOffPage.clickBtnAjukan(IzinOffPage.java:79) at com.aplikasihadir.steps.IzinDefinition.OffDefinition.IzinOffPageNegativeTest.clickAjukanButton(IzinOffPageNegativeTest.java:31) at ?.Pengguna1 langsung menekan tombol ajukan(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/04_IzinOff.feature:16) * Not displayable characters are replaced by '?'.		
3	Then Muncul pesan error "Pilih tanggal off!.", "Alasan dan mengambill izin off."	SKIPPED	0.000 s
4	And Pengguna1 merefresh halaman izin off	SKIPPED	0.000 s

Pengujian Fitur Aplikasi Hadir

FAILED	DURATION - 48.894 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 16 Pass - 1 Fail - 4 Skip - 11	16
/ 3:17:13.640 PM // 3:18:02.534 PM /					

Menguji Upload File dalam Import Status

FAILED	DURATION - 15.580 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	6
/ 3:17:13.640 PM // 3:17:29.220 PM /				
Pengujian Fitur Aplikasi Hadir				
@Import				

#	Step / Hook Details	Status	Duration
1	Given Pengguna login ke website Hadir dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	5.517 s
2	And Pengguna menekan tombol menu Import di bagian kiri menu	FAILED	10.062 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(@class, 'sidebar__item')]/p[contains(text(), 'Import')]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[contains(@class, 'sidebar__item')]/p[contains(text(), 'Import')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.ImportStatus.ImportStatusPages.clickDropdownImport(ImportStatusPages.java:47) at com.aplikasihadir.steps.importStatus.ImportStatus.clickMenuImport(ImportStatus.java:35) at ?.Pengguna menekan tombol menu Import di bagian kiri menu(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/05_ImportStatus.feature:6) * Not displayable characters are replaced by '?'.		
3	And Pengguna menekan tombol submenu Import Status Aktif	SKIPPED	0.000 s
4	When Pengguna menekan tombol choose file dan memilih file excel yang diinginkan	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And Pengguna menekan tombol import	SKIPPED	0.000 s
6	Then Muncul sebuah notifikasi "Berhasil import excel"	SKIPPED	0.000 s

Menguji Upload File dalam Import Status (Selain Excel)

FAILED	DURATION - 13.228 s
/ 3:17:29.227 PM // 3:17:42.455 PM /	
Pengujian Fitur Aplikasi Hadir	
@Import	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given Pengguna menekan tombol choose file dan memilih file bukan excel	FAILED	13.227 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='selfie']"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//input[@id='selfie']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy25.sendKeys(Unknown Source)		
	at com.aplikasihadir.pages.ImportStatus.ImportStatusPages.setInputFileExcelSalah(ImportStatusPages.java:57)		
	at com.aplikasihadir.steps.importStatus.ImportStatusSelainExcel.importFileBukanExcel(ImportStatusSelainExcel.java:26)		
	at ?.Pengguna menekan tombol choose file dan memilih file bukan excel(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/05_ImportStatus.feature:14) * Not displayable characters are replaced by '?'.		
2	And Pengguna menekan tombol import lagi	SKIPPED	0.000 s
3	Then Muncul notifikasi error "*File harus berupa file Excel (.xls atau .xlsx)"	SKIPPED	0.000 s

Mendownload File Template Untuk Data Import

FAILED	DURATION - 10.047 s		Steps
/ 3:17:42.469 PM // 3:17:52.516 PM /			Total - 2
			Pass - 0
Pengujian Fitur Aplikasi Hadir			Fail - 1
			Skip - 1
@Import			

#	Step / Hook Details	Status	Duration
1	Given Pengguna menekan tombol download template	FAILED	10.046 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@class='MuiButtonBase-root MuiButton-root MuiButton-contained MuiButton-containedSuccess MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-fullWidth MuiButton-root MuiButton-contained MuiButton-containedSuccess MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-fullWidth css-yebgwc']"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//button[@class='MuiButtonBase-root MuiButton-root MuiButton-contained MuiButton-containedSuccess MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-fullWidth MuiButton-root MuiButton-contained MuiButton-containedSuccess MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-fullWidth css-yebgwc']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions:		

#	Step / Hook Details	Status	Duration

	{debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)
	  at com.aplikasihadir.pages.ImportStatus.ImportStatusPages.clickBtnTemplate(ImportStatusPages.java:72)
	  at com.aplikasihadir.steps.importStatus.ImportStatusDownloadTemplate.clickBtnDownloadTemplate(ImportStatusDownloadTemplate.java:48)
	  at ?.Pengguna menekan tombol download template(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/05_ImportStatus.feature:20)
	* Not displayable characters are replaced by '?'.		

2	Then Pengguna berhasil mendownload file template	SKIPPED	0.000 s

Menguji Upload File Excel Kosongan dalam Import Status

| FAILED	DURATION - 10.011 s
/ 3:17:52.523 PM // 3:18:02.534 PM /	
Pengujian Fitur Aplikasi Hadir	
@Import	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	Given Pengguna2 menekan tombol menu Import di bagian kiri menu	FAILED	10.010 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(@class, 'sidebar__item')]/p[contains(text(), 'Import')]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[contains(@class, 'sidebar__item')]/p[contains(text(), 'Import')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.ImportStatus.ImportStatusPages.clickDropdownImport(ImportStatusPages.java:47) at com.aplikasihadir.steps.importStatus.ImportStatusKosongan.clickMenuImport(ImportStatusKosongan.java:27) at ?.Pengguna2 menekan tombol menu Import di bagian kiri menu(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/05_ImportStatus.feature:25) * Not displayable characters are replaced by '?'.		
2	And Pengguna2 menekan tombol submenu Import Status Aktif	SKIPPED	0.000 s
3	When Pengguna2 menekan tombol choose file dan memilih file excel kosongan	SKIPPED	0.000 s
4	And Pengguna2 menekan tombol import	SKIPPED	0.000 s
5	Then Muncul alert ""	SKIPPED	0.000 s

Tambah Departements Setting

FAILED	DURATION - 15.532 s	Scenarios		Steps	
/ 3:18:02.542 PM // 3:18:18.074 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 7 Pass - 1 Fail - 1 Skip - 5	7

Admin menambahkan departement baru

FAILED	DURATION - 15.532 s		Steps	
/ 3:18:02.542 PM // 3:18:18.074 PM /			Total - 7 Pass - 1 Fail - 1 Skip - 5	7
Tambah Departements Setting				
@unitSetting @positive				

#	Step / Hook Details	Status	Duration
1	Given Pengguna memasukkan email "admin@hadir.com" dan password "admin@hadir"	PASSED	5.479 s
2	And Admin tekan menu management	FAILED	10.051 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[(text() = 'Management' or . = 'Management')]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.		

#	Step / Hook Details	Status	Duration

	selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[(text() = 'Management' or . = 'Management')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)
	  at com.aplikasihadir.pages.unitSettingpage.btnManagement(unitSettingpage.java:41)
	  at com.aplikasihadir.steps.unitSetting.unitsettingdefinition.step01(unitsettingdefinition.java:38)
	  at ?.Admin tekan menu management(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/06_TambahDepartementsSetting.feature:12)
	* Not displayable characters are replaced by '?'.		

3	And Admin klik sub menu unit setting	SKIPPED	0.000 s
4	When Admin tekan tombol tambahkan	SKIPPED	0.000 s
5	And Admin memilih pilihan Credit Card	SKIPPED	0.000 s
6	And Admin tekan tombol tambah	SKIPPED	0.000 s
7	Then Unit setting berhasil ditambahkan	SKIPPED	0.000 s

Tambah Departements Setting Data Kosong

FAILED	DURATION - 15.432 s	Scenarios		Steps	
/ 3:18:18.082 PM // 3:18:33.514 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 7 Pass - 1 Fail - 1 Skip - 5	7

Admin menambahkan departement baru dengan data kosong

FAILED	DURATION - 15.432 s		Steps	
/ 3:18:18.082 PM // 3:18:33.514 PM /			Total - 7 Pass - 1 Fail - 1 Skip - 5	7
Tambah Departements Setting Data Kosong				
@negative @unitSetting				

#	Step / Hook Details	Status	Duration
1	Given Pengguna login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	5.400 s
2	And klik menu management	FAILED	10.029 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[(text() = 'Management' or . = 'Management')]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[(text() = 'Management' or . = 'Management')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.unitSettingDataKosongpage.btnManagement(unitSettingDataKosongpage.java:29) at com.aplikasihadir.steps.unitSetting.unitsettingdatakosongdefinition.step01(unitsettingdatakosongdefinition.java:39) at ?.klik menu management(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/07_TambahDepartementSettingDataKosong.feature:5) * Not displayable characters are replaced by '?'.		
3	And Admin tekan sub menu unit setting	SKIPPED	0.000 s
4	When Admin klik tombol tambahkan	SKIPPED	0.000 s
5	And Admin mengisi dengan data kosong	SKIPPED	0.000 s
6	And Admin klik tombol tambah	SKIPPED	0.000 s
7	Then Unit setting gagal ditambahkan	SKIPPED	0.000 s

Tambah Departements Setting Data Duplikat

FAILED	DURATION - 15.457 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	7
/ 3:18:33.525 PM // 3:18:48.982 PM /					

Admin menambahkan departement baru dengan data duplikat

FAILED	DURATION - 15.457 s
/ 3:18:33.525 PM // 3:18:48.982 PM /	
Tambah Departements Setting Data Duplikat	
@negative @unitSetting	

Steps
Total - 7
Pass - 1
Fail - 1
Skip - 5

7

#	Step / Hook Details	Status	Duration
1	Given login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	5.386 s
2	And tekan menu management	FAILED	10.068 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(@class, "sidebar__item")]/p[contains(text(), "Management")]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[contains(@class, "sidebar__item")]/p[contains(text(), "Management")]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.unitSettingDataDuplikatpage.btnManagement(unitSettingDataDuplikatpage.java:39) at com.aplikasihadir.steps.unitSetting.unitsettingdataduplikatdefinition.step01(unitsettingdataduplikatdefinition.java:38) at ?.tekan menu management(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/08_TambahDepartementSettingDataDuplikat.feature:6) * Not displayable characters are replaced by '?'.		
3	And tekan sub menu unit setting	SKIPPED	0.000 s
4	When klik tombol tambahkan	SKIPPED	0.000 s
5	And pilih pilihan Credit Card	SKIPPED	0.000 s
6	And klik tombol tambah	SKIPPED	0.000 s
7	Then gagal ditambahkan	SKIPPED	0.001 s

Tambah Departements Setting

FAILED	DURATION - 15.452 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 3:18:48.988 PM // 3:19:04.440 PM /					

Admin menambahkan departement baru

FAILED	DURATION - 15.452 s		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 3:18:48.988 PM // 3:19:04.440 PM /				
Tambah Departements Setting				
@unitSetting @positive				

| #	Step / Hook Details	Status	Duration
1	Given pengguna3 login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	5.401 s
2	And tekan menu management.	FAILED	10.050 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(@class, "sidebar__item")]/p[contains(text(), "Management")]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[contains(@class, "sidebar__item")]/p[contains(text(), "Management")]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)
	    at com.aplikasihadir.pages.unitSettingHapuspage.btnManagement(unitSettingHapuspage.java:26)
	    at com.aplikasihadir.steps.unitSetting.unitsettinghapusdefinition.step01(unitsettinghapusdefinition.java:39)
	    at ?.tekan menu management.(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/09_HapusDepartementSetting.feature:6)
	* Not displayable characters are replaced by '?'.		

3	And klik sub menu unit setting	SKIPPED	0.000 s
4	When Admin tekan tombol hapus pada data yang akan dihapus	SKIPPED	0.000 s
5	Then Unit setting berhasil dihapus	SKIPPED	0.000 s

Tambah Posisi

| FAILED	DURATION - 16.421 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	
/ 3:19:04.445 PM // 3:19:20.866 PM /					

Admin menambahkan posisi baru

FAILED	DURATION - 16.421 s		Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	
/ 3:19:04.445 PM // 3:19:20.866 PM /				
Tambah Posisi				
@posisi @positive				

#	Step / Hook Details	Status	Duration
1	Given pengguna4 login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	6.409 s
2	And Admin klik menu management	FAILED	10.010 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='__next']/div/div/div[2]/div/div/div/div[2]/div/div/div/div/div[2]/div[4]/div/div/div[2]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[@id='__next']/div/div/div[2]/div/div/div[2]/div/div/div/div/div[2]/div[4]/div/div/div[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.posisipage.btnManagement(posisipage.java:43) at com.aplikasihadir.steps.posisi.posisidefinition.step01(posisidefinition.java:38) at ?.Admin klik menu management(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/10_TambahPosisi.feature:6) * Not displayable characters are replaced by '?'.		
3	And Admin klik sub menu posisi	SKIPPED	0.000 s
4	When Admin menekan tombol tambahkan	SKIPPED	0.000 s
5	And Admin mengisi posisi Admin 1	SKIPPED	0.000 s
6	And Admin memilih pilihan departement Credit Card	SKIPPED	0.000 s
7	And Admin menekan tombol tambah	SKIPPED	0.000 s
8	Then Posisi berhasil ditambahkan	SKIPPED	0.000 s

Tambah Posisi

FAILED	DURATION - 16.560 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	7
/ 3:19:20.870 PM // 3:19:37.430 PM /					

Admin menambahkan posisi baru

FAILED	DURATION - 16.560 s
/ 3:19:20.870 PM // 3:19:37.430 PM /	
Tambah Posisi	
@negative @posisi	

Steps
Total - 7
Pass - 1
Fail - 1
Skip - 5

7

#	Step / Hook Details	Status	Duration
1	Given pengguna5 login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	6.502 s
2	Given klik menu management.	FAILED	10.055 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='__next']/div/div/div[2]/div/div/div/div[2]/div/div/div/div/div/div[2]/div[4]/div/div/div[2]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[@id='__next']/div/div/div[2]/div/div/div[2]/div/div/div/div/div[2]/div[4]/div/div/div[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.posisiNamaPosisiKosongpage.btnManagement(posisiNamaPosisiKosongpage.java:39) at com.aplikasihadir.steps.posisi.posisiNamaPosisiKosongdefinition.step01(posisiNamaPosisiKosongdefinition.java:38) at ?.klik menu management.(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/11_TambahPosisiNamaPosisiKosong.feature:5) * Not displayable characters are replaced by '?'.		
3	And Admin tekan sub menu posisi	SKIPPED	0.000 s
4	When tekan tombol tambahkan	SKIPPED	0.000 s
5	And Admin pilih pilihan departement Credit Card	SKIPPED	0.000 s
6	And tekan tombol tambah	SKIPPED	0.000 s
7	Then Posisi gagal ditambahkan	SKIPPED	0.000 s

Tambah Posisi departemen kosong

FAILED	DURATION - 16.483 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 3:19:37.436 PM // 3:19:53.919 PM /					

Admin menambahkan posisi baru

FAILED	DURATION - 16.483 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 3:19:37.436 PM // 3:19:53.919 PM /				
Tambah Posisi departemen kosong				
@negative @posisi				

| #	Step / Hook Details	Status	Duration
1	Given pengguna6 login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	6.428 s
2	And pengguna tekan menu management	FAILED	10.053 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='__next']/div/div/div[2]/div/div/div/div[2]/div/div/div/div/div[2]/div[4]/div/div/div[2]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[@id='__next']/div/div/div[2]/div/div/div[2]/div/div/div/div/ div[2]/div[4]/div/div/div[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)
	  at com.aplikasihadir.pages.posisiNamaDepartementKosongpage.btnManagement(posisiNamaDepartementKosongpage.java:33)
	  at com.aplikasihadir.steps.posisi.posisiNamaDepartementKosongdefinition.step01(posisiNamaDepartementKosongdefinition.java:39)
	  at ?.pengguna tekan menu management(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/ 12_TambahPosisiNamaDepartementKosong.feature:6)
	* Not displayable characters are replaced by '?'.		

3	And tekan sub menu posisi	SKIPPED	0.000 s
4	When menekan tombol tambahkan	SKIPPED	0.000 s
5	And mengisi posisi Admin 1	SKIPPED	0.000 s
6	And menekan tombol tambah	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	Then Data gagal ditambahkan	SKIPPED	0.001 s

Tambah Posisi

| FAILED	DURATION - 16.492 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 6 Pass - 1 Fail - 1 Skip - 4
/ 3:19:53.924 PM // 3:20:10.416 PM /			

Admin menambahkan posisi baru

| FAILED	DURATION - 16.492 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4
/ 3:19:53.924 PM // 3:20:10.416 PM /			
Tambah Posisi			
@negative @posisi			

#	Step / Hook Details	Status	Duration
1	Given pengguna7 login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	6.440 s
2	And pengguna klik menu management	FAILED	10.051 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='__next']/div/div/div[2]/div/div/div/div[2]/div/div/div/div/div/div[2]/div[4]/div/div/div[2]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[@id='__next']/div/div/div[2]/div/div/div/div[2]/div/div/div/div/div[2]/div[4]/div/div/div[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)		
	at com.aplikasihadir.pages.posisiNamaPosisiDanDepartementKosongpage. btnManagement(posisiNamaPosisiDanDepartementKosongpage.java:30)		
	at com.aplikasihadir.steps.posisi.posisiNamaPosisiDanDepartementKosongdefinition. step01(posisiNamaPosisiDanDepartementKosongdefinition.java:38)		
	at ?.pengguna klik menu management(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/ 13_TambahPosisiNamaPosisiDanDepartementKosong.feature:6)		
	* Not displayable characters are replaced by '?'.		
3	And pengguna tekan sub menu posisi	SKIPPED	0.000 s
4	When pengguna menekan tombol tambahkan	SKIPPED	0.000 s
5	And pengguna menekan tombol tambah	SKIPPED	0.000 s
6	Then pengguna gagal menambahkan data	SKIPPED	0.000 s

Tambah Posisi

FAILED	DURATION - 16.429 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	8
/ 3:20:10.422 PM // 3:20:26.851 PM /					

Admin menambahkan posisi baru

| FAILED	DURATION - 16.429 s
/ 3:20:10.422 PM // 3:20:26.851 PM /	
Tambah Posisi	
@negative @posisi	

Steps
Total - 8
Pass - 1
Fail - 1
Skip - 6

8

#	Step / Hook Details	Status	Duration
1	Given pengguna8 login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	6.394 s
2	And Pengguna klik menu management	FAILED	10.032 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='__next']/div/div/div[2]/div/div/div/div[2]/div/div/div/div/div/div[2]/div[4]/div/div/div[2]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[@id='__next']/div/div/div[2]/div/div/div[2]/div/div/div/div/div[2]/div[4]/div/div/div[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.posisiDataDuplikatpage.btnManagement(posisiDataDuplikatpage.java:43) at com.aplikasihadir.steps.posisi.posisiDataDuplikatdefinition.step01(posisiDataDuplikatdefinition.java:38) at ?.Pengguna klik menu management(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/14_TambahPosisiDataDuplikat.feature:6) * Not displayable characters are replaced by '?'.		
3	And Pengguna klik sub menu posisi	SKIPPED	0.001 s
4	When Pengguna menekan tombol tambahkan	SKIPPED	0.001 s
5	And Pengguna mengisi posisi Admin 1	SKIPPED	0.000 s
6	And Pengguna memilih pilihan departement Credit Card	SKIPPED	0.000 s
7	And Pengguna menekan tombol tambah	SKIPPED	0.000 s
8	Then Pengguna gagal menambahkan data	SKIPPED	0.000 s

Tambah Posisi

FAILED	DURATION - 16.436 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	8
/ 3:20:26.855 PM // 3:20:43.291 PM /						

Admin mengedit posisi

FAILED	DURATION - 16.436 s		Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	8
/ 3:20:26.855 PM // 3:20:43.291 PM /				
Tambah Posisi				
@posisi @positive				

| #	Step / Hook Details	Status	Duration
1	Given pengguna9 login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	6.424 s
2	And tekan menu management	FAILED	10.011 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(@class, "sidebar__item")]/p[contains(text(), "Management")]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[contains(@class, "sidebar__item")]/p[contains(text(), "Management")]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	   at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)
	   at com.aplikasihadir.pages.unitSettingDataDuplikatpage.btnManagement(unitSettingDataDuplikatpage.java:39)
	   at com.aplikasihadir.steps.unitSetting.unitsettingdataduplikatdefinition.step01(unitsettingdataduplikatdefinition.java:38)
	   at ?.tekan menu management(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/15_EditPosisi. feature:6)
	* Not displayable characters are replaced by '?'.		

3	And Pengguna tekan sub menu posisi	SKIPPED	0.000 s
4	When Admin klik titik tiga pada posisi yang akan diedit	SKIPPED	0.000 s
5	And Admin klik edit	SKIPPED	0.000 s
6	And Admin mengedit Admin 1 menjadi Admin 2	SKIPPED	0.000 s
7	And Admin menekan tombol simpan	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	Then List yang diperbaharui menjadi "Admin 2"	SKIPPED	0.000 s

Tambah Posisi

FAILED	DURATION - 16.416 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	
/ 3:20:43.297 PM // 3:20:59.713 PM /			1		8

Admin mengedit posisi

| FAILED	DURATION - 16.416 s		Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	
/ 3:20:43.297 PM // 3:20:59.713 PM /				8
Tambah Posisi				
@negative @posisi				

#	Step / Hook Details	Status	Duration
1	Given pengguna10 login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	6.389 s
2	And klik menu management!	FAILED	10.026 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=133.0.6943.142) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, clickElement {id=f. 9EC58CFE35CD400B91FF5804FB1D8D21.d.F37F028A0F83F95032FB6328B1DBF5BF.e.471}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a37a975c0d65b08ea5b3d29446e40d9a)] -> xpath: (.//*[normalize-space(text()) and normalize-space(.)='Admin Hadir'])[1]/following::div[69]] Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at jdk.internal.reflect.GeneratedMethodAccessor98.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.editposisiNamaPosisiKosongpage.btnManagement(editposisiNamaPosisiKosongpage.java:43) at com.aplikasihadir.steps.posisi.editPosisiNamaPosisiKosongdefinition.step01(editPosisiNamaPosisiKosongdefinition.java:37) at ?.klik menu management!(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/16_EditPosisiNamaPosisiKosong.feature:6) * Not displayable characters are replaced by '?'.		
3	And Pengguna klik sub menu posisi.	SKIPPED	0.000 s
4	When Admin tekan titik tiga pada posisi yang akan diedit	SKIPPED	0.000 s
5	And Admin tekan edit	SKIPPED	0.000 s
6	And Admin mengosongkan nama posisi	SKIPPED	0.000 s
7	And Admin klik tombol simpan	SKIPPED	0.000 s
8	Then Posisi gagal diedit	SKIPPED	0.000 s

Tambah Posisi

FAILED	DURATION - 16.446 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	7
	/ 3:20:59.721 PM // 3:21:16.167 PM /				

Admin hapus posisi

FAILED	DURATION - 16.446 s
/ 3:20:59.721 PM // 3:21:16.167 PM /	
Tambah Posisi	
@posisi @positive	

Steps
Total - 7
Pass - 1
Fail - 1
Skip - 5

7

| #	Step / Hook Details	Status	Duration
1	Given pengguna11 login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	6.402 s
2	And tekan menu management,	FAILED	10.042 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=133.0.6943.142) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, clickElement {id=f. 9EC58CFE35CD400B91FF5804FB1D8D21.d.044ACCB59AFF083BA1BF4C57C1882A85.e.502}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a37a975c0d65b08ea5b3d29446e40d9a)] -> xpath: (.//*[normalize-space(text()) and normalize-space(.)='Admin Hadir'])[1]/following::div[69]] Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)
	    at jdk.internal.reflect.GeneratedMethodAccessor98.invoke(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source) at com.aplikasihadir.pages.hapusposisipage.btnManagement(hapusposisipage.java:34) at com.aplikasihadir.steps.posisi.hapusposisidefinition.step01(hapusposisidefinition.java:38) at ?.tekan menu management,(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/17_HapusPosisi.feature:6) * Not displayable characters are replaced by '?'.		
3	And Pengguna tekan sub menu posisi,	SKIPPED	0.001 s
4	When Admin klik titik tiga pada posisi yang akan dihapus,	SKIPPED	0.000 s
5	And Admin klik hapus	SKIPPED	0.000 s
6	And Admin klik tombol ya	SKIPPED	0.001 s
7	Then Data terhapus	SKIPPED	0.000 s

Tambah Posisi

FAILED	DURATION - 16.435 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	6
/ 3:21:16.173 PM // 3:21:32.608 PM /					

Admin hapus posisi

FAILED	DURATION - 16.435 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	6
/ 3:21:16.173 PM // 3:21:32.608 PM /				
Tambah Posisi				
@posisi @positive				

#	Step / Hook Details	Status	Duration
1	Given pengguna12 login dengan email "admin@hadir.com" dan password "admin@hadir"	PASSED	6.415 s
2	And Admin tekan menu management,	FAILED	10.019 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='__next']/div/div/div[2]/div/div/div/div[2]/div/div/div/div/div[2]/div[4]/div/div/div[2]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a37a975c0d65b08ea5b3d29446e40d9a, findElement {using=xpath, value=//div[@id='__next']/div/div/div[2]/div/div/div[2]/div/div/div/div/ div[2]/div[4]/div/div/div[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50834}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50834/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a37a975c0d65b08ea5b3d29446e40d9a
	  at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy25.click(Unknown Source)
	  at com.aplikasihadir.pages.cariposisipage.btnManagement(cariposisipage.java:30)
	  at com.aplikasihadir.steps.posisi.cariposisidefinition.step01(cariposisidefinition.java:38)
	  at ?.Admin tekan menu management,(file:///G:/applications/Java-program/Aplikasi%20Hadir-Revisi/src/test/resources/features/ 18_SearchPosisi.feature:6)
	* Not displayable characters are replaced by '?'.		

3	And Pengguna tekan sub menu posisi.	SKIPPED	0.000 s
4	When Ketik nama Admin 2	SKIPPED	0.000 s
5	And Klik tombol search	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then Data Ditemukan	SKIPPED	0.000 s