

- \*dapp excluded
- \*www excluded

Deployment and Railway

Namespace: frankencoin.com

Region changed from US to EU.

Region

Location in the world where this service is going to be deployed

EU West (Amsterdam, Netherlands)

Github action, Railway deployment, Domain


Namespace: frankencoin.com, test.frankencoin.com

Default test branch: main, changable for testing out features

Project	Environment	Branch	Public URL	CNAME
ponder	frankencoin.com	main	ponder.frankencoin.com	done
ponder	test.frankencoin.com	main?	ponder.test.frankencoin.com	6b6h28bt.up.railway.app
api	frankencoin.com	main	api.frankencoin.com	oco7naij.up.railway.app
api	test.frankencoin.com	main?	api.test.frankencoin.com	hzqfh05t.up.railway.app


Ponder: Custom Command

"yarn run dev" allows for db schema modifications and reindexing



## Ponder: Domain (ponder.fran...)

Already correct mapped with domain, somehow.



## Ponder: Domain (ponder.test. fran...)

Copy value: 6b6h28bt.up.railway.app

### Configure DNS Records

To finish setting up your custom domain, add the following DNS records to [frankencoin.com](#)

Type	Name	Value
CNAME	ponder.test	6b6h28bt.up.railway.app

Record not yet detected

\* DNS changes can take up to 72 hours to propagate worldwide

[Visit the Docs](#) [Dismiss](#)

frankencoin-api

api.frankencoin.com

49 minutes ago via GitHub

frankencoin-api

DeploymentsVariablesMetricsSettings

Filter Settings...

Changes made to this GitHub branch will be automatically pushed to this environment.

main

Disconnect

Check Suites

Trigger deployments after all GitHub actions have completed successfully.

Enable check suites

Make sure you have [accepted our updated GitHub permissions](#) required for this feature.

Networking

Public Networking

Access your application over HTTP with the following domains

frankencoin-api-frankencoincom.up.railway.app

api.frankencoin.com

Waiting for DNS update - [Show instructions](#)

Copy value: oco7naij.up.railway.app

Configure DNS Records

To finish setting up your custom domain, add the following DNS records to [frankencoin.com](#)



Type	Name	Value
CNAME	api	oco7naij.up.railway.app <div></div> <div>Record not yet detected</div>

\* DNS changes can take up to 72 hours to propagate worldwide

Visit the Docs


Dismiss

Api: Domain (api.test.fran...)



# To do, with delete rights in railway

## Remove Postgres Instance



**Remove Environments**

since those are not used, maybe take them down?

- mainnet
- maindev

