

Integration of Microsoft RemoteDesktop WebAccess with DoubleClue using SAML2

1. Introduction

This guide is intended for administrators who would like to use Multi-Factor Authentication (MFA) for Microsoft RemoteDesktop Web Access.

Requirements:

- Installation of Microsoft RD Web Access.
- DoubleClue Enterprise Management (DCEM) installation with readily registered users.

2. Updating RDWeb

1. Make a backup of the installed directory windows/web/RDWeb
2. Extract the file "DC_RDWeb.zip" to the original directory

3. Changing the Web.config

```
<sustainsys.saml2
  entityId="http://dc02.doubleclue.local/RdWeb"
  returnUrl="https://dc02.doubleclue.local/RDWeb"

  discoveryServiceUrl=""
  authenticateRequestSigningBehavior="Always">

  <nameIdPolicy allowCreate="true" format="Persistent" />

  <requestedAuthnContext classRef="Password" comparison="Minimum" />

  <identityProviders>

  <add entityId="https://DoubleClue.RDWeb"
    signOnUrl="http://wrs001s0210.dom1.ad.tld:8002/dcem/saml"
    allowUnsolicitedAuthnResponse="true" binding="HttpRedirect">


    <signingCertificate fileName="~/App_Data/idp_certificate.pem" />

  </add>
  </identityProviders>

  <serviceCertificates>
    <add fileName="~/App_Data/MyServerCertificate.pfx" />
  </serviceCertificates>

</sustainsys.saml2>
```

1. Change the sustainsys.saml2/entityID to your Host name. I.E replace "dc02.doubleclue.local" with the URL where RDWeb is running
2. Replace also "dc02.doubleclue.local" for the returnUrl.
3. Replace the URL "wrs001s0210.dom1.ad.tld:8002" with the host URL of your DoubleClue Enterprise Management (DCEM).
4. Now open the browser and go to <https://your-RD-Web-host/RDWeb/Saml2/> . A file will be downloaded. Save this file, as we will need this in the next step.



4. Configuration in DoubleClue Enterprise Management (DCEM)

1. Go to menu "SAML->SP Metadata" and click on "Add".
2. Select Custom as SP Configuration
3. Enter a "Display Name" and upload the file which you downloaded from "<https://your-RD-Web-host/RDWeb/Saml2/>"
4. Go to Tab "Details" and specify the "Expected NamedID Format" to "ENTITY".
5. In menu "SAML->SP Metadata" click on "Download Idp Metadata" and then click on "Download Certificate".
6. Copy this file to your RDWeb host in the directory "RDWeb/App_Data" and in "RDWeb/Pages/App_Data".

5. Procedure

To use RDWeb, users enter the URL [https:// your-RD-Web-host /RDWeb/Pages](https://your-RD-Web-host/RDWeb/Pages). This will be automatically redirected to the DCEM SAML login page. User will do the authentication and will be redirected to the RDWeb launching page.