
Gorums benchmark report

rate; diem; nodes 4; workers 256; payload 1024; rate 500, 2000, 8000; stream mode dual; 4 configurations, 12 runs; 20s per run

Scaling


How each metric responds to one swept dimension, rep-averaged with the 95% confidence interval of the mean shaded. Panels facet the fewest-valued other dimension that varies; the legend names the dimensions that separate the series within a panel.

Aggregate throughput vs. rate — diem, dual



Data: `agg.csv`.

Median latency vs. rate — diem, dual




Data: `agg.csv`.

Load curves

Median latency against the throughput each level of offered load achieved, one panel per cluster size, with the p95-p99 tail shaded above the line. Curves whose peak latencies span more than a factor of eight are split into scale bands, so one linear axis never crams widely differing curves.

Aggregate throughput vs. latency over rate — diem, dual




Data: `tl_curve.csv`.

Cluster health

Whether the cluster, rather than the code under test, explains a measurement.

Per-node throughput relative to run median — diem, dual




Each cell is a host's median throughput across the repetitions of one configuration, divided by that run's median across hosts: a uniform cluster is green everywhere near 1.0, and a host behind a slow link or a throttled CPU stands out low. Grey means the host took no part in that configuration.

Data: `node_health.csv`.


Per-node latency

One panel per run, one curve per node, shaded light to dark in node order: a node whose latency distribution does not belong with its peers' separates from the bundle. Runs are chosen to spread across the sweep — a configuration earns a panel when it is the first to measure some dimension value — and the remaining panels are filled in run order.

Per-node latency CDF — diem, dual



rate_diem_N4_W256_P1024_Sdual_r1



Data: `node_cdf.csv`.