



**ZAP** by  
Checkmarx

# ZAP by Checkmarx Scanning Report

Site: <http://vendetudo.com>

Generated on sex., 4 abr. 2025 16:12:55

ZAP Version: 2.15.0

ZAP by [Checkmarx](#)

## Summary of Alerts

Nível de Risco	Number of Alerts
Alto	0
Médio	11
Baixo	8
Informativo	10

## Alertas

Nome	Nível de Risco	Number of Instances
<a href="#">Application Error Disclosure</a>	Médio	963
<a href="#">Ausência de tokens Anti-CSRF</a>	Médio	3
<a href="#">CSP: Wildcard Directive</a>	Médio	18
<a href="#">CSP: script-src unsafe-eval</a>	Médio	18
<a href="#">CSP: script-src unsafe-inline</a>	Médio	18
<a href="#">CSP: style-src unsafe-inline</a>	Médio	18
<a href="#">Content Security Policy (CSP) Header Not Set</a>	Médio	1042
<a href="#">Hidden File Found</a>	Médio	1
<a href="#">Missing Anti-clickjacking Header</a>	Médio	989
<a href="#">Navegação no Diretório</a>	Médio	959
<a href="#">Vulnerable JS Library</a>	Médio	3
<a href="#">Cookie No HttpOnly Flag</a>	Baixo	1
<a href="#">Cookie without SameSite Attribute</a>	Baixo	1
<a href="#">Cross-Domain JavaScript Source File Inclusion</a>	Baixo	2
<a href="#">Divulgação de Data e Hora - Unix</a>	Baixo	22
<a href="#">Divulgação de informações - Mensagens de Erro de Depuração</a>	Baixo	6
<a href="#">Private IP Disclosure</a>	Baixo	6
<a href="#">Server Leaks Version Information via "Server" HTTP Response Header Field</a>	Baixo	1427
<a href="#">X-Content-Type-Options Header Missing</a>	Baixo	1249

<a href="#">Authentication Request Identified</a>	Informativo	9
<a href="#">CSP: X-Content-Security-Policy</a>	Informativo	18
<a href="#">CSP: X-WebKit-CSP</a>	Informativo	18
<a href="#">Content-Type Header Missing</a>	Informativo	141
<a href="#">Divulgação de Informações - Comentários Suspeitos</a>	Informativo	148
<a href="#">Information Disclosure - Sensitive Information in URL</a>	Informativo	15
<a href="#">Modern Web Application</a>	Informativo	46
<a href="#">Obsolete Content Security Policy (CSP) Header Found</a>	Informativo	18
<a href="#">Session Management Response Identified</a>	Informativo	33
<a href="#">User Controllable HTML Element Attribute (Potential XSS)</a>	Informativo	81

## Alert Detail

Médio	Application Error Disclosure
Descrição	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.
URL	<a href="http://vendetudo.com/.git/">http://vendetudo.com/.git/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=D;O=A">http://vendetudo.com/.git/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=D;O=D">http://vendetudo.com/.git/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=M;O=A">http://vendetudo.com/.git/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/?C=M;O=D">http://vendetudo.com/.git/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=N;O=A">http://vendetudo.com/.git/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=N;O=D">http://vendetudo.com/.git/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=S;O=A">http://vendetudo.com/.git/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=S;O=D">http://vendetudo.com/.git/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/">http://vendetudo.com/.git/branches/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=A">http://vendetudo.com/.git/branches/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=D">http://vendetudo.com/.git/branches/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=A">http://vendetudo.com/.git/branches/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=D">http://vendetudo.com/.git/branches/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=A">http://vendetudo.com/.git/branches/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=D">http://vendetudo.com/.git/branches/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=A">http://vendetudo.com/.git/branches/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=D">http://vendetudo.com/.git/branches/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/">http://vendetudo.com/.git/hooks/</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=D;O=A">http://vendetudo.com/.git/hooks/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=D;O=D">http://vendetudo.com/.git/hooks/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=M;O=A">http://vendetudo.com/.git/hooks/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=M;O=D">http://vendetudo.com/.git/hooks/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=N;O=A">http://vendetudo.com/.git/hooks/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=N;O=D">http://vendetudo.com/.git/hooks/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=A">http://vendetudo.com/.git/hooks/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=D">http://vendetudo.com/.git/hooks/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/info/">http://vendetudo.com/.git/info/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=A">http://vendetudo.com/.git/info/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=D">http://vendetudo.com/.git/info/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=A">http://vendetudo.com/.git/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=D">http://vendetudo.com/.git/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=A">http://vendetudo.com/.git/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=D">http://vendetudo.com/.git/info/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=A">http://vendetudo.com/.git/info/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=D">http://vendetudo.com/.git/info/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/">http://vendetudo.com/.git/logs/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=A">http://vendetudo.com/.git/logs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=D">http://vendetudo.com/.git/logs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=A">http://vendetudo.com/.git/logs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=D">http://vendetudo.com/.git/logs/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=A">http://vendetudo.com/.git/logs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=D">http://vendetudo.com/.git/logs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=A">http://vendetudo.com/.git/logs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=D">http://vendetudo.com/.git/logs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/">http://vendetudo.com/.git/logs/refs/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=A">http://vendetudo.com/.git/logs/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=D">http://vendetudo.com/.git/logs/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory



Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=A">http://vendetudo.com/.git/logs/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=D">http://vendetudo.com/.git/logs/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=A">http://vendetudo.com/.git/logs/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=D">http://vendetudo.com/.git/logs/refs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=A">http://vendetudo.com/.git/logs/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=D">http://vendetudo.com/.git/logs/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/">http://vendetudo.com/.git/logs/refs/heads/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D">http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/">http://vendetudo.com/.git/objects/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/">http://vendetudo.com/.git/objects/00/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=A">http://vendetudo.com/.git/objects/00/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=D">http://vendetudo.com/.git/objects/00/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=A">http://vendetudo.com/.git/objects/00/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=D">http://vendetudo.com/.git/objects/00/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=A">http://vendetudo.com/.git/objects/00/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=D">http://vendetudo.com/.git/objects/00/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=A">http://vendetudo.com/.git/objects/00/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=D">http://vendetudo.com/.git/objects/00/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/">http://vendetudo.com/.git/objects/01/</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=A">http://vendetudo.com/.git/objects/01/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=D">http://vendetudo.com/.git/objects/01/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M;O=A">http://vendetudo.com/.git/objects/01/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M;O=D">http://vendetudo.com/.git/objects/01/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N;O=A">http://vendetudo.com/.git/objects/01/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N;O=D">http://vendetudo.com/.git/objects/01/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S;O=A">http://vendetudo.com/.git/objects/01/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S;O=D">http://vendetudo.com/.git/objects/01/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/">http://vendetudo.com/.git/objects/03/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D;O=A">http://vendetudo.com/.git/objects/03/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D;O=D">http://vendetudo.com/.git/objects/03/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M;O=A">http://vendetudo.com/.git/objects/03/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M;O=D">http://vendetudo.com/.git/objects/03/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N;O=A">http://vendetudo.com/.git/objects/03/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N;O=D">http://vendetudo.com/.git/objects/03/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S;O=A">http://vendetudo.com/.git/objects/03/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S;O=D">http://vendetudo.com/.git/objects/03/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/">http://vendetudo.com/.git/objects/04/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D;O=A">http://vendetudo.com/.git/objects/04/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D;O=D">http://vendetudo.com/.git/objects/04/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M;O=A">http://vendetudo.com/.git/objects/04/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M;O=D">http://vendetudo.com/.git/objects/04/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N;O=A">http://vendetudo.com/.git/objects/04/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N;O=D">http://vendetudo.com/.git/objects/04/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S;O=A">http://vendetudo.com/.git/objects/04/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S;O=D">http://vendetudo.com/.git/objects/04/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/">http://vendetudo.com/.git/objects/07/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D;O=A">http://vendetudo.com/.git/objects/07/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D;O=D">http://vendetudo.com/.git/objects/07/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M;O=A">http://vendetudo.com/.git/objects/07/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M;O=D">http://vendetudo.com/.git/objects/07/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N;O=A">http://vendetudo.com/.git/objects/07/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N;O=D">http://vendetudo.com/.git/objects/07/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S;O=A">http://vendetudo.com/.git/objects/07/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S;O=D">http://vendetudo.com/.git/objects/07/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/">http://vendetudo.com/.git/objects/0a/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D;O=A">http://vendetudo.com/.git/objects/0a/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D;O=D">http://vendetudo.com/.git/objects/0a/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M;O=A">http://vendetudo.com/.git/objects/0a/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M;O=D">http://vendetudo.com/.git/objects/0a/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N;O=A">http://vendetudo.com/.git/objects/0a/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N;O=D">http://vendetudo.com/.git/objects/0a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S;O=A">http://vendetudo.com/.git/objects/0a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S;O=D">http://vendetudo.com/.git/objects/0a/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/">http://vendetudo.com/.git/objects/0e/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=A">http://vendetudo.com/.git/objects/0e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=D">http://vendetudo.com/.git/objects/0e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=A">http://vendetudo.com/.git/objects/0e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=D">http://vendetudo.com/.git/objects/0e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N;O=A">http://vendetudo.com/.git/objects/0e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N;O=D">http://vendetudo.com/.git/objects/0e/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S;O=A">http://vendetudo.com/.git/objects/0e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S;O=D">http://vendetudo.com/.git/objects/0e/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/">http://vendetudo.com/.git/objects/13/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D;O=A">http://vendetudo.com/.git/objects/13/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D;O=D">http://vendetudo.com/.git/objects/13/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M;O=A">http://vendetudo.com/.git/objects/13/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M;O=D">http://vendetudo.com/.git/objects/13/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N;O=A">http://vendetudo.com/.git/objects/13/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N;O=D">http://vendetudo.com/.git/objects/13/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=A">http://vendetudo.com/.git/objects/13/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=D">http://vendetudo.com/.git/objects/13/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/">http://vendetudo.com/.git/objects/15/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=A">http://vendetudo.com/.git/objects/15/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=D">http://vendetudo.com/.git/objects/15/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M;O=A">http://vendetudo.com/.git/objects/15/?C=M;O=A</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M;O=D">http://vendetudo.com/.git/objects/15/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N;O=A">http://vendetudo.com/.git/objects/15/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N;O=D">http://vendetudo.com/.git/objects/15/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S;O=A">http://vendetudo.com/.git/objects/15/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S;O=D">http://vendetudo.com/.git/objects/15/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/">http://vendetudo.com/.git/objects/17/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D;O=A">http://vendetudo.com/.git/objects/17/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D;O=D">http://vendetudo.com/.git/objects/17/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=M;O=A">http://vendetudo.com/.git/objects/17/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=M;O=D">http://vendetudo.com/.git/objects/17/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N;O=A">http://vendetudo.com/.git/objects/17/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N;O=D">http://vendetudo.com/.git/objects/17/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S;O=A">http://vendetudo.com/.git/objects/17/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S;O=D">http://vendetudo.com/.git/objects/17/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/">http://vendetudo.com/.git/objects/1b/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D;O=A">http://vendetudo.com/.git/objects/1b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D;O=D">http://vendetudo.com/.git/objects/1b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M;O=A">http://vendetudo.com/.git/objects/1b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M;O=D">http://vendetudo.com/.git/objects/1b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N;O=A">http://vendetudo.com/.git/objects/1b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N;O=D">http://vendetudo.com/.git/objects/1b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S;O=A">http://vendetudo.com/.git/objects/1b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S;O=D">http://vendetudo.com/.git/objects/1b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/">http://vendetudo.com/.git/objects/1d/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D;O=A">http://vendetudo.com/.git/objects/1d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D;O=D">http://vendetudo.com/.git/objects/1d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M;O=A">http://vendetudo.com/.git/objects/1d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M;O=D">http://vendetudo.com/.git/objects/1d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N;O=A">http://vendetudo.com/.git/objects/1d/?C=N;O=A</a>
Método	GET



Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N;O=D">http://vendetudo.com/.git/objects/1d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S;O=A">http://vendetudo.com/.git/objects/1d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S;O=D">http://vendetudo.com/.git/objects/1d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/">http://vendetudo.com/.git/objects/1e/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D;O=A">http://vendetudo.com/.git/objects/1e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D;O=D">http://vendetudo.com/.git/objects/1e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M;O=A">http://vendetudo.com/.git/objects/1e/?C=M;O=A</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M;O=D">http://vendetudo.com/.git/objects/1e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N;O=A">http://vendetudo.com/.git/objects/1e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N;O=D">http://vendetudo.com/.git/objects/1e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S;O=A">http://vendetudo.com/.git/objects/1e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S;O=D">http://vendetudo.com/.git/objects/1e/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/">http://vendetudo.com/.git/objects/1f/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=A">http://vendetudo.com/.git/objects/1f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=D">http://vendetudo.com/.git/objects/1f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=A">http://vendetudo.com/.git/objects/1f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=D">http://vendetudo.com/.git/objects/1f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=A">http://vendetudo.com/.git/objects/1f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=D">http://vendetudo.com/.git/objects/1f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=A">http://vendetudo.com/.git/objects/1f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=D">http://vendetudo.com/.git/objects/1f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/">http://vendetudo.com/.git/objects/22/</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=A">http://vendetudo.com/.git/objects/22/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=D">http://vendetudo.com/.git/objects/22/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M;O=A">http://vendetudo.com/.git/objects/22/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M;O=D">http://vendetudo.com/.git/objects/22/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N;O=A">http://vendetudo.com/.git/objects/22/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N;O=D">http://vendetudo.com/.git/objects/22/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S;O=A">http://vendetudo.com/.git/objects/22/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S;O=D">http://vendetudo.com/.git/objects/22/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/">http://vendetudo.com/.git/objects/24/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=A">http://vendetudo.com/.git/objects/24/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=D">http://vendetudo.com/.git/objects/24/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=A">http://vendetudo.com/.git/objects/24/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=D">http://vendetudo.com/.git/objects/24/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=A">http://vendetudo.com/.git/objects/24/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N:O=D">http://vendetudo.com/.git/objects/24/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S:O=A">http://vendetudo.com/.git/objects/24/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S:O=D">http://vendetudo.com/.git/objects/24/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/">http://vendetudo.com/.git/objects/28/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D:O=A">http://vendetudo.com/.git/objects/28/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D:O=D">http://vendetudo.com/.git/objects/28/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M:O=A">http://vendetudo.com/.git/objects/28/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/28/?C=M;O=D">http://vendetudo.com/.git/objects/28/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N;O=A">http://vendetudo.com/.git/objects/28/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N;O=D">http://vendetudo.com/.git/objects/28/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S;O=A">http://vendetudo.com/.git/objects/28/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S;O=D">http://vendetudo.com/.git/objects/28/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/">http://vendetudo.com/.git/objects/2c/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=A">http://vendetudo.com/.git/objects/2c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=D">http://vendetudo.com/.git/objects/2c/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=A">http://vendetudo.com/.git/objects/2c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=D">http://vendetudo.com/.git/objects/2c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=A">http://vendetudo.com/.git/objects/2c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=D">http://vendetudo.com/.git/objects/2c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=A">http://vendetudo.com/.git/objects/2c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=D">http://vendetudo.com/.git/objects/2c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/">http://vendetudo.com/.git/objects/31/</a>
Método	GET
Ataque	



Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D;O=A">http://vendetudo.com/.git/objects/31/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D;O=D">http://vendetudo.com/.git/objects/31/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M;O=A">http://vendetudo.com/.git/objects/31/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M;O=D">http://vendetudo.com/.git/objects/31/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N;O=A">http://vendetudo.com/.git/objects/31/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N;O=D">http://vendetudo.com/.git/objects/31/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S;O=A">http://vendetudo.com/.git/objects/31/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S;O=D">http://vendetudo.com/.git/objects/31/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/">http://vendetudo.com/.git/objects/35/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D;O=A">http://vendetudo.com/.git/objects/35/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D;O=D">http://vendetudo.com/.git/objects/35/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M;O=A">http://vendetudo.com/.git/objects/35/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M;O=D">http://vendetudo.com/.git/objects/35/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N;O=A">http://vendetudo.com/.git/objects/35/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N;O=D">http://vendetudo.com/.git/objects/35/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S;O=A">http://vendetudo.com/.git/objects/35/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S;O=D">http://vendetudo.com/.git/objects/35/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/">http://vendetudo.com/.git/objects/38/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D;O=A">http://vendetudo.com/.git/objects/38/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D;O=D">http://vendetudo.com/.git/objects/38/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M;O=A">http://vendetudo.com/.git/objects/38/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M;O=D">http://vendetudo.com/.git/objects/38/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N;O=A">http://vendetudo.com/.git/objects/38/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N;O=D">http://vendetudo.com/.git/objects/38/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S;O=A">http://vendetudo.com/.git/objects/38/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S;O=D">http://vendetudo.com/.git/objects/38/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/">http://vendetudo.com/.git/objects/39/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D;O=A">http://vendetudo.com/.git/objects/39/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D;O=D">http://vendetudo.com/.git/objects/39/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M;O=A">http://vendetudo.com/.git/objects/39/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M;O=D">http://vendetudo.com/.git/objects/39/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N;O=A">http://vendetudo.com/.git/objects/39/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N;O=D">http://vendetudo.com/.git/objects/39/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S;O=A">http://vendetudo.com/.git/objects/39/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S;O=D">http://vendetudo.com/.git/objects/39/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/">http://vendetudo.com/.git/objects/3b/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D;O=A">http://vendetudo.com/.git/objects/3b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D;O=D">http://vendetudo.com/.git/objects/3b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M;O=A">http://vendetudo.com/.git/objects/3b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M;O=D">http://vendetudo.com/.git/objects/3b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N;O=A">http://vendetudo.com/.git/objects/3b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N;O=D">http://vendetudo.com/.git/objects/3b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S;O=A">http://vendetudo.com/.git/objects/3b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S;O=D">http://vendetudo.com/.git/objects/3b/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/">http://vendetudo.com/.git/objects/3c/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D;O=A">http://vendetudo.com/.git/objects/3c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D;O=D">http://vendetudo.com/.git/objects/3c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=A">http://vendetudo.com/.git/objects/3c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=D">http://vendetudo.com/.git/objects/3c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=A">http://vendetudo.com/.git/objects/3c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=D">http://vendetudo.com/.git/objects/3c/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=A">http://vendetudo.com/.git/objects/3c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=D">http://vendetudo.com/.git/objects/3c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/">http://vendetudo.com/.git/objects/41/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D;O=A">http://vendetudo.com/.git/objects/41/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D;O=D">http://vendetudo.com/.git/objects/41/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M;O=A">http://vendetudo.com/.git/objects/41/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M;O=D">http://vendetudo.com/.git/objects/41/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	



Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=N;O=A">http://vendetudo.com/.git/objects/41/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=N;O=D">http://vendetudo.com/.git/objects/41/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S;O=A">http://vendetudo.com/.git/objects/41/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S;O=D">http://vendetudo.com/.git/objects/41/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/">http://vendetudo.com/.git/objects/43/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D;O=A">http://vendetudo.com/.git/objects/43/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D;O=D">http://vendetudo.com/.git/objects/43/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M;O=A">http://vendetudo.com/.git/objects/43/?C=M;O=A</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M;O=D">http://vendetudo.com/.git/objects/43/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N;O=A">http://vendetudo.com/.git/objects/43/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N;O=D">http://vendetudo.com/.git/objects/43/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S;O=A">http://vendetudo.com/.git/objects/43/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S;O=D">http://vendetudo.com/.git/objects/43/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/">http://vendetudo.com/.git/objects/45/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D;O=A">http://vendetudo.com/.git/objects/45/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D;O=D">http://vendetudo.com/.git/objects/45/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M;O=A">http://vendetudo.com/.git/objects/45/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M;O=D">http://vendetudo.com/.git/objects/45/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N;O=A">http://vendetudo.com/.git/objects/45/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N;O=D">http://vendetudo.com/.git/objects/45/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S;O=A">http://vendetudo.com/.git/objects/45/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S;O=D">http://vendetudo.com/.git/objects/45/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/">http://vendetudo.com/.git/objects/4b/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D;O=A">http://vendetudo.com/.git/objects/4b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D;O=D">http://vendetudo.com/.git/objects/4b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M;O=A">http://vendetudo.com/.git/objects/4b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M;O=D">http://vendetudo.com/.git/objects/4b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N;O=A">http://vendetudo.com/.git/objects/4b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N;O=D">http://vendetudo.com/.git/objects/4b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S;O=A">http://vendetudo.com/.git/objects/4b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S;O=D">http://vendetudo.com/.git/objects/4b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/">http://vendetudo.com/.git/objects/4c/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D;O=A">http://vendetudo.com/.git/objects/4c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D;O=D">http://vendetudo.com/.git/objects/4c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M;O=A">http://vendetudo.com/.git/objects/4c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M;O=D">http://vendetudo.com/.git/objects/4c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=A">http://vendetudo.com/.git/objects/4c/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=D">http://vendetudo.com/.git/objects/4c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=A">http://vendetudo.com/.git/objects/4c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=D">http://vendetudo.com/.git/objects/4c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/">http://vendetudo.com/.git/objects/50/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=A">http://vendetudo.com/.git/objects/50/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=D">http://vendetudo.com/.git/objects/50/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=A">http://vendetudo.com/.git/objects/50/?C=M;O=A</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=D">http://vendetudo.com/.git/objects/50/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=A">http://vendetudo.com/.git/objects/50/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=D">http://vendetudo.com/.git/objects/50/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=A">http://vendetudo.com/.git/objects/50/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=D">http://vendetudo.com/.git/objects/50/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/">http://vendetudo.com/.git/objects/57/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=A">http://vendetudo.com/.git/objects/57/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=D">http://vendetudo.com/.git/objects/57/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M;O=A">http://vendetudo.com/.git/objects/57/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M;O=D">http://vendetudo.com/.git/objects/57/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N;O=A">http://vendetudo.com/.git/objects/57/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N;O=D">http://vendetudo.com/.git/objects/57/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S;O=A">http://vendetudo.com/.git/objects/57/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S;O=D">http://vendetudo.com/.git/objects/57/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/">http://vendetudo.com/.git/objects/58/</a>



Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D;O=A">http://vendetudo.com/.git/objects/58/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D;O=D">http://vendetudo.com/.git/objects/58/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M;O=A">http://vendetudo.com/.git/objects/58/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M;O=D">http://vendetudo.com/.git/objects/58/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N;O=A">http://vendetudo.com/.git/objects/58/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N;O=D">http://vendetudo.com/.git/objects/58/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S;O=A">http://vendetudo.com/.git/objects/58/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S;O=D">http://vendetudo.com/.git/objects/58/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/">http://vendetudo.com/.git/objects/59/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D;O=A">http://vendetudo.com/.git/objects/59/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D;O=D">http://vendetudo.com/.git/objects/59/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M;O=A">http://vendetudo.com/.git/objects/59/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M;O=D">http://vendetudo.com/.git/objects/59/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N;O=A">http://vendetudo.com/.git/objects/59/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N:O=D">http://vendetudo.com/.git/objects/59/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S:O=A">http://vendetudo.com/.git/objects/59/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S:O=D">http://vendetudo.com/.git/objects/59/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/">http://vendetudo.com/.git/objects/5c/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D:O=A">http://vendetudo.com/.git/objects/5c/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D:O=D">http://vendetudo.com/.git/objects/5c/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M:O=A">http://vendetudo.com/.git/objects/5c/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M;O=D">http://vendetudo.com/.git/objects/5c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N;O=A">http://vendetudo.com/.git/objects/5c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N;O=D">http://vendetudo.com/.git/objects/5c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S;O=A">http://vendetudo.com/.git/objects/5c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S;O=D">http://vendetudo.com/.git/objects/5c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/">http://vendetudo.com/.git/objects/5d/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D;O=A">http://vendetudo.com/.git/objects/5d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D;O=D">http://vendetudo.com/.git/objects/5d/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M;O=A">http://vendetudo.com/.git/objects/5d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M;O=D">http://vendetudo.com/.git/objects/5d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N;O=A">http://vendetudo.com/.git/objects/5d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N;O=D">http://vendetudo.com/.git/objects/5d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S;O=A">http://vendetudo.com/.git/objects/5d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S;O=D">http://vendetudo.com/.git/objects/5d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/">http://vendetudo.com/.git/objects/61/</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D;O=A">http://vendetudo.com/.git/objects/61/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D;O=D">http://vendetudo.com/.git/objects/61/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M;O=A">http://vendetudo.com/.git/objects/61/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M;O=D">http://vendetudo.com/.git/objects/61/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N;O=A">http://vendetudo.com/.git/objects/61/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N;O=D">http://vendetudo.com/.git/objects/61/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S;O=A">http://vendetudo.com/.git/objects/61/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S;O=D">http://vendetudo.com/.git/objects/61/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/">http://vendetudo.com/.git/objects/62/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=A">http://vendetudo.com/.git/objects/62/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=D">http://vendetudo.com/.git/objects/62/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=A">http://vendetudo.com/.git/objects/62/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=D">http://vendetudo.com/.git/objects/62/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=A">http://vendetudo.com/.git/objects/62/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=D">http://vendetudo.com/.git/objects/62/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=A">http://vendetudo.com/.git/objects/62/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=D">http://vendetudo.com/.git/objects/62/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/">http://vendetudo.com/.git/objects/66/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D;O=A">http://vendetudo.com/.git/objects/66/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D;O=D">http://vendetudo.com/.git/objects/66/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M;O=A">http://vendetudo.com/.git/objects/66/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M;O=D">http://vendetudo.com/.git/objects/66/?C=M;O=D</a>
Método	GET



Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N;O=A">http://vendetudo.com/.git/objects/66/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N;O=D">http://vendetudo.com/.git/objects/66/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=A">http://vendetudo.com/.git/objects/66/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=D">http://vendetudo.com/.git/objects/66/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/">http://vendetudo.com/.git/objects/67/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=A">http://vendetudo.com/.git/objects/67/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=D">http://vendetudo.com/.git/objects/67/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M;O=A">http://vendetudo.com/.git/objects/67/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M;O=D">http://vendetudo.com/.git/objects/67/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N;O=A">http://vendetudo.com/.git/objects/67/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N;O=D">http://vendetudo.com/.git/objects/67/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S;O=A">http://vendetudo.com/.git/objects/67/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S;O=D">http://vendetudo.com/.git/objects/67/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/">http://vendetudo.com/.git/objects/6c/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D;O=A">http://vendetudo.com/.git/objects/6c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D;O=D">http://vendetudo.com/.git/objects/6c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M;O=A">http://vendetudo.com/.git/objects/6c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M;O=D">http://vendetudo.com/.git/objects/6c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N;O=A">http://vendetudo.com/.git/objects/6c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N;O=D">http://vendetudo.com/.git/objects/6c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S;O=A">http://vendetudo.com/.git/objects/6c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S;O=D">http://vendetudo.com/.git/objects/6c/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/">http://vendetudo.com/.git/objects/6d/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D;O=A">http://vendetudo.com/.git/objects/6d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D;O=D">http://vendetudo.com/.git/objects/6d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M;O=A">http://vendetudo.com/.git/objects/6d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M;O=D">http://vendetudo.com/.git/objects/6d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N;O=A">http://vendetudo.com/.git/objects/6d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N;O=D">http://vendetudo.com/.git/objects/6d/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S;O=A">http://vendetudo.com/.git/objects/6d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S;O=D">http://vendetudo.com/.git/objects/6d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/">http://vendetudo.com/.git/objects/74/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D;O=A">http://vendetudo.com/.git/objects/74/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D;O=D">http://vendetudo.com/.git/objects/74/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M;O=A">http://vendetudo.com/.git/objects/74/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M;O=D">http://vendetudo.com/.git/objects/74/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N;O=A">http://vendetudo.com/.git/objects/74/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N;O=D">http://vendetudo.com/.git/objects/74/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S;O=A">http://vendetudo.com/.git/objects/74/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S;O=D">http://vendetudo.com/.git/objects/74/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/">http://vendetudo.com/.git/objects/78/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D;O=A">http://vendetudo.com/.git/objects/78/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D;O=D">http://vendetudo.com/.git/objects/78/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M;O=A">http://vendetudo.com/.git/objects/78/?C=M;O=A</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M;O=D">http://vendetudo.com/.git/objects/78/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N;O=A">http://vendetudo.com/.git/objects/78/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N;O=D">http://vendetudo.com/.git/objects/78/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S;O=A">http://vendetudo.com/.git/objects/78/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S;O=D">http://vendetudo.com/.git/objects/78/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/">http://vendetudo.com/.git/objects/79/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D;O=A">http://vendetudo.com/.git/objects/79/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D;O=D">http://vendetudo.com/.git/objects/79/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M;O=A">http://vendetudo.com/.git/objects/79/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M;O=D">http://vendetudo.com/.git/objects/79/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N;O=A">http://vendetudo.com/.git/objects/79/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N;O=D">http://vendetudo.com/.git/objects/79/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S;O=A">http://vendetudo.com/.git/objects/79/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S;O=D">http://vendetudo.com/.git/objects/79/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory



Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/">http://vendetudo.com/.git/objects/7a/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D;O=A">http://vendetudo.com/.git/objects/7a/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D;O=D">http://vendetudo.com/.git/objects/7a/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=A">http://vendetudo.com/.git/objects/7a/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=D">http://vendetudo.com/.git/objects/7a/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=A">http://vendetudo.com/.git/objects/7a/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=D">http://vendetudo.com/.git/objects/7a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=A">http://vendetudo.com/.git/objects/7a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=D">http://vendetudo.com/.git/objects/7a/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/">http://vendetudo.com/.git/objects/7c/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=A">http://vendetudo.com/.git/objects/7c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=D">http://vendetudo.com/.git/objects/7c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=A">http://vendetudo.com/.git/objects/7c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=D">http://vendetudo.com/.git/objects/7c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N;O=A">http://vendetudo.com/.git/objects/7c/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N;O=D">http://vendetudo.com/.git/objects/7c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S;O=A">http://vendetudo.com/.git/objects/7c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S;O=D">http://vendetudo.com/.git/objects/7c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/">http://vendetudo.com/.git/objects/7f/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D;O=A">http://vendetudo.com/.git/objects/7f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D;O=D">http://vendetudo.com/.git/objects/7f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M;O=A">http://vendetudo.com/.git/objects/7f/?C=M;O=A</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M;O=D">http://vendetudo.com/.git/objects/7f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N;O=A">http://vendetudo.com/.git/objects/7f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N;O=D">http://vendetudo.com/.git/objects/7f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=A">http://vendetudo.com/.git/objects/7f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=D">http://vendetudo.com/.git/objects/7f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/">http://vendetudo.com/.git/objects/87/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=A">http://vendetudo.com/.git/objects/87/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=D">http://vendetudo.com/.git/objects/87/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=M;O=A">http://vendetudo.com/.git/objects/87/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=M;O=D">http://vendetudo.com/.git/objects/87/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N;O=A">http://vendetudo.com/.git/objects/87/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N;O=D">http://vendetudo.com/.git/objects/87/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S;O=A">http://vendetudo.com/.git/objects/87/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S;O=D">http://vendetudo.com/.git/objects/87/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/">http://vendetudo.com/.git/objects/88/</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D;O=A">http://vendetudo.com/.git/objects/88/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D;O=D">http://vendetudo.com/.git/objects/88/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M;O=A">http://vendetudo.com/.git/objects/88/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M;O=D">http://vendetudo.com/.git/objects/88/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N;O=A">http://vendetudo.com/.git/objects/88/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N;O=D">http://vendetudo.com/.git/objects/88/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S;O=A">http://vendetudo.com/.git/objects/88/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S;O=D">http://vendetudo.com/.git/objects/88/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/">http://vendetudo.com/.git/objects/8b/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D;O=A">http://vendetudo.com/.git/objects/8b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D;O=D">http://vendetudo.com/.git/objects/8b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M;O=A">http://vendetudo.com/.git/objects/8b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M;O=D">http://vendetudo.com/.git/objects/8b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N;O=A">http://vendetudo.com/.git/objects/8b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N:O=D">http://vendetudo.com/.git/objects/8b/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S:O=A">http://vendetudo.com/.git/objects/8b/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S:O=D">http://vendetudo.com/.git/objects/8b/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/">http://vendetudo.com/.git/objects/8c/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D:O=A">http://vendetudo.com/.git/objects/8c/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D:O=D">http://vendetudo.com/.git/objects/8c/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M:O=A">http://vendetudo.com/.git/objects/8c/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M;O=D">http://vendetudo.com/.git/objects/8c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N;O=A">http://vendetudo.com/.git/objects/8c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N;O=D">http://vendetudo.com/.git/objects/8c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=A">http://vendetudo.com/.git/objects/8c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=D">http://vendetudo.com/.git/objects/8c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/">http://vendetudo.com/.git/objects/8d/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=A">http://vendetudo.com/.git/objects/8d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=D">http://vendetudo.com/.git/objects/8d/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=A">http://vendetudo.com/.git/objects/8d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=D">http://vendetudo.com/.git/objects/8d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N;O=A">http://vendetudo.com/.git/objects/8d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N;O=D">http://vendetudo.com/.git/objects/8d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S;O=A">http://vendetudo.com/.git/objects/8d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S;O=D">http://vendetudo.com/.git/objects/8d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/">http://vendetudo.com/.git/objects/8e/</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=A">http://vendetudo.com/.git/objects/8e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=D">http://vendetudo.com/.git/objects/8e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M;O=A">http://vendetudo.com/.git/objects/8e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M;O=D">http://vendetudo.com/.git/objects/8e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N;O=A">http://vendetudo.com/.git/objects/8e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N;O=D">http://vendetudo.com/.git/objects/8e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S;O=A">http://vendetudo.com/.git/objects/8e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S;O=D">http://vendetudo.com/.git/objects/8e/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/">http://vendetudo.com/.git/objects/90/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=A">http://vendetudo.com/.git/objects/90/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=D">http://vendetudo.com/.git/objects/90/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=A">http://vendetudo.com/.git/objects/90/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=D">http://vendetudo.com/.git/objects/90/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=A">http://vendetudo.com/.git/objects/90/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=D">http://vendetudo.com/.git/objects/90/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=A">http://vendetudo.com/.git/objects/90/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=D">http://vendetudo.com/.git/objects/90/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/">http://vendetudo.com/.git/objects/93/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D;O=A">http://vendetudo.com/.git/objects/93/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D;O=D">http://vendetudo.com/.git/objects/93/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M;O=A">http://vendetudo.com/.git/objects/93/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M;O=D">http://vendetudo.com/.git/objects/93/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N;O=A">http://vendetudo.com/.git/objects/93/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N;O=D">http://vendetudo.com/.git/objects/93/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S;O=A">http://vendetudo.com/.git/objects/93/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S;O=D">http://vendetudo.com/.git/objects/93/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/">http://vendetudo.com/.git/objects/95/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D;O=A">http://vendetudo.com/.git/objects/95/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D;O=D">http://vendetudo.com/.git/objects/95/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M;O=A">http://vendetudo.com/.git/objects/95/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M;O=D">http://vendetudo.com/.git/objects/95/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N;O=A">http://vendetudo.com/.git/objects/95/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N;O=D">http://vendetudo.com/.git/objects/95/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S;O=A">http://vendetudo.com/.git/objects/95/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S;O=D">http://vendetudo.com/.git/objects/95/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/">http://vendetudo.com/.git/objects/96/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/96/?C=D;O=A">http://vendetudo.com/.git/objects/96/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D;O=D">http://vendetudo.com/.git/objects/96/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M;O=A">http://vendetudo.com/.git/objects/96/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M;O=D">http://vendetudo.com/.git/objects/96/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N;O=A">http://vendetudo.com/.git/objects/96/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N;O=D">http://vendetudo.com/.git/objects/96/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S;O=A">http://vendetudo.com/.git/objects/96/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S;O=D">http://vendetudo.com/.git/objects/96/?C=S;O=D</a>
Método	GET



Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/">http://vendetudo.com/.git/objects/97/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D;O=A">http://vendetudo.com/.git/objects/97/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D;O=D">http://vendetudo.com/.git/objects/97/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M;O=A">http://vendetudo.com/.git/objects/97/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M;O=D">http://vendetudo.com/.git/objects/97/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N;O=A">http://vendetudo.com/.git/objects/97/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N;O=D">http://vendetudo.com/.git/objects/97/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S;O=A">http://vendetudo.com/.git/objects/97/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S;O=D">http://vendetudo.com/.git/objects/97/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/">http://vendetudo.com/.git/objects/9c/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D;O=A">http://vendetudo.com/.git/objects/9c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D;O=D">http://vendetudo.com/.git/objects/9c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M;O=A">http://vendetudo.com/.git/objects/9c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M;O=D">http://vendetudo.com/.git/objects/9c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N;O=A">http://vendetudo.com/.git/objects/9c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N;O=D">http://vendetudo.com/.git/objects/9c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S;O=A">http://vendetudo.com/.git/objects/9c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S;O=D">http://vendetudo.com/.git/objects/9c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/">http://vendetudo.com/.git/objects/9f/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=A">http://vendetudo.com/.git/objects/9f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=D">http://vendetudo.com/.git/objects/9f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=A">http://vendetudo.com/.git/objects/9f/?C=M;O=A</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=D">http://vendetudo.com/.git/objects/9f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=A">http://vendetudo.com/.git/objects/9f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=D">http://vendetudo.com/.git/objects/9f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=A">http://vendetudo.com/.git/objects/9f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=D">http://vendetudo.com/.git/objects/9f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=A">http://vendetudo.com/.git/objects/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=D">http://vendetudo.com/.git/objects/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=A">http://vendetudo.com/.git/objects/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=D">http://vendetudo.com/.git/objects/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=A">http://vendetudo.com/.git/objects/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=D">http://vendetudo.com/.git/objects/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=A">http://vendetudo.com/.git/objects/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=D">http://vendetudo.com/.git/objects/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/">http://vendetudo.com/.git/objects/a1/</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=A">http://vendetudo.com/.git/objects/a1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=D">http://vendetudo.com/.git/objects/a1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M;O=A">http://vendetudo.com/.git/objects/a1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M;O=D">http://vendetudo.com/.git/objects/a1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N;O=A">http://vendetudo.com/.git/objects/a1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N;O=D">http://vendetudo.com/.git/objects/a1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S;O=A">http://vendetudo.com/.git/objects/a1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S;O=D">http://vendetudo.com/.git/objects/a1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/">http://vendetudo.com/.git/objects/a3/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D;O=A">http://vendetudo.com/.git/objects/a3/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D;O=D">http://vendetudo.com/.git/objects/a3/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M;O=A">http://vendetudo.com/.git/objects/a3/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M;O=D">http://vendetudo.com/.git/objects/a3/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N;O=A">http://vendetudo.com/.git/objects/a3/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N;O=D">http://vendetudo.com/.git/objects/a3/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S;O=A">http://vendetudo.com/.git/objects/a3/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S;O=D">http://vendetudo.com/.git/objects/a3/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/">http://vendetudo.com/.git/objects/a4/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D;O=A">http://vendetudo.com/.git/objects/a4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D;O=D">http://vendetudo.com/.git/objects/a4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M;O=A">http://vendetudo.com/.git/objects/a4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M;O=D">http://vendetudo.com/.git/objects/a4/?C=M;O=D</a>
Método	GET
Ataque	



Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N;O=A">http://vendetudo.com/.git/objects/a4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N;O=D">http://vendetudo.com/.git/objects/a4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S;O=A">http://vendetudo.com/.git/objects/a4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S;O=D">http://vendetudo.com/.git/objects/a4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/">http://vendetudo.com/.git/objects/a5/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D;O=A">http://vendetudo.com/.git/objects/a5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D;O=D">http://vendetudo.com/.git/objects/a5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M;O=A">http://vendetudo.com/.git/objects/a5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M;O=D">http://vendetudo.com/.git/objects/a5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N;O=A">http://vendetudo.com/.git/objects/a5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N;O=D">http://vendetudo.com/.git/objects/a5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S;O=A">http://vendetudo.com/.git/objects/a5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S;O=D">http://vendetudo.com/.git/objects/a5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/">http://vendetudo.com/.git/objects/a8/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D;O=A">http://vendetudo.com/.git/objects/a8/?C=D;O=A</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D;O=D">http://vendetudo.com/.git/objects/a8/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M;O=A">http://vendetudo.com/.git/objects/a8/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M;O=D">http://vendetudo.com/.git/objects/a8/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N;O=A">http://vendetudo.com/.git/objects/a8/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N;O=D">http://vendetudo.com/.git/objects/a8/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S;O=A">http://vendetudo.com/.git/objects/a8/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S;O=D">http://vendetudo.com/.git/objects/a8/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/">http://vendetudo.com/.git/objects/a9/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D;O=A">http://vendetudo.com/.git/objects/a9/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D;O=D">http://vendetudo.com/.git/objects/a9/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=A">http://vendetudo.com/.git/objects/a9/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=D">http://vendetudo.com/.git/objects/a9/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=A">http://vendetudo.com/.git/objects/a9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=D">http://vendetudo.com/.git/objects/a9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S:O=A">http://vendetudo.com/.git/objects/a9/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S:O=D">http://vendetudo.com/.git/objects/a9/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/">http://vendetudo.com/.git/objects/aa/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D:O=A">http://vendetudo.com/.git/objects/aa/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D:O=D">http://vendetudo.com/.git/objects/aa/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M:O=A">http://vendetudo.com/.git/objects/aa/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M:O=D">http://vendetudo.com/.git/objects/aa/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N;O=A">http://vendetudo.com/.git/objects/aa/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N;O=D">http://vendetudo.com/.git/objects/aa/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=A">http://vendetudo.com/.git/objects/aa/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=D">http://vendetudo.com/.git/objects/aa/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/">http://vendetudo.com/.git/objects/ab/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=A">http://vendetudo.com/.git/objects/ab/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=D">http://vendetudo.com/.git/objects/ab/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M;O=A">http://vendetudo.com/.git/objects/ab/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M;O=D">http://vendetudo.com/.git/objects/ab/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N;O=A">http://vendetudo.com/.git/objects/ab/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N;O=D">http://vendetudo.com/.git/objects/ab/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S;O=A">http://vendetudo.com/.git/objects/ab/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S;O=D">http://vendetudo.com/.git/objects/ab/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/">http://vendetudo.com/.git/objects/b1/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=A">http://vendetudo.com/.git/objects/b1/?C=D;O=A</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=D">http://vendetudo.com/.git/objects/b1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=A">http://vendetudo.com/.git/objects/b1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=D">http://vendetudo.com/.git/objects/b1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=A">http://vendetudo.com/.git/objects/b1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=D">http://vendetudo.com/.git/objects/b1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=A">http://vendetudo.com/.git/objects/b1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=D">http://vendetudo.com/.git/objects/b1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	



Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/">http://vendetudo.com/.git/objects/bb/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D;O=A">http://vendetudo.com/.git/objects/bb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D;O=D">http://vendetudo.com/.git/objects/bb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M;O=A">http://vendetudo.com/.git/objects/bb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M;O=D">http://vendetudo.com/.git/objects/bb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N;O=A">http://vendetudo.com/.git/objects/bb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N;O=D">http://vendetudo.com/.git/objects/bb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S;O=A">http://vendetudo.com/.git/objects/bb/?C=S;O=A</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S;O=D">http://vendetudo.com/.git/objects/bb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/">http://vendetudo.com/.git/objects/c4/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D;O=A">http://vendetudo.com/.git/objects/c4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D;O=D">http://vendetudo.com/.git/objects/c4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=A">http://vendetudo.com/.git/objects/c4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=D">http://vendetudo.com/.git/objects/c4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=A">http://vendetudo.com/.git/objects/c4/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=D">http://vendetudo.com/.git/objects/c4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=A">http://vendetudo.com/.git/objects/c4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=D">http://vendetudo.com/.git/objects/c4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/">http://vendetudo.com/.git/objects/c6/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D;O=A">http://vendetudo.com/.git/objects/c6/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D;O=D">http://vendetudo.com/.git/objects/c6/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M;O=A">http://vendetudo.com/.git/objects/c6/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M;O=D">http://vendetudo.com/.git/objects/c6/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N;O=A">http://vendetudo.com/.git/objects/c6/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N;O=D">http://vendetudo.com/.git/objects/c6/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S;O=A">http://vendetudo.com/.git/objects/c6/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S;O=D">http://vendetudo.com/.git/objects/c6/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/">http://vendetudo.com/.git/objects/cb/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D;O=A">http://vendetudo.com/.git/objects/cb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D;O=D">http://vendetudo.com/.git/objects/cb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M;O=A">http://vendetudo.com/.git/objects/cb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M;O=D">http://vendetudo.com/.git/objects/cb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N;O=A">http://vendetudo.com/.git/objects/cb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N;O=D">http://vendetudo.com/.git/objects/cb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S;O=A">http://vendetudo.com/.git/objects/cb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S;O=D">http://vendetudo.com/.git/objects/cb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/">http://vendetudo.com/.git/objects/d4/</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D;O=A">http://vendetudo.com/.git/objects/d4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D;O=D">http://vendetudo.com/.git/objects/d4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M;O=A">http://vendetudo.com/.git/objects/d4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M;O=D">http://vendetudo.com/.git/objects/d4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N;O=A">http://vendetudo.com/.git/objects/d4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N;O=D">http://vendetudo.com/.git/objects/d4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S;O=A">http://vendetudo.com/.git/objects/d4/?C=S;O=A</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S;O=D">http://vendetudo.com/.git/objects/d4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/">http://vendetudo.com/.git/objects/d5/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D;O=A">http://vendetudo.com/.git/objects/d5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D;O=D">http://vendetudo.com/.git/objects/d5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M;O=A">http://vendetudo.com/.git/objects/d5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M;O=D">http://vendetudo.com/.git/objects/d5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N;O=A">http://vendetudo.com/.git/objects/d5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N;O=D">http://vendetudo.com/.git/objects/d5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S;O=A">http://vendetudo.com/.git/objects/d5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S;O=D">http://vendetudo.com/.git/objects/d5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/">http://vendetudo.com/.git/objects/d7/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=A">http://vendetudo.com/.git/objects/d7/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=D">http://vendetudo.com/.git/objects/d7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=A">http://vendetudo.com/.git/objects/d7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=D">http://vendetudo.com/.git/objects/d7/?C=M;O=D</a>



Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=A">http://vendetudo.com/.git/objects/d7/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=D">http://vendetudo.com/.git/objects/d7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S;O=A">http://vendetudo.com/.git/objects/d7/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S;O=D">http://vendetudo.com/.git/objects/d7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/">http://vendetudo.com/.git/objects/df/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D;O=A">http://vendetudo.com/.git/objects/df/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D;O=D">http://vendetudo.com/.git/objects/df/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M;O=A">http://vendetudo.com/.git/objects/df/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M;O=D">http://vendetudo.com/.git/objects/df/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N;O=A">http://vendetudo.com/.git/objects/df/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N;O=D">http://vendetudo.com/.git/objects/df/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S;O=A">http://vendetudo.com/.git/objects/df/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S;O=D">http://vendetudo.com/.git/objects/df/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/">http://vendetudo.com/.git/objects/e1/</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=A">http://vendetudo.com/.git/objects/e1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=D">http://vendetudo.com/.git/objects/e1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M;O=A">http://vendetudo.com/.git/objects/e1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M;O=D">http://vendetudo.com/.git/objects/e1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N;O=A">http://vendetudo.com/.git/objects/e1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N;O=D">http://vendetudo.com/.git/objects/e1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S;O=A">http://vendetudo.com/.git/objects/e1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S;O=D">http://vendetudo.com/.git/objects/e1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/">http://vendetudo.com/.git/objects/e5/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D;O=A">http://vendetudo.com/.git/objects/e5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D;O=D">http://vendetudo.com/.git/objects/e5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M;O=A">http://vendetudo.com/.git/objects/e5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M;O=D">http://vendetudo.com/.git/objects/e5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N;O=A">http://vendetudo.com/.git/objects/e5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N;O=D">http://vendetudo.com/.git/objects/e5/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S;O=A">http://vendetudo.com/.git/objects/e5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S;O=D">http://vendetudo.com/.git/objects/e5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/">http://vendetudo.com/.git/objects/e6/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D;O=A">http://vendetudo.com/.git/objects/e6/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D;O=D">http://vendetudo.com/.git/objects/e6/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M;O=A">http://vendetudo.com/.git/objects/e6/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M;O=D">http://vendetudo.com/.git/objects/e6/?C=M;O=D</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N;O=A">http://vendetudo.com/.git/objects/e6/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N;O=D">http://vendetudo.com/.git/objects/e6/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S;O=A">http://vendetudo.com/.git/objects/e6/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S;O=D">http://vendetudo.com/.git/objects/e6/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/">http://vendetudo.com/.git/objects/e8/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D;O=A">http://vendetudo.com/.git/objects/e8/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D;O=D">http://vendetudo.com/.git/objects/e8/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M;O=A">http://vendetudo.com/.git/objects/e8/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M;O=D">http://vendetudo.com/.git/objects/e8/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N;O=A">http://vendetudo.com/.git/objects/e8/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N;O=D">http://vendetudo.com/.git/objects/e8/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S;O=A">http://vendetudo.com/.git/objects/e8/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S;O=D">http://vendetudo.com/.git/objects/e8/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/">http://vendetudo.com/.git/objects/eb/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=A">http://vendetudo.com/.git/objects/eb/?C=D;O=A</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=D">http://vendetudo.com/.git/objects/eb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M;O=A">http://vendetudo.com/.git/objects/eb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M;O=D">http://vendetudo.com/.git/objects/eb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N;O=A">http://vendetudo.com/.git/objects/eb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N;O=D">http://vendetudo.com/.git/objects/eb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S;O=A">http://vendetudo.com/.git/objects/eb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S;O=D">http://vendetudo.com/.git/objects/eb/?C=S;O=D</a>
Método	GET



Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/">http://vendetudo.com/.git/objects/ec/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=A">http://vendetudo.com/.git/objects/ec/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=D">http://vendetudo.com/.git/objects/ec/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=A">http://vendetudo.com/.git/objects/ec/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=D">http://vendetudo.com/.git/objects/ec/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N;O=A">http://vendetudo.com/.git/objects/ec/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N;O=D">http://vendetudo.com/.git/objects/ec/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S;O=A">http://vendetudo.com/.git/objects/ec/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S;O=D">http://vendetudo.com/.git/objects/ec/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/">http://vendetudo.com/.git/objects/ed/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D;O=A">http://vendetudo.com/.git/objects/ed/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D;O=D">http://vendetudo.com/.git/objects/ed/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=A">http://vendetudo.com/.git/objects/ed/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=D">http://vendetudo.com/.git/objects/ed/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=A">http://vendetudo.com/.git/objects/ed/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=D">http://vendetudo.com/.git/objects/ed/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S;O=A">http://vendetudo.com/.git/objects/ed/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S;O=D">http://vendetudo.com/.git/objects/ed/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/">http://vendetudo.com/.git/objects/ee/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D;O=A">http://vendetudo.com/.git/objects/ee/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D;O=D">http://vendetudo.com/.git/objects/ee/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M;O=A">http://vendetudo.com/.git/objects/ee/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M;O=D">http://vendetudo.com/.git/objects/ee/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N;O=A">http://vendetudo.com/.git/objects/ee/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N;O=D">http://vendetudo.com/.git/objects/ee/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S;O=A">http://vendetudo.com/.git/objects/ee/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S;O=D">http://vendetudo.com/.git/objects/ee/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/">http://vendetudo.com/.git/objects/ef/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=A">http://vendetudo.com/.git/objects/ef/?C=D;O=A</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=D">http://vendetudo.com/.git/objects/ef/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=A">http://vendetudo.com/.git/objects/ef/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=D">http://vendetudo.com/.git/objects/ef/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=A">http://vendetudo.com/.git/objects/ef/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=D">http://vendetudo.com/.git/objects/ef/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=A">http://vendetudo.com/.git/objects/ef/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=D">http://vendetudo.com/.git/objects/ef/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/">http://vendetudo.com/.git/objects/f1/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=A">http://vendetudo.com/.git/objects/f1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=D">http://vendetudo.com/.git/objects/f1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=A">http://vendetudo.com/.git/objects/f1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=D">http://vendetudo.com/.git/objects/f1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N;O=A">http://vendetudo.com/.git/objects/f1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N;O=D">http://vendetudo.com/.git/objects/f1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S;O=A">http://vendetudo.com/.git/objects/f1/?C=S;O=A</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S;O=D">http://vendetudo.com/.git/objects/f1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/">http://vendetudo.com/.git/objects/f2/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D;O=A">http://vendetudo.com/.git/objects/f2/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D;O=D">http://vendetudo.com/.git/objects/f2/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M;O=A">http://vendetudo.com/.git/objects/f2/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M;O=D">http://vendetudo.com/.git/objects/f2/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N;O=A">http://vendetudo.com/.git/objects/f2/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N;O=D">http://vendetudo.com/.git/objects/f2/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S;O=A">http://vendetudo.com/.git/objects/f2/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S;O=D">http://vendetudo.com/.git/objects/f2/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/">http://vendetudo.com/.git/objects/f7/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=A">http://vendetudo.com/.git/objects/f7/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=D">http://vendetudo.com/.git/objects/f7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=A">http://vendetudo.com/.git/objects/f7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory



Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=D">http://vendetudo.com/.git/objects/f7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=A">http://vendetudo.com/.git/objects/f7/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=D">http://vendetudo.com/.git/objects/f7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=A">http://vendetudo.com/.git/objects/f7/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=D">http://vendetudo.com/.git/objects/f7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/">http://vendetudo.com/.git/objects/f9/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=A">http://vendetudo.com/.git/objects/f9/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=D">http://vendetudo.com/.git/objects/f9/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=A">http://vendetudo.com/.git/objects/f9/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=D">http://vendetudo.com/.git/objects/f9/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N;O=A">http://vendetudo.com/.git/objects/f9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N;O=D">http://vendetudo.com/.git/objects/f9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S;O=A">http://vendetudo.com/.git/objects/f9/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S;O=D">http://vendetudo.com/.git/objects/f9/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/">http://vendetudo.com/.git/objects/fb/</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=A">http://vendetudo.com/.git/objects/fb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=D">http://vendetudo.com/.git/objects/fb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=A">http://vendetudo.com/.git/objects/fb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=D">http://vendetudo.com/.git/objects/fb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=A">http://vendetudo.com/.git/objects/fb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=D">http://vendetudo.com/.git/objects/fb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=A">http://vendetudo.com/.git/objects/fb/?C=S;O=A</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=D">http://vendetudo.com/.git/objects/fb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/">http://vendetudo.com/.git/objects/fc/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=A">http://vendetudo.com/.git/objects/fc/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=D">http://vendetudo.com/.git/objects/fc/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=A">http://vendetudo.com/.git/objects/fc/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=D">http://vendetudo.com/.git/objects/fc/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=A">http://vendetudo.com/.git/objects/fc/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=D">http://vendetudo.com/.git/objects/fc/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=A">http://vendetudo.com/.git/objects/fc/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=D">http://vendetudo.com/.git/objects/fc/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/">http://vendetudo.com/.git/objects/fd/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=A">http://vendetudo.com/.git/objects/fd/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=D">http://vendetudo.com/.git/objects/fd/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=A">http://vendetudo.com/.git/objects/fd/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=D">http://vendetudo.com/.git/objects/fd/?C=M;O=D</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=A">http://vendetudo.com/.git/objects/fd/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=D">http://vendetudo.com/.git/objects/fd/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S;O=A">http://vendetudo.com/.git/objects/fd/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S;O=D">http://vendetudo.com/.git/objects/fd/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/">http://vendetudo.com/.git/objects/info/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D;O=A">http://vendetudo.com/.git/objects/info/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D;O=D">http://vendetudo.com/.git/objects/info/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=A">http://vendetudo.com/.git/objects/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=D">http://vendetudo.com/.git/objects/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N;O=A">http://vendetudo.com/.git/objects/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N;O=D">http://vendetudo.com/.git/objects/info/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S;O=A">http://vendetudo.com/.git/objects/info/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S;O=D">http://vendetudo.com/.git/objects/info/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/">http://vendetudo.com/.git/objects/pack/</a>
Método	GET
Ataque	
Evidence	Parent Directory

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D;O=A">http://vendetudo.com/.git/objects/pack/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D;O=D">http://vendetudo.com/.git/objects/pack/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M;O=A">http://vendetudo.com/.git/objects/pack/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M;O=D">http://vendetudo.com/.git/objects/pack/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N;O=A">http://vendetudo.com/.git/objects/pack/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N;O=D">http://vendetudo.com/.git/objects/pack/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S;O=A">http://vendetudo.com/.git/objects/pack/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S;O=D">http://vendetudo.com/.git/objects/pack/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/">http://vendetudo.com/.git/refs/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=A">http://vendetudo.com/.git/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=D">http://vendetudo.com/.git/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=A">http://vendetudo.com/.git/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=D">http://vendetudo.com/.git/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=A">http://vendetudo.com/.git/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=D">http://vendetudo.com/.git/refs/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=A">http://vendetudo.com/.git/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=D">http://vendetudo.com/.git/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/">http://vendetudo.com/.git/refs/heads/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=A">http://vendetudo.com/.git/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=D">http://vendetudo.com/.git/refs/heads/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=A">http://vendetudo.com/.git/refs/heads/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=D">http://vendetudo.com/.git/refs/heads/?C=M;O=D</a>
Método	GET
Ataque	

Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=A">http://vendetudo.com/.git/refs/heads/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=D">http://vendetudo.com/.git/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=A">http://vendetudo.com/.git/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=D">http://vendetudo.com/.git/refs/heads/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/">http://vendetudo.com/.git/refs/tags/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=A">http://vendetudo.com/.git/refs/tags/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=D">http://vendetudo.com/.git/refs/tags/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other	

Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=A">http://vendetudo.com/.git/refs/tags/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=D">http://vendetudo.com/.git/refs/tags/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=A">http://vendetudo.com/.git/refs/tags/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=D">http://vendetudo.com/.git/refs/tags/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=A">http://vendetudo.com/.git/refs/tags/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=D">http://vendetudo.com/.git/refs/tags/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/backups/">http://vendetudo.com/backups/</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=D;O=A">http://vendetudo.com/backups/?C=D;O=A</a>

Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=D;O=D">http://vendetudo.com/backups/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=M;O=A">http://vendetudo.com/backups/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=M;O=D">http://vendetudo.com/backups/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=N;O=A">http://vendetudo.com/backups/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=N;O=D">http://vendetudo.com/backups/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=S;O=A">http://vendetudo.com/backups/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=S;O=D">http://vendetudo.com/backups/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	Parent Directory
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/credits.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/credits.rst.txt</a>
Método	GET
Ataque	
Evidence	Error Report
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/faq.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/faq.rst.txt</a>
Método	GET
Ataque	
Evidence	Can't connect to local
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/credits.html">http://vendetudo.com/phpmyadmin/doc/html/credits.html</a>
Método	GET
Ataque	
Evidence	Error Report
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/faq.html">http://vendetudo.com/phpmyadmin/doc/html/faq.html</a>
Método	GET
Ataque	
Evidence	Internal Server Error
Other Info	
Instances	963
Solution	Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">90022</a>

<b>Médio</b>	<b>Ausência de tokens Anti-CSRF</b>
	<p>Não foram localizados tokens Anti-CSRF no formulário de submissão HTML.</p> <p>Uma falsificação de solicitação entre sites (Cross-Site Request Forgery ou simplesmente CSRF) é um ataque que envolve forçar a vítima a enviar uma solicitação HTTP a um destino alvo sem seu conhecimento ou intenção, a fim de realizar uma ação como a vítima. A causa implícita é a funcionalidade do aplicativo usando ações previsíveis em URLs /formulários, de maneira repetível. A natureza do ataque é que o CSRF explora a confiança que um site tem em um usuário. Em contrapartida, um ataque do tipo Cross-Site Scripting (XSS) explora a confiança que um usuário tem em um site. Como o XSS, os ataques</p>

Descrição	<p>CSRF não são necessariamente entre sites, mas também podem ser. A falsificação de solicitação entre sites também é conhecida por "CSRF", "XSRF", "one-click attack", "session riding", "confused deputy", e "sea surf".</p> <p>Os ataques CSRF são efetivos em várias situações, incluindo:</p> <ul style="list-style-type: none"> <li>* - A vítima tem uma sessão ativa no site de destino;</li> <li>* - A vítima está autenticada por meio de autenticação HTTP no site de destino;</li> <li>* - A vítima está na mesma rede local do site de destino.</li> </ul> <p>O CSRF era usado principalmente para executar ações contra um site-alvo usando os privilégios da vítima, mas técnicas recentes foram descobertas para vazamento de informações obtendo acesso às respostas. O risco de vazamento/divulgação não autorizada de informações aumenta drasticamente quando o site de destino é vulnerável a XSS, porque o XSS pode ser usado como uma plataforma para CSRF, permitindo que o ataque opere dentro dos limites da política de mesma origem.</p>
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	POST
Ataque	
Evidence	<form class="login-form" method="POST">
Other Info	Nenhum token Anti-CSRF conhecido [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] foi encontrado nos seguintes formulários HTML: [Form 1: "pass" ].
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	<form method="get" action="index.php?route=/" class="disableAjax">
Other Info	Nenhum token Anti-CSRF conhecido [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] foi encontrado nos seguintes formulários HTML: [Form 1: "route" "token" ].
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	<form method="post" id="login_form" action="index.php?route=/" name="login_form" class="disableAjax hide js-show">
Other Info	Nenhum token Anti-CSRF conhecido [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] foi encontrado nos seguintes formulários HTML: [Form 2: "input_go" "input_password" "input_username" "route" "server" "set_session" "token" ].
Instances	3
	<p>Fase: Arquitetura e Design.</p> <p>Use uma biblioteca verificada ou framework que não permita que essa vulnerabilidade ocorra, ou forneça construções/implementações que tornem essa vulnerabilidade mais fácil de evitar.</p> <p>Por exemplo, use pacotes anti-CSRF, como o OWASP CSRFGuard.</p> <p>Fase: Implementação.</p>

Solution	Certifique-se de que seu aplicativo esteja livre de problemas de cross-site scripting (XSS), porque a maioria das defesas CSRF pode ser contornada usando script controlado por invasor.
	Fase: Arquitetura e Design.
	Gere um número arbitrário de uso único e exclusivo (ou Nonce = "N" de "number" - número em inglês - e "once" de "uma vez" também em inglês) para cada formulário, coloque o nonce no formulário e verifique-o ao receber o formulário. Certifique-se de que o nonce não seja previsível (CWE-330).
	Observe que isso pode ser contornado usando XSS.
	Identifique operações especialmente perigosas. Quando o usuário realizar uma operação perigosa, envie uma solicitação de confirmação separada para garantir que o usuário pretendia realizar aquela operação.
	Observe que isso pode ser contornado usando XSS.
	Utilize o controle ESAPI Session Management.
	Este controle inclui um componente para CSRF.
	Não use o método GET para qualquer solicitação que acione uma mudança de estado.
Reference	Fase: Implementação.
	Verifique o cabeçalho HTTP Referer para ver se a solicitação foi originada de uma página esperada. Isso pode interromper funcionalidades legítimas, porque os usuários ou proxies podem ter desativado o envio do Referer por motivos de privacidade.
	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html</a>
	<a href="https://cwe.mitre.org/data/definitions/352.html">https://cwe.mitre.org/data/definitions/352.html</a>
CWE Id	<a href="#">352</a>
WASC Id	9
Plugin Id	<a href="#">10202</a>

Médio	CSP: Wildcard Directive
Descrição	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;



Evidence	img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
	The following directives either allow wildcard sources (or ancestors), are not defined, or are

Other Info	overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.

URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F">http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST

Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The following directives either allow wildcard sources (or ancestors), are not defined, or are overly broadly defined: frame-ancestors, form-action The directive(s): frame-ancestors, form-action are among the directives that do not fallback to default-src, missing/excluding them is the same as allowing anything.
Instances	18
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

<b>Médio</b>	<b>CSP: script-src unsafe-eval</b>
Descrição	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>

Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ; img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ; img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ; img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ; img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ; img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ; img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET

Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	

Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F">http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-eval.
Instances	18
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

<b>Médio</b>	<b>CSP: script-src unsafe-inline</b>
Descrição	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	



Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;



Evidence	img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';

Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F">http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	script-src includes unsafe-inline.
Instances	18
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Médio	<b>CSP: style-src unsafe-inline</b>
Descrição	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website

	owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other	

Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.

URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F">http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval' ;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	style-src includes unsafe-inline.
Instances	18

Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Médio	Content Security Policy (CSP) Header Not Set
Descrição	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="http://vendetudo.com/">http://vendetudo.com/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/*">http://vendetudo.com/*</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/**/">http://vendetudo.com/**/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/">http://vendetudo.com/.git/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=D;O=A">http://vendetudo.com/.git/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/?C=D;O=D">http://vendetudo.com/.git/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=M;O=A">http://vendetudo.com/.git/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=M;O=D">http://vendetudo.com/.git/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=N;O=A">http://vendetudo.com/.git/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=N;O=D">http://vendetudo.com/.git/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=S;O=A">http://vendetudo.com/.git/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=S;O=D">http://vendetudo.com/.git/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/branches/">http://vendetudo.com/.git/branches/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=A">http://vendetudo.com/.git/branches/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=D">http://vendetudo.com/.git/branches/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=A">http://vendetudo.com/.git/branches/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=D">http://vendetudo.com/.git/branches/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=A">http://vendetudo.com/.git/branches/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=D">http://vendetudo.com/.git/branches/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=A">http://vendetudo.com/.git/branches/?C=S;O=A</a>
Método	GET



Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=D">http://vendetudo.com/.git/branches/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/">http://vendetudo.com/.git/hooks/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=D;O=A">http://vendetudo.com/.git/hooks/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=D;O=D">http://vendetudo.com/.git/hooks/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=M;O=A">http://vendetudo.com/.git/hooks/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=M;O=D">http://vendetudo.com/.git/hooks/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=N;O=A">http://vendetudo.com/.git/hooks/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=N;O=D">http://vendetudo.com/.git/hooks/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=A">http://vendetudo.com/.git/hooks/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=D">http://vendetudo.com/.git/hooks/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/">http://vendetudo.com/.git/info/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=A">http://vendetudo.com/.git/info/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=D">http://vendetudo.com/.git/info/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=A">http://vendetudo.com/.git/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=D">http://vendetudo.com/.git/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=A">http://vendetudo.com/.git/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=D">http://vendetudo.com/.git/info/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=A">http://vendetudo.com/.git/info/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=D">http://vendetudo.com/.git/info/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/">http://vendetudo.com/.git/logs/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=A">http://vendetudo.com/.git/logs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=D">http://vendetudo.com/.git/logs/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=A">http://vendetudo.com/.git/logs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=D">http://vendetudo.com/.git/logs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=A">http://vendetudo.com/.git/logs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=D">http://vendetudo.com/.git/logs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=A">http://vendetudo.com/.git/logs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=D">http://vendetudo.com/.git/logs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/">http://vendetudo.com/.git/logs/refs/</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=A">http://vendetudo.com/.git/logs/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=D">http://vendetudo.com/.git/logs/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=A">http://vendetudo.com/.git/logs/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=D">http://vendetudo.com/.git/logs/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=A">http://vendetudo.com/.git/logs/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=D">http://vendetudo.com/.git/logs/refs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=A">http://vendetudo.com/.git/logs/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=D">http://vendetudo.com/.git/logs/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/">http://vendetudo.com/.git/logs/refs/heads/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D">http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/">http://vendetudo.com/.git/objects/</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/00/">http://vendetudo.com/.git/objects/00/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=A">http://vendetudo.com/.git/objects/00/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=D">http://vendetudo.com/.git/objects/00/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=A">http://vendetudo.com/.git/objects/00/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=D">http://vendetudo.com/.git/objects/00/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=A">http://vendetudo.com/.git/objects/00/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=D">http://vendetudo.com/.git/objects/00/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=A">http://vendetudo.com/.git/objects/00/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=D">http://vendetudo.com/.git/objects/00/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/">http://vendetudo.com/.git/objects/01/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=A">http://vendetudo.com/.git/objects/01/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=D">http://vendetudo.com/.git/objects/01/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M;O=A">http://vendetudo.com/.git/objects/01/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M;O=D">http://vendetudo.com/.git/objects/01/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N;O=A">http://vendetudo.com/.git/objects/01/?C=N;O=A</a>
Método	GET
Ataque	



Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N;O=D">http://vendetudo.com/.git/objects/01/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S;O=A">http://vendetudo.com/.git/objects/01/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S;O=D">http://vendetudo.com/.git/objects/01/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/">http://vendetudo.com/.git/objects/03/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D;O=A">http://vendetudo.com/.git/objects/03/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D;O=D">http://vendetudo.com/.git/objects/03/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M;O=A">http://vendetudo.com/.git/objects/03/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M;O=D">http://vendetudo.com/.git/objects/03/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N;O=A">http://vendetudo.com/.git/objects/03/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N;O=D">http://vendetudo.com/.git/objects/03/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S;O=A">http://vendetudo.com/.git/objects/03/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S;O=D">http://vendetudo.com/.git/objects/03/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/">http://vendetudo.com/.git/objects/04/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D;O=A">http://vendetudo.com/.git/objects/04/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D;O=D">http://vendetudo.com/.git/objects/04/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M;O=A">http://vendetudo.com/.git/objects/04/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M;O=D">http://vendetudo.com/.git/objects/04/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N;O=A">http://vendetudo.com/.git/objects/04/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N;O=D">http://vendetudo.com/.git/objects/04/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S;O=A">http://vendetudo.com/.git/objects/04/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S;O=D">http://vendetudo.com/.git/objects/04/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/">http://vendetudo.com/.git/objects/07/</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D;O=A">http://vendetudo.com/.git/objects/07/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D;O=D">http://vendetudo.com/.git/objects/07/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M;O=A">http://vendetudo.com/.git/objects/07/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M;O=D">http://vendetudo.com/.git/objects/07/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N;O=A">http://vendetudo.com/.git/objects/07/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N;O=D">http://vendetudo.com/.git/objects/07/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S;O=A">http://vendetudo.com/.git/objects/07/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S:O=D">http://vendetudo.com/.git/objects/07/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/">http://vendetudo.com/.git/objects/0a/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D:O=A">http://vendetudo.com/.git/objects/0a/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D:O=D">http://vendetudo.com/.git/objects/0a/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M:O=A">http://vendetudo.com/.git/objects/0a/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M:O=D">http://vendetudo.com/.git/objects/0a/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N:O=A">http://vendetudo.com/.git/objects/0a/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N;O=D">http://vendetudo.com/.git/objects/0a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S;O=A">http://vendetudo.com/.git/objects/0a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S;O=D">http://vendetudo.com/.git/objects/0a/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/">http://vendetudo.com/.git/objects/0e/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=A">http://vendetudo.com/.git/objects/0e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=D">http://vendetudo.com/.git/objects/0e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=A">http://vendetudo.com/.git/objects/0e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=D">http://vendetudo.com/.git/objects/0e/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N;O=A">http://vendetudo.com/.git/objects/0e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N;O=D">http://vendetudo.com/.git/objects/0e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S;O=A">http://vendetudo.com/.git/objects/0e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S;O=D">http://vendetudo.com/.git/objects/0e/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/">http://vendetudo.com/.git/objects/13/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D;O=A">http://vendetudo.com/.git/objects/13/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D;O=D">http://vendetudo.com/.git/objects/13/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M;O=A">http://vendetudo.com/.git/objects/13/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M;O=D">http://vendetudo.com/.git/objects/13/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N;O=A">http://vendetudo.com/.git/objects/13/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N;O=D">http://vendetudo.com/.git/objects/13/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=A">http://vendetudo.com/.git/objects/13/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=D">http://vendetudo.com/.git/objects/13/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/">http://vendetudo.com/.git/objects/15/</a>
Método	GET
Ataque	
Evidence	
Other	



Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=A">http://vendetudo.com/.git/objects/15/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=D">http://vendetudo.com/.git/objects/15/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M;O=A">http://vendetudo.com/.git/objects/15/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M;O=D">http://vendetudo.com/.git/objects/15/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N;O=A">http://vendetudo.com/.git/objects/15/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N;O=D">http://vendetudo.com/.git/objects/15/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S;O=A">http://vendetudo.com/.git/objects/15/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S;O=D">http://vendetudo.com/.git/objects/15/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/">http://vendetudo.com/.git/objects/17/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D;O=A">http://vendetudo.com/.git/objects/17/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D;O=D">http://vendetudo.com/.git/objects/17/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=M;O=A">http://vendetudo.com/.git/objects/17/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=M;O=D">http://vendetudo.com/.git/objects/17/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N;O=A">http://vendetudo.com/.git/objects/17/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N;O=D">http://vendetudo.com/.git/objects/17/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S;O=A">http://vendetudo.com/.git/objects/17/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S;O=D">http://vendetudo.com/.git/objects/17/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/">http://vendetudo.com/.git/objects/1b/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D;O=A">http://vendetudo.com/.git/objects/1b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D;O=D">http://vendetudo.com/.git/objects/1b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M;O=A">http://vendetudo.com/.git/objects/1b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M;O=D">http://vendetudo.com/.git/objects/1b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N;O=A">http://vendetudo.com/.git/objects/1b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N;O=D">http://vendetudo.com/.git/objects/1b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S;O=A">http://vendetudo.com/.git/objects/1b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S;O=D">http://vendetudo.com/.git/objects/1b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/">http://vendetudo.com/.git/objects/1d/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D;O=A">http://vendetudo.com/.git/objects/1d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D;O=D">http://vendetudo.com/.git/objects/1d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M;O=A">http://vendetudo.com/.git/objects/1d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M;O=D">http://vendetudo.com/.git/objects/1d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N;O=A">http://vendetudo.com/.git/objects/1d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N;O=D">http://vendetudo.com/.git/objects/1d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S;O=A">http://vendetudo.com/.git/objects/1d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S;O=D">http://vendetudo.com/.git/objects/1d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/">http://vendetudo.com/.git/objects/1e/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D;O=A">http://vendetudo.com/.git/objects/1e/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D;O=D">http://vendetudo.com/.git/objects/1e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M;O=A">http://vendetudo.com/.git/objects/1e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M;O=D">http://vendetudo.com/.git/objects/1e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N;O=A">http://vendetudo.com/.git/objects/1e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N;O=D">http://vendetudo.com/.git/objects/1e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S;O=A">http://vendetudo.com/.git/objects/1e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S;O=D">http://vendetudo.com/.git/objects/1e/?C=S;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/">http://vendetudo.com/.git/objects/1f/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=A">http://vendetudo.com/.git/objects/1f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=D">http://vendetudo.com/.git/objects/1f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=A">http://vendetudo.com/.git/objects/1f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=D">http://vendetudo.com/.git/objects/1f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=A">http://vendetudo.com/.git/objects/1f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=D">http://vendetudo.com/.git/objects/1f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=A">http://vendetudo.com/.git/objects/1f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=D">http://vendetudo.com/.git/objects/1f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/">http://vendetudo.com/.git/objects/22/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=A">http://vendetudo.com/.git/objects/22/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=D">http://vendetudo.com/.git/objects/22/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M;O=A">http://vendetudo.com/.git/objects/22/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M;O=D">http://vendetudo.com/.git/objects/22/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N;O=A">http://vendetudo.com/.git/objects/22/?C=N;O=A</a>



Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N;O=D">http://vendetudo.com/.git/objects/22/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S;O=A">http://vendetudo.com/.git/objects/22/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S;O=D">http://vendetudo.com/.git/objects/22/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/">http://vendetudo.com/.git/objects/24/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=A">http://vendetudo.com/.git/objects/24/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=D">http://vendetudo.com/.git/objects/24/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=A">http://vendetudo.com/.git/objects/24/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=D">http://vendetudo.com/.git/objects/24/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=A">http://vendetudo.com/.git/objects/24/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=D">http://vendetudo.com/.git/objects/24/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S;O=A">http://vendetudo.com/.git/objects/24/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S;O=D">http://vendetudo.com/.git/objects/24/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/">http://vendetudo.com/.git/objects/28/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D;O=A">http://vendetudo.com/.git/objects/28/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D:O=D">http://vendetudo.com/.git/objects/28/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M:O=A">http://vendetudo.com/.git/objects/28/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M:O=D">http://vendetudo.com/.git/objects/28/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N:O=A">http://vendetudo.com/.git/objects/28/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N:O=D">http://vendetudo.com/.git/objects/28/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S:O=A">http://vendetudo.com/.git/objects/28/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S:O=D">http://vendetudo.com/.git/objects/28/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/2c/">http://vendetudo.com/.git/objects/2c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=A">http://vendetudo.com/.git/objects/2c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=D">http://vendetudo.com/.git/objects/2c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=A">http://vendetudo.com/.git/objects/2c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=D">http://vendetudo.com/.git/objects/2c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=A">http://vendetudo.com/.git/objects/2c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=D">http://vendetudo.com/.git/objects/2c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=A">http://vendetudo.com/.git/objects/2c/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=D">http://vendetudo.com/.git/objects/2c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/">http://vendetudo.com/.git/objects/31/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D;O=A">http://vendetudo.com/.git/objects/31/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D;O=D">http://vendetudo.com/.git/objects/31/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M;O=A">http://vendetudo.com/.git/objects/31/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M;O=D">http://vendetudo.com/.git/objects/31/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N;O=A">http://vendetudo.com/.git/objects/31/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N;O=D">http://vendetudo.com/.git/objects/31/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S;O=A">http://vendetudo.com/.git/objects/31/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S;O=D">http://vendetudo.com/.git/objects/31/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/">http://vendetudo.com/.git/objects/35/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D;O=A">http://vendetudo.com/.git/objects/35/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D;O=D">http://vendetudo.com/.git/objects/35/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M;O=A">http://vendetudo.com/.git/objects/35/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M;O=D">http://vendetudo.com/.git/objects/35/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N;O=A">http://vendetudo.com/.git/objects/35/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N;O=D">http://vendetudo.com/.git/objects/35/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S;O=A">http://vendetudo.com/.git/objects/35/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S;O=D">http://vendetudo.com/.git/objects/35/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/">http://vendetudo.com/.git/objects/38/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D;O=A">http://vendetudo.com/.git/objects/38/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D;O=D">http://vendetudo.com/.git/objects/38/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M;O=A">http://vendetudo.com/.git/objects/38/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M;O=D">http://vendetudo.com/.git/objects/38/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N;O=A">http://vendetudo.com/.git/objects/38/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N;O=D">http://vendetudo.com/.git/objects/38/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S;O=A">http://vendetudo.com/.git/objects/38/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S;O=D">http://vendetudo.com/.git/objects/38/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/">http://vendetudo.com/.git/objects/39/</a>
Método	GET



Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D;O=A">http://vendetudo.com/.git/objects/39/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D;O=D">http://vendetudo.com/.git/objects/39/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M;O=A">http://vendetudo.com/.git/objects/39/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M;O=D">http://vendetudo.com/.git/objects/39/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N;O=A">http://vendetudo.com/.git/objects/39/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N;O=D">http://vendetudo.com/.git/objects/39/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S;O=A">http://vendetudo.com/.git/objects/39/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S:O=D">http://vendetudo.com/.git/objects/39/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/">http://vendetudo.com/.git/objects/3b/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D:O=A">http://vendetudo.com/.git/objects/3b/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D:O=D">http://vendetudo.com/.git/objects/3b/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M:O=A">http://vendetudo.com/.git/objects/3b/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M:O=D">http://vendetudo.com/.git/objects/3b/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N:O=A">http://vendetudo.com/.git/objects/3b/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N;O=D">http://vendetudo.com/.git/objects/3b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S;O=A">http://vendetudo.com/.git/objects/3b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S;O=D">http://vendetudo.com/.git/objects/3b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/">http://vendetudo.com/.git/objects/3c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D;O=A">http://vendetudo.com/.git/objects/3c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D;O=D">http://vendetudo.com/.git/objects/3c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=A">http://vendetudo.com/.git/objects/3c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=D">http://vendetudo.com/.git/objects/3c/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=A">http://vendetudo.com/.git/objects/3c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=D">http://vendetudo.com/.git/objects/3c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=A">http://vendetudo.com/.git/objects/3c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=D">http://vendetudo.com/.git/objects/3c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/">http://vendetudo.com/.git/objects/41/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D;O=A">http://vendetudo.com/.git/objects/41/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D;O=D">http://vendetudo.com/.git/objects/41/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M;O=A">http://vendetudo.com/.git/objects/41/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M;O=D">http://vendetudo.com/.git/objects/41/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=N;O=A">http://vendetudo.com/.git/objects/41/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=N;O=D">http://vendetudo.com/.git/objects/41/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S;O=A">http://vendetudo.com/.git/objects/41/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S;O=D">http://vendetudo.com/.git/objects/41/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/">http://vendetudo.com/.git/objects/43/</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D;O=A">http://vendetudo.com/.git/objects/43/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D;O=D">http://vendetudo.com/.git/objects/43/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M;O=A">http://vendetudo.com/.git/objects/43/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M;O=D">http://vendetudo.com/.git/objects/43/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N;O=A">http://vendetudo.com/.git/objects/43/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N;O=D">http://vendetudo.com/.git/objects/43/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S;O=A">http://vendetudo.com/.git/objects/43/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S;O=D">http://vendetudo.com/.git/objects/43/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/">http://vendetudo.com/.git/objects/45/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D;O=A">http://vendetudo.com/.git/objects/45/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D;O=D">http://vendetudo.com/.git/objects/45/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M;O=A">http://vendetudo.com/.git/objects/45/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M;O=D">http://vendetudo.com/.git/objects/45/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N;O=A">http://vendetudo.com/.git/objects/45/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N;O=D">http://vendetudo.com/.git/objects/45/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S;O=A">http://vendetudo.com/.git/objects/45/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S;O=D">http://vendetudo.com/.git/objects/45/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/">http://vendetudo.com/.git/objects/4b/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D;O=A">http://vendetudo.com/.git/objects/4b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D;O=D">http://vendetudo.com/.git/objects/4b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M;O=A">http://vendetudo.com/.git/objects/4b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M;O=D">http://vendetudo.com/.git/objects/4b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	



Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N;O=A">http://vendetudo.com/.git/objects/4b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N;O=D">http://vendetudo.com/.git/objects/4b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S;O=A">http://vendetudo.com/.git/objects/4b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S;O=D">http://vendetudo.com/.git/objects/4b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/">http://vendetudo.com/.git/objects/4c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D;O=A">http://vendetudo.com/.git/objects/4c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D;O=D">http://vendetudo.com/.git/objects/4c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M;O=A">http://vendetudo.com/.git/objects/4c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M;O=D">http://vendetudo.com/.git/objects/4c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=A">http://vendetudo.com/.git/objects/4c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=D">http://vendetudo.com/.git/objects/4c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=A">http://vendetudo.com/.git/objects/4c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=D">http://vendetudo.com/.git/objects/4c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/">http://vendetudo.com/.git/objects/50/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=A">http://vendetudo.com/.git/objects/50/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=D">http://vendetudo.com/.git/objects/50/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=A">http://vendetudo.com/.git/objects/50/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=D">http://vendetudo.com/.git/objects/50/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=A">http://vendetudo.com/.git/objects/50/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=D">http://vendetudo.com/.git/objects/50/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=A">http://vendetudo.com/.git/objects/50/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=D">http://vendetudo.com/.git/objects/50/?C=S;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/">http://vendetudo.com/.git/objects/57/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=A">http://vendetudo.com/.git/objects/57/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=D">http://vendetudo.com/.git/objects/57/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M;O=A">http://vendetudo.com/.git/objects/57/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M;O=D">http://vendetudo.com/.git/objects/57/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N;O=A">http://vendetudo.com/.git/objects/57/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N;O=D">http://vendetudo.com/.git/objects/57/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S;O=A">http://vendetudo.com/.git/objects/57/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S;O=D">http://vendetudo.com/.git/objects/57/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/">http://vendetudo.com/.git/objects/58/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D;O=A">http://vendetudo.com/.git/objects/58/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D;O=D">http://vendetudo.com/.git/objects/58/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M;O=A">http://vendetudo.com/.git/objects/58/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M;O=D">http://vendetudo.com/.git/objects/58/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N;O=A">http://vendetudo.com/.git/objects/58/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N;O=D">http://vendetudo.com/.git/objects/58/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S;O=A">http://vendetudo.com/.git/objects/58/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S;O=D">http://vendetudo.com/.git/objects/58/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/">http://vendetudo.com/.git/objects/59/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D;O=A">http://vendetudo.com/.git/objects/59/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D;O=D">http://vendetudo.com/.git/objects/59/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M;O=A">http://vendetudo.com/.git/objects/59/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M;O=D">http://vendetudo.com/.git/objects/59/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N;O=A">http://vendetudo.com/.git/objects/59/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N;O=D">http://vendetudo.com/.git/objects/59/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S;O=A">http://vendetudo.com/.git/objects/59/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S;O=D">http://vendetudo.com/.git/objects/59/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/">http://vendetudo.com/.git/objects/5c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D;O=A">http://vendetudo.com/.git/objects/5c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D;O=D">http://vendetudo.com/.git/objects/5c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M;O=A">http://vendetudo.com/.git/objects/5c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M;O=D">http://vendetudo.com/.git/objects/5c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N;O=A">http://vendetudo.com/.git/objects/5c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N;O=D">http://vendetudo.com/.git/objects/5c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S;O=A">http://vendetudo.com/.git/objects/5c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S;O=D">http://vendetudo.com/.git/objects/5c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/5d/">http://vendetudo.com/.git/objects/5d/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D;O=A">http://vendetudo.com/.git/objects/5d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D;O=D">http://vendetudo.com/.git/objects/5d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M;O=A">http://vendetudo.com/.git/objects/5d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M;O=D">http://vendetudo.com/.git/objects/5d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N;O=A">http://vendetudo.com/.git/objects/5d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N;O=D">http://vendetudo.com/.git/objects/5d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S;O=A">http://vendetudo.com/.git/objects/5d/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S;O=D">http://vendetudo.com/.git/objects/5d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/">http://vendetudo.com/.git/objects/61/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D;O=A">http://vendetudo.com/.git/objects/61/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D;O=D">http://vendetudo.com/.git/objects/61/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M;O=A">http://vendetudo.com/.git/objects/61/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M;O=D">http://vendetudo.com/.git/objects/61/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N;O=A">http://vendetudo.com/.git/objects/61/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N;O=D">http://vendetudo.com/.git/objects/61/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S;O=A">http://vendetudo.com/.git/objects/61/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S;O=D">http://vendetudo.com/.git/objects/61/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/">http://vendetudo.com/.git/objects/62/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=A">http://vendetudo.com/.git/objects/62/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=D">http://vendetudo.com/.git/objects/62/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=A">http://vendetudo.com/.git/objects/62/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=D">http://vendetudo.com/.git/objects/62/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=A">http://vendetudo.com/.git/objects/62/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=D">http://vendetudo.com/.git/objects/62/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=A">http://vendetudo.com/.git/objects/62/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=D">http://vendetudo.com/.git/objects/62/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/">http://vendetudo.com/.git/objects/66/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D;O=A">http://vendetudo.com/.git/objects/66/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D;O=D">http://vendetudo.com/.git/objects/66/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M;O=A">http://vendetudo.com/.git/objects/66/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M;O=D">http://vendetudo.com/.git/objects/66/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N;O=A">http://vendetudo.com/.git/objects/66/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N;O=D">http://vendetudo.com/.git/objects/66/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=A">http://vendetudo.com/.git/objects/66/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=D">http://vendetudo.com/.git/objects/66/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/">http://vendetudo.com/.git/objects/67/</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=A">http://vendetudo.com/.git/objects/67/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=D">http://vendetudo.com/.git/objects/67/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M;O=A">http://vendetudo.com/.git/objects/67/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M;O=D">http://vendetudo.com/.git/objects/67/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N;O=A">http://vendetudo.com/.git/objects/67/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N;O=D">http://vendetudo.com/.git/objects/67/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S;O=A">http://vendetudo.com/.git/objects/67/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S:O=D">http://vendetudo.com/.git/objects/67/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/">http://vendetudo.com/.git/objects/6c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D:O=A">http://vendetudo.com/.git/objects/6c/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D:O=D">http://vendetudo.com/.git/objects/6c/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M:O=A">http://vendetudo.com/.git/objects/6c/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M:O=D">http://vendetudo.com/.git/objects/6c/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N:O=A">http://vendetudo.com/.git/objects/6c/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N;O=D">http://vendetudo.com/.git/objects/6c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S;O=A">http://vendetudo.com/.git/objects/6c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S;O=D">http://vendetudo.com/.git/objects/6c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/">http://vendetudo.com/.git/objects/6d/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D;O=A">http://vendetudo.com/.git/objects/6d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D;O=D">http://vendetudo.com/.git/objects/6d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M;O=A">http://vendetudo.com/.git/objects/6d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M;O=D">http://vendetudo.com/.git/objects/6d/?C=M;O=D</a>
Método	GET



Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N;O=A">http://vendetudo.com/.git/objects/6d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N;O=D">http://vendetudo.com/.git/objects/6d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S;O=A">http://vendetudo.com/.git/objects/6d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S;O=D">http://vendetudo.com/.git/objects/6d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/">http://vendetudo.com/.git/objects/74/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D;O=A">http://vendetudo.com/.git/objects/74/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D;O=D">http://vendetudo.com/.git/objects/74/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M;O=A">http://vendetudo.com/.git/objects/74/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M;O=D">http://vendetudo.com/.git/objects/74/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N;O=A">http://vendetudo.com/.git/objects/74/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N;O=D">http://vendetudo.com/.git/objects/74/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S;O=A">http://vendetudo.com/.git/objects/74/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S;O=D">http://vendetudo.com/.git/objects/74/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/">http://vendetudo.com/.git/objects/78/</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D;O=A">http://vendetudo.com/.git/objects/78/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D;O=D">http://vendetudo.com/.git/objects/78/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M;O=A">http://vendetudo.com/.git/objects/78/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M;O=D">http://vendetudo.com/.git/objects/78/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N;O=A">http://vendetudo.com/.git/objects/78/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N;O=D">http://vendetudo.com/.git/objects/78/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S;O=A">http://vendetudo.com/.git/objects/78/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S;O=D">http://vendetudo.com/.git/objects/78/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/">http://vendetudo.com/.git/objects/79/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D;O=A">http://vendetudo.com/.git/objects/79/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D;O=D">http://vendetudo.com/.git/objects/79/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M;O=A">http://vendetudo.com/.git/objects/79/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M;O=D">http://vendetudo.com/.git/objects/79/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N;O=A">http://vendetudo.com/.git/objects/79/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N;O=D">http://vendetudo.com/.git/objects/79/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S;O=A">http://vendetudo.com/.git/objects/79/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S;O=D">http://vendetudo.com/.git/objects/79/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/">http://vendetudo.com/.git/objects/7a/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D;O=A">http://vendetudo.com/.git/objects/7a/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D;O=D">http://vendetudo.com/.git/objects/7a/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=A">http://vendetudo.com/.git/objects/7a/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=D">http://vendetudo.com/.git/objects/7a/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=A">http://vendetudo.com/.git/objects/7a/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=D">http://vendetudo.com/.git/objects/7a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=A">http://vendetudo.com/.git/objects/7a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=D">http://vendetudo.com/.git/objects/7a/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/">http://vendetudo.com/.git/objects/7c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=A">http://vendetudo.com/.git/objects/7c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=D">http://vendetudo.com/.git/objects/7c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=A">http://vendetudo.com/.git/objects/7c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=D">http://vendetudo.com/.git/objects/7c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N;O=A">http://vendetudo.com/.git/objects/7c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N;O=D">http://vendetudo.com/.git/objects/7c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S;O=A">http://vendetudo.com/.git/objects/7c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S;O=D">http://vendetudo.com/.git/objects/7c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/">http://vendetudo.com/.git/objects/7f/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D;O=A">http://vendetudo.com/.git/objects/7f/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D;O=D">http://vendetudo.com/.git/objects/7f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M;O=A">http://vendetudo.com/.git/objects/7f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M;O=D">http://vendetudo.com/.git/objects/7f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N;O=A">http://vendetudo.com/.git/objects/7f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N;O=D">http://vendetudo.com/.git/objects/7f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=A">http://vendetudo.com/.git/objects/7f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=D">http://vendetudo.com/.git/objects/7f/?C=S;O=D</a>
Método	GET
Ataque	



Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/">http://vendetudo.com/.git/objects/87/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=A">http://vendetudo.com/.git/objects/87/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=D">http://vendetudo.com/.git/objects/87/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=M;O=A">http://vendetudo.com/.git/objects/87/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=M;O=D">http://vendetudo.com/.git/objects/87/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N;O=A">http://vendetudo.com/.git/objects/87/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N;O=D">http://vendetudo.com/.git/objects/87/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S;O=A">http://vendetudo.com/.git/objects/87/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S;O=D">http://vendetudo.com/.git/objects/87/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/">http://vendetudo.com/.git/objects/88/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D;O=A">http://vendetudo.com/.git/objects/88/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D;O=D">http://vendetudo.com/.git/objects/88/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M;O=A">http://vendetudo.com/.git/objects/88/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M;O=D">http://vendetudo.com/.git/objects/88/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N;O=A">http://vendetudo.com/.git/objects/88/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N;O=D">http://vendetudo.com/.git/objects/88/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S;O=A">http://vendetudo.com/.git/objects/88/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S;O=D">http://vendetudo.com/.git/objects/88/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/">http://vendetudo.com/.git/objects/8b/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D;O=A">http://vendetudo.com/.git/objects/8b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D;O=D">http://vendetudo.com/.git/objects/8b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M;O=A">http://vendetudo.com/.git/objects/8b/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M;O=D">http://vendetudo.com/.git/objects/8b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N;O=A">http://vendetudo.com/.git/objects/8b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N;O=D">http://vendetudo.com/.git/objects/8b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S;O=A">http://vendetudo.com/.git/objects/8b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S;O=D">http://vendetudo.com/.git/objects/8b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/">http://vendetudo.com/.git/objects/8c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D;O=A">http://vendetudo.com/.git/objects/8c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D;O=D">http://vendetudo.com/.git/objects/8c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M;O=A">http://vendetudo.com/.git/objects/8c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M;O=D">http://vendetudo.com/.git/objects/8c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N;O=A">http://vendetudo.com/.git/objects/8c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N;O=D">http://vendetudo.com/.git/objects/8c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=A">http://vendetudo.com/.git/objects/8c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=D">http://vendetudo.com/.git/objects/8c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/8d/">http://vendetudo.com/.git/objects/8d/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=A">http://vendetudo.com/.git/objects/8d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=D">http://vendetudo.com/.git/objects/8d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=A">http://vendetudo.com/.git/objects/8d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=D">http://vendetudo.com/.git/objects/8d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N;O=A">http://vendetudo.com/.git/objects/8d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N;O=D">http://vendetudo.com/.git/objects/8d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S;O=A">http://vendetudo.com/.git/objects/8d/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S;O=D">http://vendetudo.com/.git/objects/8d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/">http://vendetudo.com/.git/objects/8e/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=A">http://vendetudo.com/.git/objects/8e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=D">http://vendetudo.com/.git/objects/8e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M;O=A">http://vendetudo.com/.git/objects/8e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M;O=D">http://vendetudo.com/.git/objects/8e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N;O=A">http://vendetudo.com/.git/objects/8e/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N;O=D">http://vendetudo.com/.git/objects/8e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S;O=A">http://vendetudo.com/.git/objects/8e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S;O=D">http://vendetudo.com/.git/objects/8e/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/">http://vendetudo.com/.git/objects/90/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=A">http://vendetudo.com/.git/objects/90/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=D">http://vendetudo.com/.git/objects/90/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=A">http://vendetudo.com/.git/objects/90/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	



Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=D">http://vendetudo.com/.git/objects/90/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=A">http://vendetudo.com/.git/objects/90/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=D">http://vendetudo.com/.git/objects/90/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=A">http://vendetudo.com/.git/objects/90/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=D">http://vendetudo.com/.git/objects/90/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/">http://vendetudo.com/.git/objects/93/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D;O=A">http://vendetudo.com/.git/objects/93/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D;O=D">http://vendetudo.com/.git/objects/93/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M;O=A">http://vendetudo.com/.git/objects/93/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M;O=D">http://vendetudo.com/.git/objects/93/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N;O=A">http://vendetudo.com/.git/objects/93/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N;O=D">http://vendetudo.com/.git/objects/93/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S;O=A">http://vendetudo.com/.git/objects/93/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S;O=D">http://vendetudo.com/.git/objects/93/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/">http://vendetudo.com/.git/objects/95/</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D;O=A">http://vendetudo.com/.git/objects/95/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D;O=D">http://vendetudo.com/.git/objects/95/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M;O=A">http://vendetudo.com/.git/objects/95/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M;O=D">http://vendetudo.com/.git/objects/95/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N;O=A">http://vendetudo.com/.git/objects/95/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N;O=D">http://vendetudo.com/.git/objects/95/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S;O=A">http://vendetudo.com/.git/objects/95/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S:O=D">http://vendetudo.com/.git/objects/95/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/">http://vendetudo.com/.git/objects/96/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D:O=A">http://vendetudo.com/.git/objects/96/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D:O=D">http://vendetudo.com/.git/objects/96/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M:O=A">http://vendetudo.com/.git/objects/96/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M:O=D">http://vendetudo.com/.git/objects/96/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N:O=A">http://vendetudo.com/.git/objects/96/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/96/?C=N;O=D">http://vendetudo.com/.git/objects/96/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S;O=A">http://vendetudo.com/.git/objects/96/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S;O=D">http://vendetudo.com/.git/objects/96/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/">http://vendetudo.com/.git/objects/97/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D;O=A">http://vendetudo.com/.git/objects/97/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D;O=D">http://vendetudo.com/.git/objects/97/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M;O=A">http://vendetudo.com/.git/objects/97/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M;O=D">http://vendetudo.com/.git/objects/97/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N;O=A">http://vendetudo.com/.git/objects/97/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N;O=D">http://vendetudo.com/.git/objects/97/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S;O=A">http://vendetudo.com/.git/objects/97/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S;O=D">http://vendetudo.com/.git/objects/97/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/">http://vendetudo.com/.git/objects/9c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D;O=A">http://vendetudo.com/.git/objects/9c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D;O=D">http://vendetudo.com/.git/objects/9c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M;O=A">http://vendetudo.com/.git/objects/9c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M;O=D">http://vendetudo.com/.git/objects/9c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N;O=A">http://vendetudo.com/.git/objects/9c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N;O=D">http://vendetudo.com/.git/objects/9c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S;O=A">http://vendetudo.com/.git/objects/9c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S;O=D">http://vendetudo.com/.git/objects/9c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/">http://vendetudo.com/.git/objects/9f/</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=A">http://vendetudo.com/.git/objects/9f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=D">http://vendetudo.com/.git/objects/9f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=A">http://vendetudo.com/.git/objects/9f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=D">http://vendetudo.com/.git/objects/9f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=A">http://vendetudo.com/.git/objects/9f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=D">http://vendetudo.com/.git/objects/9f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=A">http://vendetudo.com/.git/objects/9f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=D">http://vendetudo.com/.git/objects/9f/?C=S;O=D</a>



Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=A">http://vendetudo.com/.git/objects/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=D">http://vendetudo.com/.git/objects/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=A">http://vendetudo.com/.git/objects/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=D">http://vendetudo.com/.git/objects/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=A">http://vendetudo.com/.git/objects/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=D">http://vendetudo.com/.git/objects/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=A">http://vendetudo.com/.git/objects/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=D">http://vendetudo.com/.git/objects/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/">http://vendetudo.com/.git/objects/a1/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=A">http://vendetudo.com/.git/objects/a1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=D">http://vendetudo.com/.git/objects/a1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M;O=A">http://vendetudo.com/.git/objects/a1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M;O=D">http://vendetudo.com/.git/objects/a1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N;O=A">http://vendetudo.com/.git/objects/a1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N:O=D">http://vendetudo.com/.git/objects/a1/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S:O=A">http://vendetudo.com/.git/objects/a1/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S:O=D">http://vendetudo.com/.git/objects/a1/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/">http://vendetudo.com/.git/objects/a3/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D:O=A">http://vendetudo.com/.git/objects/a3/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D:O=D">http://vendetudo.com/.git/objects/a3/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M:O=A">http://vendetudo.com/.git/objects/a3/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M;O=D">http://vendetudo.com/.git/objects/a3/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N;O=A">http://vendetudo.com/.git/objects/a3/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N;O=D">http://vendetudo.com/.git/objects/a3/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S;O=A">http://vendetudo.com/.git/objects/a3/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S;O=D">http://vendetudo.com/.git/objects/a3/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/">http://vendetudo.com/.git/objects/a4/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D;O=A">http://vendetudo.com/.git/objects/a4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D;O=D">http://vendetudo.com/.git/objects/a4/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M;O=A">http://vendetudo.com/.git/objects/a4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M;O=D">http://vendetudo.com/.git/objects/a4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N;O=A">http://vendetudo.com/.git/objects/a4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N;O=D">http://vendetudo.com/.git/objects/a4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S;O=A">http://vendetudo.com/.git/objects/a4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S;O=D">http://vendetudo.com/.git/objects/a4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/">http://vendetudo.com/.git/objects/a5/</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D;O=A">http://vendetudo.com/.git/objects/a5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D;O=D">http://vendetudo.com/.git/objects/a5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M;O=A">http://vendetudo.com/.git/objects/a5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M;O=D">http://vendetudo.com/.git/objects/a5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N;O=A">http://vendetudo.com/.git/objects/a5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N;O=D">http://vendetudo.com/.git/objects/a5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S;O=A">http://vendetudo.com/.git/objects/a5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S;O=D">http://vendetudo.com/.git/objects/a5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/">http://vendetudo.com/.git/objects/a8/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D;O=A">http://vendetudo.com/.git/objects/a8/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D;O=D">http://vendetudo.com/.git/objects/a8/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M;O=A">http://vendetudo.com/.git/objects/a8/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M;O=D">http://vendetudo.com/.git/objects/a8/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N;O=A">http://vendetudo.com/.git/objects/a8/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N;O=D">http://vendetudo.com/.git/objects/a8/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S;O=A">http://vendetudo.com/.git/objects/a8/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S;O=D">http://vendetudo.com/.git/objects/a8/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/">http://vendetudo.com/.git/objects/a9/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D;O=A">http://vendetudo.com/.git/objects/a9/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D;O=D">http://vendetudo.com/.git/objects/a9/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=A">http://vendetudo.com/.git/objects/a9/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=D">http://vendetudo.com/.git/objects/a9/?C=M;O=D</a>
Método	GET



Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=A">http://vendetudo.com/.git/objects/a9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=D">http://vendetudo.com/.git/objects/a9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S;O=A">http://vendetudo.com/.git/objects/a9/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S;O=D">http://vendetudo.com/.git/objects/a9/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/">http://vendetudo.com/.git/objects/aa/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D;O=A">http://vendetudo.com/.git/objects/aa/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D;O=D">http://vendetudo.com/.git/objects/aa/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M;O=A">http://vendetudo.com/.git/objects/aa/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M;O=D">http://vendetudo.com/.git/objects/aa/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N;O=A">http://vendetudo.com/.git/objects/aa/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N;O=D">http://vendetudo.com/.git/objects/aa/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=A">http://vendetudo.com/.git/objects/aa/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=D">http://vendetudo.com/.git/objects/aa/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/">http://vendetudo.com/.git/objects/ab/</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=A">http://vendetudo.com/.git/objects/ab/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=D">http://vendetudo.com/.git/objects/ab/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M;O=A">http://vendetudo.com/.git/objects/ab/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M;O=D">http://vendetudo.com/.git/objects/ab/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N;O=A">http://vendetudo.com/.git/objects/ab/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N;O=D">http://vendetudo.com/.git/objects/ab/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S;O=A">http://vendetudo.com/.git/objects/ab/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S;O=D">http://vendetudo.com/.git/objects/ab/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/">http://vendetudo.com/.git/objects/b1/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=A">http://vendetudo.com/.git/objects/b1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=D">http://vendetudo.com/.git/objects/b1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=A">http://vendetudo.com/.git/objects/b1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=D">http://vendetudo.com/.git/objects/b1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=A">http://vendetudo.com/.git/objects/b1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=D">http://vendetudo.com/.git/objects/b1/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=A">http://vendetudo.com/.git/objects/b1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=D">http://vendetudo.com/.git/objects/b1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/">http://vendetudo.com/.git/objects/bb/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D;O=A">http://vendetudo.com/.git/objects/bb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D;O=D">http://vendetudo.com/.git/objects/bb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M;O=A">http://vendetudo.com/.git/objects/bb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M;O=D">http://vendetudo.com/.git/objects/bb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N;O=A">http://vendetudo.com/.git/objects/bb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N;O=D">http://vendetudo.com/.git/objects/bb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S;O=A">http://vendetudo.com/.git/objects/bb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S;O=D">http://vendetudo.com/.git/objects/bb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/">http://vendetudo.com/.git/objects/c4/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D;O=A">http://vendetudo.com/.git/objects/c4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D;O=D">http://vendetudo.com/.git/objects/c4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=A">http://vendetudo.com/.git/objects/c4/?C=M;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=D">http://vendetudo.com/.git/objects/c4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=A">http://vendetudo.com/.git/objects/c4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=D">http://vendetudo.com/.git/objects/c4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=A">http://vendetudo.com/.git/objects/c4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=D">http://vendetudo.com/.git/objects/c4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/">http://vendetudo.com/.git/objects/c6/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D;O=A">http://vendetudo.com/.git/objects/c6/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D;O=D">http://vendetudo.com/.git/objects/c6/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M;O=A">http://vendetudo.com/.git/objects/c6/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M;O=D">http://vendetudo.com/.git/objects/c6/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N;O=A">http://vendetudo.com/.git/objects/c6/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N;O=D">http://vendetudo.com/.git/objects/c6/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S;O=A">http://vendetudo.com/.git/objects/c6/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S;O=D">http://vendetudo.com/.git/objects/c6/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	



Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/">http://vendetudo.com/.git/objects/cb/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D;O=A">http://vendetudo.com/.git/objects/cb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D;O=D">http://vendetudo.com/.git/objects/cb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M;O=A">http://vendetudo.com/.git/objects/cb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M;O=D">http://vendetudo.com/.git/objects/cb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N;O=A">http://vendetudo.com/.git/objects/cb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N;O=D">http://vendetudo.com/.git/objects/cb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S;O=A">http://vendetudo.com/.git/objects/cb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S;O=D">http://vendetudo.com/.git/objects/cb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/">http://vendetudo.com/.git/objects/d4/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D;O=A">http://vendetudo.com/.git/objects/d4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D;O=D">http://vendetudo.com/.git/objects/d4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M;O=A">http://vendetudo.com/.git/objects/d4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M;O=D">http://vendetudo.com/.git/objects/d4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N;O=A">http://vendetudo.com/.git/objects/d4/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N;O=D">http://vendetudo.com/.git/objects/d4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S;O=A">http://vendetudo.com/.git/objects/d4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S;O=D">http://vendetudo.com/.git/objects/d4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/">http://vendetudo.com/.git/objects/d5/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D;O=A">http://vendetudo.com/.git/objects/d5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D;O=D">http://vendetudo.com/.git/objects/d5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M;O=A">http://vendetudo.com/.git/objects/d5/?C=M;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M;O=D">http://vendetudo.com/.git/objects/d5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N;O=A">http://vendetudo.com/.git/objects/d5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N;O=D">http://vendetudo.com/.git/objects/d5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S;O=A">http://vendetudo.com/.git/objects/d5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S;O=D">http://vendetudo.com/.git/objects/d5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/">http://vendetudo.com/.git/objects/d7/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=A">http://vendetudo.com/.git/objects/d7/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=D">http://vendetudo.com/.git/objects/d7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=A">http://vendetudo.com/.git/objects/d7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=D">http://vendetudo.com/.git/objects/d7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=A">http://vendetudo.com/.git/objects/d7/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=D">http://vendetudo.com/.git/objects/d7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S;O=A">http://vendetudo.com/.git/objects/d7/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S;O=D">http://vendetudo.com/.git/objects/d7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/">http://vendetudo.com/.git/objects/df/</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D;O=A">http://vendetudo.com/.git/objects/df/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D;O=D">http://vendetudo.com/.git/objects/df/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M;O=A">http://vendetudo.com/.git/objects/df/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M;O=D">http://vendetudo.com/.git/objects/df/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N;O=A">http://vendetudo.com/.git/objects/df/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N;O=D">http://vendetudo.com/.git/objects/df/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S;O=A">http://vendetudo.com/.git/objects/df/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S;O=D">http://vendetudo.com/.git/objects/df/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/">http://vendetudo.com/.git/objects/e1/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=A">http://vendetudo.com/.git/objects/e1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=D">http://vendetudo.com/.git/objects/e1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M;O=A">http://vendetudo.com/.git/objects/e1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M;O=D">http://vendetudo.com/.git/objects/e1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N;O=A">http://vendetudo.com/.git/objects/e1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N:O=D">http://vendetudo.com/.git/objects/e1/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S:O=A">http://vendetudo.com/.git/objects/e1/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S:O=D">http://vendetudo.com/.git/objects/e1/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/">http://vendetudo.com/.git/objects/e5/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D:O=A">http://vendetudo.com/.git/objects/e5/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D:O=D">http://vendetudo.com/.git/objects/e5/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M:O=A">http://vendetudo.com/.git/objects/e5/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M;O=D">http://vendetudo.com/.git/objects/e5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N;O=A">http://vendetudo.com/.git/objects/e5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N;O=D">http://vendetudo.com/.git/objects/e5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S;O=A">http://vendetudo.com/.git/objects/e5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S;O=D">http://vendetudo.com/.git/objects/e5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/">http://vendetudo.com/.git/objects/e6/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D;O=A">http://vendetudo.com/.git/objects/e6/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D;O=D">http://vendetudo.com/.git/objects/e6/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M;O=A">http://vendetudo.com/.git/objects/e6/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M;O=D">http://vendetudo.com/.git/objects/e6/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N;O=A">http://vendetudo.com/.git/objects/e6/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N;O=D">http://vendetudo.com/.git/objects/e6/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S;O=A">http://vendetudo.com/.git/objects/e6/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S;O=D">http://vendetudo.com/.git/objects/e6/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/">http://vendetudo.com/.git/objects/e8/</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D;O=A">http://vendetudo.com/.git/objects/e8/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D;O=D">http://vendetudo.com/.git/objects/e8/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M;O=A">http://vendetudo.com/.git/objects/e8/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M;O=D">http://vendetudo.com/.git/objects/e8/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N;O=A">http://vendetudo.com/.git/objects/e8/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N;O=D">http://vendetudo.com/.git/objects/e8/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S;O=A">http://vendetudo.com/.git/objects/e8/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S;O=D">http://vendetudo.com/.git/objects/e8/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/">http://vendetudo.com/.git/objects/eb/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=A">http://vendetudo.com/.git/objects/eb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=D">http://vendetudo.com/.git/objects/eb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M;O=A">http://vendetudo.com/.git/objects/eb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M;O=D">http://vendetudo.com/.git/objects/eb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N;O=A">http://vendetudo.com/.git/objects/eb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N;O=D">http://vendetudo.com/.git/objects/eb/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S;O=A">http://vendetudo.com/.git/objects/eb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S;O=D">http://vendetudo.com/.git/objects/eb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/">http://vendetudo.com/.git/objects/ec/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=A">http://vendetudo.com/.git/objects/ec/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=D">http://vendetudo.com/.git/objects/ec/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=A">http://vendetudo.com/.git/objects/ec/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=D">http://vendetudo.com/.git/objects/ec/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N:O=A">http://vendetudo.com/.git/objects/ec/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N:O=D">http://vendetudo.com/.git/objects/ec/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S:O=A">http://vendetudo.com/.git/objects/ec/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S:O=D">http://vendetudo.com/.git/objects/ec/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/">http://vendetudo.com/.git/objects/ed/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D:O=A">http://vendetudo.com/.git/objects/ed/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D:O=D">http://vendetudo.com/.git/objects/ed/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=A">http://vendetudo.com/.git/objects/ed/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=D">http://vendetudo.com/.git/objects/ed/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=A">http://vendetudo.com/.git/objects/ed/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=D">http://vendetudo.com/.git/objects/ed/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S;O=A">http://vendetudo.com/.git/objects/ed/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S;O=D">http://vendetudo.com/.git/objects/ed/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/">http://vendetudo.com/.git/objects/ee/</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D;O=A">http://vendetudo.com/.git/objects/ee/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D;O=D">http://vendetudo.com/.git/objects/ee/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M;O=A">http://vendetudo.com/.git/objects/ee/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M;O=D">http://vendetudo.com/.git/objects/ee/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N;O=A">http://vendetudo.com/.git/objects/ee/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N;O=D">http://vendetudo.com/.git/objects/ee/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S;O=A">http://vendetudo.com/.git/objects/ee/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S;O=D">http://vendetudo.com/.git/objects/ee/?C=S;O=D</a>
Método	GET



Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/">http://vendetudo.com/.git/objects/ef/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=A">http://vendetudo.com/.git/objects/ef/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=D">http://vendetudo.com/.git/objects/ef/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=A">http://vendetudo.com/.git/objects/ef/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=D">http://vendetudo.com/.git/objects/ef/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=A">http://vendetudo.com/.git/objects/ef/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=D">http://vendetudo.com/.git/objects/ef/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=A">http://vendetudo.com/.git/objects/ef/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=D">http://vendetudo.com/.git/objects/ef/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/">http://vendetudo.com/.git/objects/f1/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=A">http://vendetudo.com/.git/objects/f1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=D">http://vendetudo.com/.git/objects/f1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=A">http://vendetudo.com/.git/objects/f1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=D">http://vendetudo.com/.git/objects/f1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N;O=A">http://vendetudo.com/.git/objects/f1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N;O=D">http://vendetudo.com/.git/objects/f1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S;O=A">http://vendetudo.com/.git/objects/f1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S;O=D">http://vendetudo.com/.git/objects/f1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/">http://vendetudo.com/.git/objects/f2/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D;O=A">http://vendetudo.com/.git/objects/f2/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D;O=D">http://vendetudo.com/.git/objects/f2/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M;O=A">http://vendetudo.com/.git/objects/f2/?C=M;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M;O=D">http://vendetudo.com/.git/objects/f2/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N;O=A">http://vendetudo.com/.git/objects/f2/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N;O=D">http://vendetudo.com/.git/objects/f2/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S;O=A">http://vendetudo.com/.git/objects/f2/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S;O=D">http://vendetudo.com/.git/objects/f2/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/">http://vendetudo.com/.git/objects/f7/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=A">http://vendetudo.com/.git/objects/f7/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=D">http://vendetudo.com/.git/objects/f7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=A">http://vendetudo.com/.git/objects/f7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=D">http://vendetudo.com/.git/objects/f7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=A">http://vendetudo.com/.git/objects/f7/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=D">http://vendetudo.com/.git/objects/f7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=A">http://vendetudo.com/.git/objects/f7/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=D">http://vendetudo.com/.git/objects/f7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/">http://vendetudo.com/.git/objects/f9/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=A">http://vendetudo.com/.git/objects/f9/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=D">http://vendetudo.com/.git/objects/f9/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=A">http://vendetudo.com/.git/objects/f9/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=D">http://vendetudo.com/.git/objects/f9/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N;O=A">http://vendetudo.com/.git/objects/f9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N;O=D">http://vendetudo.com/.git/objects/f9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S;O=A">http://vendetudo.com/.git/objects/f9/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S;O=D">http://vendetudo.com/.git/objects/f9/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/">http://vendetudo.com/.git/objects/fb/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=A">http://vendetudo.com/.git/objects/fb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=D">http://vendetudo.com/.git/objects/fb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=A">http://vendetudo.com/.git/objects/fb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=D">http://vendetudo.com/.git/objects/fb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=A">http://vendetudo.com/.git/objects/fb/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=D">http://vendetudo.com/.git/objects/fb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=A">http://vendetudo.com/.git/objects/fb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=D">http://vendetudo.com/.git/objects/fb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/">http://vendetudo.com/.git/objects/fc/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=A">http://vendetudo.com/.git/objects/fc/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=D">http://vendetudo.com/.git/objects/fc/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=A">http://vendetudo.com/.git/objects/fc/?C=M;O=A</a>
Método	GET
Ataque	



Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=D">http://vendetudo.com/.git/objects/fc/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=A">http://vendetudo.com/.git/objects/fc/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=D">http://vendetudo.com/.git/objects/fc/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=A">http://vendetudo.com/.git/objects/fc/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=D">http://vendetudo.com/.git/objects/fc/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/">http://vendetudo.com/.git/objects/fd/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=A">http://vendetudo.com/.git/objects/fd/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=D">http://vendetudo.com/.git/objects/fd/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=A">http://vendetudo.com/.git/objects/fd/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=D">http://vendetudo.com/.git/objects/fd/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=A">http://vendetudo.com/.git/objects/fd/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=D">http://vendetudo.com/.git/objects/fd/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S;O=A">http://vendetudo.com/.git/objects/fd/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S;O=D">http://vendetudo.com/.git/objects/fd/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/">http://vendetudo.com/.git/objects/info/</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D;O=A">http://vendetudo.com/.git/objects/info/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D;O=D">http://vendetudo.com/.git/objects/info/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=A">http://vendetudo.com/.git/objects/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=D">http://vendetudo.com/.git/objects/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N;O=A">http://vendetudo.com/.git/objects/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N;O=D">http://vendetudo.com/.git/objects/info/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S;O=A">http://vendetudo.com/.git/objects/info/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S;O=D">http://vendetudo.com/.git/objects/info/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/">http://vendetudo.com/.git/objects/pack/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D;O=A">http://vendetudo.com/.git/objects/pack/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D;O=D">http://vendetudo.com/.git/objects/pack/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M;O=A">http://vendetudo.com/.git/objects/pack/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M;O=D">http://vendetudo.com/.git/objects/pack/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N;O=A">http://vendetudo.com/.git/objects/pack/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N;O=D">http://vendetudo.com/.git/objects/pack/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S;O=A">http://vendetudo.com/.git/objects/pack/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S;O=D">http://vendetudo.com/.git/objects/pack/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/">http://vendetudo.com/.git/refs/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=A">http://vendetudo.com/.git/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=D">http://vendetudo.com/.git/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=A">http://vendetudo.com/.git/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=D">http://vendetudo.com/.git/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=A">http://vendetudo.com/.git/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=D">http://vendetudo.com/.git/refs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=A">http://vendetudo.com/.git/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=D">http://vendetudo.com/.git/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/">http://vendetudo.com/.git/refs/heads/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=A">http://vendetudo.com/.git/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=D">http://vendetudo.com/.git/refs/heads/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=A">http://vendetudo.com/.git/refs/heads/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=D">http://vendetudo.com/.git/refs/heads/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=A">http://vendetudo.com/.git/refs/heads/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=D">http://vendetudo.com/.git/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=A">http://vendetudo.com/.git/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=D">http://vendetudo.com/.git/refs/heads/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/">http://vendetudo.com/.git/refs/tags/</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=A">http://vendetudo.com/.git/refs/tags/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=D">http://vendetudo.com/.git/refs/tags/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=A">http://vendetudo.com/.git/refs/tags/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=D">http://vendetudo.com/.git/refs/tags/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=A">http://vendetudo.com/.git/refs/tags/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=D">http://vendetudo.com/.git/refs/tags/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=A">http://vendetudo.com/.git/refs/tags/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other	



Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=D">http://vendetudo.com/.git/refs/tags/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/">http://vendetudo.com/backups/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=D;O=A">http://vendetudo.com/backups/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=D;O=D">http://vendetudo.com/backups/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=M;O=A">http://vendetudo.com/backups/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=M;O=D">http://vendetudo.com/backups/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=N;O=A">http://vendetudo.com/backups/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=N;O=D">http://vendetudo.com/backups/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=S;O=A">http://vendetudo.com/backups/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=S;O=D">http://vendetudo.com/backups/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/css/jcarousel.css">http://vendetudo.com/css/jcarousel.css</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/dev/null">http://vendetudo.com/dev/null</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/doc/">http://vendetudo.com/doc/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/etc/httpd/conf/addon-modules/php.conf">http://vendetudo.com/etc/httpd/conf/addon-modules/php.conf</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/etc/httpd/conf/httpd.conf">http://vendetudo.com/etc/httpd/conf/httpd.conf</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/etc/phpmyadmin">http://vendetudo.com/etc/phpmyadmin</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/etc/phpMyAdmin/">http://vendetudo.com/etc/phpMyAdmin/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/etc/phpmyadmin/config.user.inc.php">http://vendetudo.com/etc/phpmyadmin/config.user.inc.php</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/etc/phpmyadmin/config.user.inc.php">http://vendetudo.com/etc/phpmyadmin/config.user.inc.php</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/examples/">http://vendetudo.com/examples/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/favicon.ico">http://vendetudo.com/favicon.ico</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/img/b_rename.svg">http://vendetudo.com/img/b_rename.svg</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/img/low-poly01.jpg">http://vendetudo.com/img/low-poly01.jpg</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/index.html">http://vendetudo.com/index.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/index.php?route=/server/sql?">http://vendetudo.com/index.php?route=/server/sql?</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/js/config/">http://vendetudo.com/js/config/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/js/dist/">http://vendetudo.com/js/dist/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/js/owl-carousel/owl.carousel.css">http://vendetudo.com/js/owl-carousel/owl.carousel.css</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/js/owl-carousel/owl.carousel.js">http://vendetudo.com/js/owl-carousel/owl.carousel.js</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/js/src/">http://vendetudo.com/js/src/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/lang">http://vendetudo.com/lang</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/lang%E2%80%9D">http://vendetudo.com/lang%E2%80%9D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/libraries.">http://vendetudo.com/libraries.</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/libraries.%C2%B6">http://vendetudo.com/libraries.%C2%B6</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/libraries/">http://vendetudo.com/libraries/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/libraries/language_stats.inc.php">http://vendetudo.com/libraries/language_stats.inc.php</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/locale/">http://vendetudo.com/locale/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/mysqladmin">http://vendetudo.com/mysqladmin</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/bookmarks.html">http://vendetudo.com/phpmyadmin/doc/html/bookmarks.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/charts.html">http://vendetudo.com/phpmyadmin/doc/html/charts.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/config.html">http://vendetudo.com/phpmyadmin/doc/html/config.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/copyright.html">http://vendetudo.com/phpmyadmin/doc/html/copyright.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/credits.html">http://vendetudo.com/phpmyadmin/doc/html/credits.html</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/developers.html">http://vendetudo.com/phpmyadmin/doc/html/developers.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/faq.html">http://vendetudo.com/phpmyadmin/doc/html/faq.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/genindex.html">http://vendetudo.com/phpmyadmin/doc/html/genindex.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/glossary.html">http://vendetudo.com/phpmyadmin/doc/html/glossary.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/import_export.html">http://vendetudo.com/phpmyadmin/doc/html/import_export.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/index.html">http://vendetudo.com/phpmyadmin/doc/html/index.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/intro.html">http://vendetudo.com/phpmyadmin/doc/html/intro.html</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/other.html">http://vendetudo.com/phpmyadmin/doc/html/other.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/privileges.html">http://vendetudo.com/phpmyadmin/doc/html/privileges.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/relations.html">http://vendetudo.com/phpmyadmin/doc/html/relations.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/require.html">http://vendetudo.com/phpmyadmin/doc/html/require.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/search.html">http://vendetudo.com/phpmyadmin/doc/html/search.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/search.html?q=ZAP">http://vendetudo.com/phpmyadmin/doc/html/search.html?q=ZAP</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/security.html">http://vendetudo.com/phpmyadmin/doc/html/security.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/settings.html">http://vendetudo.com/phpmyadmin/doc/html/settings.html</a>



Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/setup.html">http://vendetudo.com/phpmyadmin/doc/html/setup.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/themes.html">http://vendetudo.com/phpmyadmin/doc/html/themes.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/transformations.html">http://vendetudo.com/phpmyadmin/doc/html/transformations.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/two_factor.html">http://vendetudo.com/phpmyadmin/doc/html/two_factor.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/user.html">http://vendetudo.com/phpmyadmin/doc/html/user.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/vendors.html">http://vendetudo.com/phpmyadmin/doc/html/vendors.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/script">http://vendetudo.com/script</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/sessions/">http://vendetudo.com/sessions/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/setup">http://vendetudo.com/setup</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/setup/">http://vendetudo.com/setup/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/sitemap.xml">http://vendetudo.com/sitemap.xml</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/some/local/directory/config.user.inc.php:/etc/phpmyadmin/config.user.inc.php">http://vendetudo.com/some/local/directory/config.user.inc.php:/etc/phpmyadmin/config.user.inc.php</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/sql/">http://vendetudo.com/sql/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/sql/upgrade_column_info_4_3_0+.sql">http://vendetudo.com/sql/upgrade_column_info_4_3_0+.sql</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/table">http://vendetudo.com/table</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/templates/">http://vendetudo.com/templates/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/themes/">http://vendetudo.com/themes/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/themes/">http://vendetudo.com/themes/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/tmp">http://vendetudo.com/tmp</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/tmp/">http://vendetudo.com/tmp/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/tmp/mysql.sock%E2%80%99">http://vendetudo.com/tmp/mysql.sock%E2%80%99</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/tmp/mysql.sock">http://vendetudo.com/tmp/mysql.sock</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/tmp/php">http://vendetudo.com/tmp/php</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/usr/share/doc/phpmyadmin/README.Debian">http://vendetudo.com/usr/share/doc/phpmyadmin/README.Debian</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/usr/share/phpmyadmin/passwd">http://vendetudo.com/usr/share/phpmyadmin/passwd</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/var/lib/mysql/mysql.sock">http://vendetudo.com/var/lib/mysql/mysql.sock</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/var/lib/phpmyadmin/config.inc.php">http://vendetudo.com/var/lib/phpmyadmin/config.inc.php</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/var/log/auth.log">http://vendetudo.com/var/log/auth.log</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/version-check">http://vendetudo.com/version-check</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/www/themes/">http://vendetudo.com/www/themes/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	POST
Ataque	
Evidence	
Other Info	
Instances	1042
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	<a href="https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy">https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy</a> <a href="https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html</a> <a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://w3c.github.io/webappsec-csp/">https://w3c.github.io/webappsec-csp/</a> <a href="https://web.dev/articles/csp">https://web.dev/articles/csp</a> <a href="https://caniuse.com/#feat=contentsecuritypolicy">https://caniuse.com/#feat=contentsecuritypolicy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10038</a>

<b>Médio</b>	<b>Hidden File Found</b>
Descrição	A sensitive file was identified as accessible or available. This may leak administrative, configuration, or credential information which can be leveraged by a malicious individual to further attack the system or conduct social engineering efforts.
URL	<a href="http://vendetudo.com/.git/config">http://vendetudo.com/.git/config</a>
Método	GET
Ataque	
Evidence	HTTP/1.1 200 OK
Other Info	git_dir
Instances	1
Solution	Consider whether or not the component is actually required in production, if it isn't then disable it. If it is then ensure access to it requires appropriate authentication and authorization, or limit exposure to internal systems or specific source IPs, etc.
Reference	<a href="https://blog.hboeck.de/archives/892-Introducing-Snallygaster-a-Tool-to-Scan-for-Secrets-on-Web-Servers.html">https://blog.hboeck.de/archives/892-Introducing-Snallygaster-a-Tool-to-Scan-for-Secrets-on-Web-Servers.html</a>

	<a href="https://git-scm.com/docs/git-config">https://git-scm.com/docs/git-config</a>
CWE Id	<a href="#">538</a>
WASC Id	13
Plugin Id	<a href="#">40035</a>

Médio	Missing Anti-clickjacking Header
Descrição	The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.
URL	<a href="http://vendetudo.com/">http://vendetudo.com/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/">http://vendetudo.com/.git/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=D;O=A">http://vendetudo.com/.git/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=D;O=D">http://vendetudo.com/.git/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=M;O=A">http://vendetudo.com/.git/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=M;O=D">http://vendetudo.com/.git/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=N;O=A">http://vendetudo.com/.git/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=N;O=D">http://vendetudo.com/.git/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=S;O=A">http://vendetudo.com/.git/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=S;O=D">http://vendetudo.com/.git/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/">http://vendetudo.com/.git/branches/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=A">http://vendetudo.com/.git/branches/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=D">http://vendetudo.com/.git/branches/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=A">http://vendetudo.com/.git/branches/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=D">http://vendetudo.com/.git/branches/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=A">http://vendetudo.com/.git/branches/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=D">http://vendetudo.com/.git/branches/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=A">http://vendetudo.com/.git/branches/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=D">http://vendetudo.com/.git/branches/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/">http://vendetudo.com/.git/hooks/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=D;O=A">http://vendetudo.com/.git/hooks/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	



Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=D;O=D">http://vendetudo.com/.git/hooks/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=M;O=A">http://vendetudo.com/.git/hooks/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=M;O=D">http://vendetudo.com/.git/hooks/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=N;O=A">http://vendetudo.com/.git/hooks/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=N;O=D">http://vendetudo.com/.git/hooks/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=A">http://vendetudo.com/.git/hooks/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=D">http://vendetudo.com/.git/hooks/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/info/">http://vendetudo.com/.git/info/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=A">http://vendetudo.com/.git/info/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=D">http://vendetudo.com/.git/info/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=A">http://vendetudo.com/.git/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=D">http://vendetudo.com/.git/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=A">http://vendetudo.com/.git/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=D">http://vendetudo.com/.git/info/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=A">http://vendetudo.com/.git/info/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=D">http://vendetudo.com/.git/info/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/">http://vendetudo.com/.git/logs/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=A">http://vendetudo.com/.git/logs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=D">http://vendetudo.com/.git/logs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=A">http://vendetudo.com/.git/logs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=D">http://vendetudo.com/.git/logs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=A">http://vendetudo.com/.git/logs/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=D">http://vendetudo.com/.git/logs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=A">http://vendetudo.com/.git/logs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=D">http://vendetudo.com/.git/logs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/">http://vendetudo.com/.git/logs/refs/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=A">http://vendetudo.com/.git/logs/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=D">http://vendetudo.com/.git/logs/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=A">http://vendetudo.com/.git/logs/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=D">http://vendetudo.com/.git/logs/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=A">http://vendetudo.com/.git/logs/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=D">http://vendetudo.com/.git/logs/refs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=A">http://vendetudo.com/.git/logs/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=D">http://vendetudo.com/.git/logs/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/">http://vendetudo.com/.git/logs/refs/heads/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D">http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/">http://vendetudo.com/.git/objects/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/">http://vendetudo.com/.git/objects/00/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=A">http://vendetudo.com/.git/objects/00/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=D">http://vendetudo.com/.git/objects/00/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=A">http://vendetudo.com/.git/objects/00/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=D">http://vendetudo.com/.git/objects/00/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=A">http://vendetudo.com/.git/objects/00/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=D">http://vendetudo.com/.git/objects/00/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=A">http://vendetudo.com/.git/objects/00/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=D">http://vendetudo.com/.git/objects/00/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/">http://vendetudo.com/.git/objects/01/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=A">http://vendetudo.com/.git/objects/01/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D:O=D">http://vendetudo.com/.git/objects/01/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M:O=A">http://vendetudo.com/.git/objects/01/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M:O=D">http://vendetudo.com/.git/objects/01/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N:O=A">http://vendetudo.com/.git/objects/01/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N:O=D">http://vendetudo.com/.git/objects/01/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S:O=A">http://vendetudo.com/.git/objects/01/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S:O=D">http://vendetudo.com/.git/objects/01/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/03/">http://vendetudo.com/.git/objects/03/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D;O=A">http://vendetudo.com/.git/objects/03/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D;O=D">http://vendetudo.com/.git/objects/03/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M;O=A">http://vendetudo.com/.git/objects/03/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M;O=D">http://vendetudo.com/.git/objects/03/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N;O=A">http://vendetudo.com/.git/objects/03/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N;O=D">http://vendetudo.com/.git/objects/03/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S;O=A">http://vendetudo.com/.git/objects/03/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S;O=D">http://vendetudo.com/.git/objects/03/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/">http://vendetudo.com/.git/objects/04/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D;O=A">http://vendetudo.com/.git/objects/04/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D;O=D">http://vendetudo.com/.git/objects/04/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M;O=A">http://vendetudo.com/.git/objects/04/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M;O=D">http://vendetudo.com/.git/objects/04/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N;O=A">http://vendetudo.com/.git/objects/04/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N;O=D">http://vendetudo.com/.git/objects/04/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S;O=A">http://vendetudo.com/.git/objects/04/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S;O=D">http://vendetudo.com/.git/objects/04/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/">http://vendetudo.com/.git/objects/07/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D;O=A">http://vendetudo.com/.git/objects/07/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D;O=D">http://vendetudo.com/.git/objects/07/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M;O=A">http://vendetudo.com/.git/objects/07/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M;O=D">http://vendetudo.com/.git/objects/07/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N;O=A">http://vendetudo.com/.git/objects/07/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N;O=D">http://vendetudo.com/.git/objects/07/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S;O=A">http://vendetudo.com/.git/objects/07/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S;O=D">http://vendetudo.com/.git/objects/07/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/">http://vendetudo.com/.git/objects/0a/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D;O=A">http://vendetudo.com/.git/objects/0a/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D;O=D">http://vendetudo.com/.git/objects/0a/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M;O=A">http://vendetudo.com/.git/objects/0a/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M;O=D">http://vendetudo.com/.git/objects/0a/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N;O=A">http://vendetudo.com/.git/objects/0a/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N;O=D">http://vendetudo.com/.git/objects/0a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S;O=A">http://vendetudo.com/.git/objects/0a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S;O=D">http://vendetudo.com/.git/objects/0a/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/">http://vendetudo.com/.git/objects/0e/</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=A">http://vendetudo.com/.git/objects/0e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=D">http://vendetudo.com/.git/objects/0e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=A">http://vendetudo.com/.git/objects/0e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=D">http://vendetudo.com/.git/objects/0e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N;O=A">http://vendetudo.com/.git/objects/0e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N;O=D">http://vendetudo.com/.git/objects/0e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S;O=A">http://vendetudo.com/.git/objects/0e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S:O=D">http://vendetudo.com/.git/objects/0e/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/">http://vendetudo.com/.git/objects/13/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D:O=A">http://vendetudo.com/.git/objects/13/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D:O=D">http://vendetudo.com/.git/objects/13/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M:O=A">http://vendetudo.com/.git/objects/13/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M:O=D">http://vendetudo.com/.git/objects/13/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N:O=A">http://vendetudo.com/.git/objects/13/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/13/?C=N;O=D">http://vendetudo.com/.git/objects/13/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=A">http://vendetudo.com/.git/objects/13/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=D">http://vendetudo.com/.git/objects/13/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/">http://vendetudo.com/.git/objects/15/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=A">http://vendetudo.com/.git/objects/15/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=D">http://vendetudo.com/.git/objects/15/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M;O=A">http://vendetudo.com/.git/objects/15/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M;O=D">http://vendetudo.com/.git/objects/15/?C=M;O=D</a>
Método	GET



Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N;O=A">http://vendetudo.com/.git/objects/15/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N;O=D">http://vendetudo.com/.git/objects/15/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S;O=A">http://vendetudo.com/.git/objects/15/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S;O=D">http://vendetudo.com/.git/objects/15/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/">http://vendetudo.com/.git/objects/17/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D;O=A">http://vendetudo.com/.git/objects/17/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D;O=D">http://vendetudo.com/.git/objects/17/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=M;O=A">http://vendetudo.com/.git/objects/17/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=M;O=D">http://vendetudo.com/.git/objects/17/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N;O=A">http://vendetudo.com/.git/objects/17/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N;O=D">http://vendetudo.com/.git/objects/17/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S;O=A">http://vendetudo.com/.git/objects/17/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S;O=D">http://vendetudo.com/.git/objects/17/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/">http://vendetudo.com/.git/objects/1b/</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D;O=A">http://vendetudo.com/.git/objects/1b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D;O=D">http://vendetudo.com/.git/objects/1b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M;O=A">http://vendetudo.com/.git/objects/1b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M;O=D">http://vendetudo.com/.git/objects/1b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N;O=A">http://vendetudo.com/.git/objects/1b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N;O=D">http://vendetudo.com/.git/objects/1b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S;O=A">http://vendetudo.com/.git/objects/1b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S;O=D">http://vendetudo.com/.git/objects/1b/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/">http://vendetudo.com/.git/objects/1d/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D;O=A">http://vendetudo.com/.git/objects/1d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D;O=D">http://vendetudo.com/.git/objects/1d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M;O=A">http://vendetudo.com/.git/objects/1d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M;O=D">http://vendetudo.com/.git/objects/1d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N;O=A">http://vendetudo.com/.git/objects/1d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N;O=D">http://vendetudo.com/.git/objects/1d/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S;O=A">http://vendetudo.com/.git/objects/1d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S;O=D">http://vendetudo.com/.git/objects/1d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/">http://vendetudo.com/.git/objects/1e/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D;O=A">http://vendetudo.com/.git/objects/1e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D;O=D">http://vendetudo.com/.git/objects/1e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M;O=A">http://vendetudo.com/.git/objects/1e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M;O=D">http://vendetudo.com/.git/objects/1e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N;O=A">http://vendetudo.com/.git/objects/1e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N;O=D">http://vendetudo.com/.git/objects/1e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S;O=A">http://vendetudo.com/.git/objects/1e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S;O=D">http://vendetudo.com/.git/objects/1e/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/">http://vendetudo.com/.git/objects/1f/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=A">http://vendetudo.com/.git/objects/1f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=D">http://vendetudo.com/.git/objects/1f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=A">http://vendetudo.com/.git/objects/1f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=D">http://vendetudo.com/.git/objects/1f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=A">http://vendetudo.com/.git/objects/1f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=D">http://vendetudo.com/.git/objects/1f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=A">http://vendetudo.com/.git/objects/1f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=D">http://vendetudo.com/.git/objects/1f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/">http://vendetudo.com/.git/objects/22/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=A">http://vendetudo.com/.git/objects/22/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=D">http://vendetudo.com/.git/objects/22/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M;O=A">http://vendetudo.com/.git/objects/22/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M;O=D">http://vendetudo.com/.git/objects/22/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N;O=A">http://vendetudo.com/.git/objects/22/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N;O=D">http://vendetudo.com/.git/objects/22/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S;O=A">http://vendetudo.com/.git/objects/22/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S;O=D">http://vendetudo.com/.git/objects/22/?C=S;O=D</a>
Método	GET
Ataque	



Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/">http://vendetudo.com/.git/objects/24/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=A">http://vendetudo.com/.git/objects/24/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=D">http://vendetudo.com/.git/objects/24/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=A">http://vendetudo.com/.git/objects/24/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=D">http://vendetudo.com/.git/objects/24/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=A">http://vendetudo.com/.git/objects/24/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=D">http://vendetudo.com/.git/objects/24/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S;O=A">http://vendetudo.com/.git/objects/24/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S;O=D">http://vendetudo.com/.git/objects/24/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/">http://vendetudo.com/.git/objects/28/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D;O=A">http://vendetudo.com/.git/objects/28/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D;O=D">http://vendetudo.com/.git/objects/28/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M;O=A">http://vendetudo.com/.git/objects/28/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M;O=D">http://vendetudo.com/.git/objects/28/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N;O=A">http://vendetudo.com/.git/objects/28/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N;O=D">http://vendetudo.com/.git/objects/28/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S;O=A">http://vendetudo.com/.git/objects/28/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S;O=D">http://vendetudo.com/.git/objects/28/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/">http://vendetudo.com/.git/objects/2c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=A">http://vendetudo.com/.git/objects/2c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=D">http://vendetudo.com/.git/objects/2c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=A">http://vendetudo.com/.git/objects/2c/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=D">http://vendetudo.com/.git/objects/2c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=A">http://vendetudo.com/.git/objects/2c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=D">http://vendetudo.com/.git/objects/2c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=A">http://vendetudo.com/.git/objects/2c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=D">http://vendetudo.com/.git/objects/2c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/">http://vendetudo.com/.git/objects/31/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D;O=A">http://vendetudo.com/.git/objects/31/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D:O=D">http://vendetudo.com/.git/objects/31/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M:O=A">http://vendetudo.com/.git/objects/31/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M:O=D">http://vendetudo.com/.git/objects/31/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N:O=A">http://vendetudo.com/.git/objects/31/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N:O=D">http://vendetudo.com/.git/objects/31/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S:O=A">http://vendetudo.com/.git/objects/31/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S:O=D">http://vendetudo.com/.git/objects/31/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/35/">http://vendetudo.com/.git/objects/35/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D;O=A">http://vendetudo.com/.git/objects/35/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D;O=D">http://vendetudo.com/.git/objects/35/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M;O=A">http://vendetudo.com/.git/objects/35/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M;O=D">http://vendetudo.com/.git/objects/35/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N;O=A">http://vendetudo.com/.git/objects/35/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N;O=D">http://vendetudo.com/.git/objects/35/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S;O=A">http://vendetudo.com/.git/objects/35/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S;O=D">http://vendetudo.com/.git/objects/35/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/">http://vendetudo.com/.git/objects/38/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D;O=A">http://vendetudo.com/.git/objects/38/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D;O=D">http://vendetudo.com/.git/objects/38/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M;O=A">http://vendetudo.com/.git/objects/38/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M;O=D">http://vendetudo.com/.git/objects/38/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N;O=A">http://vendetudo.com/.git/objects/38/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N;O=D">http://vendetudo.com/.git/objects/38/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S;O=A">http://vendetudo.com/.git/objects/38/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S;O=D">http://vendetudo.com/.git/objects/38/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/">http://vendetudo.com/.git/objects/39/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D;O=A">http://vendetudo.com/.git/objects/39/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D;O=D">http://vendetudo.com/.git/objects/39/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M;O=A">http://vendetudo.com/.git/objects/39/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	



Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M;O=D">http://vendetudo.com/.git/objects/39/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N;O=A">http://vendetudo.com/.git/objects/39/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N;O=D">http://vendetudo.com/.git/objects/39/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S;O=A">http://vendetudo.com/.git/objects/39/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S;O=D">http://vendetudo.com/.git/objects/39/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/">http://vendetudo.com/.git/objects/3b/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D;O=A">http://vendetudo.com/.git/objects/3b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D;O=D">http://vendetudo.com/.git/objects/3b/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M;O=A">http://vendetudo.com/.git/objects/3b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M;O=D">http://vendetudo.com/.git/objects/3b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N;O=A">http://vendetudo.com/.git/objects/3b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N;O=D">http://vendetudo.com/.git/objects/3b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S;O=A">http://vendetudo.com/.git/objects/3b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S;O=D">http://vendetudo.com/.git/objects/3b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/">http://vendetudo.com/.git/objects/3c/</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D;O=A">http://vendetudo.com/.git/objects/3c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D;O=D">http://vendetudo.com/.git/objects/3c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=A">http://vendetudo.com/.git/objects/3c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=D">http://vendetudo.com/.git/objects/3c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=A">http://vendetudo.com/.git/objects/3c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=D">http://vendetudo.com/.git/objects/3c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=A">http://vendetudo.com/.git/objects/3c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=D">http://vendetudo.com/.git/objects/3c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/">http://vendetudo.com/.git/objects/41/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D;O=A">http://vendetudo.com/.git/objects/41/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D;O=D">http://vendetudo.com/.git/objects/41/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M;O=A">http://vendetudo.com/.git/objects/41/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M;O=D">http://vendetudo.com/.git/objects/41/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=N;O=A">http://vendetudo.com/.git/objects/41/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/41/?C=N;O=D">http://vendetudo.com/.git/objects/41/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S;O=A">http://vendetudo.com/.git/objects/41/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S;O=D">http://vendetudo.com/.git/objects/41/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/">http://vendetudo.com/.git/objects/43/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D;O=A">http://vendetudo.com/.git/objects/43/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D;O=D">http://vendetudo.com/.git/objects/43/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M;O=A">http://vendetudo.com/.git/objects/43/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M;O=D">http://vendetudo.com/.git/objects/43/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N;O=A">http://vendetudo.com/.git/objects/43/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N;O=D">http://vendetudo.com/.git/objects/43/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S;O=A">http://vendetudo.com/.git/objects/43/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S;O=D">http://vendetudo.com/.git/objects/43/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/">http://vendetudo.com/.git/objects/45/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D;O=A">http://vendetudo.com/.git/objects/45/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D;O=D">http://vendetudo.com/.git/objects/45/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M;O=A">http://vendetudo.com/.git/objects/45/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M;O=D">http://vendetudo.com/.git/objects/45/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N;O=A">http://vendetudo.com/.git/objects/45/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N;O=D">http://vendetudo.com/.git/objects/45/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S;O=A">http://vendetudo.com/.git/objects/45/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S;O=D">http://vendetudo.com/.git/objects/45/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/">http://vendetudo.com/.git/objects/4b/</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D;O=A">http://vendetudo.com/.git/objects/4b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D;O=D">http://vendetudo.com/.git/objects/4b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M;O=A">http://vendetudo.com/.git/objects/4b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M;O=D">http://vendetudo.com/.git/objects/4b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N;O=A">http://vendetudo.com/.git/objects/4b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N;O=D">http://vendetudo.com/.git/objects/4b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S;O=A">http://vendetudo.com/.git/objects/4b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S;O=D">http://vendetudo.com/.git/objects/4b/?C=S;O=D</a>



Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/">http://vendetudo.com/.git/objects/4c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D;O=A">http://vendetudo.com/.git/objects/4c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D;O=D">http://vendetudo.com/.git/objects/4c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M;O=A">http://vendetudo.com/.git/objects/4c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M;O=D">http://vendetudo.com/.git/objects/4c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=A">http://vendetudo.com/.git/objects/4c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=D">http://vendetudo.com/.git/objects/4c/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=A">http://vendetudo.com/.git/objects/4c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=D">http://vendetudo.com/.git/objects/4c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/">http://vendetudo.com/.git/objects/50/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=A">http://vendetudo.com/.git/objects/50/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=D">http://vendetudo.com/.git/objects/50/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=A">http://vendetudo.com/.git/objects/50/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=D">http://vendetudo.com/.git/objects/50/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=A">http://vendetudo.com/.git/objects/50/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=D">http://vendetudo.com/.git/objects/50/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=A">http://vendetudo.com/.git/objects/50/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=D">http://vendetudo.com/.git/objects/50/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/">http://vendetudo.com/.git/objects/57/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=A">http://vendetudo.com/.git/objects/57/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=D">http://vendetudo.com/.git/objects/57/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/57/?C=M;O=A">http://vendetudo.com/.git/objects/57/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M;O=D">http://vendetudo.com/.git/objects/57/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N;O=A">http://vendetudo.com/.git/objects/57/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N;O=D">http://vendetudo.com/.git/objects/57/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S;O=A">http://vendetudo.com/.git/objects/57/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S;O=D">http://vendetudo.com/.git/objects/57/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/">http://vendetudo.com/.git/objects/58/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D;O=A">http://vendetudo.com/.git/objects/58/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D;O=D">http://vendetudo.com/.git/objects/58/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M;O=A">http://vendetudo.com/.git/objects/58/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M;O=D">http://vendetudo.com/.git/objects/58/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N;O=A">http://vendetudo.com/.git/objects/58/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N;O=D">http://vendetudo.com/.git/objects/58/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S;O=A">http://vendetudo.com/.git/objects/58/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S;O=D">http://vendetudo.com/.git/objects/58/?C=S;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/">http://vendetudo.com/.git/objects/59/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D;O=A">http://vendetudo.com/.git/objects/59/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D;O=D">http://vendetudo.com/.git/objects/59/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M;O=A">http://vendetudo.com/.git/objects/59/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M;O=D">http://vendetudo.com/.git/objects/59/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N;O=A">http://vendetudo.com/.git/objects/59/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N;O=D">http://vendetudo.com/.git/objects/59/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S;O=A">http://vendetudo.com/.git/objects/59/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S;O=D">http://vendetudo.com/.git/objects/59/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/">http://vendetudo.com/.git/objects/5c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D;O=A">http://vendetudo.com/.git/objects/5c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D;O=D">http://vendetudo.com/.git/objects/5c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M;O=A">http://vendetudo.com/.git/objects/5c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M;O=D">http://vendetudo.com/.git/objects/5c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N;O=A">http://vendetudo.com/.git/objects/5c/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N;O=D">http://vendetudo.com/.git/objects/5c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S;O=A">http://vendetudo.com/.git/objects/5c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S;O=D">http://vendetudo.com/.git/objects/5c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/">http://vendetudo.com/.git/objects/5d/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D;O=A">http://vendetudo.com/.git/objects/5d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D;O=D">http://vendetudo.com/.git/objects/5d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M;O=A">http://vendetudo.com/.git/objects/5d/?C=M;O=A</a>
Método	GET



Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M;O=D">http://vendetudo.com/.git/objects/5d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N;O=A">http://vendetudo.com/.git/objects/5d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N;O=D">http://vendetudo.com/.git/objects/5d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S;O=A">http://vendetudo.com/.git/objects/5d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S;O=D">http://vendetudo.com/.git/objects/5d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/">http://vendetudo.com/.git/objects/61/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D;O=A">http://vendetudo.com/.git/objects/61/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D:O=D">http://vendetudo.com/.git/objects/61/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M:O=A">http://vendetudo.com/.git/objects/61/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M:O=D">http://vendetudo.com/.git/objects/61/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N:O=A">http://vendetudo.com/.git/objects/61/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N:O=D">http://vendetudo.com/.git/objects/61/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S:O=A">http://vendetudo.com/.git/objects/61/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S:O=D">http://vendetudo.com/.git/objects/61/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/62/">http://vendetudo.com/.git/objects/62/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=A">http://vendetudo.com/.git/objects/62/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=D">http://vendetudo.com/.git/objects/62/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=A">http://vendetudo.com/.git/objects/62/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=D">http://vendetudo.com/.git/objects/62/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=A">http://vendetudo.com/.git/objects/62/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=D">http://vendetudo.com/.git/objects/62/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=A">http://vendetudo.com/.git/objects/62/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=D">http://vendetudo.com/.git/objects/62/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/">http://vendetudo.com/.git/objects/66/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D;O=A">http://vendetudo.com/.git/objects/66/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D;O=D">http://vendetudo.com/.git/objects/66/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M;O=A">http://vendetudo.com/.git/objects/66/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M;O=D">http://vendetudo.com/.git/objects/66/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N;O=A">http://vendetudo.com/.git/objects/66/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N;O=D">http://vendetudo.com/.git/objects/66/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=A">http://vendetudo.com/.git/objects/66/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=D">http://vendetudo.com/.git/objects/66/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/">http://vendetudo.com/.git/objects/67/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=A">http://vendetudo.com/.git/objects/67/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=D">http://vendetudo.com/.git/objects/67/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M;O=A">http://vendetudo.com/.git/objects/67/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M;O=D">http://vendetudo.com/.git/objects/67/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N;O=A">http://vendetudo.com/.git/objects/67/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N;O=D">http://vendetudo.com/.git/objects/67/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S;O=A">http://vendetudo.com/.git/objects/67/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S;O=D">http://vendetudo.com/.git/objects/67/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/">http://vendetudo.com/.git/objects/6c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D;O=A">http://vendetudo.com/.git/objects/6c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D;O=D">http://vendetudo.com/.git/objects/6c/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M;O=A">http://vendetudo.com/.git/objects/6c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M;O=D">http://vendetudo.com/.git/objects/6c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N;O=A">http://vendetudo.com/.git/objects/6c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N;O=D">http://vendetudo.com/.git/objects/6c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S;O=A">http://vendetudo.com/.git/objects/6c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S;O=D">http://vendetudo.com/.git/objects/6c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/">http://vendetudo.com/.git/objects/6d/</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D;O=A">http://vendetudo.com/.git/objects/6d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D;O=D">http://vendetudo.com/.git/objects/6d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M;O=A">http://vendetudo.com/.git/objects/6d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M;O=D">http://vendetudo.com/.git/objects/6d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N;O=A">http://vendetudo.com/.git/objects/6d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N;O=D">http://vendetudo.com/.git/objects/6d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S;O=A">http://vendetudo.com/.git/objects/6d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	



Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S:O=D">http://vendetudo.com/.git/objects/6d/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/">http://vendetudo.com/.git/objects/74/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D:O=A">http://vendetudo.com/.git/objects/74/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D:O=D">http://vendetudo.com/.git/objects/74/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M:O=A">http://vendetudo.com/.git/objects/74/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M:O=D">http://vendetudo.com/.git/objects/74/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N:O=A">http://vendetudo.com/.git/objects/74/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/74/?C=N;O=D">http://vendetudo.com/.git/objects/74/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S;O=A">http://vendetudo.com/.git/objects/74/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S;O=D">http://vendetudo.com/.git/objects/74/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/">http://vendetudo.com/.git/objects/78/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D;O=A">http://vendetudo.com/.git/objects/78/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D;O=D">http://vendetudo.com/.git/objects/78/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M;O=A">http://vendetudo.com/.git/objects/78/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M;O=D">http://vendetudo.com/.git/objects/78/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N;O=A">http://vendetudo.com/.git/objects/78/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N;O=D">http://vendetudo.com/.git/objects/78/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S;O=A">http://vendetudo.com/.git/objects/78/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S;O=D">http://vendetudo.com/.git/objects/78/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/">http://vendetudo.com/.git/objects/79/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D;O=A">http://vendetudo.com/.git/objects/79/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D;O=D">http://vendetudo.com/.git/objects/79/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M;O=A">http://vendetudo.com/.git/objects/79/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M;O=D">http://vendetudo.com/.git/objects/79/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N;O=A">http://vendetudo.com/.git/objects/79/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N;O=D">http://vendetudo.com/.git/objects/79/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S;O=A">http://vendetudo.com/.git/objects/79/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S;O=D">http://vendetudo.com/.git/objects/79/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/">http://vendetudo.com/.git/objects/7a/</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D;O=A">http://vendetudo.com/.git/objects/7a/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D;O=D">http://vendetudo.com/.git/objects/7a/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=A">http://vendetudo.com/.git/objects/7a/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=D">http://vendetudo.com/.git/objects/7a/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=A">http://vendetudo.com/.git/objects/7a/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=D">http://vendetudo.com/.git/objects/7a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=A">http://vendetudo.com/.git/objects/7a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=D">http://vendetudo.com/.git/objects/7a/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/">http://vendetudo.com/.git/objects/7c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=A">http://vendetudo.com/.git/objects/7c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=D">http://vendetudo.com/.git/objects/7c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=A">http://vendetudo.com/.git/objects/7c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=D">http://vendetudo.com/.git/objects/7c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N;O=A">http://vendetudo.com/.git/objects/7c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N;O=D">http://vendetudo.com/.git/objects/7c/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S;O=A">http://vendetudo.com/.git/objects/7c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S;O=D">http://vendetudo.com/.git/objects/7c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/">http://vendetudo.com/.git/objects/7f/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D;O=A">http://vendetudo.com/.git/objects/7f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D;O=D">http://vendetudo.com/.git/objects/7f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M;O=A">http://vendetudo.com/.git/objects/7f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M;O=D">http://vendetudo.com/.git/objects/7f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N;O=A">http://vendetudo.com/.git/objects/7f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N;O=D">http://vendetudo.com/.git/objects/7f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=A">http://vendetudo.com/.git/objects/7f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=D">http://vendetudo.com/.git/objects/7f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/">http://vendetudo.com/.git/objects/87/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=A">http://vendetudo.com/.git/objects/87/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=D">http://vendetudo.com/.git/objects/87/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/87/?C=M;O=A">http://vendetudo.com/.git/objects/87/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=M;O=D">http://vendetudo.com/.git/objects/87/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N;O=A">http://vendetudo.com/.git/objects/87/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N;O=D">http://vendetudo.com/.git/objects/87/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S;O=A">http://vendetudo.com/.git/objects/87/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S;O=D">http://vendetudo.com/.git/objects/87/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/">http://vendetudo.com/.git/objects/88/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D;O=A">http://vendetudo.com/.git/objects/88/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D;O=D">http://vendetudo.com/.git/objects/88/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M;O=A">http://vendetudo.com/.git/objects/88/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M;O=D">http://vendetudo.com/.git/objects/88/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N;O=A">http://vendetudo.com/.git/objects/88/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N;O=D">http://vendetudo.com/.git/objects/88/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S;O=A">http://vendetudo.com/.git/objects/88/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S;O=D">http://vendetudo.com/.git/objects/88/?C=S;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/">http://vendetudo.com/.git/objects/8b/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D;O=A">http://vendetudo.com/.git/objects/8b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D;O=D">http://vendetudo.com/.git/objects/8b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M;O=A">http://vendetudo.com/.git/objects/8b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M;O=D">http://vendetudo.com/.git/objects/8b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N;O=A">http://vendetudo.com/.git/objects/8b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N;O=D">http://vendetudo.com/.git/objects/8b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S;O=A">http://vendetudo.com/.git/objects/8b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S;O=D">http://vendetudo.com/.git/objects/8b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/">http://vendetudo.com/.git/objects/8c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D;O=A">http://vendetudo.com/.git/objects/8c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D;O=D">http://vendetudo.com/.git/objects/8c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M;O=A">http://vendetudo.com/.git/objects/8c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M;O=D">http://vendetudo.com/.git/objects/8c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N;O=A">http://vendetudo.com/.git/objects/8c/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N;O=D">http://vendetudo.com/.git/objects/8c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=A">http://vendetudo.com/.git/objects/8c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=D">http://vendetudo.com/.git/objects/8c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/">http://vendetudo.com/.git/objects/8d/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=A">http://vendetudo.com/.git/objects/8d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=D">http://vendetudo.com/.git/objects/8d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=A">http://vendetudo.com/.git/objects/8d/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=D">http://vendetudo.com/.git/objects/8d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N;O=A">http://vendetudo.com/.git/objects/8d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N;O=D">http://vendetudo.com/.git/objects/8d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S;O=A">http://vendetudo.com/.git/objects/8d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S;O=D">http://vendetudo.com/.git/objects/8d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/">http://vendetudo.com/.git/objects/8e/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=A">http://vendetudo.com/.git/objects/8e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D:O=D">http://vendetudo.com/.git/objects/8e/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M:O=A">http://vendetudo.com/.git/objects/8e/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M:O=D">http://vendetudo.com/.git/objects/8e/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N:O=A">http://vendetudo.com/.git/objects/8e/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N:O=D">http://vendetudo.com/.git/objects/8e/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S:O=A">http://vendetudo.com/.git/objects/8e/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S:O=D">http://vendetudo.com/.git/objects/8e/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/90/">http://vendetudo.com/.git/objects/90/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=A">http://vendetudo.com/.git/objects/90/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=D">http://vendetudo.com/.git/objects/90/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=A">http://vendetudo.com/.git/objects/90/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=D">http://vendetudo.com/.git/objects/90/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=A">http://vendetudo.com/.git/objects/90/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=D">http://vendetudo.com/.git/objects/90/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=A">http://vendetudo.com/.git/objects/90/?C=S;O=A</a>
Método	GET



Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=D">http://vendetudo.com/.git/objects/90/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/">http://vendetudo.com/.git/objects/93/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D;O=A">http://vendetudo.com/.git/objects/93/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D;O=D">http://vendetudo.com/.git/objects/93/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M;O=A">http://vendetudo.com/.git/objects/93/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M;O=D">http://vendetudo.com/.git/objects/93/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N;O=A">http://vendetudo.com/.git/objects/93/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N;O=D">http://vendetudo.com/.git/objects/93/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S;O=A">http://vendetudo.com/.git/objects/93/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S;O=D">http://vendetudo.com/.git/objects/93/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/">http://vendetudo.com/.git/objects/95/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D;O=A">http://vendetudo.com/.git/objects/95/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D;O=D">http://vendetudo.com/.git/objects/95/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M;O=A">http://vendetudo.com/.git/objects/95/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M;O=D">http://vendetudo.com/.git/objects/95/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N;O=A">http://vendetudo.com/.git/objects/95/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N;O=D">http://vendetudo.com/.git/objects/95/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S;O=A">http://vendetudo.com/.git/objects/95/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S;O=D">http://vendetudo.com/.git/objects/95/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/">http://vendetudo.com/.git/objects/96/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D;O=A">http://vendetudo.com/.git/objects/96/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D;O=D">http://vendetudo.com/.git/objects/96/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M;O=A">http://vendetudo.com/.git/objects/96/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M;O=D">http://vendetudo.com/.git/objects/96/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N;O=A">http://vendetudo.com/.git/objects/96/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N;O=D">http://vendetudo.com/.git/objects/96/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S;O=A">http://vendetudo.com/.git/objects/96/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S;O=D">http://vendetudo.com/.git/objects/96/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/">http://vendetudo.com/.git/objects/97/</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D;O=A">http://vendetudo.com/.git/objects/97/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D;O=D">http://vendetudo.com/.git/objects/97/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M;O=A">http://vendetudo.com/.git/objects/97/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M;O=D">http://vendetudo.com/.git/objects/97/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N;O=A">http://vendetudo.com/.git/objects/97/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N;O=D">http://vendetudo.com/.git/objects/97/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S;O=A">http://vendetudo.com/.git/objects/97/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S;O=D">http://vendetudo.com/.git/objects/97/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/">http://vendetudo.com/.git/objects/9c/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D;O=A">http://vendetudo.com/.git/objects/9c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D;O=D">http://vendetudo.com/.git/objects/9c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M;O=A">http://vendetudo.com/.git/objects/9c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M;O=D">http://vendetudo.com/.git/objects/9c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N;O=A">http://vendetudo.com/.git/objects/9c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N;O=D">http://vendetudo.com/.git/objects/9c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S;O=A">http://vendetudo.com/.git/objects/9c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S;O=D">http://vendetudo.com/.git/objects/9c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/">http://vendetudo.com/.git/objects/9f/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=A">http://vendetudo.com/.git/objects/9f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=D">http://vendetudo.com/.git/objects/9f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=A">http://vendetudo.com/.git/objects/9f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=D">http://vendetudo.com/.git/objects/9f/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=A">http://vendetudo.com/.git/objects/9f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=D">http://vendetudo.com/.git/objects/9f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=A">http://vendetudo.com/.git/objects/9f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=D">http://vendetudo.com/.git/objects/9f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=A">http://vendetudo.com/.git/objects/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=D">http://vendetudo.com/.git/objects/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=A">http://vendetudo.com/.git/objects/?C=M;O=A</a>
Método	GET
Ataque	



Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=D">http://vendetudo.com/.git/objects/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=A">http://vendetudo.com/.git/objects/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=D">http://vendetudo.com/.git/objects/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=A">http://vendetudo.com/.git/objects/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=D">http://vendetudo.com/.git/objects/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/">http://vendetudo.com/.git/objects/a1/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=A">http://vendetudo.com/.git/objects/a1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=D">http://vendetudo.com/.git/objects/a1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M;O=A">http://vendetudo.com/.git/objects/a1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M;O=D">http://vendetudo.com/.git/objects/a1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N;O=A">http://vendetudo.com/.git/objects/a1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N;O=D">http://vendetudo.com/.git/objects/a1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S;O=A">http://vendetudo.com/.git/objects/a1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S;O=D">http://vendetudo.com/.git/objects/a1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/">http://vendetudo.com/.git/objects/a3/</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D;O=A">http://vendetudo.com/.git/objects/a3/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D;O=D">http://vendetudo.com/.git/objects/a3/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M;O=A">http://vendetudo.com/.git/objects/a3/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M;O=D">http://vendetudo.com/.git/objects/a3/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N;O=A">http://vendetudo.com/.git/objects/a3/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N;O=D">http://vendetudo.com/.git/objects/a3/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S;O=A">http://vendetudo.com/.git/objects/a3/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S;O=D">http://vendetudo.com/.git/objects/a3/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/">http://vendetudo.com/.git/objects/a4/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D;O=A">http://vendetudo.com/.git/objects/a4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D;O=D">http://vendetudo.com/.git/objects/a4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M;O=A">http://vendetudo.com/.git/objects/a4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M;O=D">http://vendetudo.com/.git/objects/a4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N;O=A">http://vendetudo.com/.git/objects/a4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N:O=D">http://vendetudo.com/.git/objects/a4/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S:O=A">http://vendetudo.com/.git/objects/a4/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S:O=D">http://vendetudo.com/.git/objects/a4/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/">http://vendetudo.com/.git/objects/a5/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D:O=A">http://vendetudo.com/.git/objects/a5/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D:O=D">http://vendetudo.com/.git/objects/a5/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M:O=A">http://vendetudo.com/.git/objects/a5/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M;O=D">http://vendetudo.com/.git/objects/a5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N;O=A">http://vendetudo.com/.git/objects/a5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N;O=D">http://vendetudo.com/.git/objects/a5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S;O=A">http://vendetudo.com/.git/objects/a5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S;O=D">http://vendetudo.com/.git/objects/a5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/">http://vendetudo.com/.git/objects/a8/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D;O=A">http://vendetudo.com/.git/objects/a8/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D;O=D">http://vendetudo.com/.git/objects/a8/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M;O=A">http://vendetudo.com/.git/objects/a8/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M;O=D">http://vendetudo.com/.git/objects/a8/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N;O=A">http://vendetudo.com/.git/objects/a8/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N;O=D">http://vendetudo.com/.git/objects/a8/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S;O=A">http://vendetudo.com/.git/objects/a8/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S;O=D">http://vendetudo.com/.git/objects/a8/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/">http://vendetudo.com/.git/objects/a9/</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D;O=A">http://vendetudo.com/.git/objects/a9/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D;O=D">http://vendetudo.com/.git/objects/a9/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=A">http://vendetudo.com/.git/objects/a9/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=D">http://vendetudo.com/.git/objects/a9/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=A">http://vendetudo.com/.git/objects/a9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=D">http://vendetudo.com/.git/objects/a9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S;O=A">http://vendetudo.com/.git/objects/a9/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other	



Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S;O=D">http://vendetudo.com/.git/objects/a9/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/">http://vendetudo.com/.git/objects/aa/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D;O=A">http://vendetudo.com/.git/objects/aa/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D;O=D">http://vendetudo.com/.git/objects/aa/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M;O=A">http://vendetudo.com/.git/objects/aa/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M;O=D">http://vendetudo.com/.git/objects/aa/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N;O=A">http://vendetudo.com/.git/objects/aa/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N;O=D">http://vendetudo.com/.git/objects/aa/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=A">http://vendetudo.com/.git/objects/aa/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=D">http://vendetudo.com/.git/objects/aa/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/">http://vendetudo.com/.git/objects/ab/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=A">http://vendetudo.com/.git/objects/ab/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=D">http://vendetudo.com/.git/objects/ab/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M;O=A">http://vendetudo.com/.git/objects/ab/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M;O=D">http://vendetudo.com/.git/objects/ab/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N;O=A">http://vendetudo.com/.git/objects/ab/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N;O=D">http://vendetudo.com/.git/objects/ab/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S;O=A">http://vendetudo.com/.git/objects/ab/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S;O=D">http://vendetudo.com/.git/objects/ab/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/">http://vendetudo.com/.git/objects/b1/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=A">http://vendetudo.com/.git/objects/b1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=D">http://vendetudo.com/.git/objects/b1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=A">http://vendetudo.com/.git/objects/b1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=D">http://vendetudo.com/.git/objects/b1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=A">http://vendetudo.com/.git/objects/b1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=D">http://vendetudo.com/.git/objects/b1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=A">http://vendetudo.com/.git/objects/b1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=D">http://vendetudo.com/.git/objects/b1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/">http://vendetudo.com/.git/objects/bb/</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D;O=A">http://vendetudo.com/.git/objects/bb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D;O=D">http://vendetudo.com/.git/objects/bb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M;O=A">http://vendetudo.com/.git/objects/bb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M;O=D">http://vendetudo.com/.git/objects/bb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N;O=A">http://vendetudo.com/.git/objects/bb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N;O=D">http://vendetudo.com/.git/objects/bb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S;O=A">http://vendetudo.com/.git/objects/bb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S;O=D">http://vendetudo.com/.git/objects/bb/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/">http://vendetudo.com/.git/objects/c4/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D;O=A">http://vendetudo.com/.git/objects/c4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D;O=D">http://vendetudo.com/.git/objects/c4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=A">http://vendetudo.com/.git/objects/c4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=D">http://vendetudo.com/.git/objects/c4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=A">http://vendetudo.com/.git/objects/c4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=D">http://vendetudo.com/.git/objects/c4/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=A">http://vendetudo.com/.git/objects/c4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=D">http://vendetudo.com/.git/objects/c4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/">http://vendetudo.com/.git/objects/c6/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D;O=A">http://vendetudo.com/.git/objects/c6/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D;O=D">http://vendetudo.com/.git/objects/c6/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M;O=A">http://vendetudo.com/.git/objects/c6/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M;O=D">http://vendetudo.com/.git/objects/c6/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N;O=A">http://vendetudo.com/.git/objects/c6/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N;O=D">http://vendetudo.com/.git/objects/c6/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S;O=A">http://vendetudo.com/.git/objects/c6/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S;O=D">http://vendetudo.com/.git/objects/c6/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/">http://vendetudo.com/.git/objects/cb/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D;O=A">http://vendetudo.com/.git/objects/cb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D;O=D">http://vendetudo.com/.git/objects/cb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M;O=A">http://vendetudo.com/.git/objects/cb/?C=M;O=A</a>



Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M;O=D">http://vendetudo.com/.git/objects/cb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N;O=A">http://vendetudo.com/.git/objects/cb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N;O=D">http://vendetudo.com/.git/objects/cb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S;O=A">http://vendetudo.com/.git/objects/cb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S;O=D">http://vendetudo.com/.git/objects/cb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/">http://vendetudo.com/.git/objects/d4/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D;O=A">http://vendetudo.com/.git/objects/d4/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D;O=D">http://vendetudo.com/.git/objects/d4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M;O=A">http://vendetudo.com/.git/objects/d4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M;O=D">http://vendetudo.com/.git/objects/d4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N;O=A">http://vendetudo.com/.git/objects/d4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N;O=D">http://vendetudo.com/.git/objects/d4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S;O=A">http://vendetudo.com/.git/objects/d4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S;O=D">http://vendetudo.com/.git/objects/d4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/">http://vendetudo.com/.git/objects/d5/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D;O=A">http://vendetudo.com/.git/objects/d5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D;O=D">http://vendetudo.com/.git/objects/d5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M;O=A">http://vendetudo.com/.git/objects/d5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M;O=D">http://vendetudo.com/.git/objects/d5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N;O=A">http://vendetudo.com/.git/objects/d5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N;O=D">http://vendetudo.com/.git/objects/d5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S;O=A">http://vendetudo.com/.git/objects/d5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S;O=D">http://vendetudo.com/.git/objects/d5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/">http://vendetudo.com/.git/objects/d7/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=A">http://vendetudo.com/.git/objects/d7/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=D">http://vendetudo.com/.git/objects/d7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=A">http://vendetudo.com/.git/objects/d7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=D">http://vendetudo.com/.git/objects/d7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=A">http://vendetudo.com/.git/objects/d7/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=D">http://vendetudo.com/.git/objects/d7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S;O=A">http://vendetudo.com/.git/objects/d7/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S;O=D">http://vendetudo.com/.git/objects/d7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/">http://vendetudo.com/.git/objects/df/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D;O=A">http://vendetudo.com/.git/objects/df/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D;O=D">http://vendetudo.com/.git/objects/df/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M;O=A">http://vendetudo.com/.git/objects/df/?C=M;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M:O=D">http://vendetudo.com/.git/objects/df/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N:O=A">http://vendetudo.com/.git/objects/df/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N:O=D">http://vendetudo.com/.git/objects/df/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S:O=A">http://vendetudo.com/.git/objects/df/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S:O=D">http://vendetudo.com/.git/objects/df/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/">http://vendetudo.com/.git/objects/e1/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D:O=A">http://vendetudo.com/.git/objects/e1/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=D">http://vendetudo.com/.git/objects/e1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M;O=A">http://vendetudo.com/.git/objects/e1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M;O=D">http://vendetudo.com/.git/objects/e1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N;O=A">http://vendetudo.com/.git/objects/e1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N;O=D">http://vendetudo.com/.git/objects/e1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S;O=A">http://vendetudo.com/.git/objects/e1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S;O=D">http://vendetudo.com/.git/objects/e1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/">http://vendetudo.com/.git/objects/e5/</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D;O=A">http://vendetudo.com/.git/objects/e5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D;O=D">http://vendetudo.com/.git/objects/e5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M;O=A">http://vendetudo.com/.git/objects/e5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M;O=D">http://vendetudo.com/.git/objects/e5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N;O=A">http://vendetudo.com/.git/objects/e5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N;O=D">http://vendetudo.com/.git/objects/e5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S;O=A">http://vendetudo.com/.git/objects/e5/?C=S;O=A</a>
Método	GET



Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S;O=D">http://vendetudo.com/.git/objects/e5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/">http://vendetudo.com/.git/objects/e6/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D;O=A">http://vendetudo.com/.git/objects/e6/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D;O=D">http://vendetudo.com/.git/objects/e6/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M;O=A">http://vendetudo.com/.git/objects/e6/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M;O=D">http://vendetudo.com/.git/objects/e6/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N;O=A">http://vendetudo.com/.git/objects/e6/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N:O=D">http://vendetudo.com/.git/objects/e6/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S:O=A">http://vendetudo.com/.git/objects/e6/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S:O=D">http://vendetudo.com/.git/objects/e6/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/">http://vendetudo.com/.git/objects/e8/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D:O=A">http://vendetudo.com/.git/objects/e8/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D:O=D">http://vendetudo.com/.git/objects/e8/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M:O=A">http://vendetudo.com/.git/objects/e8/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M;O=D">http://vendetudo.com/.git/objects/e8/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N;O=A">http://vendetudo.com/.git/objects/e8/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N;O=D">http://vendetudo.com/.git/objects/e8/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S;O=A">http://vendetudo.com/.git/objects/e8/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S;O=D">http://vendetudo.com/.git/objects/e8/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/">http://vendetudo.com/.git/objects/eb/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=A">http://vendetudo.com/.git/objects/eb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=D">http://vendetudo.com/.git/objects/eb/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M;O=A">http://vendetudo.com/.git/objects/eb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M;O=D">http://vendetudo.com/.git/objects/eb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N;O=A">http://vendetudo.com/.git/objects/eb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N;O=D">http://vendetudo.com/.git/objects/eb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S;O=A">http://vendetudo.com/.git/objects/eb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S;O=D">http://vendetudo.com/.git/objects/eb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/">http://vendetudo.com/.git/objects/ec/</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=A">http://vendetudo.com/.git/objects/ec/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=D">http://vendetudo.com/.git/objects/ec/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=A">http://vendetudo.com/.git/objects/ec/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=D">http://vendetudo.com/.git/objects/ec/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N;O=A">http://vendetudo.com/.git/objects/ec/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N;O=D">http://vendetudo.com/.git/objects/ec/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S;O=A">http://vendetudo.com/.git/objects/ec/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S;O=D">http://vendetudo.com/.git/objects/ec/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/">http://vendetudo.com/.git/objects/ed/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D;O=A">http://vendetudo.com/.git/objects/ed/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D;O=D">http://vendetudo.com/.git/objects/ed/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=A">http://vendetudo.com/.git/objects/ed/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=D">http://vendetudo.com/.git/objects/ed/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=A">http://vendetudo.com/.git/objects/ed/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=D">http://vendetudo.com/.git/objects/ed/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S;O=A">http://vendetudo.com/.git/objects/ed/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S;O=D">http://vendetudo.com/.git/objects/ed/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/">http://vendetudo.com/.git/objects/ee/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D;O=A">http://vendetudo.com/.git/objects/ee/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D;O=D">http://vendetudo.com/.git/objects/ee/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M;O=A">http://vendetudo.com/.git/objects/ee/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M;O=D">http://vendetudo.com/.git/objects/ee/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N;O=A">http://vendetudo.com/.git/objects/ee/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N;O=D">http://vendetudo.com/.git/objects/ee/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S;O=A">http://vendetudo.com/.git/objects/ee/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S;O=D">http://vendetudo.com/.git/objects/ee/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/">http://vendetudo.com/.git/objects/ef/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=A">http://vendetudo.com/.git/objects/ef/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=D">http://vendetudo.com/.git/objects/ef/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	



Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=A">http://vendetudo.com/.git/objects/ef/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=D">http://vendetudo.com/.git/objects/ef/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=A">http://vendetudo.com/.git/objects/ef/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=D">http://vendetudo.com/.git/objects/ef/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=A">http://vendetudo.com/.git/objects/ef/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=D">http://vendetudo.com/.git/objects/ef/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/">http://vendetudo.com/.git/objects/f1/</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=A">http://vendetudo.com/.git/objects/f1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=D">http://vendetudo.com/.git/objects/f1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=A">http://vendetudo.com/.git/objects/f1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=D">http://vendetudo.com/.git/objects/f1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N;O=A">http://vendetudo.com/.git/objects/f1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N;O=D">http://vendetudo.com/.git/objects/f1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S;O=A">http://vendetudo.com/.git/objects/f1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S;O=D">http://vendetudo.com/.git/objects/f1/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/">http://vendetudo.com/.git/objects/f2/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D;O=A">http://vendetudo.com/.git/objects/f2/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D;O=D">http://vendetudo.com/.git/objects/f2/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M;O=A">http://vendetudo.com/.git/objects/f2/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M;O=D">http://vendetudo.com/.git/objects/f2/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N;O=A">http://vendetudo.com/.git/objects/f2/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N;O=D">http://vendetudo.com/.git/objects/f2/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S;O=A">http://vendetudo.com/.git/objects/f2/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S;O=D">http://vendetudo.com/.git/objects/f2/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/">http://vendetudo.com/.git/objects/f7/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=A">http://vendetudo.com/.git/objects/f7/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=D">http://vendetudo.com/.git/objects/f7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=A">http://vendetudo.com/.git/objects/f7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=D">http://vendetudo.com/.git/objects/f7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=A">http://vendetudo.com/.git/objects/f7/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=D">http://vendetudo.com/.git/objects/f7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=A">http://vendetudo.com/.git/objects/f7/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=D">http://vendetudo.com/.git/objects/f7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/">http://vendetudo.com/.git/objects/f9/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=A">http://vendetudo.com/.git/objects/f9/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=D">http://vendetudo.com/.git/objects/f9/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=A">http://vendetudo.com/.git/objects/f9/?C=M;O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=D">http://vendetudo.com/.git/objects/f9/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N;O=A">http://vendetudo.com/.git/objects/f9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N;O=D">http://vendetudo.com/.git/objects/f9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S;O=A">http://vendetudo.com/.git/objects/f9/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S;O=D">http://vendetudo.com/.git/objects/f9/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/">http://vendetudo.com/.git/objects/fb/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=A">http://vendetudo.com/.git/objects/fb/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=D">http://vendetudo.com/.git/objects/fb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=A">http://vendetudo.com/.git/objects/fb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=D">http://vendetudo.com/.git/objects/fb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=A">http://vendetudo.com/.git/objects/fb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=D">http://vendetudo.com/.git/objects/fb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=A">http://vendetudo.com/.git/objects/fb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=D">http://vendetudo.com/.git/objects/fb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/">http://vendetudo.com/.git/objects/fc/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=A">http://vendetudo.com/.git/objects/fc/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=D">http://vendetudo.com/.git/objects/fc/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=A">http://vendetudo.com/.git/objects/fc/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=D">http://vendetudo.com/.git/objects/fc/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=A">http://vendetudo.com/.git/objects/fc/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=D">http://vendetudo.com/.git/objects/fc/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=A">http://vendetudo.com/.git/objects/fc/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=D">http://vendetudo.com/.git/objects/fc/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/">http://vendetudo.com/.git/objects/fd/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=A">http://vendetudo.com/.git/objects/fd/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=D">http://vendetudo.com/.git/objects/fd/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=A">http://vendetudo.com/.git/objects/fd/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=D">http://vendetudo.com/.git/objects/fd/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=A">http://vendetudo.com/.git/objects/fd/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N:O=D">http://vendetudo.com/.git/objects/fd/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S:O=A">http://vendetudo.com/.git/objects/fd/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S:O=D">http://vendetudo.com/.git/objects/fd/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/">http://vendetudo.com/.git/objects/info/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D:O=A">http://vendetudo.com/.git/objects/info/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D:O=D">http://vendetudo.com/.git/objects/info/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M:O=A">http://vendetudo.com/.git/objects/info/?C=M:O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=D">http://vendetudo.com/.git/objects/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N;O=A">http://vendetudo.com/.git/objects/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N;O=D">http://vendetudo.com/.git/objects/info/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S;O=A">http://vendetudo.com/.git/objects/info/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S;O=D">http://vendetudo.com/.git/objects/info/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/">http://vendetudo.com/.git/objects/pack/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D;O=A">http://vendetudo.com/.git/objects/pack/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D;O=D">http://vendetudo.com/.git/objects/pack/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M;O=A">http://vendetudo.com/.git/objects/pack/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M;O=D">http://vendetudo.com/.git/objects/pack/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N;O=A">http://vendetudo.com/.git/objects/pack/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N;O=D">http://vendetudo.com/.git/objects/pack/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S;O=A">http://vendetudo.com/.git/objects/pack/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S;O=D">http://vendetudo.com/.git/objects/pack/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/">http://vendetudo.com/.git/refs/</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=A">http://vendetudo.com/.git/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=D">http://vendetudo.com/.git/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=A">http://vendetudo.com/.git/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=D">http://vendetudo.com/.git/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=A">http://vendetudo.com/.git/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=D">http://vendetudo.com/.git/refs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=A">http://vendetudo.com/.git/refs/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=D">http://vendetudo.com/.git/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/">http://vendetudo.com/.git/refs/heads/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=A">http://vendetudo.com/.git/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=D">http://vendetudo.com/.git/refs/heads/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=A">http://vendetudo.com/.git/refs/heads/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=D">http://vendetudo.com/.git/refs/heads/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=A">http://vendetudo.com/.git/refs/heads/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=D">http://vendetudo.com/.git/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=A">http://vendetudo.com/.git/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=D">http://vendetudo.com/.git/refs/heads/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/">http://vendetudo.com/.git/refs/tags/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=A">http://vendetudo.com/.git/refs/tags/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=D">http://vendetudo.com/.git/refs/tags/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=A">http://vendetudo.com/.git/refs/tags/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=D">http://vendetudo.com/.git/refs/tags/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=A">http://vendetudo.com/.git/refs/tags/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=D">http://vendetudo.com/.git/refs/tags/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=A">http://vendetudo.com/.git/refs/tags/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=D">http://vendetudo.com/.git/refs/tags/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/">http://vendetudo.com/backups/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=D;O=A">http://vendetudo.com/backups/?C=D;O=A</a>
Método	GET



Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=D;O=D">http://vendetudo.com/backups/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=M;O=A">http://vendetudo.com/backups/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=M;O=D">http://vendetudo.com/backups/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=N;O=A">http://vendetudo.com/backups/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=N;O=D">http://vendetudo.com/backups/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=S;O=A">http://vendetudo.com/backups/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=S;O=D">http://vendetudo.com/backups/?C=S;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/index.html">http://vendetudo.com/index.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/bookmarks.html">http://vendetudo.com/phpmyadmin/doc/html/bookmarks.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/charts.html">http://vendetudo.com/phpmyadmin/doc/html/charts.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/config.html">http://vendetudo.com/phpmyadmin/doc/html/config.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/copyright.html">http://vendetudo.com/phpmyadmin/doc/html/copyright.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/credits.html">http://vendetudo.com/phpmyadmin/doc/html/credits.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/developers.html">http://vendetudo.com/phpmyadmin/doc/html/developers.html</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/faq.html">http://vendetudo.com/phpmyadmin/doc/html/faq.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/genindex.html">http://vendetudo.com/phpmyadmin/doc/html/genindex.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/glossary.html">http://vendetudo.com/phpmyadmin/doc/html/glossary.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/import_export.html">http://vendetudo.com/phpmyadmin/doc/html/import_export.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/index.html">http://vendetudo.com/phpmyadmin/doc/html/index.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/intro.html">http://vendetudo.com/phpmyadmin/doc/html/intro.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/other.html">http://vendetudo.com/phpmyadmin/doc/html/other.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/privileges.html">http://vendetudo.com/phpmyadmin/doc/html/privileges.html</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/relations.html">http://vendetudo.com/phpmyadmin/doc/html/relations.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/require.html">http://vendetudo.com/phpmyadmin/doc/html/require.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/search.html">http://vendetudo.com/phpmyadmin/doc/html/search.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/search.html?q=ZAP">http://vendetudo.com/phpmyadmin/doc/html/search.html?q=ZAP</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/security.html">http://vendetudo.com/phpmyadmin/doc/html/security.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/settings.html">http://vendetudo.com/phpmyadmin/doc/html/settings.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/setup.html">http://vendetudo.com/phpmyadmin/doc/html/setup.html</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/themes.html">http://vendetudo.com/phpmyadmin/doc/html/themes.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/transformations.html">http://vendetudo.com/phpmyadmin/doc/html/transformations.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/two_factor.html">http://vendetudo.com/phpmyadmin/doc/html/two_factor.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/user.html">http://vendetudo.com/phpmyadmin/doc/html/user.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/vendors.html">http://vendetudo.com/phpmyadmin/doc/html/vendors.html</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	POST
Ataque	
Evidence	
Other Info	
Instances	989
	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app.

Solution	If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	<a href="https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options">https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options</a>
CWE Id	<a href="#">1021</a>
WASC Id	15
Plugin Id	<a href="#">10020</a>

Médio	Navegação no Diretório
Descrição	It is possible to view a listing of the directory contents. Directory listings may reveal hidden scripts, include files, backup source files, etc., which can be accessed to reveal sensitive information.
URL	<a href="http://vendetudo.com/.git/">http://vendetudo.com/.git/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/?C=D;O=A">http://vendetudo.com/.git/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/?C=D;O=D">http://vendetudo.com/.git/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/?C=M;O=A">http://vendetudo.com/.git/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/?C=M;O=D">http://vendetudo.com/.git/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/?C=N;O=A">http://vendetudo.com/.git/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/?C=N;O=D">http://vendetudo.com/.git/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/?C=S;O=A">http://vendetudo.com/.git/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/?C=S;O=D">http://vendetudo.com/.git/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/branches/">http://vendetudo.com/.git/branches/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/branches</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=A">http://vendetudo.com/.git/branches/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/branches</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=D">http://vendetudo.com/.git/branches/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/branches</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=A">http://vendetudo.com/.git/branches/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/branches</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=D">http://vendetudo.com/.git/branches/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/branches</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=A">http://vendetudo.com/.git/branches/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/branches</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=D">http://vendetudo.com/.git/branches/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/branches</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=A">http://vendetudo.com/.git/branches/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/branches</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=D">http://vendetudo.com/.git/branches/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/branches</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/hooks/">http://vendetudo.com/.git/hooks/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/hooks</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/hooks/?C=D;O=A">http://vendetudo.com/.git/hooks/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/hooks</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/hooks/?C=D;O=D">http://vendetudo.com/.git/hooks/?C=D;O=D</a>



Método	GET
Ataque	
Evidence	<title>Index of /.git/hooks</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/hooks/?C=M;O=A">http://vendetudo.com/.git/hooks/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/hooks</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/hooks/?C=M;O=D">http://vendetudo.com/.git/hooks/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/hooks</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/hooks/?C=N;O=A">http://vendetudo.com/.git/hooks/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/hooks</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/hooks/?C=N;O=D">http://vendetudo.com/.git/hooks/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/hooks</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=A">http://vendetudo.com/.git/hooks/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/hooks</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=D">http://vendetudo.com/.git/hooks/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/hooks</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/info/">http://vendetudo.com/.git/info/</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=A">http://vendetudo.com/.git/info/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=D">http://vendetudo.com/.git/info/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=A">http://vendetudo.com/.git/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=D">http://vendetudo.com/.git/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=A">http://vendetudo.com/.git/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=D">http://vendetudo.com/.git/info/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=A">http://vendetudo.com/.git/info/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/info</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=D">http://vendetudo.com/.git/info/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/">http://vendetudo.com/.git/logs/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=A">http://vendetudo.com/.git/logs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=D">http://vendetudo.com/.git/logs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=A">http://vendetudo.com/.git/logs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=D">http://vendetudo.com/.git/logs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=A">http://vendetudo.com/.git/logs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=D">http://vendetudo.com/.git/logs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=A">http://vendetudo.com/.git/logs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=D">http://vendetudo.com/.git/logs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/">http://vendetudo.com/.git/logs/refs/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=A">http://vendetudo.com/.git/logs/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=D">http://vendetudo.com/.git/logs/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=A">http://vendetudo.com/.git/logs/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=D">http://vendetudo.com/.git/logs/refs/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/logs/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=A">http://vendetudo.com/.git/logs/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=D">http://vendetudo.com/.git/logs/refs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=A">http://vendetudo.com/.git/logs/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=D">http://vendetudo.com/.git/logs/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/">http://vendetudo.com/.git/logs/refs/heads/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/logs/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D">http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/logs/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/">http://vendetudo.com/.git/objects/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/00/">http://vendetudo.com/.git/objects/00/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/00</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=A">http://vendetudo.com/.git/objects/00/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/00</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=D">http://vendetudo.com/.git/objects/00/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/00</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=A">http://vendetudo.com/.git/objects/00/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/00</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=D">http://vendetudo.com/.git/objects/00/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/00</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=A">http://vendetudo.com/.git/objects/00/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/00</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=D">http://vendetudo.com/.git/objects/00/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/00</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=A">http://vendetudo.com/.git/objects/00/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/00</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=D">http://vendetudo.com/.git/objects/00/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/00</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/01/">http://vendetudo.com/.git/objects/01/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/01</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=A">http://vendetudo.com/.git/objects/01/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/01</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=D">http://vendetudo.com/.git/objects/01/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/01</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M;O=A">http://vendetudo.com/.git/objects/01/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/01</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M;O=D">http://vendetudo.com/.git/objects/01/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/01</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N;O=A">http://vendetudo.com/.git/objects/01/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/01</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N;O=D">http://vendetudo.com/.git/objects/01/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/01</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S;O=A">http://vendetudo.com/.git/objects/01/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/01</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S;O=D">http://vendetudo.com/.git/objects/01/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/01</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/03/">http://vendetudo.com/.git/objects/03/</a>
Método	GET



Ataque	
Evidence	<title>Index of /.git/objects/03</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D;O=A">http://vendetudo.com/.git/objects/03/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/03</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D;O=D">http://vendetudo.com/.git/objects/03/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/03</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M;O=A">http://vendetudo.com/.git/objects/03/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/03</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M;O=D">http://vendetudo.com/.git/objects/03/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/03</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N;O=A">http://vendetudo.com/.git/objects/03/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/03</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N;O=D">http://vendetudo.com/.git/objects/03/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/03</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S;O=A">http://vendetudo.com/.git/objects/03/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/03</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S:O=D">http://vendetudo.com/.git/objects/03/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/03</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/04/">http://vendetudo.com/.git/objects/04/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/04</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D:O=A">http://vendetudo.com/.git/objects/04/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/04</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D:O=D">http://vendetudo.com/.git/objects/04/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/04</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M:O=A">http://vendetudo.com/.git/objects/04/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/04</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M:O=D">http://vendetudo.com/.git/objects/04/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/04</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N:O=A">http://vendetudo.com/.git/objects/04/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/04</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/04/?C=N;O=D">http://vendetudo.com/.git/objects/04/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/04</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S;O=A">http://vendetudo.com/.git/objects/04/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/04</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S;O=D">http://vendetudo.com/.git/objects/04/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/04</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/07/">http://vendetudo.com/.git/objects/07/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/07</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D;O=A">http://vendetudo.com/.git/objects/07/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/07</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D;O=D">http://vendetudo.com/.git/objects/07/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/07</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M;O=A">http://vendetudo.com/.git/objects/07/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/07</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M;O=D">http://vendetudo.com/.git/objects/07/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/07</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N;O=A">http://vendetudo.com/.git/objects/07/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/07</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N;O=D">http://vendetudo.com/.git/objects/07/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/07</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S;O=A">http://vendetudo.com/.git/objects/07/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/07</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S;O=D">http://vendetudo.com/.git/objects/07/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/07</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0a/">http://vendetudo.com/.git/objects/0a/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D;O=A">http://vendetudo.com/.git/objects/0a/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D;O=D">http://vendetudo.com/.git/objects/0a/?C=D;O=D</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/0a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M;O=A">http://vendetudo.com/.git/objects/0a/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M;O=D">http://vendetudo.com/.git/objects/0a/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N;O=A">http://vendetudo.com/.git/objects/0a/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N;O=D">http://vendetudo.com/.git/objects/0a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S;O=A">http://vendetudo.com/.git/objects/0a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S;O=D">http://vendetudo.com/.git/objects/0a/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0e/">http://vendetudo.com/.git/objects/0e/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0e</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=A">http://vendetudo.com/.git/objects/0e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=D">http://vendetudo.com/.git/objects/0e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=A">http://vendetudo.com/.git/objects/0e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=D">http://vendetudo.com/.git/objects/0e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N;O=A">http://vendetudo.com/.git/objects/0e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N;O=D">http://vendetudo.com/.git/objects/0e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S;O=A">http://vendetudo.com/.git/objects/0e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S;O=D">http://vendetudo.com/.git/objects/0e/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/0e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/13/">http://vendetudo.com/.git/objects/13/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/13</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D;O=A">http://vendetudo.com/.git/objects/13/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/13</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D;O=D">http://vendetudo.com/.git/objects/13/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/13</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M;O=A">http://vendetudo.com/.git/objects/13/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/13</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M;O=D">http://vendetudo.com/.git/objects/13/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/13</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N;O=A">http://vendetudo.com/.git/objects/13/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/13</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N;O=D">http://vendetudo.com/.git/objects/13/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/13</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=A">http://vendetudo.com/.git/objects/13/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/13</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=D">http://vendetudo.com/.git/objects/13/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/13</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/15/">http://vendetudo.com/.git/objects/15/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/15</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=A">http://vendetudo.com/.git/objects/15/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/15</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=D">http://vendetudo.com/.git/objects/15/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/15</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M;O=A">http://vendetudo.com/.git/objects/15/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/15</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M;O=D">http://vendetudo.com/.git/objects/15/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/15</title>



Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N;O=A">http://vendetudo.com/.git/objects/15/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/15</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N;O=D">http://vendetudo.com/.git/objects/15/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/15</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S;O=A">http://vendetudo.com/.git/objects/15/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/15</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S;O=D">http://vendetudo.com/.git/objects/15/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/15</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/17/">http://vendetudo.com/.git/objects/17/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/17</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D;O=A">http://vendetudo.com/.git/objects/17/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/17</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D;O=D">http://vendetudo.com/.git/objects/17/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/17</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/17/?C=M;O=A">http://vendetudo.com/.git/objects/17/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/17</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/17/?C=M;O=D">http://vendetudo.com/.git/objects/17/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/17</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N;O=A">http://vendetudo.com/.git/objects/17/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/17</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N;O=D">http://vendetudo.com/.git/objects/17/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/17</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S;O=A">http://vendetudo.com/.git/objects/17/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/17</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S;O=D">http://vendetudo.com/.git/objects/17/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/17</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1b/">http://vendetudo.com/.git/objects/1b/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D;O=A">http://vendetudo.com/.git/objects/1b/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/1b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D;O=D">http://vendetudo.com/.git/objects/1b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M;O=A">http://vendetudo.com/.git/objects/1b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M;O=D">http://vendetudo.com/.git/objects/1b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N;O=A">http://vendetudo.com/.git/objects/1b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N;O=D">http://vendetudo.com/.git/objects/1b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S;O=A">http://vendetudo.com/.git/objects/1b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S;O=D">http://vendetudo.com/.git/objects/1b/?C=S;O=D</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/1b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1d/">http://vendetudo.com/.git/objects/1d/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D;O=A">http://vendetudo.com/.git/objects/1d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D;O=D">http://vendetudo.com/.git/objects/1d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M;O=A">http://vendetudo.com/.git/objects/1d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M;O=D">http://vendetudo.com/.git/objects/1d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N;O=A">http://vendetudo.com/.git/objects/1d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N;O=D">http://vendetudo.com/.git/objects/1d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1d</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S;O=A">http://vendetudo.com/.git/objects/1d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S;O=D">http://vendetudo.com/.git/objects/1d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1e/">http://vendetudo.com/.git/objects/1e/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D;O=A">http://vendetudo.com/.git/objects/1e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D;O=D">http://vendetudo.com/.git/objects/1e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M;O=A">http://vendetudo.com/.git/objects/1e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M;O=D">http://vendetudo.com/.git/objects/1e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N;O=A">http://vendetudo.com/.git/objects/1e/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N;O=D">http://vendetudo.com/.git/objects/1e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S;O=A">http://vendetudo.com/.git/objects/1e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S;O=D">http://vendetudo.com/.git/objects/1e/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1f/">http://vendetudo.com/.git/objects/1f/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=A">http://vendetudo.com/.git/objects/1f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=D">http://vendetudo.com/.git/objects/1f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=A">http://vendetudo.com/.git/objects/1f/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/1f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=D">http://vendetudo.com/.git/objects/1f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=A">http://vendetudo.com/.git/objects/1f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=D">http://vendetudo.com/.git/objects/1f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=A">http://vendetudo.com/.git/objects/1f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=D">http://vendetudo.com/.git/objects/1f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/1f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/22/">http://vendetudo.com/.git/objects/22/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/22</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=A">http://vendetudo.com/.git/objects/22/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/22</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D:O=D">http://vendetudo.com/.git/objects/22/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/22</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M:O=A">http://vendetudo.com/.git/objects/22/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/22</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M:O=D">http://vendetudo.com/.git/objects/22/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/22</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N:O=A">http://vendetudo.com/.git/objects/22/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/22</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N:O=D">http://vendetudo.com/.git/objects/22/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/22</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S:O=A">http://vendetudo.com/.git/objects/22/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/22</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S:O=D">http://vendetudo.com/.git/objects/22/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/22</title>
Other Info	Web server identified: Apache 2



URL	<a href="http://vendetudo.com/.git/objects/24/">http://vendetudo.com/.git/objects/24/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/24</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=A">http://vendetudo.com/.git/objects/24/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/24</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=D">http://vendetudo.com/.git/objects/24/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/24</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=A">http://vendetudo.com/.git/objects/24/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/24</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=D">http://vendetudo.com/.git/objects/24/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/24</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=A">http://vendetudo.com/.git/objects/24/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/24</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=D">http://vendetudo.com/.git/objects/24/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/24</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S;O=A">http://vendetudo.com/.git/objects/24/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/24</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S;O=D">http://vendetudo.com/.git/objects/24/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/24</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/28/">http://vendetudo.com/.git/objects/28/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/28</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D;O=A">http://vendetudo.com/.git/objects/28/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/28</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D;O=D">http://vendetudo.com/.git/objects/28/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/28</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M;O=A">http://vendetudo.com/.git/objects/28/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/28</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M;O=D">http://vendetudo.com/.git/objects/28/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/28</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N;O=A">http://vendetudo.com/.git/objects/28/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/28</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N;O=D">http://vendetudo.com/.git/objects/28/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/28</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S;O=A">http://vendetudo.com/.git/objects/28/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/28</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S;O=D">http://vendetudo.com/.git/objects/28/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/28</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/2c/">http://vendetudo.com/.git/objects/2c/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/2c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=A">http://vendetudo.com/.git/objects/2c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/2c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=D">http://vendetudo.com/.git/objects/2c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/2c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=A">http://vendetudo.com/.git/objects/2c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/2c</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=D">http://vendetudo.com/.git/objects/2c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/2c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=A">http://vendetudo.com/.git/objects/2c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/2c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=D">http://vendetudo.com/.git/objects/2c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/2c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=A">http://vendetudo.com/.git/objects/2c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/2c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=D">http://vendetudo.com/.git/objects/2c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/2c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/31/">http://vendetudo.com/.git/objects/31/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/31</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D;O=A">http://vendetudo.com/.git/objects/31/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/31</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D;O=D">http://vendetudo.com/.git/objects/31/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/31</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M;O=A">http://vendetudo.com/.git/objects/31/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/31</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M;O=D">http://vendetudo.com/.git/objects/31/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/31</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N;O=A">http://vendetudo.com/.git/objects/31/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/31</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N;O=D">http://vendetudo.com/.git/objects/31/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/31</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S;O=A">http://vendetudo.com/.git/objects/31/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/31</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S;O=D">http://vendetudo.com/.git/objects/31/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/31</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/35/">http://vendetudo.com/.git/objects/35/</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/35</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D;O=A">http://vendetudo.com/.git/objects/35/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/35</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D;O=D">http://vendetudo.com/.git/objects/35/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/35</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M;O=A">http://vendetudo.com/.git/objects/35/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/35</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M;O=D">http://vendetudo.com/.git/objects/35/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/35</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N;O=A">http://vendetudo.com/.git/objects/35/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/35</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N;O=D">http://vendetudo.com/.git/objects/35/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/35</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S;O=A">http://vendetudo.com/.git/objects/35/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/35</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S:O=D">http://vendetudo.com/.git/objects/35/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/35</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/38/">http://vendetudo.com/.git/objects/38/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/38</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D:O=A">http://vendetudo.com/.git/objects/38/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/38</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D:O=D">http://vendetudo.com/.git/objects/38/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/38</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M:O=A">http://vendetudo.com/.git/objects/38/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/38</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M:O=D">http://vendetudo.com/.git/objects/38/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/38</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N:O=A">http://vendetudo.com/.git/objects/38/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/38</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/38/?C=N;O=D">http://vendetudo.com/.git/objects/38/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/38</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S;O=A">http://vendetudo.com/.git/objects/38/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/38</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S;O=D">http://vendetudo.com/.git/objects/38/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/38</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/39/">http://vendetudo.com/.git/objects/39/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/39</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D;O=A">http://vendetudo.com/.git/objects/39/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/39</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D;O=D">http://vendetudo.com/.git/objects/39/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/39</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M;O=A">http://vendetudo.com/.git/objects/39/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/39</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M;O=D">http://vendetudo.com/.git/objects/39/?C=M;O=D</a>
Método	GET



Ataque	
Evidence	<title>Index of /.git/objects/39</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N;O=A">http://vendetudo.com/.git/objects/39/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/39</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N;O=D">http://vendetudo.com/.git/objects/39/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/39</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S;O=A">http://vendetudo.com/.git/objects/39/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/39</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S;O=D">http://vendetudo.com/.git/objects/39/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/39</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3b/">http://vendetudo.com/.git/objects/3b/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D;O=A">http://vendetudo.com/.git/objects/3b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D;O=D">http://vendetudo.com/.git/objects/3b/?C=D;O=D</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/3b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M;O=A">http://vendetudo.com/.git/objects/3b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M;O=D">http://vendetudo.com/.git/objects/3b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N;O=A">http://vendetudo.com/.git/objects/3b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N;O=D">http://vendetudo.com/.git/objects/3b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S;O=A">http://vendetudo.com/.git/objects/3b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S;O=D">http://vendetudo.com/.git/objects/3b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3c/">http://vendetudo.com/.git/objects/3c/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3c</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D;O=A">http://vendetudo.com/.git/objects/3c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D;O=D">http://vendetudo.com/.git/objects/3c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=A">http://vendetudo.com/.git/objects/3c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=D">http://vendetudo.com/.git/objects/3c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=A">http://vendetudo.com/.git/objects/3c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=D">http://vendetudo.com/.git/objects/3c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=A">http://vendetudo.com/.git/objects/3c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=D">http://vendetudo.com/.git/objects/3c/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/3c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/41/">http://vendetudo.com/.git/objects/41/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/41</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D;O=A">http://vendetudo.com/.git/objects/41/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/41</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D;O=D">http://vendetudo.com/.git/objects/41/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/41</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M;O=A">http://vendetudo.com/.git/objects/41/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/41</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M;O=D">http://vendetudo.com/.git/objects/41/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/41</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/41/?C=N;O=A">http://vendetudo.com/.git/objects/41/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/41</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/41/?C=N;O=D">http://vendetudo.com/.git/objects/41/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/41</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S;O=A">http://vendetudo.com/.git/objects/41/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/41</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S;O=D">http://vendetudo.com/.git/objects/41/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/41</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/43/">http://vendetudo.com/.git/objects/43/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/43</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D;O=A">http://vendetudo.com/.git/objects/43/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/43</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D;O=D">http://vendetudo.com/.git/objects/43/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/43</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M;O=A">http://vendetudo.com/.git/objects/43/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/43</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M;O=D">http://vendetudo.com/.git/objects/43/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/43</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N;O=A">http://vendetudo.com/.git/objects/43/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/43</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N;O=D">http://vendetudo.com/.git/objects/43/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/43</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S;O=A">http://vendetudo.com/.git/objects/43/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/43</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S;O=D">http://vendetudo.com/.git/objects/43/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/43</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/45/">http://vendetudo.com/.git/objects/45/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/45</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D;O=A">http://vendetudo.com/.git/objects/45/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/45</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D;O=D">http://vendetudo.com/.git/objects/45/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/45</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/45/?C=M;O=A">http://vendetudo.com/.git/objects/45/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/45</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M;O=D">http://vendetudo.com/.git/objects/45/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/45</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N;O=A">http://vendetudo.com/.git/objects/45/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/45</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N;O=D">http://vendetudo.com/.git/objects/45/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/45</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S;O=A">http://vendetudo.com/.git/objects/45/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/45</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S;O=D">http://vendetudo.com/.git/objects/45/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/45</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4b/">http://vendetudo.com/.git/objects/4b/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D;O=A">http://vendetudo.com/.git/objects/4b/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/4b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D;O=D">http://vendetudo.com/.git/objects/4b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M;O=A">http://vendetudo.com/.git/objects/4b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M;O=D">http://vendetudo.com/.git/objects/4b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N;O=A">http://vendetudo.com/.git/objects/4b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N;O=D">http://vendetudo.com/.git/objects/4b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S;O=A">http://vendetudo.com/.git/objects/4b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S;O=D">http://vendetudo.com/.git/objects/4b/?C=S;O=D</a>
Método	GET
Ataque	



Evidence	<title>Index of /.git/objects/4b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4c/">http://vendetudo.com/.git/objects/4c/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D;O=A">http://vendetudo.com/.git/objects/4c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D;O=D">http://vendetudo.com/.git/objects/4c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M;O=A">http://vendetudo.com/.git/objects/4c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M;O=D">http://vendetudo.com/.git/objects/4c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=A">http://vendetudo.com/.git/objects/4c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=D">http://vendetudo.com/.git/objects/4c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4c</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=A">http://vendetudo.com/.git/objects/4c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=D">http://vendetudo.com/.git/objects/4c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/4c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/50/">http://vendetudo.com/.git/objects/50/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/50</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=A">http://vendetudo.com/.git/objects/50/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/50</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=D">http://vendetudo.com/.git/objects/50/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/50</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=A">http://vendetudo.com/.git/objects/50/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/50</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=D">http://vendetudo.com/.git/objects/50/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/50</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=A">http://vendetudo.com/.git/objects/50/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/50</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=D">http://vendetudo.com/.git/objects/50/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/50</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=A">http://vendetudo.com/.git/objects/50/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/50</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=D">http://vendetudo.com/.git/objects/50/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/50</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/57/">http://vendetudo.com/.git/objects/57/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/57</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=A">http://vendetudo.com/.git/objects/57/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/57</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=D">http://vendetudo.com/.git/objects/57/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/57</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M;O=A">http://vendetudo.com/.git/objects/57/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/57</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M;O=D">http://vendetudo.com/.git/objects/57/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/57</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N;O=A">http://vendetudo.com/.git/objects/57/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/57</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N;O=D">http://vendetudo.com/.git/objects/57/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/57</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S;O=A">http://vendetudo.com/.git/objects/57/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/57</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S;O=D">http://vendetudo.com/.git/objects/57/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/57</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/58/">http://vendetudo.com/.git/objects/58/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/58</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D;O=A">http://vendetudo.com/.git/objects/58/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/58</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D:O=D">http://vendetudo.com/.git/objects/58/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/58</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M:O=A">http://vendetudo.com/.git/objects/58/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/58</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M:O=D">http://vendetudo.com/.git/objects/58/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/58</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N:O=A">http://vendetudo.com/.git/objects/58/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/58</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N:O=D">http://vendetudo.com/.git/objects/58/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/58</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S:O=A">http://vendetudo.com/.git/objects/58/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/58</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S:O=D">http://vendetudo.com/.git/objects/58/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/58</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/59/">http://vendetudo.com/.git/objects/59/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/59</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D;O=A">http://vendetudo.com/.git/objects/59/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/59</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D;O=D">http://vendetudo.com/.git/objects/59/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/59</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M;O=A">http://vendetudo.com/.git/objects/59/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/59</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M;O=D">http://vendetudo.com/.git/objects/59/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/59</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N;O=A">http://vendetudo.com/.git/objects/59/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/59</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N;O=D">http://vendetudo.com/.git/objects/59/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/59</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S;O=A">http://vendetudo.com/.git/objects/59/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/59</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S;O=D">http://vendetudo.com/.git/objects/59/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/59</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5c/">http://vendetudo.com/.git/objects/5c/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D;O=A">http://vendetudo.com/.git/objects/5c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D;O=D">http://vendetudo.com/.git/objects/5c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M;O=A">http://vendetudo.com/.git/objects/5c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M;O=D">http://vendetudo.com/.git/objects/5c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N;O=A">http://vendetudo.com/.git/objects/5c/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/5c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N;O=D">http://vendetudo.com/.git/objects/5c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S;O=A">http://vendetudo.com/.git/objects/5c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S;O=D">http://vendetudo.com/.git/objects/5c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5d/">http://vendetudo.com/.git/objects/5d/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D;O=A">http://vendetudo.com/.git/objects/5d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D;O=D">http://vendetudo.com/.git/objects/5d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M;O=A">http://vendetudo.com/.git/objects/5d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5d</title>
Other	



Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M;O=D">http://vendetudo.com/.git/objects/5d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N;O=A">http://vendetudo.com/.git/objects/5d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N;O=D">http://vendetudo.com/.git/objects/5d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S;O=A">http://vendetudo.com/.git/objects/5d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S;O=D">http://vendetudo.com/.git/objects/5d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/5d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/61/">http://vendetudo.com/.git/objects/61/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/61</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D;O=A">http://vendetudo.com/.git/objects/61/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/61</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D;O=D">http://vendetudo.com/.git/objects/61/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/61</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M;O=A">http://vendetudo.com/.git/objects/61/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/61</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M;O=D">http://vendetudo.com/.git/objects/61/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/61</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N;O=A">http://vendetudo.com/.git/objects/61/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/61</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N;O=D">http://vendetudo.com/.git/objects/61/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/61</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S;O=A">http://vendetudo.com/.git/objects/61/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/61</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S;O=D">http://vendetudo.com/.git/objects/61/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/61</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/62/">http://vendetudo.com/.git/objects/62/</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/62</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=A">http://vendetudo.com/.git/objects/62/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/62</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=D">http://vendetudo.com/.git/objects/62/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/62</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=A">http://vendetudo.com/.git/objects/62/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/62</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=D">http://vendetudo.com/.git/objects/62/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/62</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=A">http://vendetudo.com/.git/objects/62/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/62</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=D">http://vendetudo.com/.git/objects/62/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/62</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=A">http://vendetudo.com/.git/objects/62/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/62</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S:O=D">http://vendetudo.com/.git/objects/62/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/62</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/66/">http://vendetudo.com/.git/objects/66/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/66</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D:O=A">http://vendetudo.com/.git/objects/66/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/66</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D:O=D">http://vendetudo.com/.git/objects/66/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/66</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M:O=A">http://vendetudo.com/.git/objects/66/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/66</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M:O=D">http://vendetudo.com/.git/objects/66/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/66</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N:O=A">http://vendetudo.com/.git/objects/66/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/66</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/66/?C=N;O=D">http://vendetudo.com/.git/objects/66/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/66</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=A">http://vendetudo.com/.git/objects/66/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/66</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=D">http://vendetudo.com/.git/objects/66/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/66</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/67/">http://vendetudo.com/.git/objects/67/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/67</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=A">http://vendetudo.com/.git/objects/67/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/67</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=D">http://vendetudo.com/.git/objects/67/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/67</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M;O=A">http://vendetudo.com/.git/objects/67/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/67</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M;O=D">http://vendetudo.com/.git/objects/67/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/67</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N;O=A">http://vendetudo.com/.git/objects/67/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/67</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N;O=D">http://vendetudo.com/.git/objects/67/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/67</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S;O=A">http://vendetudo.com/.git/objects/67/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/67</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S;O=D">http://vendetudo.com/.git/objects/67/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/67</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6c/">http://vendetudo.com/.git/objects/6c/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D;O=A">http://vendetudo.com/.git/objects/6c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D;O=D">http://vendetudo.com/.git/objects/6c/?C=D;O=D</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/6c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M;O=A">http://vendetudo.com/.git/objects/6c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M;O=D">http://vendetudo.com/.git/objects/6c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N;O=A">http://vendetudo.com/.git/objects/6c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N;O=D">http://vendetudo.com/.git/objects/6c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S;O=A">http://vendetudo.com/.git/objects/6c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S;O=D">http://vendetudo.com/.git/objects/6c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6d/">http://vendetudo.com/.git/objects/6d/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6d</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D;O=A">http://vendetudo.com/.git/objects/6d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D;O=D">http://vendetudo.com/.git/objects/6d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M;O=A">http://vendetudo.com/.git/objects/6d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M;O=D">http://vendetudo.com/.git/objects/6d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N;O=A">http://vendetudo.com/.git/objects/6d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N;O=D">http://vendetudo.com/.git/objects/6d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S;O=A">http://vendetudo.com/.git/objects/6d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S;O=D">http://vendetudo.com/.git/objects/6d/?C=S;O=D</a>



Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/6d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/74/">http://vendetudo.com/.git/objects/74/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/74</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D;O=A">http://vendetudo.com/.git/objects/74/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/74</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D;O=D">http://vendetudo.com/.git/objects/74/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/74</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M;O=A">http://vendetudo.com/.git/objects/74/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/74</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M;O=D">http://vendetudo.com/.git/objects/74/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/74</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N;O=A">http://vendetudo.com/.git/objects/74/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/74</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N;O=D">http://vendetudo.com/.git/objects/74/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/74</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S;O=A">http://vendetudo.com/.git/objects/74/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/74</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S;O=D">http://vendetudo.com/.git/objects/74/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/74</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/78/">http://vendetudo.com/.git/objects/78/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/78</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D;O=A">http://vendetudo.com/.git/objects/78/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/78</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D;O=D">http://vendetudo.com/.git/objects/78/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/78</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M;O=A">http://vendetudo.com/.git/objects/78/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/78</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M;O=D">http://vendetudo.com/.git/objects/78/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/78</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N;O=A">http://vendetudo.com/.git/objects/78/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/78</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N;O=D">http://vendetudo.com/.git/objects/78/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/78</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S;O=A">http://vendetudo.com/.git/objects/78/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/78</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S;O=D">http://vendetudo.com/.git/objects/78/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/78</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/79/">http://vendetudo.com/.git/objects/79/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/79</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D;O=A">http://vendetudo.com/.git/objects/79/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/79</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D;O=D">http://vendetudo.com/.git/objects/79/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/79</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/79/?C=M;O=A">http://vendetudo.com/.git/objects/79/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/79</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M;O=D">http://vendetudo.com/.git/objects/79/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/79</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N;O=A">http://vendetudo.com/.git/objects/79/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/79</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N;O=D">http://vendetudo.com/.git/objects/79/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/79</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S;O=A">http://vendetudo.com/.git/objects/79/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/79</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S;O=D">http://vendetudo.com/.git/objects/79/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/79</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7a/">http://vendetudo.com/.git/objects/7a/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D;O=A">http://vendetudo.com/.git/objects/7a/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/7a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D;O=D">http://vendetudo.com/.git/objects/7a/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=A">http://vendetudo.com/.git/objects/7a/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=D">http://vendetudo.com/.git/objects/7a/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=A">http://vendetudo.com/.git/objects/7a/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=D">http://vendetudo.com/.git/objects/7a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=A">http://vendetudo.com/.git/objects/7a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=D">http://vendetudo.com/.git/objects/7a/?C=S;O=D</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/7a</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7c/">http://vendetudo.com/.git/objects/7c/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=A">http://vendetudo.com/.git/objects/7c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=D">http://vendetudo.com/.git/objects/7c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=A">http://vendetudo.com/.git/objects/7c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=D">http://vendetudo.com/.git/objects/7c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N;O=A">http://vendetudo.com/.git/objects/7c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N;O=D">http://vendetudo.com/.git/objects/7c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7c</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S;O=A">http://vendetudo.com/.git/objects/7c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S;O=D">http://vendetudo.com/.git/objects/7c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7f/">http://vendetudo.com/.git/objects/7f/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D;O=A">http://vendetudo.com/.git/objects/7f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D;O=D">http://vendetudo.com/.git/objects/7f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M;O=A">http://vendetudo.com/.git/objects/7f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M;O=D">http://vendetudo.com/.git/objects/7f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N;O=A">http://vendetudo.com/.git/objects/7f/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N;O=D">http://vendetudo.com/.git/objects/7f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=A">http://vendetudo.com/.git/objects/7f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=D">http://vendetudo.com/.git/objects/7f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/7f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/87/">http://vendetudo.com/.git/objects/87/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/87</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=A">http://vendetudo.com/.git/objects/87/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/87</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=D">http://vendetudo.com/.git/objects/87/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/87</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/87/?C=M;O=A">http://vendetudo.com/.git/objects/87/?C=M;O=A</a>
Método	GET



Ataque	
Evidence	<title>Index of /.git/objects/87</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/87/?C=M;O=D">http://vendetudo.com/.git/objects/87/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/87</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N;O=A">http://vendetudo.com/.git/objects/87/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/87</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N;O=D">http://vendetudo.com/.git/objects/87/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/87</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S;O=A">http://vendetudo.com/.git/objects/87/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/87</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S;O=D">http://vendetudo.com/.git/objects/87/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/87</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/88/">http://vendetudo.com/.git/objects/88/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/88</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D;O=A">http://vendetudo.com/.git/objects/88/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/88</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D:O=D">http://vendetudo.com/.git/objects/88/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/88</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M:O=A">http://vendetudo.com/.git/objects/88/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/88</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M:O=D">http://vendetudo.com/.git/objects/88/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/88</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N:O=A">http://vendetudo.com/.git/objects/88/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/88</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N:O=D">http://vendetudo.com/.git/objects/88/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/88</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S:O=A">http://vendetudo.com/.git/objects/88/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/88</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S:O=D">http://vendetudo.com/.git/objects/88/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/88</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/8b/">http://vendetudo.com/.git/objects/8b/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D;O=A">http://vendetudo.com/.git/objects/8b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D;O=D">http://vendetudo.com/.git/objects/8b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M;O=A">http://vendetudo.com/.git/objects/8b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M;O=D">http://vendetudo.com/.git/objects/8b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N;O=A">http://vendetudo.com/.git/objects/8b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N;O=D">http://vendetudo.com/.git/objects/8b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S;O=A">http://vendetudo.com/.git/objects/8b/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/8b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S;O=D">http://vendetudo.com/.git/objects/8b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8b</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8c/">http://vendetudo.com/.git/objects/8c/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D;O=A">http://vendetudo.com/.git/objects/8c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D;O=D">http://vendetudo.com/.git/objects/8c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M;O=A">http://vendetudo.com/.git/objects/8c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M;O=D">http://vendetudo.com/.git/objects/8c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N;O=A">http://vendetudo.com/.git/objects/8c/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/8c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N;O=D">http://vendetudo.com/.git/objects/8c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=A">http://vendetudo.com/.git/objects/8c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=D">http://vendetudo.com/.git/objects/8c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8d/">http://vendetudo.com/.git/objects/8d/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=A">http://vendetudo.com/.git/objects/8d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=D">http://vendetudo.com/.git/objects/8d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=A">http://vendetudo.com/.git/objects/8d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8d</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=D">http://vendetudo.com/.git/objects/8d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N;O=A">http://vendetudo.com/.git/objects/8d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N;O=D">http://vendetudo.com/.git/objects/8d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S;O=A">http://vendetudo.com/.git/objects/8d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S;O=D">http://vendetudo.com/.git/objects/8d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8d</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8e/">http://vendetudo.com/.git/objects/8e/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=A">http://vendetudo.com/.git/objects/8e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=D">http://vendetudo.com/.git/objects/8e/?C=D;O=D</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M;O=A">http://vendetudo.com/.git/objects/8e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M;O=D">http://vendetudo.com/.git/objects/8e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N;O=A">http://vendetudo.com/.git/objects/8e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N;O=D">http://vendetudo.com/.git/objects/8e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S;O=A">http://vendetudo.com/.git/objects/8e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S;O=D">http://vendetudo.com/.git/objects/8e/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/8e</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/90/">http://vendetudo.com/.git/objects/90/</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/90</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=A">http://vendetudo.com/.git/objects/90/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/90</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=D">http://vendetudo.com/.git/objects/90/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/90</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=A">http://vendetudo.com/.git/objects/90/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/90</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=D">http://vendetudo.com/.git/objects/90/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/90</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=A">http://vendetudo.com/.git/objects/90/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/90</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=D">http://vendetudo.com/.git/objects/90/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/90</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=A">http://vendetudo.com/.git/objects/90/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/90</title>



Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S:O=D">http://vendetudo.com/.git/objects/90/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/90</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/93/">http://vendetudo.com/.git/objects/93/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/93</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D:O=A">http://vendetudo.com/.git/objects/93/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/93</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D:O=D">http://vendetudo.com/.git/objects/93/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/93</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M:O=A">http://vendetudo.com/.git/objects/93/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/93</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M:O=D">http://vendetudo.com/.git/objects/93/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/93</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N:O=A">http://vendetudo.com/.git/objects/93/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/93</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/93/?C=N;O=D">http://vendetudo.com/.git/objects/93/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/93</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S;O=A">http://vendetudo.com/.git/objects/93/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/93</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S;O=D">http://vendetudo.com/.git/objects/93/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/93</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/95/">http://vendetudo.com/.git/objects/95/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/95</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D;O=A">http://vendetudo.com/.git/objects/95/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/95</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D;O=D">http://vendetudo.com/.git/objects/95/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/95</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M;O=A">http://vendetudo.com/.git/objects/95/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/95</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M;O=D">http://vendetudo.com/.git/objects/95/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/95</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N;O=A">http://vendetudo.com/.git/objects/95/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/95</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N;O=D">http://vendetudo.com/.git/objects/95/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/95</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S;O=A">http://vendetudo.com/.git/objects/95/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/95</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S;O=D">http://vendetudo.com/.git/objects/95/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/95</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/96/">http://vendetudo.com/.git/objects/96/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/96</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D;O=A">http://vendetudo.com/.git/objects/96/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/96</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D;O=D">http://vendetudo.com/.git/objects/96/?C=D;O=D</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/96</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M;O=A">http://vendetudo.com/.git/objects/96/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/96</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M;O=D">http://vendetudo.com/.git/objects/96/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/96</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N;O=A">http://vendetudo.com/.git/objects/96/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/96</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N;O=D">http://vendetudo.com/.git/objects/96/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/96</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S;O=A">http://vendetudo.com/.git/objects/96/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/96</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S;O=D">http://vendetudo.com/.git/objects/96/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/96</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/97/">http://vendetudo.com/.git/objects/97/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/97</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D;O=A">http://vendetudo.com/.git/objects/97/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/97</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D;O=D">http://vendetudo.com/.git/objects/97/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/97</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M;O=A">http://vendetudo.com/.git/objects/97/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/97</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M;O=D">http://vendetudo.com/.git/objects/97/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/97</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N;O=A">http://vendetudo.com/.git/objects/97/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/97</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N;O=D">http://vendetudo.com/.git/objects/97/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/97</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S;O=A">http://vendetudo.com/.git/objects/97/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/97</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S;O=D">http://vendetudo.com/.git/objects/97/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/97</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9c/">http://vendetudo.com/.git/objects/9c/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D;O=A">http://vendetudo.com/.git/objects/9c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D;O=D">http://vendetudo.com/.git/objects/9c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M;O=A">http://vendetudo.com/.git/objects/9c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M;O=D">http://vendetudo.com/.git/objects/9c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N;O=A">http://vendetudo.com/.git/objects/9c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N;O=D">http://vendetudo.com/.git/objects/9c/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/9c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S;O=A">http://vendetudo.com/.git/objects/9c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S;O=D">http://vendetudo.com/.git/objects/9c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9c</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9f/">http://vendetudo.com/.git/objects/9f/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=A">http://vendetudo.com/.git/objects/9f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=D">http://vendetudo.com/.git/objects/9f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=A">http://vendetudo.com/.git/objects/9f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=D">http://vendetudo.com/.git/objects/9f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9f</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=A">http://vendetudo.com/.git/objects/9f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=D">http://vendetudo.com/.git/objects/9f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=A">http://vendetudo.com/.git/objects/9f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=D">http://vendetudo.com/.git/objects/9f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/9f</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=A">http://vendetudo.com/.git/objects/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=D">http://vendetudo.com/.git/objects/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=A">http://vendetudo.com/.git/objects/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects</title>
Other Info	Web server identified: Apache 2



URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=D">http://vendetudo.com/.git/objects/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=A">http://vendetudo.com/.git/objects/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=D">http://vendetudo.com/.git/objects/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=A">http://vendetudo.com/.git/objects/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=D">http://vendetudo.com/.git/objects/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a1/">http://vendetudo.com/.git/objects/a1/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=A">http://vendetudo.com/.git/objects/a1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=D">http://vendetudo.com/.git/objects/a1/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/a1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M;O=A">http://vendetudo.com/.git/objects/a1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M;O=D">http://vendetudo.com/.git/objects/a1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N;O=A">http://vendetudo.com/.git/objects/a1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N;O=D">http://vendetudo.com/.git/objects/a1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S;O=A">http://vendetudo.com/.git/objects/a1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S;O=D">http://vendetudo.com/.git/objects/a1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a3/">http://vendetudo.com/.git/objects/a3/</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/a3</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D;O=A">http://vendetudo.com/.git/objects/a3/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a3</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D;O=D">http://vendetudo.com/.git/objects/a3/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a3</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M;O=A">http://vendetudo.com/.git/objects/a3/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a3</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M;O=D">http://vendetudo.com/.git/objects/a3/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a3</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N;O=A">http://vendetudo.com/.git/objects/a3/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a3</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N;O=D">http://vendetudo.com/.git/objects/a3/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a3</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S;O=A">http://vendetudo.com/.git/objects/a3/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a3</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S;O=D">http://vendetudo.com/.git/objects/a3/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a3</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a4/">http://vendetudo.com/.git/objects/a4/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D;O=A">http://vendetudo.com/.git/objects/a4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D;O=D">http://vendetudo.com/.git/objects/a4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M;O=A">http://vendetudo.com/.git/objects/a4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M;O=D">http://vendetudo.com/.git/objects/a4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N;O=A">http://vendetudo.com/.git/objects/a4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N;O=D">http://vendetudo.com/.git/objects/a4/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S;O=A">http://vendetudo.com/.git/objects/a4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S;O=D">http://vendetudo.com/.git/objects/a4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a5/">http://vendetudo.com/.git/objects/a5/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D;O=A">http://vendetudo.com/.git/objects/a5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D;O=D">http://vendetudo.com/.git/objects/a5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M;O=A">http://vendetudo.com/.git/objects/a5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M;O=D">http://vendetudo.com/.git/objects/a5/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/a5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N;O=A">http://vendetudo.com/.git/objects/a5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N;O=D">http://vendetudo.com/.git/objects/a5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S;O=A">http://vendetudo.com/.git/objects/a5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S;O=D">http://vendetudo.com/.git/objects/a5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a8/">http://vendetudo.com/.git/objects/a8/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D;O=A">http://vendetudo.com/.git/objects/a8/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D;O=D">http://vendetudo.com/.git/objects/a8/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a8</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M;O=A">http://vendetudo.com/.git/objects/a8/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M;O=D">http://vendetudo.com/.git/objects/a8/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N;O=A">http://vendetudo.com/.git/objects/a8/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N;O=D">http://vendetudo.com/.git/objects/a8/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S;O=A">http://vendetudo.com/.git/objects/a8/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S;O=D">http://vendetudo.com/.git/objects/a8/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a9/">http://vendetudo.com/.git/objects/a9/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a9</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D;O=A">http://vendetudo.com/.git/objects/a9/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D;O=D">http://vendetudo.com/.git/objects/a9/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=A">http://vendetudo.com/.git/objects/a9/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=D">http://vendetudo.com/.git/objects/a9/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=A">http://vendetudo.com/.git/objects/a9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=D">http://vendetudo.com/.git/objects/a9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S;O=A">http://vendetudo.com/.git/objects/a9/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/a9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S;O=D">http://vendetudo.com/.git/objects/a9/?C=S;O=D</a>
Método	GET



Ataque	
Evidence	<title>Index of /.git/objects/a9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/aa/">http://vendetudo.com/.git/objects/aa/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/aa</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D;O=A">http://vendetudo.com/.git/objects/aa/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/aa</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D;O=D">http://vendetudo.com/.git/objects/aa/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/aa</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M;O=A">http://vendetudo.com/.git/objects/aa/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/aa</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M;O=D">http://vendetudo.com/.git/objects/aa/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/aa</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N;O=A">http://vendetudo.com/.git/objects/aa/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/aa</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N;O=D">http://vendetudo.com/.git/objects/aa/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/aa</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=A">http://vendetudo.com/.git/objects/aa/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/aa</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=D">http://vendetudo.com/.git/objects/aa/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/aa</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ab/">http://vendetudo.com/.git/objects/ab/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ab</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=A">http://vendetudo.com/.git/objects/ab/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ab</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=D">http://vendetudo.com/.git/objects/ab/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ab</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M;O=A">http://vendetudo.com/.git/objects/ab/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ab</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M;O=D">http://vendetudo.com/.git/objects/ab/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ab</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N;O=A">http://vendetudo.com/.git/objects/ab/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ab</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N;O=D">http://vendetudo.com/.git/objects/ab/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ab</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S;O=A">http://vendetudo.com/.git/objects/ab/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ab</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S;O=D">http://vendetudo.com/.git/objects/ab/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ab</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/b1/">http://vendetudo.com/.git/objects/b1/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/b1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=A">http://vendetudo.com/.git/objects/b1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/b1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=D">http://vendetudo.com/.git/objects/b1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/b1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=A">http://vendetudo.com/.git/objects/b1/?C=M;O=A</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/b1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=D">http://vendetudo.com/.git/objects/b1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/b1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=A">http://vendetudo.com/.git/objects/b1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/b1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=D">http://vendetudo.com/.git/objects/b1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/b1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=A">http://vendetudo.com/.git/objects/b1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/b1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=D">http://vendetudo.com/.git/objects/b1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/b1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/bb/">http://vendetudo.com/.git/objects/bb/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/bb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D;O=A">http://vendetudo.com/.git/objects/bb/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/bb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D;O=D">http://vendetudo.com/.git/objects/bb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/bb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M;O=A">http://vendetudo.com/.git/objects/bb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/bb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M;O=D">http://vendetudo.com/.git/objects/bb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/bb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N;O=A">http://vendetudo.com/.git/objects/bb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/bb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N;O=D">http://vendetudo.com/.git/objects/bb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/bb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S;O=A">http://vendetudo.com/.git/objects/bb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/bb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S;O=D">http://vendetudo.com/.git/objects/bb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/bb</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c4/">http://vendetudo.com/.git/objects/c4/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D;O=A">http://vendetudo.com/.git/objects/c4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D;O=D">http://vendetudo.com/.git/objects/c4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=A">http://vendetudo.com/.git/objects/c4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=D">http://vendetudo.com/.git/objects/c4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=A">http://vendetudo.com/.git/objects/c4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=D">http://vendetudo.com/.git/objects/c4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c4</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=A">http://vendetudo.com/.git/objects/c4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=D">http://vendetudo.com/.git/objects/c4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c6/">http://vendetudo.com/.git/objects/c6/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D;O=A">http://vendetudo.com/.git/objects/c6/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D;O=D">http://vendetudo.com/.git/objects/c6/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M;O=A">http://vendetudo.com/.git/objects/c6/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M;O=D">http://vendetudo.com/.git/objects/c6/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N;O=A">http://vendetudo.com/.git/objects/c6/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/c6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N;O=D">http://vendetudo.com/.git/objects/c6/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S;O=A">http://vendetudo.com/.git/objects/c6/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S;O=D">http://vendetudo.com/.git/objects/c6/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/c6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/cb/">http://vendetudo.com/.git/objects/cb/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/cb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D;O=A">http://vendetudo.com/.git/objects/cb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/cb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D;O=D">http://vendetudo.com/.git/objects/cb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/cb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M;O=A">http://vendetudo.com/.git/objects/cb/?C=M;O=A</a>
Método	GET
Ataque	



Evidence	<title>Index of /.git/objects/cb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M;O=D">http://vendetudo.com/.git/objects/cb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/cb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N;O=A">http://vendetudo.com/.git/objects/cb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/cb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N;O=D">http://vendetudo.com/.git/objects/cb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/cb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S;O=A">http://vendetudo.com/.git/objects/cb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/cb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S;O=D">http://vendetudo.com/.git/objects/cb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/cb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d4/">http://vendetudo.com/.git/objects/d4/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D;O=A">http://vendetudo.com/.git/objects/d4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d4</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D;O=D">http://vendetudo.com/.git/objects/d4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M;O=A">http://vendetudo.com/.git/objects/d4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M;O=D">http://vendetudo.com/.git/objects/d4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N;O=A">http://vendetudo.com/.git/objects/d4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N;O=D">http://vendetudo.com/.git/objects/d4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S;O=A">http://vendetudo.com/.git/objects/d4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S;O=D">http://vendetudo.com/.git/objects/d4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d4</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d5/">http://vendetudo.com/.git/objects/d5/</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D;O=A">http://vendetudo.com/.git/objects/d5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D;O=D">http://vendetudo.com/.git/objects/d5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M;O=A">http://vendetudo.com/.git/objects/d5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M;O=D">http://vendetudo.com/.git/objects/d5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N;O=A">http://vendetudo.com/.git/objects/d5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N;O=D">http://vendetudo.com/.git/objects/d5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S;O=A">http://vendetudo.com/.git/objects/d5/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/d5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S;O=D">http://vendetudo.com/.git/objects/d5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d7/">http://vendetudo.com/.git/objects/d7/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=A">http://vendetudo.com/.git/objects/d7/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=D">http://vendetudo.com/.git/objects/d7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=A">http://vendetudo.com/.git/objects/d7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=D">http://vendetudo.com/.git/objects/d7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=A">http://vendetudo.com/.git/objects/d7/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d7</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=D">http://vendetudo.com/.git/objects/d7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S;O=A">http://vendetudo.com/.git/objects/d7/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S;O=D">http://vendetudo.com/.git/objects/d7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/d7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/df/">http://vendetudo.com/.git/objects/df/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/df</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D;O=A">http://vendetudo.com/.git/objects/df/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/df</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D;O=D">http://vendetudo.com/.git/objects/df/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/df</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M;O=A">http://vendetudo.com/.git/objects/df/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/df</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/df/?C=M;O=D">http://vendetudo.com/.git/objects/df/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/df</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N;O=A">http://vendetudo.com/.git/objects/df/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/df</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N;O=D">http://vendetudo.com/.git/objects/df/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/df</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S;O=A">http://vendetudo.com/.git/objects/df/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/df</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S;O=D">http://vendetudo.com/.git/objects/df/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/df</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e1/">http://vendetudo.com/.git/objects/e1/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=A">http://vendetudo.com/.git/objects/e1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=D">http://vendetudo.com/.git/objects/e1/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/e1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M;O=A">http://vendetudo.com/.git/objects/e1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M;O=D">http://vendetudo.com/.git/objects/e1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N;O=A">http://vendetudo.com/.git/objects/e1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N;O=D">http://vendetudo.com/.git/objects/e1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S;O=A">http://vendetudo.com/.git/objects/e1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S;O=D">http://vendetudo.com/.git/objects/e1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e5/">http://vendetudo.com/.git/objects/e5/</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/e5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D;O=A">http://vendetudo.com/.git/objects/e5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D;O=D">http://vendetudo.com/.git/objects/e5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M;O=A">http://vendetudo.com/.git/objects/e5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M;O=D">http://vendetudo.com/.git/objects/e5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N;O=A">http://vendetudo.com/.git/objects/e5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N;O=D">http://vendetudo.com/.git/objects/e5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S;O=A">http://vendetudo.com/.git/objects/e5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e5</title>
Other	



Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S;O=D">http://vendetudo.com/.git/objects/e5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e5</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e6/">http://vendetudo.com/.git/objects/e6/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D;O=A">http://vendetudo.com/.git/objects/e6/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D;O=D">http://vendetudo.com/.git/objects/e6/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M;O=A">http://vendetudo.com/.git/objects/e6/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M;O=D">http://vendetudo.com/.git/objects/e6/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N;O=A">http://vendetudo.com/.git/objects/e6/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N;O=D">http://vendetudo.com/.git/objects/e6/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S;O=A">http://vendetudo.com/.git/objects/e6/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S;O=D">http://vendetudo.com/.git/objects/e6/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e6</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e8/">http://vendetudo.com/.git/objects/e8/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D;O=A">http://vendetudo.com/.git/objects/e8/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D;O=D">http://vendetudo.com/.git/objects/e8/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M;O=A">http://vendetudo.com/.git/objects/e8/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M;O=D">http://vendetudo.com/.git/objects/e8/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/e8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N;O=A">http://vendetudo.com/.git/objects/e8/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N;O=D">http://vendetudo.com/.git/objects/e8/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S;O=A">http://vendetudo.com/.git/objects/e8/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S;O=D">http://vendetudo.com/.git/objects/e8/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/e8</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/eb/">http://vendetudo.com/.git/objects/eb/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/eb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=A">http://vendetudo.com/.git/objects/eb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/eb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=D">http://vendetudo.com/.git/objects/eb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/eb</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M:O=A">http://vendetudo.com/.git/objects/eb/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/eb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M:O=D">http://vendetudo.com/.git/objects/eb/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/eb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N:O=A">http://vendetudo.com/.git/objects/eb/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/eb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N:O=D">http://vendetudo.com/.git/objects/eb/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/eb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S:O=A">http://vendetudo.com/.git/objects/eb/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/eb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S:O=D">http://vendetudo.com/.git/objects/eb/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/eb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ec/">http://vendetudo.com/.git/objects/ec/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ec</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=A">http://vendetudo.com/.git/objects/ec/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ec</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=D">http://vendetudo.com/.git/objects/ec/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ec</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=A">http://vendetudo.com/.git/objects/ec/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ec</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=D">http://vendetudo.com/.git/objects/ec/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ec</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N;O=A">http://vendetudo.com/.git/objects/ec/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ec</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N;O=D">http://vendetudo.com/.git/objects/ec/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ec</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S;O=A">http://vendetudo.com/.git/objects/ec/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ec</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S;O=D">http://vendetudo.com/.git/objects/ec/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/ec</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ed/">http://vendetudo.com/.git/objects/ed/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ed</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D;O=A">http://vendetudo.com/.git/objects/ed/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ed</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D;O=D">http://vendetudo.com/.git/objects/ed/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ed</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=A">http://vendetudo.com/.git/objects/ed/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ed</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=D">http://vendetudo.com/.git/objects/ed/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ed</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=A">http://vendetudo.com/.git/objects/ed/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ed</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=D">http://vendetudo.com/.git/objects/ed/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/ed</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S;O=A">http://vendetudo.com/.git/objects/ed/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ed</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S;O=D">http://vendetudo.com/.git/objects/ed/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ed</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ee/">http://vendetudo.com/.git/objects/ee/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ee</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D;O=A">http://vendetudo.com/.git/objects/ee/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ee</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D;O=D">http://vendetudo.com/.git/objects/ee/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ee</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M;O=A">http://vendetudo.com/.git/objects/ee/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ee</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M;O=D">http://vendetudo.com/.git/objects/ee/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ee</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N;O=A">http://vendetudo.com/.git/objects/ee/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ee</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N;O=D">http://vendetudo.com/.git/objects/ee/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ee</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S;O=A">http://vendetudo.com/.git/objects/ee/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ee</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S;O=D">http://vendetudo.com/.git/objects/ee/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ee</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ef/">http://vendetudo.com/.git/objects/ef/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ef</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=A">http://vendetudo.com/.git/objects/ef/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ef</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=D">http://vendetudo.com/.git/objects/ef/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ef</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=A">http://vendetudo.com/.git/objects/ef/?C=M;O=A</a>



Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ef</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=D">http://vendetudo.com/.git/objects/ef/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ef</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=A">http://vendetudo.com/.git/objects/ef/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ef</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=D">http://vendetudo.com/.git/objects/ef/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ef</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=A">http://vendetudo.com/.git/objects/ef/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ef</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=D">http://vendetudo.com/.git/objects/ef/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/ef</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f1/">http://vendetudo.com/.git/objects/f1/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=A">http://vendetudo.com/.git/objects/f1/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/f1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=D">http://vendetudo.com/.git/objects/f1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=A">http://vendetudo.com/.git/objects/f1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=D">http://vendetudo.com/.git/objects/f1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N;O=A">http://vendetudo.com/.git/objects/f1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N;O=D">http://vendetudo.com/.git/objects/f1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S;O=A">http://vendetudo.com/.git/objects/f1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f1</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S;O=D">http://vendetudo.com/.git/objects/f1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f1</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f2/">http://vendetudo.com/.git/objects/f2/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f2</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D;O=A">http://vendetudo.com/.git/objects/f2/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f2</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D;O=D">http://vendetudo.com/.git/objects/f2/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f2</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M;O=A">http://vendetudo.com/.git/objects/f2/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f2</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M;O=D">http://vendetudo.com/.git/objects/f2/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f2</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N;O=A">http://vendetudo.com/.git/objects/f2/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f2</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N;O=D">http://vendetudo.com/.git/objects/f2/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f2</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S;O=A">http://vendetudo.com/.git/objects/f2/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f2</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S;O=D">http://vendetudo.com/.git/objects/f2/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f2</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f7/">http://vendetudo.com/.git/objects/f7/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=A">http://vendetudo.com/.git/objects/f7/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=D">http://vendetudo.com/.git/objects/f7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=A">http://vendetudo.com/.git/objects/f7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=D">http://vendetudo.com/.git/objects/f7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=A">http://vendetudo.com/.git/objects/f7/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/f7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=D">http://vendetudo.com/.git/objects/f7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=A">http://vendetudo.com/.git/objects/f7/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=D">http://vendetudo.com/.git/objects/f7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f7</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f9/">http://vendetudo.com/.git/objects/f9/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=A">http://vendetudo.com/.git/objects/f9/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=D">http://vendetudo.com/.git/objects/f9/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=A">http://vendetudo.com/.git/objects/f9/?C=M;O=A</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/objects/f9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=D">http://vendetudo.com/.git/objects/f9/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N;O=A">http://vendetudo.com/.git/objects/f9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N;O=D">http://vendetudo.com/.git/objects/f9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S;O=A">http://vendetudo.com/.git/objects/f9/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S;O=D">http://vendetudo.com/.git/objects/f9/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/f9</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fb/">http://vendetudo.com/.git/objects/fb/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=A">http://vendetudo.com/.git/objects/fb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fb</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=D">http://vendetudo.com/.git/objects/fb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=A">http://vendetudo.com/.git/objects/fb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=D">http://vendetudo.com/.git/objects/fb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=A">http://vendetudo.com/.git/objects/fb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=D">http://vendetudo.com/.git/objects/fb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=A">http://vendetudo.com/.git/objects/fb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=D">http://vendetudo.com/.git/objects/fb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fb</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fc/">http://vendetudo.com/.git/objects/fc/</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fc</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=A">http://vendetudo.com/.git/objects/fc/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fc</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=D">http://vendetudo.com/.git/objects/fc/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fc</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=A">http://vendetudo.com/.git/objects/fc/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fc</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=D">http://vendetudo.com/.git/objects/fc/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fc</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=A">http://vendetudo.com/.git/objects/fc/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fc</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=D">http://vendetudo.com/.git/objects/fc/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fc</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=A">http://vendetudo.com/.git/objects/fc/?C=S;O=A</a>
Método	GET



Ataque	
Evidence	<title>Index of /.git/objects/fc</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=D">http://vendetudo.com/.git/objects/fc/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fc</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fd/">http://vendetudo.com/.git/objects/fd/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fd</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=A">http://vendetudo.com/.git/objects/fd/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fd</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=D">http://vendetudo.com/.git/objects/fd/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fd</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=A">http://vendetudo.com/.git/objects/fd/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fd</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=D">http://vendetudo.com/.git/objects/fd/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fd</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=A">http://vendetudo.com/.git/objects/fd/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fd</title>

Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=D">http://vendetudo.com/.git/objects/fd/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fd</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S;O=A">http://vendetudo.com/.git/objects/fd/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fd</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S;O=D">http://vendetudo.com/.git/objects/fd/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/fd</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/info/">http://vendetudo.com/.git/objects/info/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D;O=A">http://vendetudo.com/.git/objects/info/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D;O=D">http://vendetudo.com/.git/objects/info/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=A">http://vendetudo.com/.git/objects/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/info</title>
Other Info	Web server identified: Apache 2

URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=D">http://vendetudo.com/.git/objects/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N;O=A">http://vendetudo.com/.git/objects/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N;O=D">http://vendetudo.com/.git/objects/info/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S;O=A">http://vendetudo.com/.git/objects/info/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S;O=D">http://vendetudo.com/.git/objects/info/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/info</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/pack/">http://vendetudo.com/.git/objects/pack/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/pack</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D;O=A">http://vendetudo.com/.git/objects/pack/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/pack</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D;O=D">http://vendetudo.com/.git/objects/pack/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/objects/pack</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M;O=A">http://vendetudo.com/.git/objects/pack/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/pack</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M;O=D">http://vendetudo.com/.git/objects/pack/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/pack</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N;O=A">http://vendetudo.com/.git/objects/pack/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/pack</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N;O=D">http://vendetudo.com/.git/objects/pack/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/pack</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S;O=A">http://vendetudo.com/.git/objects/pack/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/pack</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S;O=D">http://vendetudo.com/.git/objects/pack/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/objects/pack</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/">http://vendetudo.com/.git/refs/</a>
Método	GET
Ataque	

Evidence	<title>Index of /.git/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=A">http://vendetudo.com/.git/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=D">http://vendetudo.com/.git/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=A">http://vendetudo.com/.git/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=D">http://vendetudo.com/.git/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=A">http://vendetudo.com/.git/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=D">http://vendetudo.com/.git/refs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=A">http://vendetudo.com/.git/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs</title>
Other	

Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=D">http://vendetudo.com/.git/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/heads/">http://vendetudo.com/.git/refs/heads/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=A">http://vendetudo.com/.git/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=D">http://vendetudo.com/.git/refs/heads/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=A">http://vendetudo.com/.git/refs/heads/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=D">http://vendetudo.com/.git/refs/heads/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=A">http://vendetudo.com/.git/refs/heads/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=D">http://vendetudo.com/.git/refs/heads/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=A">http://vendetudo.com/.git/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=D">http://vendetudo.com/.git/refs/heads/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/heads</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/tags/">http://vendetudo.com/.git/refs/tags/</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/tags</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=A">http://vendetudo.com/.git/refs/tags/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/tags</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=D">http://vendetudo.com/.git/refs/tags/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/tags</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=A">http://vendetudo.com/.git/refs/tags/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/tags</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=D">http://vendetudo.com/.git/refs/tags/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	<title>Index of /.git/refs/tags</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=A">http://vendetudo.com/.git/refs/tags/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/tags</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=D">http://vendetudo.com/.git/refs/tags/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/tags</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=A">http://vendetudo.com/.git/refs/tags/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/tags</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=D">http://vendetudo.com/.git/refs/tags/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /.git/refs/tags</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/backups/">http://vendetudo.com/backups/</a>
Método	GET
Ataque	
Evidence	<title>Index of /backups</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/backups/?C=D;O=A">http://vendetudo.com/backups/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /backups</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/backups/?C=D;O=D">http://vendetudo.com/backups/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /backups</title>



Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/backups/?C=M;O=A">http://vendetudo.com/backups/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /backups</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/backups/?C=M;O=D">http://vendetudo.com/backups/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /backups</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/backups/?C=N;O=A">http://vendetudo.com/backups/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /backups</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/backups/?C=N;O=D">http://vendetudo.com/backups/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /backups</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/backups/?C=S;O=A">http://vendetudo.com/backups/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	<title>Index of /backups</title>
Other Info	Web server identified: Apache 2
URL	<a href="http://vendetudo.com/backups/?C=S;O=D">http://vendetudo.com/backups/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	<title>Index of /backups</title>
Other Info	Web server identified: Apache 2
Instances	959
Solution	Configure the web server to disable directory browsing.
Reference	<a href="https://cwe.mitre.org/data/definitions/548.html">https://cwe.mitre.org/data/definitions/548.html</a>
CWE Id	<a href="#">548</a>
WASC Id	16
Plugin Id	<a href="#">10033</a>

Médio	Vulnerable JS Library
Descrição	A biblioteca identificadabootstrap, versão 3.1.0 é vulnerável.
URL	<a href="http://vendetudo.com/js/bootstrap.min.js">http://vendetudo.com/js/bootstrap.min.js</a>
Método	GET
Ataque	
Evidence	* Bootstrap v3.1.0
Other Info	CVE-2018-14041 CVE-2019-8331 CVE-2018-20677 CVE-2018-20676 CVE-2018-14042 CVE-2016-10735 CVE-2024-6484 CVE-2024-6485
URL	<a href="http://vendetudo.com/js/jquery.js">http://vendetudo.com/js/jquery.js</a>
Método	GET
Ataque	
Evidence	/*! jQuery v1.9.1
Other Info	CVE-2020-11023 CVE-2020-11022 CVE-2015-9251 CVE-2019-11358
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.validate.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.validate.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	/*! * jQuery Validation Plugin v1.19.5
Other Info	
Instances	3
Solution	Atualize para a versão mais recente do bootstrap.
Reference	<a href="https://nvd.nist.gov/vuln/detail/CVE-2024-6485">https://nvd.nist.gov/vuln/detail/CVE-2024-6485</a> <a href="https://nvd.nist.gov/vuln/detail/CVE-2024-6484">https://nvd.nist.gov/vuln/detail/CVE-2024-6484</a> <a href="https://github.com/advisories/GHSA-pj7m-g53m-7638">https://github.com/advisories/GHSA-pj7m-g53m-7638</a> <a href="https://github.com/advisories/GHSA-vxmc-5x29-h64v">https://github.com/advisories/GHSA-vxmc-5x29-h64v</a> <a href="https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml">https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml</a> <a href="https://github.com/twbs/bootstrap/issues/20631">https://github.com/twbs/bootstrap/issues/20631</a> <a href="https://github.com/advisories/GHSA-9mvj-f7w8-pvh2">https://github.com/advisories/GHSA-9mvj-f7w8-pvh2</a> <a href="https://github.com/advisories/GHSA-9v3m-8fp8-mj99">https://github.com/advisories/GHSA-9v3m-8fp8-mj99</a> <a href="https://github.com/twbs/bootstrap/issues/28236">https://github.com/twbs/bootstrap/issues/28236</a> <a href="https://www.herodevs.com/vulnerability-directory/cve-2024-6485">https://www.herodevs.com/vulnerability-directory/cve-2024-6485</a> <a href="https://github.com/twbs/bootstrap/issues/20184">https://github.com/twbs/bootstrap/issues/20184</a> <a href="https://www.herodevs.com/vulnerability-directory/cve-2024-6484">https://www.herodevs.com/vulnerability-directory/cve-2024-6484</a> <a href="https://github.com/advisories/GHSA-ph58-4vrj-w6hr">https://github.com/advisories/GHSA-ph58-4vrj-w6hr</a> <a href="https://github.com/twbs/bootstrap">https://github.com/twbs/bootstrap</a> <a href="https://github.com/advisories/GHSA-4p24-vmcr-4ggj">https://github.com/advisories/GHSA-4p24-vmcr-4ggj</a> <a href="https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml">https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml</a> <a href="https://nvd.nist.gov/vuln/detail/CVE-2018-20676">https://nvd.nist.gov/vuln/detail/CVE-2018-20676</a>
CWE Id	<a href="#">1395</a>
WASC Id	
Plugin Id	<a href="#">10003</a>

Baixo	Cookie No HttpOnly Flag
Descrição	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>

Método	GET
Ataque	
Evidence	Set-Cookie: PHPSESSID
Other Info	
Instances	1
Solution	Ensure that the HttpOnly flag is set for all cookies.
Reference	<a href="https://owasp.org/www-community/HttpOnly">https://owasp.org/www-community/HttpOnly</a>
CWE Id	<a href="#">1004</a>
WASC Id	13
Plugin Id	<a href="#">10010</a>

Baixo	Cookie without SameSite Attribute
Descrição	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	GET
Ataque	
Evidence	Set-Cookie: PHPSESSID
Other Info	
Instances	1
Solution	Certifique-se de que o atributo SameSite esteja definido como 'lax' ou, de preferência, 'strict' para todos os cookies.
Reference	<a href="https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site">https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site</a>
CWE Id	<a href="#">1275</a>
WASC Id	13
Plugin Id	<a href="#">10054</a>

Baixo	Cross-Domain JavaScript Source File Inclusion
Descrição	The page includes one or more script files from a third-party domain.
URL	<a href="http://vendetudo.com/">http://vendetudo.com/</a>
Método	GET
Ataque	
Evidence	<script src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script>
Other Info	
URL	<a href="http://vendetudo.com/index.html">http://vendetudo.com/index.html</a>
Método	GET
Ataque	
Evidence	<script src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script>
Other Info	
Instances	2

Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	<a href="#">829</a>
WASC Id	15
Plugin Id	<a href="#">10017</a>

Baixo	Divulgação de Data e Hora - Unix
Descrição	A timestamp was disclosed by the application/web server. - Unix
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717259279
Other Info	1717259279, which evaluates to: 2024-06-01 16:27:59.
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717259337
Other Info	1717259337, which evaluates to: 2024-06-01 16:28:57.
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717259377
Other Info	1717259377, which evaluates to: 2024-06-01 16:29:37.
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717259414
Other Info	1717259414, which evaluates to: 2024-06-01 16:30:14.
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717259503
Other Info	1717259503, which evaluates to: 2024-06-01 16:31:43.
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717259665
Other Info	1717259665, which evaluates to: 2024-06-01 16:34:25.

URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717260082
Other Info	1717260082, which evaluates to: 2024-06-01 16:41:22.
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717260429
Other Info	1717260429, which evaluates to: 2024-06-01 16:47:09.
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717261611
Other Info	1717261611, which evaluates to: 2024-06-01 17:06:51.
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717265186
Other Info	1717265186, which evaluates to: 2024-06-01 18:06:26.
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	1717266159
Other Info	1717266159, which evaluates to: 2024-06-01 18:22:39.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	
Evidence	1717259279
Other Info	1717259279, which evaluates to: 2024-06-01 16:27:59.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	
Evidence	1717259337
Other Info	1717259337, which evaluates to: 2024-06-01 16:28:57.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>

Método	GET
Ataque	
Evidence	1717259377
Other Info	1717259377, which evaluates to: 2024-06-01 16:29:37.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	
Evidence	1717259414
Other Info	1717259414, which evaluates to: 2024-06-01 16:30:14.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	
Evidence	1717259503
Other Info	1717259503, which evaluates to: 2024-06-01 16:31:43.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	
Evidence	1717259665
Other Info	1717259665, which evaluates to: 2024-06-01 16:34:25.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	
Evidence	1717260082
Other Info	1717260082, which evaluates to: 2024-06-01 16:41:22.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	
Evidence	1717260429
Other Info	1717260429, which evaluates to: 2024-06-01 16:47:09.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	
Evidence	1717261611
Other Info	1717261611, which evaluates to: 2024-06-01 17:06:51.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	

Evidence	1717265186
Other Info	1717265186, which evaluates to: 2024-06-01 18:06:26.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	
Evidence	1717266159
Other Info	1717266159, which evaluates to: 2024-06-01 18:22:39.
Instances	22
Solution	Confirme manualmente se os dados do carimbo de data/hora não são confidenciais e se os dados não podem ser agregados para divulgar padrões exploráveis.
Reference	<a href="https://cwe.mitre.org/data/definitions/200.html">https://cwe.mitre.org/data/definitions/200.html</a>
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">10096</a>

<b>Baixo</b>	<b>Divulgação de informações - Mensagens de Erro de Depuração</b>
Descrição	A resposta parecia conter mensagens de erro comuns retornadas por plataformas como ASP.NET e servidores da Web como IIS e Apache. Você pode configurar a lista de mensagens de depuração comuns.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/config.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/config.rst.txt</a>
Método	GET
Ataque	
Evidence	PHP error
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/credits.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/credits.rst.txt</a>
Método	GET
Ataque	
Evidence	PHP error
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/faq.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/faq.rst.txt</a>
Método	GET
Ataque	
Evidence	Internal Server Error
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/config.html">http://vendetudo.com/phpmyadmin/doc/html/config.html</a>
Método	GET
Ataque	
Evidence	PHP error
Other Info	

URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/credits.html">http://vendetudo.com/phpmyadmin/doc/html/credits.html</a>
Método	GET
Ataque	
Evidence	PHP error
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/faq.html">http://vendetudo.com/phpmyadmin/doc/html/faq.html</a>
Método	GET
Ataque	
Evidence	Internal Server Error
Other Info	
Instances	6
Solution	Desative as mensagens de depuração antes de enviar para a produção.
Reference	
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">10023</a>

<b>Baixo</b>	<b>Private IP Disclosure</b>
Descrição	A private IP (such as 10.x.x.x, 172.x.x.x, 192.168.x.x) or an Amazon EC2 private hostname (for example, ip-10-0-56-78) has been found in the HTTP response body. This information might be helpful for further attacks targeting internal systems.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/config.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/config.rst.txt</a>
Método	GET
Ataque	
Evidence	192.168.10.1
Other Info	192.168.10.1 192.168.100.50 192.168.100.100 192.168.5.10 192.168.6.10 192.168.5.50 192.168.6.10 192.168.6.10 192.168.5.50 10.9.8.1
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/faq.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/faq.rst.txt</a>
Método	GET
Ataque	
Evidence	10.0.0.0
Other Info	10.0.0.0 192.168.0.0 172.16.0.0
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/setup.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/setup.rst.txt</a>
Método	GET
Ataque	
Evidence	10.0.0.0
Other Info	10.0.0.0 192.168.0.0 172.16.0.0 172.30.21.21:80 172.26.36.7 172.26.36.8 172.26.36.9 172.26.36.10
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/config.html">http://vendetudo.com/phpmyadmin/doc/html/config.html</a>
Método	GET
Ataque	
Evidence	192.168.10.1



Other Info	192.168.10.1 192.168.100.50 192.168.100.100 192.168.5.10 192.168.6.10 192.168.5.50 192.168.6.10 192.168.6.10 192.168.5.50 10.9.8.1
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/faq.html">http://vendetudo.com/phpmyadmin/doc/html/faq.html</a>
Método	GET
Ataque	
Evidence	10.0.0.0
Other Info	10.0.0.0 192.168.0.0 172.16.0.0
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/setup.html">http://vendetudo.com/phpmyadmin/doc/html/setup.html</a>
Método	GET
Ataque	
Evidence	10.0.0.0
Other Info	10.0.0.0 192.168.0.0 172.16.0.0 172.30.21.21:80 172.26.36.7 172.26.36.8 172.26.36.9 172.26.36.10
Instances	6
Solution	Remove the private IP address from the HTTP response body. For comments, use JSP/ASP /PHP comment instead of HTML/JavaScript comment which can be seen by client browsers.
Reference	<a href="https://tools.ietf.org/html/rfc1918">https://tools.ietf.org/html/rfc1918</a>
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">2</a>

Baixo	Server Leaks Version Information via "Server" HTTP Response Header Field
Descrição	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	<a href="http://vendetudo.com/">http://vendetudo.com/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/*">http://vendetudo.com/*</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/**/">http://vendetudo.com/**/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git">http://vendetudo.com/.git</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/">http://vendetudo.com/.git/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=D;O=A">http://vendetudo.com/.git/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=D;O=D">http://vendetudo.com/.git/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=M;O=A">http://vendetudo.com/.git/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=M;O=D">http://vendetudo.com/.git/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=N;O=A">http://vendetudo.com/.git/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=N;O=D">http://vendetudo.com/.git/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=S;O=A">http://vendetudo.com/.git/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/?C=S;O=D">http://vendetudo.com/.git/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/branches">http://vendetudo.com/.git/branches</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/">http://vendetudo.com/.git/branches/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=A">http://vendetudo.com/.git/branches/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=D">http://vendetudo.com/.git/branches/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=A">http://vendetudo.com/.git/branches/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=D">http://vendetudo.com/.git/branches/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=A">http://vendetudo.com/.git/branches/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=D">http://vendetudo.com/.git/branches/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=A">http://vendetudo.com/.git/branches/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=D">http://vendetudo.com/.git/branches/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/COMMIT_EDITMSG">http://vendetudo.com/.git/COMMIT_EDITMSG</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/config">http://vendetudo.com/.git/config</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/description">http://vendetudo.com/.git/description</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/HEAD">http://vendetudo.com/.git/HEAD</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks">http://vendetudo.com/.git/hooks</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/">http://vendetudo.com/.git/hooks/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=D;O=A">http://vendetudo.com/.git/hooks/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=D;O=D">http://vendetudo.com/.git/hooks/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=M;O=A">http://vendetudo.com/.git/hooks/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=M;O=D">http://vendetudo.com/.git/hooks/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=N;O=A">http://vendetudo.com/.git/hooks/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=N;O=D">http://vendetudo.com/.git/hooks/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=A">http://vendetudo.com/.git/hooks/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=D">http://vendetudo.com/.git/hooks/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/applypatch-msg.sample">http://vendetudo.com/.git/hooks/applypatch-msg.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/commit-msg.sample">http://vendetudo.com/.git/hooks/commit-msg.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/fsmonitor-watchman.sample">http://vendetudo.com/.git/hooks/fsmonitor-watchman.sample</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/post-update.sample">http://vendetudo.com/.git/hooks/post-update.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-applypatch.sample">http://vendetudo.com/.git/hooks/pre-applypatch.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-commit.sample">http://vendetudo.com/.git/hooks/pre-commit.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-merge-commit.sample">http://vendetudo.com/.git/hooks/pre-merge-commit.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-push.sample">http://vendetudo.com/.git/hooks/pre-push.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-rebase.sample">http://vendetudo.com/.git/hooks/pre-rebase.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-receive.sample">http://vendetudo.com/.git/hooks/pre-receive.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/hooks/prepare-commit-msg.sample">http://vendetudo.com/.git/hooks/prepare-commit-msg.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/push-to-checkout.sample">http://vendetudo.com/.git/hooks/push-to-checkout.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/sendemail-validate.sample">http://vendetudo.com/.git/hooks/sendemail-validate.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/update.sample">http://vendetudo.com/.git/hooks/update.sample</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/index">http://vendetudo.com/.git/index</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info">http://vendetudo.com/.git/info</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info/">http://vendetudo.com/.git/info/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=A">http://vendetudo.com/.git/info/?C=D;O=A</a>



Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=D">http://vendetudo.com/.git/info/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=A">http://vendetudo.com/.git/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=D">http://vendetudo.com/.git/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=A">http://vendetudo.com/.git/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=D">http://vendetudo.com/.git/info/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=A">http://vendetudo.com/.git/info/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=D">http://vendetudo.com/.git/info/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/info/exclude">http://vendetudo.com/.git/info/exclude</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs">http://vendetudo.com/.git/logs</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/">http://vendetudo.com/.git/logs/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=A">http://vendetudo.com/.git/logs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=D">http://vendetudo.com/.git/logs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=A">http://vendetudo.com/.git/logs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=D">http://vendetudo.com/.git/logs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=A">http://vendetudo.com/.git/logs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=D">http://vendetudo.com/.git/logs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=A">http://vendetudo.com/.git/logs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=D">http://vendetudo.com/.git/logs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs">http://vendetudo.com/.git/logs/refs</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/">http://vendetudo.com/.git/logs/refs/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=A">http://vendetudo.com/.git/logs/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=D">http://vendetudo.com/.git/logs/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=A">http://vendetudo.com/.git/logs/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=D">http://vendetudo.com/.git/logs/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=A">http://vendetudo.com/.git/logs/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=D">http://vendetudo.com/.git/logs/refs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=A">http://vendetudo.com/.git/logs/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=D">http://vendetudo.com/.git/logs/refs/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads">http://vendetudo.com/.git/logs/refs/heads</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/">http://vendetudo.com/.git/logs/refs/heads/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D">http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects">http://vendetudo.com/.git/objects</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/">http://vendetudo.com/.git/objects/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00">http://vendetudo.com/.git/objects/00</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/">http://vendetudo.com/.git/objects/00/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=A">http://vendetudo.com/.git/objects/00/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=D">http://vendetudo.com/.git/objects/00/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=A">http://vendetudo.com/.git/objects/00/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=D">http://vendetudo.com/.git/objects/00/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=A">http://vendetudo.com/.git/objects/00/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=D">http://vendetudo.com/.git/objects/00/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=A">http://vendetudo.com/.git/objects/00/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=D">http://vendetudo.com/.git/objects/00/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/ddcea6bc4e49f54a93bb634c72ceae255e31cf">http://vendetudo.com/.git/objects/00/ddcea6bc4e49f54a93bb634c72ceae255e31cf</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01">http://vendetudo.com/.git/objects/01</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/">http://vendetudo.com/.git/objects/01/</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/586176d793c261db6b6ca4ca7822b2d3b35703">http://vendetudo.com/.git/objects/01/586176d793c261db6b6ca4ca7822b2d3b35703</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=A">http://vendetudo.com/.git/objects/01/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=D">http://vendetudo.com/.git/objects/01/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M;O=A">http://vendetudo.com/.git/objects/01/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M;O=D">http://vendetudo.com/.git/objects/01/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N;O=A">http://vendetudo.com/.git/objects/01/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N;O=D">http://vendetudo.com/.git/objects/01/?C=N;O=D</a>
Método	GET



Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S:O=A">http://vendetudo.com/.git/objects/01/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S:O=D">http://vendetudo.com/.git/objects/01/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03">http://vendetudo.com/.git/objects/03</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/">http://vendetudo.com/.git/objects/03/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/32b3e3dcd8870dd78bb32833cf2989b4c5bbdb">http://vendetudo.com/.git/objects/03/32b3e3dcd8870dd78bb32833cf2989b4c5bbdb</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D:O=A">http://vendetudo.com/.git/objects/03/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D:O=D">http://vendetudo.com/.git/objects/03/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M:O=A">http://vendetudo.com/.git/objects/03/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M:O=D">http://vendetudo.com/.git/objects/03/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N:O=A">http://vendetudo.com/.git/objects/03/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N:O=D">http://vendetudo.com/.git/objects/03/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S:O=A">http://vendetudo.com/.git/objects/03/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S:O=D">http://vendetudo.com/.git/objects/03/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04">http://vendetudo.com/.git/objects/04</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/04/">http://vendetudo.com/.git/objects/04/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/8cff973981e8dd4ed8e73c4ca532ffc02e1e8">http://vendetudo.com/.git/objects/04/8cff973981e8dd4ed8e73c4ca532ffc02e1e8</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D;O=A">http://vendetudo.com/.git/objects/04/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D;O=D">http://vendetudo.com/.git/objects/04/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M;O=A">http://vendetudo.com/.git/objects/04/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M;O=D">http://vendetudo.com/.git/objects/04/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N;O=A">http://vendetudo.com/.git/objects/04/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N;O=D">http://vendetudo.com/.git/objects/04/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S;O=A">http://vendetudo.com/.git/objects/04/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S;O=D">http://vendetudo.com/.git/objects/04/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/fb2a41478a28d559a3de49db34e4678f23663e">http://vendetudo.com/.git/objects/04/fb2a41478a28d559a3de49db34e4678f23663e</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07">http://vendetudo.com/.git/objects/07</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/">http://vendetudo.com/.git/objects/07/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/9f47980d3b83d94cb1ba5d7f9a63c31c0c9286">http://vendetudo.com/.git/objects/07/9f47980d3b83d94cb1ba5d7f9a63c31c0c9286</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D;O=A">http://vendetudo.com/.git/objects/07/?C=D;O=A</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D;O=D">http://vendetudo.com/.git/objects/07/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M;O=A">http://vendetudo.com/.git/objects/07/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M;O=D">http://vendetudo.com/.git/objects/07/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N;O=A">http://vendetudo.com/.git/objects/07/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N;O=D">http://vendetudo.com/.git/objects/07/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S;O=A">http://vendetudo.com/.git/objects/07/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S;O=D">http://vendetudo.com/.git/objects/07/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/07/be5c38423c23aca48db6492d2ce06b78ba0ca1">http://vendetudo.com/.git/objects/07/be5c38423c23aca48db6492d2ce06b78ba0ca1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a">http://vendetudo.com/.git/objects/0a</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/">http://vendetudo.com/.git/objects/0a/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/2ac6fa70b4d9ace5c998dd9e9e5631c1a2554f">http://vendetudo.com/.git/objects/0a/2ac6fa70b4d9ace5c998dd9e9e5631c1a2554f</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D;O=A">http://vendetudo.com/.git/objects/0a/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D;O=D">http://vendetudo.com/.git/objects/0a/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M;O=A">http://vendetudo.com/.git/objects/0a/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M;O=D">http://vendetudo.com/.git/objects/0a/?C=M;O=D</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N;O=A">http://vendetudo.com/.git/objects/0a/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N;O=D">http://vendetudo.com/.git/objects/0a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S;O=A">http://vendetudo.com/.git/objects/0a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S;O=D">http://vendetudo.com/.git/objects/0a/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e">http://vendetudo.com/.git/objects/0e</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/">http://vendetudo.com/.git/objects/0e/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/0c282cad008acb11a453c89203703033f7b7dd">http://vendetudo.com/.git/objects/0e/0c282cad008acb11a453c89203703033f7b7dd</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/7fc381d43af3c148e4ff2ffecc215e6df41044">http://vendetudo.com/.git/objects/0e/7fc381d43af3c148e4ff2ffecc215e6df41044</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=A">http://vendetudo.com/.git/objects/0e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=D">http://vendetudo.com/.git/objects/0e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=A">http://vendetudo.com/.git/objects/0e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=D">http://vendetudo.com/.git/objects/0e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N;O=A">http://vendetudo.com/.git/objects/0e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N;O=D">http://vendetudo.com/.git/objects/0e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)



Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S:O=A">http://vendetudo.com/.git/objects/0e/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S:O=D">http://vendetudo.com/.git/objects/0e/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13">http://vendetudo.com/.git/objects/13</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/">http://vendetudo.com/.git/objects/13/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/46842ede28341dd7441f9a7d228bdb5ac0a58e">http://vendetudo.com/.git/objects/13/46842ede28341dd7441f9a7d228bdb5ac0a58e</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D:O=A">http://vendetudo.com/.git/objects/13/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D:O=D">http://vendetudo.com/.git/objects/13/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/13/?C=M;O=A">http://vendetudo.com/.git/objects/13/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M;O=D">http://vendetudo.com/.git/objects/13/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N;O=A">http://vendetudo.com/.git/objects/13/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N;O=D">http://vendetudo.com/.git/objects/13/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=A">http://vendetudo.com/.git/objects/13/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=D">http://vendetudo.com/.git/objects/13/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/d03076f3020b9f56c5d261a992579d34ab6709">http://vendetudo.com/.git/objects/13/d03076f3020b9f56c5d261a992579d34ab6709</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15">http://vendetudo.com/.git/objects/15</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/">http://vendetudo.com/.git/objects/15/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/25287332318116d93bbdbe870b514271061b70">http://vendetudo.com/.git/objects/15/25287332318116d93bbdbe870b514271061b70</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=A">http://vendetudo.com/.git/objects/15/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=D">http://vendetudo.com/.git/objects/15/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M;O=A">http://vendetudo.com/.git/objects/15/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M;O=D">http://vendetudo.com/.git/objects/15/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N;O=A">http://vendetudo.com/.git/objects/15/?C=N;O=A</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N;O=D">http://vendetudo.com/.git/objects/15/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S;O=A">http://vendetudo.com/.git/objects/15/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S;O=D">http://vendetudo.com/.git/objects/15/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17">http://vendetudo.com/.git/objects/17</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/">http://vendetudo.com/.git/objects/17/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/01b1e4da7d98611458dff6fb53371722c6b162">http://vendetudo.com/.git/objects/17/01b1e4da7d98611458dff6fb53371722c6b162</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D;O=A">http://vendetudo.com/.git/objects/17/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D;O=D">http://vendetudo.com/.git/objects/17/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=M;O=A">http://vendetudo.com/.git/objects/17/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=M;O=D">http://vendetudo.com/.git/objects/17/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N;O=A">http://vendetudo.com/.git/objects/17/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N;O=D">http://vendetudo.com/.git/objects/17/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S;O=A">http://vendetudo.com/.git/objects/17/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S;O=D">http://vendetudo.com/.git/objects/17/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b">http://vendetudo.com/.git/objects/1b</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/">http://vendetudo.com/.git/objects/1b/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D;O=A">http://vendetudo.com/.git/objects/1b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D;O=D">http://vendetudo.com/.git/objects/1b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M;O=A">http://vendetudo.com/.git/objects/1b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M;O=D">http://vendetudo.com/.git/objects/1b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N;O=A">http://vendetudo.com/.git/objects/1b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N;O=D">http://vendetudo.com/.git/objects/1b/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S;O=A">http://vendetudo.com/.git/objects/1b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S;O=D">http://vendetudo.com/.git/objects/1b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/d1f8bfe252292000bacbaa94ecdf752d1dc35">http://vendetudo.com/.git/objects/1b/d1f8bfe252292000bacbaa94ecdf752d1dc35</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d">http://vendetudo.com/.git/objects/1d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/">http://vendetudo.com/.git/objects/1d/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/4a4ed3701f589df59ee4e761358ebfff900d4a">http://vendetudo.com/.git/objects/1d/4a4ed3701f589df59ee4e761358ebfff900d4a</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D;O=A">http://vendetudo.com/.git/objects/1d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D:O=D">http://vendetudo.com/.git/objects/1d/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M:O=A">http://vendetudo.com/.git/objects/1d/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M:O=D">http://vendetudo.com/.git/objects/1d/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N:O=A">http://vendetudo.com/.git/objects/1d/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N:O=D">http://vendetudo.com/.git/objects/1d/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S:O=A">http://vendetudo.com/.git/objects/1d/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S:O=D">http://vendetudo.com/.git/objects/1d/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/1e">http://vendetudo.com/.git/objects/1e</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/">http://vendetudo.com/.git/objects/1e/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/42801fab2bde4e29dfa36f7a93c499b06094b9">http://vendetudo.com/.git/objects/1e/42801fab2bde4e29dfa36f7a93c499b06094b9</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D;O=A">http://vendetudo.com/.git/objects/1e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D;O=D">http://vendetudo.com/.git/objects/1e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M;O=A">http://vendetudo.com/.git/objects/1e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M;O=D">http://vendetudo.com/.git/objects/1e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N;O=A">http://vendetudo.com/.git/objects/1e/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N;O=D">http://vendetudo.com/.git/objects/1e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S;O=A">http://vendetudo.com/.git/objects/1e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S;O=D">http://vendetudo.com/.git/objects/1e/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f">http://vendetudo.com/.git/objects/1f</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/">http://vendetudo.com/.git/objects/1f/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/7b880ca8e4e307f3364f2e7f4dc9ad67b750f6">http://vendetudo.com/.git/objects/1f/7b880ca8e4e307f3364f2e7f4dc9ad67b750f6</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=A">http://vendetudo.com/.git/objects/1f/?C=D;O=A</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=D">http://vendetudo.com/.git/objects/1f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=A">http://vendetudo.com/.git/objects/1f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=D">http://vendetudo.com/.git/objects/1f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=A">http://vendetudo.com/.git/objects/1f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=D">http://vendetudo.com/.git/objects/1f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=A">http://vendetudo.com/.git/objects/1f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=D">http://vendetudo.com/.git/objects/1f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/22">http://vendetudo.com/.git/objects/22</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/">http://vendetudo.com/.git/objects/22/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=A">http://vendetudo.com/.git/objects/22/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=D">http://vendetudo.com/.git/objects/22/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M;O=A">http://vendetudo.com/.git/objects/22/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M;O=D">http://vendetudo.com/.git/objects/22/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N;O=A">http://vendetudo.com/.git/objects/22/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N;O=D">http://vendetudo.com/.git/objects/22/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S:O=A">http://vendetudo.com/.git/objects/22/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S:O=D">http://vendetudo.com/.git/objects/22/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/b42c26796e56b6e9338997e5dde3d818908011">http://vendetudo.com/.git/objects/22/b42c26796e56b6e9338997e5dde3d818908011</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24">http://vendetudo.com/.git/objects/24</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/">http://vendetudo.com/.git/objects/24/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/2d6c79d94c45c3b2607dfb77d3572a0adf102d">http://vendetudo.com/.git/objects/24/2d6c79d94c45c3b2607dfb77d3572a0adf102d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D:O=A">http://vendetudo.com/.git/objects/24/?C=D:O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=D">http://vendetudo.com/.git/objects/24/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=A">http://vendetudo.com/.git/objects/24/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=D">http://vendetudo.com/.git/objects/24/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=A">http://vendetudo.com/.git/objects/24/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=D">http://vendetudo.com/.git/objects/24/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S;O=A">http://vendetudo.com/.git/objects/24/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S;O=D">http://vendetudo.com/.git/objects/24/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28">http://vendetudo.com/.git/objects/28</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/">http://vendetudo.com/.git/objects/28/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/3afb832f9ba7947f526ceb9e8605d9bebf01fb">http://vendetudo.com/.git/objects/28/3afb832f9ba7947f526ceb9e8605d9bebf01fb</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D;O=A">http://vendetudo.com/.git/objects/28/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D;O=D">http://vendetudo.com/.git/objects/28/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M;O=A">http://vendetudo.com/.git/objects/28/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M;O=D">http://vendetudo.com/.git/objects/28/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/28/?C=N;O=A">http://vendetudo.com/.git/objects/28/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N;O=D">http://vendetudo.com/.git/objects/28/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S;O=A">http://vendetudo.com/.git/objects/28/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S;O=D">http://vendetudo.com/.git/objects/28/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c">http://vendetudo.com/.git/objects/2c</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/">http://vendetudo.com/.git/objects/2c/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=A">http://vendetudo.com/.git/objects/2c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=D">http://vendetudo.com/.git/objects/2c/?C=D;O=D</a>
Método	GET



Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=A">http://vendetudo.com/.git/objects/2c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=D">http://vendetudo.com/.git/objects/2c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=A">http://vendetudo.com/.git/objects/2c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=D">http://vendetudo.com/.git/objects/2c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=A">http://vendetudo.com/.git/objects/2c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=D">http://vendetudo.com/.git/objects/2c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/e3cee57d3d70d03031bbe24e8197a5a1c6f8a6">http://vendetudo.com/.git/objects/2c/e3cee57d3d70d03031bbe24e8197a5a1c6f8a6</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31">http://vendetudo.com/.git/objects/31</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/">http://vendetudo.com/.git/objects/31/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/9042851393dff610b5c5ffca7759d75d2b07f4">http://vendetudo.com/.git/objects/31/9042851393dff610b5c5ffca7759d75d2b07f4</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D;O=A">http://vendetudo.com/.git/objects/31/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D;O=D">http://vendetudo.com/.git/objects/31/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M;O=A">http://vendetudo.com/.git/objects/31/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M;O=D">http://vendetudo.com/.git/objects/31/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N;O=A">http://vendetudo.com/.git/objects/31/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N;O=D">http://vendetudo.com/.git/objects/31/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S;O=A">http://vendetudo.com/.git/objects/31/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S;O=D">http://vendetudo.com/.git/objects/31/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/cbc18b3597e591dac18da544e10372c65c7b6d">http://vendetudo.com/.git/objects/31/cbc18b3597e591dac18da544e10372c65c7b6d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35">http://vendetudo.com/.git/objects/35</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/">http://vendetudo.com/.git/objects/35/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D;O=A">http://vendetudo.com/.git/objects/35/?C=D;O=A</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D;O=D">http://vendetudo.com/.git/objects/35/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M;O=A">http://vendetudo.com/.git/objects/35/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M;O=D">http://vendetudo.com/.git/objects/35/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N;O=A">http://vendetudo.com/.git/objects/35/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N;O=D">http://vendetudo.com/.git/objects/35/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S;O=A">http://vendetudo.com/.git/objects/35/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S;O=D">http://vendetudo.com/.git/objects/35/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/d42e808f0a8017b8d52a06be2f8fec0b466a66">http://vendetudo.com/.git/objects/35/d42e808f0a8017b8d52a06be2f8fec0b466a66</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38">http://vendetudo.com/.git/objects/38</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/">http://vendetudo.com/.git/objects/38/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/1834ec8cd5efe4f7c33b4b7754d5715c057b5a">http://vendetudo.com/.git/objects/38/1834ec8cd5efe4f7c33b4b7754d5715c057b5a</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D;O=A">http://vendetudo.com/.git/objects/38/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D;O=D">http://vendetudo.com/.git/objects/38/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M;O=A">http://vendetudo.com/.git/objects/38/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M:O=D">http://vendetudo.com/.git/objects/38/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N:O=A">http://vendetudo.com/.git/objects/38/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N:O=D">http://vendetudo.com/.git/objects/38/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S:O=A">http://vendetudo.com/.git/objects/38/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S:O=D">http://vendetudo.com/.git/objects/38/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39">http://vendetudo.com/.git/objects/39</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/">http://vendetudo.com/.git/objects/39/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/39/?C=D;O=A">http://vendetudo.com/.git/objects/39/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D;O=D">http://vendetudo.com/.git/objects/39/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M;O=A">http://vendetudo.com/.git/objects/39/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M;O=D">http://vendetudo.com/.git/objects/39/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N;O=A">http://vendetudo.com/.git/objects/39/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N;O=D">http://vendetudo.com/.git/objects/39/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S;O=A">http://vendetudo.com/.git/objects/39/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S;O=D">http://vendetudo.com/.git/objects/39/?C=S;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/e5fa6ff02c44fd0946194906b32d938c43dc98">http://vendetudo.com/.git/objects/39/e5fa6ff02c44fd0946194906b32d938c43dc98</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b">http://vendetudo.com/.git/objects/3b</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/">http://vendetudo.com/.git/objects/3b/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D;O=A">http://vendetudo.com/.git/objects/3b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D;O=D">http://vendetudo.com/.git/objects/3b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M;O=A">http://vendetudo.com/.git/objects/3b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M;O=D">http://vendetudo.com/.git/objects/3b/?C=M;O=D</a>
Método	GET
Ataque	



Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N;O=A">http://vendetudo.com/.git/objects/3b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N;O=D">http://vendetudo.com/.git/objects/3b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S;O=A">http://vendetudo.com/.git/objects/3b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S;O=D">http://vendetudo.com/.git/objects/3b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/f6484a29d8da269f9bc874b25493a45fae3bae">http://vendetudo.com/.git/objects/3b/f6484a29d8da269f9bc874b25493a45fae3bae</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c">http://vendetudo.com/.git/objects/3c</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/">http://vendetudo.com/.git/objects/3c/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/5f7fa9470685dbbb887ce66017954ed10133e2">http://vendetudo.com/.git/objects/3c/5f7fa9470685dbbb887ce66017954ed10133e2</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D;O=A">http://vendetudo.com/.git/objects/3c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D;O=D">http://vendetudo.com/.git/objects/3c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=A">http://vendetudo.com/.git/objects/3c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=D">http://vendetudo.com/.git/objects/3c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=A">http://vendetudo.com/.git/objects/3c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=D">http://vendetudo.com/.git/objects/3c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=A">http://vendetudo.com/.git/objects/3c/?C=S;O=A</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=D">http://vendetudo.com/.git/objects/3c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41">http://vendetudo.com/.git/objects/41</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/">http://vendetudo.com/.git/objects/41/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D;O=A">http://vendetudo.com/.git/objects/41/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D;O=D">http://vendetudo.com/.git/objects/41/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M;O=A">http://vendetudo.com/.git/objects/41/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M;O=D">http://vendetudo.com/.git/objects/41/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=N;O=A">http://vendetudo.com/.git/objects/41/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=N;O=D">http://vendetudo.com/.git/objects/41/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S;O=A">http://vendetudo.com/.git/objects/41/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S;O=D">http://vendetudo.com/.git/objects/41/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/ced46a356209abf1fee4dba7cc0be32e26c71b">http://vendetudo.com/.git/objects/41/ced46a356209abf1fee4dba7cc0be32e26c71b</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43">http://vendetudo.com/.git/objects/43</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/">http://vendetudo.com/.git/objects/43/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D;O=A">http://vendetudo.com/.git/objects/43/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D;O=D">http://vendetudo.com/.git/objects/43/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M;O=A">http://vendetudo.com/.git/objects/43/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M;O=D">http://vendetudo.com/.git/objects/43/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N;O=A">http://vendetudo.com/.git/objects/43/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N;O=D">http://vendetudo.com/.git/objects/43/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S;O=A">http://vendetudo.com/.git/objects/43/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/43/?C=S:O=D">http://vendetudo.com/.git/objects/43/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/ff77a20feab865fe1cd42769438552cd0f5b70">http://vendetudo.com/.git/objects/43/ff77a20feab865fe1cd42769438552cd0f5b70</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45">http://vendetudo.com/.git/objects/45</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/">http://vendetudo.com/.git/objects/45/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/70ff38ebbdcd2357ea63f31b73480330fb5ae65">http://vendetudo.com/.git/objects/45/70ff38ebbdcd2357ea63f31b73480330fb5ae65</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D:O=A">http://vendetudo.com/.git/objects/45/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D:O=D">http://vendetudo.com/.git/objects/45/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M:O=A">http://vendetudo.com/.git/objects/45/?C=M:O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M;O=D">http://vendetudo.com/.git/objects/45/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N;O=A">http://vendetudo.com/.git/objects/45/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N;O=D">http://vendetudo.com/.git/objects/45/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S;O=A">http://vendetudo.com/.git/objects/45/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S;O=D">http://vendetudo.com/.git/objects/45/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/fdf33830123533459b17fbbf91735489fd6bd8">http://vendetudo.com/.git/objects/45/fdf33830123533459b17fbbf91735489fd6bd8</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b">http://vendetudo.com/.git/objects/4b</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/">http://vendetudo.com/.git/objects/4b/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/37767b64b3dc232fba39c69e4d0e076fe1748a">http://vendetudo.com/.git/objects/4b/37767b64b3dc232fba39c69e4d0e076fe1748a</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/5e783568c16ecaa56344692aabcd890623ba3e">http://vendetudo.com/.git/objects/4b/5e783568c16ecaa56344692aabcd890623ba3e</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/6e0d1a713a90503f3012d8e5de2c3e3715aec4">http://vendetudo.com/.git/objects/4b/6e0d1a713a90503f3012d8e5de2c3e3715aec4</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D;O=A">http://vendetudo.com/.git/objects/4b/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D;O=D">http://vendetudo.com/.git/objects/4b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M;O=A">http://vendetudo.com/.git/objects/4b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	



Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M;O=D">http://vendetudo.com/.git/objects/4b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N;O=A">http://vendetudo.com/.git/objects/4b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N;O=D">http://vendetudo.com/.git/objects/4b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S;O=A">http://vendetudo.com/.git/objects/4b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S;O=D">http://vendetudo.com/.git/objects/4b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c">http://vendetudo.com/.git/objects/4c</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/">http://vendetudo.com/.git/objects/4c/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/9cc323a649864b7d2de9b076595c3e0a1a9aeb">http://vendetudo.com/.git/objects/4c/9cc323a649864b7d2de9b076595c3e0a1a9aeb</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D;O=A">http://vendetudo.com/.git/objects/4c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D;O=D">http://vendetudo.com/.git/objects/4c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M;O=A">http://vendetudo.com/.git/objects/4c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M;O=D">http://vendetudo.com/.git/objects/4c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=A">http://vendetudo.com/.git/objects/4c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=D">http://vendetudo.com/.git/objects/4c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=A">http://vendetudo.com/.git/objects/4c/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=D">http://vendetudo.com/.git/objects/4c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/bdf8a9b074edda1272391313460db75ae4b771">http://vendetudo.com/.git/objects/4c/bdf8a9b074edda1272391313460db75ae4b771</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50">http://vendetudo.com/.git/objects/50</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/">http://vendetudo.com/.git/objects/50/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/2c0680ac8b8133ada2c45b7c7bcbf5fd9cb8bc">http://vendetudo.com/.git/objects/50/2c0680ac8b8133ada2c45b7c7bcbf5fd9cb8bc</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=A">http://vendetudo.com/.git/objects/50/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=D">http://vendetudo.com/.git/objects/50/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=A">http://vendetudo.com/.git/objects/50/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=D">http://vendetudo.com/.git/objects/50/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=A">http://vendetudo.com/.git/objects/50/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=D">http://vendetudo.com/.git/objects/50/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=A">http://vendetudo.com/.git/objects/50/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=D">http://vendetudo.com/.git/objects/50/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/f9e0d66de1f6e1a9be52d642f3a54a88d4adc8">http://vendetudo.com/.git/objects/50/f9e0d66de1f6e1a9be52d642f3a54a88d4adc8</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/57">http://vendetudo.com/.git/objects/57</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/">http://vendetudo.com/.git/objects/57/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=A">http://vendetudo.com/.git/objects/57/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=D">http://vendetudo.com/.git/objects/57/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M;O=A">http://vendetudo.com/.git/objects/57/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M;O=D">http://vendetudo.com/.git/objects/57/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N;O=A">http://vendetudo.com/.git/objects/57/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N;O=D">http://vendetudo.com/.git/objects/57/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S;O=A">http://vendetudo.com/.git/objects/57/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S;O=D">http://vendetudo.com/.git/objects/57/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/fa5cf4342946075a43721d33a4464cd1158efb">http://vendetudo.com/.git/objects/57/fa5cf4342946075a43721d33a4464cd1158efb</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58">http://vendetudo.com/.git/objects/58</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/">http://vendetudo.com/.git/objects/58/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/72487b79c317313c622ad7fcb9af958f45bfe6">http://vendetudo.com/.git/objects/58/72487b79c317313c622ad7fcb9af958f45bfe6</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D;O=A">http://vendetudo.com/.git/objects/58/?C=D;O=A</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D;O=D">http://vendetudo.com/.git/objects/58/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M;O=A">http://vendetudo.com/.git/objects/58/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M;O=D">http://vendetudo.com/.git/objects/58/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N;O=A">http://vendetudo.com/.git/objects/58/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N;O=D">http://vendetudo.com/.git/objects/58/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S;O=A">http://vendetudo.com/.git/objects/58/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S;O=D">http://vendetudo.com/.git/objects/58/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/59">http://vendetudo.com/.git/objects/59</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/">http://vendetudo.com/.git/objects/59/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/4883c2b6ee892c14cd588061cd2e82b3a0cc9f">http://vendetudo.com/.git/objects/59/4883c2b6ee892c14cd588061cd2e82b3a0cc9f</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D;O=A">http://vendetudo.com/.git/objects/59/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D;O=D">http://vendetudo.com/.git/objects/59/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M;O=A">http://vendetudo.com/.git/objects/59/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M;O=D">http://vendetudo.com/.git/objects/59/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N;O=A">http://vendetudo.com/.git/objects/59/?C=N;O=A</a>



Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N;O=D">http://vendetudo.com/.git/objects/59/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S;O=A">http://vendetudo.com/.git/objects/59/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S;O=D">http://vendetudo.com/.git/objects/59/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/b2e718c831e94a76c6307b241f1bf355f5577c">http://vendetudo.com/.git/objects/59/b2e718c831e94a76c6307b241f1bf355f5577c</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c">http://vendetudo.com/.git/objects/5c</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/">http://vendetudo.com/.git/objects/5c/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/2071ee504435939aa3d44b9af38ec1234c9ddf">http://vendetudo.com/.git/objects/5c/2071ee504435939aa3d44b9af38ec1234c9ddf</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/2fda7bd2abbd0de8c6574b202efdaacd8bd561">http://vendetudo.com/.git/objects/5c/2fda7bd2abbd0de8c6574b202efdaacd8bd561</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D;O=A">http://vendetudo.com/.git/objects/5c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D;O=D">http://vendetudo.com/.git/objects/5c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M;O=A">http://vendetudo.com/.git/objects/5c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M;O=D">http://vendetudo.com/.git/objects/5c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N;O=A">http://vendetudo.com/.git/objects/5c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N;O=D">http://vendetudo.com/.git/objects/5c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S;O=A">http://vendetudo.com/.git/objects/5c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S;O=D">http://vendetudo.com/.git/objects/5c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/eab7c53d8f595668cd2c57d03824199129e0b5">http://vendetudo.com/.git/objects/5c/eab7c53d8f595668cd2c57d03824199129e0b5</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d">http://vendetudo.com/.git/objects/5d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/">http://vendetudo.com/.git/objects/5d/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D;O=A">http://vendetudo.com/.git/objects/5d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D;O=D">http://vendetudo.com/.git/objects/5d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M;O=A">http://vendetudo.com/.git/objects/5d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M;O=D">http://vendetudo.com/.git/objects/5d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N;O=A">http://vendetudo.com/.git/objects/5d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N;O=D">http://vendetudo.com/.git/objects/5d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S;O=A">http://vendetudo.com/.git/objects/5d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S;O=D">http://vendetudo.com/.git/objects/5d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/b3a89349369110f309ad63e3b963361bec8c49">http://vendetudo.com/.git/objects/5d/b3a89349369110f309ad63e3b963361bec8c49</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61">http://vendetudo.com/.git/objects/61</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/">http://vendetudo.com/.git/objects/61/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/330fa39577853795b761ab842bdb89a52469ed">http://vendetudo.com/.git/objects/61/330fa39577853795b761ab842bdb89a52469ed</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/610374fee11165142263f1d572b56c24b76da9">http://vendetudo.com/.git/objects/61/610374fee11165142263f1d572b56c24b76da9</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D;O=A">http://vendetudo.com/.git/objects/61/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D;O=D">http://vendetudo.com/.git/objects/61/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M;O=A">http://vendetudo.com/.git/objects/61/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M;O=D">http://vendetudo.com/.git/objects/61/?C=M;O=D</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N;O=A">http://vendetudo.com/.git/objects/61/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N;O=D">http://vendetudo.com/.git/objects/61/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S;O=A">http://vendetudo.com/.git/objects/61/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S;O=D">http://vendetudo.com/.git/objects/61/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62">http://vendetudo.com/.git/objects/62</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/">http://vendetudo.com/.git/objects/62/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/6f490f8729f01537edfa26b69831b1867c9d64">http://vendetudo.com/.git/objects/62/6f490f8729f01537edfa26b69831b1867c9d64</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=A">http://vendetudo.com/.git/objects/62/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=D">http://vendetudo.com/.git/objects/62/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=A">http://vendetudo.com/.git/objects/62/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=D">http://vendetudo.com/.git/objects/62/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=A">http://vendetudo.com/.git/objects/62/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=D">http://vendetudo.com/.git/objects/62/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=A">http://vendetudo.com/.git/objects/62/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=D">http://vendetudo.com/.git/objects/62/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66">http://vendetudo.com/.git/objects/66</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/">http://vendetudo.com/.git/objects/66/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/6e856afdcfe005ef43bb4e9cbb1174852213f9">http://vendetudo.com/.git/objects/66/6e856afdcfe005ef43bb4e9cbb1174852213f9</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D;O=A">http://vendetudo.com/.git/objects/66/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D;O=D">http://vendetudo.com/.git/objects/66/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M;O=A">http://vendetudo.com/.git/objects/66/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M;O=D">http://vendetudo.com/.git/objects/66/?C=M;O=D</a>
Método	GET



Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N;O=A">http://vendetudo.com/.git/objects/66/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N;O=D">http://vendetudo.com/.git/objects/66/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=A">http://vendetudo.com/.git/objects/66/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=D">http://vendetudo.com/.git/objects/66/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67">http://vendetudo.com/.git/objects/67</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/">http://vendetudo.com/.git/objects/67/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=A">http://vendetudo.com/.git/objects/67/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D:O=D">http://vendetudo.com/.git/objects/67/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M:O=A">http://vendetudo.com/.git/objects/67/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M:O=D">http://vendetudo.com/.git/objects/67/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N:O=A">http://vendetudo.com/.git/objects/67/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N:O=D">http://vendetudo.com/.git/objects/67/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S:O=A">http://vendetudo.com/.git/objects/67/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S:O=D">http://vendetudo.com/.git/objects/67/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/67/eb62b93fedaaded6e649f2ee302e309e2fb278">http://vendetudo.com/.git/objects/67/eb62b93fedaaded6e649f2ee302e309e2fb278</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c">http://vendetudo.com/.git/objects/6c</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/">http://vendetudo.com/.git/objects/6c/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D;O=A">http://vendetudo.com/.git/objects/6c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D;O=D">http://vendetudo.com/.git/objects/6c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M;O=A">http://vendetudo.com/.git/objects/6c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M;O=D">http://vendetudo.com/.git/objects/6c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N;O=A">http://vendetudo.com/.git/objects/6c/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N;O=D">http://vendetudo.com/.git/objects/6c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S;O=A">http://vendetudo.com/.git/objects/6c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S;O=D">http://vendetudo.com/.git/objects/6c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/fc7bf757df47811f5d3d381faf6100441f1fbe">http://vendetudo.com/.git/objects/6c/fc7bf757df47811f5d3d381faf6100441f1fbe</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d">http://vendetudo.com/.git/objects/6d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/">http://vendetudo.com/.git/objects/6d/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D;O=A">http://vendetudo.com/.git/objects/6d/?C=D;O=A</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D;O=D">http://vendetudo.com/.git/objects/6d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M;O=A">http://vendetudo.com/.git/objects/6d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M;O=D">http://vendetudo.com/.git/objects/6d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N;O=A">http://vendetudo.com/.git/objects/6d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N;O=D">http://vendetudo.com/.git/objects/6d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S;O=A">http://vendetudo.com/.git/objects/6d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S;O=D">http://vendetudo.com/.git/objects/6d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/bb2b26382adb9e41644c44cb9cdf99fb7810f2">http://vendetudo.com/.git/objects/6d/bb2b26382adb9e41644c44cb9cdf99fb7810f2</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74">http://vendetudo.com/.git/objects/74</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/">http://vendetudo.com/.git/objects/74/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D;O=A">http://vendetudo.com/.git/objects/74/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D;O=D">http://vendetudo.com/.git/objects/74/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M;O=A">http://vendetudo.com/.git/objects/74/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M;O=D">http://vendetudo.com/.git/objects/74/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N;O=A">http://vendetudo.com/.git/objects/74/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N;O=D">http://vendetudo.com/.git/objects/74/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S;O=A">http://vendetudo.com/.git/objects/74/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S;O=D">http://vendetudo.com/.git/objects/74/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/f24c464c082acbc8796a178fbcae84d8c3aa22">http://vendetudo.com/.git/objects/74/f24c464c082acbc8796a178fbcae84d8c3aa22</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78">http://vendetudo.com/.git/objects/78</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/">http://vendetudo.com/.git/objects/78/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D;O=A">http://vendetudo.com/.git/objects/78/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D;O=D">http://vendetudo.com/.git/objects/78/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M;O=A">http://vendetudo.com/.git/objects/78/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M;O=D">http://vendetudo.com/.git/objects/78/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N;O=A">http://vendetudo.com/.git/objects/78/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N;O=D">http://vendetudo.com/.git/objects/78/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S;O=A">http://vendetudo.com/.git/objects/78/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S;O=D">http://vendetudo.com/.git/objects/78/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)



Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/c73c643c2232cb28ad4ffd17053c316eda0d41">http://vendetudo.com/.git/objects/78/c73c643c2232cb28ad4ffd17053c316eda0d41</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79">http://vendetudo.com/.git/objects/79</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/">http://vendetudo.com/.git/objects/79/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D;O=A">http://vendetudo.com/.git/objects/79/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D;O=D">http://vendetudo.com/.git/objects/79/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M;O=A">http://vendetudo.com/.git/objects/79/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M;O=D">http://vendetudo.com/.git/objects/79/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/79/?C=N;O=A">http://vendetudo.com/.git/objects/79/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N;O=D">http://vendetudo.com/.git/objects/79/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S;O=A">http://vendetudo.com/.git/objects/79/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S;O=D">http://vendetudo.com/.git/objects/79/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/ede24d997f002bff5bb389b4c99da797c19bc0">http://vendetudo.com/.git/objects/79/ede24d997f002bff5bb389b4c99da797c19bc0</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a">http://vendetudo.com/.git/objects/7a</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/">http://vendetudo.com/.git/objects/7a/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D;O=A">http://vendetudo.com/.git/objects/7a/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D;O=D">http://vendetudo.com/.git/objects/7a/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=A">http://vendetudo.com/.git/objects/7a/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=D">http://vendetudo.com/.git/objects/7a/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=A">http://vendetudo.com/.git/objects/7a/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=D">http://vendetudo.com/.git/objects/7a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=A">http://vendetudo.com/.git/objects/7a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=D">http://vendetudo.com/.git/objects/7a/?C=S;O=D</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/c16dbc9ea983ce1a974be903aef9db79266f24">http://vendetudo.com/.git/objects/7a/c16dbc9ea983ce1a974be903aef9db79266f24</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c">http://vendetudo.com/.git/objects/7c</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/">http://vendetudo.com/.git/objects/7c/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/79c6a6bc9a128a2a8eaffbe49a4338625fdb2">http://vendetudo.com/.git/objects/7c/79c6a6bc9a128a2a8eaffbe49a4338625fdb2</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=A">http://vendetudo.com/.git/objects/7c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=D">http://vendetudo.com/.git/objects/7c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=A">http://vendetudo.com/.git/objects/7c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=D">http://vendetudo.com/.git/objects/7c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N;O=A">http://vendetudo.com/.git/objects/7c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N;O=D">http://vendetudo.com/.git/objects/7c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S;O=A">http://vendetudo.com/.git/objects/7c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S;O=D">http://vendetudo.com/.git/objects/7c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f">http://vendetudo.com/.git/objects/7f</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/">http://vendetudo.com/.git/objects/7f/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/68c9b50215bf50fffaa587b82df0fff0409ec8">http://vendetudo.com/.git/objects/7f/68c9b50215bf50fffaa587b82df0fff0409ec8</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D;O=A">http://vendetudo.com/.git/objects/7f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D;O=D">http://vendetudo.com/.git/objects/7f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M;O=A">http://vendetudo.com/.git/objects/7f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M;O=D">http://vendetudo.com/.git/objects/7f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N;O=A">http://vendetudo.com/.git/objects/7f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N;O=D">http://vendetudo.com/.git/objects/7f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=A">http://vendetudo.com/.git/objects/7f/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=D">http://vendetudo.com/.git/objects/7f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87">http://vendetudo.com/.git/objects/87</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/">http://vendetudo.com/.git/objects/87/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/2131c2dc64133c6f431f76ce58c5d5efad6bb8">http://vendetudo.com/.git/objects/87/2131c2dc64133c6f431f76ce58c5d5efad6bb8</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=A">http://vendetudo.com/.git/objects/87/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=D">http://vendetudo.com/.git/objects/87/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=M;O=A">http://vendetudo.com/.git/objects/87/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=M;O=D">http://vendetudo.com/.git/objects/87/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N;O=A">http://vendetudo.com/.git/objects/87/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N;O=D">http://vendetudo.com/.git/objects/87/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S;O=A">http://vendetudo.com/.git/objects/87/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S;O=D">http://vendetudo.com/.git/objects/87/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88">http://vendetudo.com/.git/objects/88</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/">http://vendetudo.com/.git/objects/88/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/88/039d54e8c5ece4ce04cd62d40632921fdf57e4">http://vendetudo.com/.git/objects/88/039d54e8c5ece4ce04cd62d40632921fdf57e4</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D;O=A">http://vendetudo.com/.git/objects/88/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D;O=D">http://vendetudo.com/.git/objects/88/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M;O=A">http://vendetudo.com/.git/objects/88/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M;O=D">http://vendetudo.com/.git/objects/88/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N;O=A">http://vendetudo.com/.git/objects/88/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N;O=D">http://vendetudo.com/.git/objects/88/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S;O=A">http://vendetudo.com/.git/objects/88/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S;O=D">http://vendetudo.com/.git/objects/88/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b">http://vendetudo.com/.git/objects/8b</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/">http://vendetudo.com/.git/objects/8b/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/0f54e47e1d356dcf1496942a50e228e0f1ee14">http://vendetudo.com/.git/objects/8b/0f54e47e1d356dcf1496942a50e228e0f1ee14</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/3b790ed9b06671af02e6af888671c709580872">http://vendetudo.com/.git/objects/8b/3b790ed9b06671af02e6af888671c709580872</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/7c3763dbffad4207aafa3d4a7f7e1d4bfeff3a">http://vendetudo.com/.git/objects/8b/7c3763dbffad4207aafa3d4a7f7e1d4bfeff3a</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D;O=A">http://vendetudo.com/.git/objects/8b/?C=D;O=A</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D;O=D">http://vendetudo.com/.git/objects/8b/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M;O=A">http://vendetudo.com/.git/objects/8b/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M;O=D">http://vendetudo.com/.git/objects/8b/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N;O=A">http://vendetudo.com/.git/objects/8b/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N;O=D">http://vendetudo.com/.git/objects/8b/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S;O=A">http://vendetudo.com/.git/objects/8b/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S;O=D">http://vendetudo.com/.git/objects/8b/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/8c">http://vendetudo.com/.git/objects/8c</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/">http://vendetudo.com/.git/objects/8c/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/1748aab7a790d510fb3f42a8a8971d96efa79d">http://vendetudo.com/.git/objects/8c/1748aab7a790d510fb3f42a8a8971d96efa79d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D;O=A">http://vendetudo.com/.git/objects/8c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D;O=D">http://vendetudo.com/.git/objects/8c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M;O=A">http://vendetudo.com/.git/objects/8c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M;O=D">http://vendetudo.com/.git/objects/8c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N;O=A">http://vendetudo.com/.git/objects/8c/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N;O=D">http://vendetudo.com/.git/objects/8c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=A">http://vendetudo.com/.git/objects/8c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=D">http://vendetudo.com/.git/objects/8c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d">http://vendetudo.com/.git/objects/8d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/">http://vendetudo.com/.git/objects/8d/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=A">http://vendetudo.com/.git/objects/8d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=D">http://vendetudo.com/.git/objects/8d/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=A">http://vendetudo.com/.git/objects/8d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=D">http://vendetudo.com/.git/objects/8d/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N;O=A">http://vendetudo.com/.git/objects/8d/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N;O=D">http://vendetudo.com/.git/objects/8d/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S;O=A">http://vendetudo.com/.git/objects/8d/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S;O=D">http://vendetudo.com/.git/objects/8d/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/fcfe9ec4962f372aad443f6b494aecca1c089">http://vendetudo.com/.git/objects/8d/fcfe9ec4962f372aad443f6b494aecca1c089</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e">http://vendetudo.com/.git/objects/8e</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/">http://vendetudo.com/.git/objects/8e/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/72d554fff116653183fcb368418873aee9e2d8">http://vendetudo.com/.git/objects/8e/72d554fff116653183fcb368418873aee9e2d8</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=A">http://vendetudo.com/.git/objects/8e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=D">http://vendetudo.com/.git/objects/8e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M;O=A">http://vendetudo.com/.git/objects/8e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M;O=D">http://vendetudo.com/.git/objects/8e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N;O=A">http://vendetudo.com/.git/objects/8e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N;O=D">http://vendetudo.com/.git/objects/8e/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S;O=A">http://vendetudo.com/.git/objects/8e/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S;O=D">http://vendetudo.com/.git/objects/8e/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/ab0cae298b172ce227ab407168c8951e134178">http://vendetudo.com/.git/objects/8e/ab0cae298b172ce227ab407168c8951e134178</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90">http://vendetudo.com/.git/objects/90</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/">http://vendetudo.com/.git/objects/90/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=A">http://vendetudo.com/.git/objects/90/?C=D;O=A</a>
Método	GET



Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=D">http://vendetudo.com/.git/objects/90/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=A">http://vendetudo.com/.git/objects/90/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=D">http://vendetudo.com/.git/objects/90/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=A">http://vendetudo.com/.git/objects/90/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=D">http://vendetudo.com/.git/objects/90/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=A">http://vendetudo.com/.git/objects/90/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=D">http://vendetudo.com/.git/objects/90/?C=S;O=D</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/d19d66473d03217259bb2f74786d3fbfc7c1ea">http://vendetudo.com/.git/objects/90/d19d66473d03217259bb2f74786d3fbfc7c1ea</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93">http://vendetudo.com/.git/objects/93</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/">http://vendetudo.com/.git/objects/93/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D;O=A">http://vendetudo.com/.git/objects/93/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D;O=D">http://vendetudo.com/.git/objects/93/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M;O=A">http://vendetudo.com/.git/objects/93/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M;O=D">http://vendetudo.com/.git/objects/93/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N;O=A">http://vendetudo.com/.git/objects/93/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N;O=D">http://vendetudo.com/.git/objects/93/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S;O=A">http://vendetudo.com/.git/objects/93/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S;O=D">http://vendetudo.com/.git/objects/93/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/d701d2e50d663e1e3fc80bec584a6f80c07d77">http://vendetudo.com/.git/objects/93/d701d2e50d663e1e3fc80bec584a6f80c07d77</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95">http://vendetudo.com/.git/objects/95</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/">http://vendetudo.com/.git/objects/95/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/87fb9174cce19fd08ee9d66160e7dfcaceed47">http://vendetudo.com/.git/objects/95/87fb9174cce19fd08ee9d66160e7dfcaceed47</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D;O=A">http://vendetudo.com/.git/objects/95/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D;O=D">http://vendetudo.com/.git/objects/95/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M;O=A">http://vendetudo.com/.git/objects/95/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M;O=D">http://vendetudo.com/.git/objects/95/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N;O=A">http://vendetudo.com/.git/objects/95/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N;O=D">http://vendetudo.com/.git/objects/95/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S;O=A">http://vendetudo.com/.git/objects/95/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S;O=D">http://vendetudo.com/.git/objects/95/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96">http://vendetudo.com/.git/objects/96</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/">http://vendetudo.com/.git/objects/96/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/5fba414e7e032ad6575bec6533588df8e65f67">http://vendetudo.com/.git/objects/96/5fba414e7e032ad6575bec6533588df8e65f67</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D;O=A">http://vendetudo.com/.git/objects/96/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D;O=D">http://vendetudo.com/.git/objects/96/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M;O=A">http://vendetudo.com/.git/objects/96/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M:O=D">http://vendetudo.com/.git/objects/96/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N:O=A">http://vendetudo.com/.git/objects/96/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N:O=D">http://vendetudo.com/.git/objects/96/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S:O=A">http://vendetudo.com/.git/objects/96/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S:O=D">http://vendetudo.com/.git/objects/96/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97">http://vendetudo.com/.git/objects/97</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/">http://vendetudo.com/.git/objects/97/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/97/58bd59378979daa2d9cb875d56d2c6e41d04fe">http://vendetudo.com/.git/objects/97/58bd59378979daa2d9cb875d56d2c6e41d04fe</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D;O=A">http://vendetudo.com/.git/objects/97/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D;O=D">http://vendetudo.com/.git/objects/97/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M;O=A">http://vendetudo.com/.git/objects/97/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M;O=D">http://vendetudo.com/.git/objects/97/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N;O=A">http://vendetudo.com/.git/objects/97/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N;O=D">http://vendetudo.com/.git/objects/97/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S;O=A">http://vendetudo.com/.git/objects/97/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S;O=D">http://vendetudo.com/.git/objects/97/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c">http://vendetudo.com/.git/objects/9c</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/">http://vendetudo.com/.git/objects/9c/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/0fab01c00ec76769fe361ae77e6365b25b7361">http://vendetudo.com/.git/objects/9c/0fab01c00ec76769fe361ae77e6365b25b7361</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/949ae97beac23f1560523d54f0cde598e9cdd3">http://vendetudo.com/.git/objects/9c/949ae97beac23f1560523d54f0cde598e9cdd3</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D;O=A">http://vendetudo.com/.git/objects/9c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D;O=D">http://vendetudo.com/.git/objects/9c/?C=D;O=D</a>
Método	GET
Ataque	



Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M;O=A">http://vendetudo.com/.git/objects/9c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M;O=D">http://vendetudo.com/.git/objects/9c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N;O=A">http://vendetudo.com/.git/objects/9c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N;O=D">http://vendetudo.com/.git/objects/9c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S;O=A">http://vendetudo.com/.git/objects/9c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S;O=D">http://vendetudo.com/.git/objects/9c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f">http://vendetudo.com/.git/objects/9f</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/">http://vendetudo.com/.git/objects/9f/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/6e747b1c06882eb36b48416cd737fb370ecde6">http://vendetudo.com/.git/objects/9f/6e747b1c06882eb36b48416cd737fb370ecde6</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=A">http://vendetudo.com/.git/objects/9f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=D">http://vendetudo.com/.git/objects/9f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=A">http://vendetudo.com/.git/objects/9f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=D">http://vendetudo.com/.git/objects/9f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=A">http://vendetudo.com/.git/objects/9f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=D">http://vendetudo.com/.git/objects/9f/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=A">http://vendetudo.com/.git/objects/9f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=D">http://vendetudo.com/.git/objects/9f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=A">http://vendetudo.com/.git/objects/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=D">http://vendetudo.com/.git/objects/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=A">http://vendetudo.com/.git/objects/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=D">http://vendetudo.com/.git/objects/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=A">http://vendetudo.com/.git/objects/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=D">http://vendetudo.com/.git/objects/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=A">http://vendetudo.com/.git/objects/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=D">http://vendetudo.com/.git/objects/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1">http://vendetudo.com/.git/objects/a1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/">http://vendetudo.com/.git/objects/a1/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=A">http://vendetudo.com/.git/objects/a1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=D">http://vendetudo.com/.git/objects/a1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M;O=A">http://vendetudo.com/.git/objects/a1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M;O=D">http://vendetudo.com/.git/objects/a1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N;O=A">http://vendetudo.com/.git/objects/a1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N;O=D">http://vendetudo.com/.git/objects/a1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S;O=A">http://vendetudo.com/.git/objects/a1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S;O=D">http://vendetudo.com/.git/objects/a1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/c6fcf6728cb2c578f7e0ccd9d8e52f3d7cc648">http://vendetudo.com/.git/objects/a1/c6fcf6728cb2c578f7e0ccd9d8e52f3d7cc648</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/a3">http://vendetudo.com/.git/objects/a3</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/">http://vendetudo.com/.git/objects/a3/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D;O=A">http://vendetudo.com/.git/objects/a3/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D;O=D">http://vendetudo.com/.git/objects/a3/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M;O=A">http://vendetudo.com/.git/objects/a3/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M;O=D">http://vendetudo.com/.git/objects/a3/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N;O=A">http://vendetudo.com/.git/objects/a3/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N;O=D">http://vendetudo.com/.git/objects/a3/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S;O=A">http://vendetudo.com/.git/objects/a3/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S;O=D">http://vendetudo.com/.git/objects/a3/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/a955515cd871975aa91ee924ff7e87bf75ba7">http://vendetudo.com/.git/objects/a3/a955515cd871975aa91ee924ff7e87bf75ba7</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4">http://vendetudo.com/.git/objects/a4</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/">http://vendetudo.com/.git/objects/a4/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/391396a9d6b6d7ff3b781f16904732fea40bdd">http://vendetudo.com/.git/objects/a4/391396a9d6b6d7ff3b781f16904732fea40bdd</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D;O=A">http://vendetudo.com/.git/objects/a4/?C=D;O=A</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D;O=D">http://vendetudo.com/.git/objects/a4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M;O=A">http://vendetudo.com/.git/objects/a4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M;O=D">http://vendetudo.com/.git/objects/a4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N;O=A">http://vendetudo.com/.git/objects/a4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N;O=D">http://vendetudo.com/.git/objects/a4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S;O=A">http://vendetudo.com/.git/objects/a4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S;O=D">http://vendetudo.com/.git/objects/a4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	



Info	
URL	<a href="http://vendetudo.com/.git/objects/a5">http://vendetudo.com/.git/objects/a5</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/">http://vendetudo.com/.git/objects/a5/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/5d6eafbeb3bd8d9d75e8d0dd1b982cef440120">http://vendetudo.com/.git/objects/a5/5d6eafbeb3bd8d9d75e8d0dd1b982cef440120</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D;O=A">http://vendetudo.com/.git/objects/a5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D;O=D">http://vendetudo.com/.git/objects/a5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M;O=A">http://vendetudo.com/.git/objects/a5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M;O=D">http://vendetudo.com/.git/objects/a5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N;O=A">http://vendetudo.com/.git/objects/a5/?C=N;O=A</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N;O=D">http://vendetudo.com/.git/objects/a5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S;O=A">http://vendetudo.com/.git/objects/a5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S;O=D">http://vendetudo.com/.git/objects/a5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8">http://vendetudo.com/.git/objects/a8</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/">http://vendetudo.com/.git/objects/a8/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/13720fd284a600f29e3fddba144ad830adf683">http://vendetudo.com/.git/objects/a8/13720fd284a600f29e3fddba144ad830adf683</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/4c9c0bdcca94fc2633b96616173322e2639e9d">http://vendetudo.com/.git/objects/a8/4c9c0bdcca94fc2633b96616173322e2639e9d</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D;O=A">http://vendetudo.com/.git/objects/a8/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D;O=D">http://vendetudo.com/.git/objects/a8/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M;O=A">http://vendetudo.com/.git/objects/a8/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M;O=D">http://vendetudo.com/.git/objects/a8/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N;O=A">http://vendetudo.com/.git/objects/a8/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N;O=D">http://vendetudo.com/.git/objects/a8/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S;O=A">http://vendetudo.com/.git/objects/a8/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S:O=D">http://vendetudo.com/.git/objects/a8/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9">http://vendetudo.com/.git/objects/a9</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/">http://vendetudo.com/.git/objects/a9/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/132237788e2ea70fc77928ed4f5a75731dfaa5">http://vendetudo.com/.git/objects/a9/132237788e2ea70fc77928ed4f5a75731dfaa5</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/969993201f9cee63cf9f49217646347297b643">http://vendetudo.com/.git/objects/a9/969993201f9cee63cf9f49217646347297b643</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D:O=A">http://vendetudo.com/.git/objects/a9/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D:O=D">http://vendetudo.com/.git/objects/a9/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=A">http://vendetudo.com/.git/objects/a9/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=D">http://vendetudo.com/.git/objects/a9/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=A">http://vendetudo.com/.git/objects/a9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=D">http://vendetudo.com/.git/objects/a9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S;O=A">http://vendetudo.com/.git/objects/a9/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S;O=D">http://vendetudo.com/.git/objects/a9/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa">http://vendetudo.com/.git/objects/aa</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/">http://vendetudo.com/.git/objects/aa/</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D;O=A">http://vendetudo.com/.git/objects/aa/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D;O=D">http://vendetudo.com/.git/objects/aa/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M;O=A">http://vendetudo.com/.git/objects/aa/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M;O=D">http://vendetudo.com/.git/objects/aa/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N;O=A">http://vendetudo.com/.git/objects/aa/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N;O=D">http://vendetudo.com/.git/objects/aa/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=A">http://vendetudo.com/.git/objects/aa/?C=S;O=A</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=D">http://vendetudo.com/.git/objects/aa/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/f47f92f84802ca27a76e99eb3671c59fa9644f">http://vendetudo.com/.git/objects/aa/f47f92f84802ca27a76e99eb3671c59fa9644f</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab">http://vendetudo.com/.git/objects/ab</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/">http://vendetudo.com/.git/objects/ab/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=A">http://vendetudo.com/.git/objects/ab/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=D">http://vendetudo.com/.git/objects/ab/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M;O=A">http://vendetudo.com/.git/objects/ab/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M;O=D">http://vendetudo.com/.git/objects/ab/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N;O=A">http://vendetudo.com/.git/objects/ab/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N;O=D">http://vendetudo.com/.git/objects/ab/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S;O=A">http://vendetudo.com/.git/objects/ab/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S;O=D">http://vendetudo.com/.git/objects/ab/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/fb1ed8af3db8c4acdf53b7ab400fb8df50d7e">http://vendetudo.com/.git/objects/ab/fb1ed8af3db8c4acdf53b7ab400fb8df50d7e</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1">http://vendetudo.com/.git/objects/b1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/">http://vendetudo.com/.git/objects/b1/</a>



Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/3acaaad79dadd26466a850053298b8dbcfe860">http://vendetudo.com/.git/objects/b1/3acaaad79dadd26466a850053298b8dbcfe860</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=A">http://vendetudo.com/.git/objects/b1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=D">http://vendetudo.com/.git/objects/b1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=A">http://vendetudo.com/.git/objects/b1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=D">http://vendetudo.com/.git/objects/b1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=A">http://vendetudo.com/.git/objects/b1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=D">http://vendetudo.com/.git/objects/b1/?C=N;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=A">http://vendetudo.com/.git/objects/b1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=D">http://vendetudo.com/.git/objects/b1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb">http://vendetudo.com/.git/objects/bb</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/">http://vendetudo.com/.git/objects/bb/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D;O=A">http://vendetudo.com/.git/objects/bb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D;O=D">http://vendetudo.com/.git/objects/bb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M;O=A">http://vendetudo.com/.git/objects/bb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M:O=D">http://vendetudo.com/.git/objects/bb/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N:O=A">http://vendetudo.com/.git/objects/bb/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N:O=D">http://vendetudo.com/.git/objects/bb/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S:O=A">http://vendetudo.com/.git/objects/bb/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S:O=D">http://vendetudo.com/.git/objects/bb/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/c56ccd4d956ad87b85d102fde4adba74d8a0ab">http://vendetudo.com/.git/objects/bb/c56ccd4d956ad87b85d102fde4adba74d8a0ab</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4">http://vendetudo.com/.git/objects/c4</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/c4/">http://vendetudo.com/.git/objects/c4/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D;O=A">http://vendetudo.com/.git/objects/c4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D;O=D">http://vendetudo.com/.git/objects/c4/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=A">http://vendetudo.com/.git/objects/c4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=D">http://vendetudo.com/.git/objects/c4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=A">http://vendetudo.com/.git/objects/c4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=D">http://vendetudo.com/.git/objects/c4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=A">http://vendetudo.com/.git/objects/c4/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S:O=D">http://vendetudo.com/.git/objects/c4/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/a51a3c226e2ec09bcd29a4bac74e13d9204491">http://vendetudo.com/.git/objects/c4/a51a3c226e2ec09bcd29a4bac74e13d9204491</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6">http://vendetudo.com/.git/objects/c6</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/">http://vendetudo.com/.git/objects/c6/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D:O=A">http://vendetudo.com/.git/objects/c6/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D:O=D">http://vendetudo.com/.git/objects/c6/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M:O=A">http://vendetudo.com/.git/objects/c6/?C=M:O=A</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M;O=D">http://vendetudo.com/.git/objects/c6/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N;O=A">http://vendetudo.com/.git/objects/c6/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N;O=D">http://vendetudo.com/.git/objects/c6/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S;O=A">http://vendetudo.com/.git/objects/c6/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S;O=D">http://vendetudo.com/.git/objects/c6/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/fce1776dfe1e956f9520b3ebb2cf15070941d3">http://vendetudo.com/.git/objects/c6/fce1776dfe1e956f9520b3ebb2cf15070941d3</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb">http://vendetudo.com/.git/objects/cb</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/">http://vendetudo.com/.git/objects/cb/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/7efe4f36b5d24563356364980107bdc2e8c2c1">http://vendetudo.com/.git/objects/cb/7efe4f36b5d24563356364980107bdc2e8c2c1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D;O=A">http://vendetudo.com/.git/objects/cb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D;O=D">http://vendetudo.com/.git/objects/cb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M;O=A">http://vendetudo.com/.git/objects/cb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M;O=D">http://vendetudo.com/.git/objects/cb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N;O=A">http://vendetudo.com/.git/objects/cb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N;O=D">http://vendetudo.com/.git/objects/cb/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S;O=A">http://vendetudo.com/.git/objects/cb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S;O=D">http://vendetudo.com/.git/objects/cb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4">http://vendetudo.com/.git/objects/d4</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/">http://vendetudo.com/.git/objects/d4/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/37aff62bbbbaabb783fa7acd89c9850287f1f6a">http://vendetudo.com/.git/objects/d4/37aff62bbbbaabb783fa7acd89c9850287f1f6a</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D;O=A">http://vendetudo.com/.git/objects/d4/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D;O=D">http://vendetudo.com/.git/objects/d4/?C=D;O=D</a>
Método	GET



Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M;O=A">http://vendetudo.com/.git/objects/d4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M;O=D">http://vendetudo.com/.git/objects/d4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N;O=A">http://vendetudo.com/.git/objects/d4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N;O=D">http://vendetudo.com/.git/objects/d4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S;O=A">http://vendetudo.com/.git/objects/d4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S;O=D">http://vendetudo.com/.git/objects/d4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5">http://vendetudo.com/.git/objects/d5</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/">http://vendetudo.com/.git/objects/d5/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/64d0bc3dd917926892c55e3706cc116d5b165e">http://vendetudo.com/.git/objects/d5/64d0bc3dd917926892c55e3706cc116d5b165e</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D;O=A">http://vendetudo.com/.git/objects/d5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D;O=D">http://vendetudo.com/.git/objects/d5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M;O=A">http://vendetudo.com/.git/objects/d5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M;O=D">http://vendetudo.com/.git/objects/d5/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N;O=A">http://vendetudo.com/.git/objects/d5/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N;O=D">http://vendetudo.com/.git/objects/d5/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S;O=A">http://vendetudo.com/.git/objects/d5/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S;O=D">http://vendetudo.com/.git/objects/d5/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/ae290b322fcc4aebff3a6a2cca0d13215cc935">http://vendetudo.com/.git/objects/d5/ae290b322fcc4aebff3a6a2cca0d13215cc935</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7">http://vendetudo.com/.git/objects/d7</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/">http://vendetudo.com/.git/objects/d7/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=A">http://vendetudo.com/.git/objects/d7/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=D">http://vendetudo.com/.git/objects/d7/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=A">http://vendetudo.com/.git/objects/d7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=D">http://vendetudo.com/.git/objects/d7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=A">http://vendetudo.com/.git/objects/d7/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=D">http://vendetudo.com/.git/objects/d7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S;O=A">http://vendetudo.com/.git/objects/d7/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S;O=D">http://vendetudo.com/.git/objects/d7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/a8395528a6acd6a67d74c1b1d9b7fef825991d">http://vendetudo.com/.git/objects/d7/a8395528a6acd6a67d74c1b1d9b7fef825991d</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/c4efbf7fd096ddfe5d8f8d6036ba94321921fc">http://vendetudo.com/.git/objects/d7/c4efbf7fd096ddfe5d8f8d6036ba94321921fc</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df">http://vendetudo.com/.git/objects/df</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/">http://vendetudo.com/.git/objects/df/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/60e6c9b515a7516726740de8a3446080d4dc19">http://vendetudo.com/.git/objects/df/60e6c9b515a7516726740de8a3446080d4dc19</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D;O=A">http://vendetudo.com/.git/objects/df/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D;O=D">http://vendetudo.com/.git/objects/df/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M;O=A">http://vendetudo.com/.git/objects/df/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M;O=D">http://vendetudo.com/.git/objects/df/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N;O=A">http://vendetudo.com/.git/objects/df/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N;O=D">http://vendetudo.com/.git/objects/df/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S;O=A">http://vendetudo.com/.git/objects/df/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S;O=D">http://vendetudo.com/.git/objects/df/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1">http://vendetudo.com/.git/objects/e1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/">http://vendetudo.com/.git/objects/e1/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/36f31e03315b850f2a95d09b5b24989d55cbd6">http://vendetudo.com/.git/objects/e1/36f31e03315b850f2a95d09b5b24989d55cbd6</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=A">http://vendetudo.com/.git/objects/e1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=D">http://vendetudo.com/.git/objects/e1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M;O=A">http://vendetudo.com/.git/objects/e1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M;O=D">http://vendetudo.com/.git/objects/e1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N;O=A">http://vendetudo.com/.git/objects/e1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N;O=D">http://vendetudo.com/.git/objects/e1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S;O=A">http://vendetudo.com/.git/objects/e1/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S;O=D">http://vendetudo.com/.git/objects/e1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5">http://vendetudo.com/.git/objects/e5</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/">http://vendetudo.com/.git/objects/e5/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/907a779383350349df26c48ce623e40ec4d363">http://vendetudo.com/.git/objects/e5/907a779383350349df26c48ce623e40ec4d363</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D;O=A">http://vendetudo.com/.git/objects/e5/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D;O=D">http://vendetudo.com/.git/objects/e5/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M;O=A">http://vendetudo.com/.git/objects/e5/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)



Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M:O=D">http://vendetudo.com/.git/objects/e5/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N:O=A">http://vendetudo.com/.git/objects/e5/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N:O=D">http://vendetudo.com/.git/objects/e5/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S:O=A">http://vendetudo.com/.git/objects/e5/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S:O=D">http://vendetudo.com/.git/objects/e5/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6">http://vendetudo.com/.git/objects/e6</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/">http://vendetudo.com/.git/objects/e6/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/e6/9de29bb2d1d6434b8b29ae775ad8c2e48c5391">http://vendetudo.com/.git/objects/e6/9de29bb2d1d6434b8b29ae775ad8c2e48c5391</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D;O=A">http://vendetudo.com/.git/objects/e6/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D;O=D">http://vendetudo.com/.git/objects/e6/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M;O=A">http://vendetudo.com/.git/objects/e6/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M;O=D">http://vendetudo.com/.git/objects/e6/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N;O=A">http://vendetudo.com/.git/objects/e6/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N;O=D">http://vendetudo.com/.git/objects/e6/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S;O=A">http://vendetudo.com/.git/objects/e6/?C=S;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S:O=D">http://vendetudo.com/.git/objects/e6/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8">http://vendetudo.com/.git/objects/e8</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/">http://vendetudo.com/.git/objects/e8/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/9738de5eaf8fca33a2f2cdc5cb4929caa62b71">http://vendetudo.com/.git/objects/e8/9738de5eaf8fca33a2f2cdc5cb4929caa62b71</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D:O=A">http://vendetudo.com/.git/objects/e8/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D:O=D">http://vendetudo.com/.git/objects/e8/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M:O=A">http://vendetudo.com/.git/objects/e8/?C=M:O=A</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M;O=D">http://vendetudo.com/.git/objects/e8/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N;O=A">http://vendetudo.com/.git/objects/e8/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N;O=D">http://vendetudo.com/.git/objects/e8/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S;O=A">http://vendetudo.com/.git/objects/e8/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S;O=D">http://vendetudo.com/.git/objects/e8/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb">http://vendetudo.com/.git/objects/eb</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/">http://vendetudo.com/.git/objects/eb/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=A">http://vendetudo.com/.git/objects/eb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=D">http://vendetudo.com/.git/objects/eb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M;O=A">http://vendetudo.com/.git/objects/eb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M;O=D">http://vendetudo.com/.git/objects/eb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N;O=A">http://vendetudo.com/.git/objects/eb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N;O=D">http://vendetudo.com/.git/objects/eb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S;O=A">http://vendetudo.com/.git/objects/eb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S;O=D">http://vendetudo.com/.git/objects/eb/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/fb0da9c71b974e99f621e52276e74b3300ae9c">http://vendetudo.com/.git/objects/eb/fb0da9c71b974e99f621e52276e74b3300ae9c</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec">http://vendetudo.com/.git/objects/ec</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/">http://vendetudo.com/.git/objects/ec/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/9e893fe414fe2e65da16a8f3d8a7bd0c5e4c19">http://vendetudo.com/.git/objects/ec/9e893fe414fe2e65da16a8f3d8a7bd0c5e4c19</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=A">http://vendetudo.com/.git/objects/ec/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=D">http://vendetudo.com/.git/objects/ec/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=A">http://vendetudo.com/.git/objects/ec/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=D">http://vendetudo.com/.git/objects/ec/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N;O=A">http://vendetudo.com/.git/objects/ec/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N;O=D">http://vendetudo.com/.git/objects/ec/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S;O=A">http://vendetudo.com/.git/objects/ec/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S;O=D">http://vendetudo.com/.git/objects/ec/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed">http://vendetudo.com/.git/objects/ed</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/">http://vendetudo.com/.git/objects/ed/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/8c9c3557939537b1a676dfecc2694a4cde39a">http://vendetudo.com/.git/objects/ed/8c9c3557939537b1a676dfecc2694a4cde39a</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D;O=A">http://vendetudo.com/.git/objects/ed/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D;O=D">http://vendetudo.com/.git/objects/ed/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=A">http://vendetudo.com/.git/objects/ed/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=D">http://vendetudo.com/.git/objects/ed/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=A">http://vendetudo.com/.git/objects/ed/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=D">http://vendetudo.com/.git/objects/ed/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	



URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S:O=A">http://vendetudo.com/.git/objects/ed/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S:O=D">http://vendetudo.com/.git/objects/ed/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee">http://vendetudo.com/.git/objects/ee</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/">http://vendetudo.com/.git/objects/ee/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/0507f12c9d173882d98cf87b19f273ba6e067d">http://vendetudo.com/.git/objects/ee/0507f12c9d173882d98cf87b19f273ba6e067d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D:O=A">http://vendetudo.com/.git/objects/ee/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D:O=D">http://vendetudo.com/.git/objects/ee/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M:O=A">http://vendetudo.com/.git/objects/ee/?C=M:O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M;O=D">http://vendetudo.com/.git/objects/ee/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N;O=A">http://vendetudo.com/.git/objects/ee/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N;O=D">http://vendetudo.com/.git/objects/ee/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S;O=A">http://vendetudo.com/.git/objects/ee/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S;O=D">http://vendetudo.com/.git/objects/ee/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef">http://vendetudo.com/.git/objects/ef</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/">http://vendetudo.com/.git/objects/ef/</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/7432107950d6f5706a031f081a188887c128b5">http://vendetudo.com/.git/objects/ef/7432107950d6f5706a031f081a188887c128b5</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=A">http://vendetudo.com/.git/objects/ef/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=D">http://vendetudo.com/.git/objects/ef/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=A">http://vendetudo.com/.git/objects/ef/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=D">http://vendetudo.com/.git/objects/ef/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=A">http://vendetudo.com/.git/objects/ef/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=D">http://vendetudo.com/.git/objects/ef/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=A">http://vendetudo.com/.git/objects/ef/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=D">http://vendetudo.com/.git/objects/ef/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1">http://vendetudo.com/.git/objects/f1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/">http://vendetudo.com/.git/objects/f1/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/1955333e02c83f595d49cbfa7042552e44342e">http://vendetudo.com/.git/objects/f1/1955333e02c83f595d49cbfa7042552e44342e</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=A">http://vendetudo.com/.git/objects/f1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=D">http://vendetudo.com/.git/objects/f1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=A">http://vendetudo.com/.git/objects/f1/?C=M;O=A</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=D">http://vendetudo.com/.git/objects/f1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N;O=A">http://vendetudo.com/.git/objects/f1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N;O=D">http://vendetudo.com/.git/objects/f1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S;O=A">http://vendetudo.com/.git/objects/f1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S;O=D">http://vendetudo.com/.git/objects/f1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/eba7944df4d903626490dfbcdab82c4d2ac562">http://vendetudo.com/.git/objects/f1/eba7944df4d903626490dfbcdab82c4d2ac562</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2">http://vendetudo.com/.git/objects/f2</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/">http://vendetudo.com/.git/objects/f2/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/7a7bc0713348c7c3e6c11a01fdff53f6e91ba8">http://vendetudo.com/.git/objects/f2/7a7bc0713348c7c3e6c11a01fdff53f6e91ba8</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D;O=A">http://vendetudo.com/.git/objects/f2/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D;O=D">http://vendetudo.com/.git/objects/f2/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M;O=A">http://vendetudo.com/.git/objects/f2/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M;O=D">http://vendetudo.com/.git/objects/f2/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N;O=A">http://vendetudo.com/.git/objects/f2/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N;O=D">http://vendetudo.com/.git/objects/f2/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S;O=A">http://vendetudo.com/.git/objects/f2/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S;O=D">http://vendetudo.com/.git/objects/f2/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/a52c7746b4f479e1c3d6708fcdc9fbd9725c33">http://vendetudo.com/.git/objects/f2/a52c7746b4f479e1c3d6708fcdc9fbd9725c33</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7">http://vendetudo.com/.git/objects/f7</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/">http://vendetudo.com/.git/objects/f7/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=A">http://vendetudo.com/.git/objects/f7/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=D">http://vendetudo.com/.git/objects/f7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=A">http://vendetudo.com/.git/objects/f7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=D">http://vendetudo.com/.git/objects/f7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=A">http://vendetudo.com/.git/objects/f7/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=D">http://vendetudo.com/.git/objects/f7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=A">http://vendetudo.com/.git/objects/f7/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=D">http://vendetudo.com/.git/objects/f7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/f3158c6d452759e68dbbc30fec64bad365c995">http://vendetudo.com/.git/objects/f7/f3158c6d452759e68dbbc30fec64bad365c995</a>
Método	GET



Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9">http://vendetudo.com/.git/objects/f9</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/">http://vendetudo.com/.git/objects/f9/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/391cb4fa6cd5144ed555dc6f8d4efebc64714d">http://vendetudo.com/.git/objects/f9/391cb4fa6cd5144ed555dc6f8d4efebc64714d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=A">http://vendetudo.com/.git/objects/f9/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=D">http://vendetudo.com/.git/objects/f9/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=A">http://vendetudo.com/.git/objects/f9/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=D">http://vendetudo.com/.git/objects/f9/?C=M;O=D</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N:O=A">http://vendetudo.com/.git/objects/f9/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N:O=D">http://vendetudo.com/.git/objects/f9/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S:O=A">http://vendetudo.com/.git/objects/f9/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S:O=D">http://vendetudo.com/.git/objects/f9/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb">http://vendetudo.com/.git/objects/fb</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/">http://vendetudo.com/.git/objects/fb/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/55be8244612c28752a1278223ad3d7e850855d">http://vendetudo.com/.git/objects/fb/55be8244612c28752a1278223ad3d7e850855d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=A">http://vendetudo.com/.git/objects/fb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=D">http://vendetudo.com/.git/objects/fb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=A">http://vendetudo.com/.git/objects/fb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=D">http://vendetudo.com/.git/objects/fb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=A">http://vendetudo.com/.git/objects/fb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=D">http://vendetudo.com/.git/objects/fb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=A">http://vendetudo.com/.git/objects/fb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=D">http://vendetudo.com/.git/objects/fb/?C=S;O=D</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/">http://vendetudo.com/.git/objects/fc/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/">http://vendetudo.com/.git/objects/fc/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=A">http://vendetudo.com/.git/objects/fc/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=D">http://vendetudo.com/.git/objects/fc/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=A">http://vendetudo.com/.git/objects/fc/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=D">http://vendetudo.com/.git/objects/fc/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=A">http://vendetudo.com/.git/objects/fc/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=D">http://vendetudo.com/.git/objects/fc/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=A">http://vendetudo.com/.git/objects/fc/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=D">http://vendetudo.com/.git/objects/fc/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/bb2908d4b0627c9ca63c72acce9bd0e6c5ddd6">http://vendetudo.com/.git/objects/fc/bb2908d4b0627c9ca63c72acce9bd0e6c5ddd6</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd">http://vendetudo.com/.git/objects/fd</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/">http://vendetudo.com/.git/objects/fd/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/8b3b6729e3847aa5d440cca35d7f545cfce176">http://vendetudo.com/.git/objects/fd/8b3b6729e3847aa5d440cca35d7f545cfce176</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/8d5ca566d47a77d9562168617bb2f6482bf9be">http://vendetudo.com/.git/objects/fd/8d5ca566d47a77d9562168617bb2f6482bf9be</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=A">http://vendetudo.com/.git/objects/fd/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=D">http://vendetudo.com/.git/objects/fd/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=A">http://vendetudo.com/.git/objects/fd/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=D">http://vendetudo.com/.git/objects/fd/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=A">http://vendetudo.com/.git/objects/fd/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=D">http://vendetudo.com/.git/objects/fd/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S;O=A">http://vendetudo.com/.git/objects/fd/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S;O=D">http://vendetudo.com/.git/objects/fd/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info">http://vendetudo.com/.git/objects/info</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/">http://vendetudo.com/.git/objects/info/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D;O=A">http://vendetudo.com/.git/objects/info/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D;O=D">http://vendetudo.com/.git/objects/info/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=A">http://vendetudo.com/.git/objects/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=D">http://vendetudo.com/.git/objects/info/?C=M;O=D</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N;O=A">http://vendetudo.com/.git/objects/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N;O=D">http://vendetudo.com/.git/objects/info/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S;O=A">http://vendetudo.com/.git/objects/info/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S;O=D">http://vendetudo.com/.git/objects/info/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack">http://vendetudo.com/.git/objects/pack</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/">http://vendetudo.com/.git/objects/pack/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D;O=A">http://vendetudo.com/.git/objects/pack/?C=D;O=A</a>
Método	GET
Ataque	



Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D;O=D">http://vendetudo.com/.git/objects/pack/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M;O=A">http://vendetudo.com/.git/objects/pack/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M;O=D">http://vendetudo.com/.git/objects/pack/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N;O=A">http://vendetudo.com/.git/objects/pack/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N;O=D">http://vendetudo.com/.git/objects/pack/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S;O=A">http://vendetudo.com/.git/objects/pack/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S;O=D">http://vendetudo.com/.git/objects/pack/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/.git/refs">http://vendetudo.com/.git/refs</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/">http://vendetudo.com/.git/refs/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=A">http://vendetudo.com/.git/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=D">http://vendetudo.com/.git/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=A">http://vendetudo.com/.git/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=D">http://vendetudo.com/.git/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=A">http://vendetudo.com/.git/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=D">http://vendetudo.com/.git/refs/?C=N;O=D</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=A">http://vendetudo.com/.git/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=D">http://vendetudo.com/.git/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads">http://vendetudo.com/.git/refs/heads</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/">http://vendetudo.com/.git/refs/heads/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=A">http://vendetudo.com/.git/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=D">http://vendetudo.com/.git/refs/heads/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=A">http://vendetudo.com/.git/refs/heads/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=D">http://vendetudo.com/.git/refs/heads/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=A">http://vendetudo.com/.git/refs/heads/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=D">http://vendetudo.com/.git/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=A">http://vendetudo.com/.git/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=D">http://vendetudo.com/.git/refs/heads/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/main">http://vendetudo.com/.git/refs/heads/main</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags">http://vendetudo.com/.git/refs/tags</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/">http://vendetudo.com/.git/refs/tags/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=A">http://vendetudo.com/.git/refs/tags/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=D">http://vendetudo.com/.git/refs/tags/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=A">http://vendetudo.com/.git/refs/tags/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=D">http://vendetudo.com/.git/refs/tags/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=A">http://vendetudo.com/.git/refs/tags/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=D">http://vendetudo.com/.git/refs/tags/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=A">http://vendetudo.com/.git/refs/tags/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=D">http://vendetudo.com/.git/refs/tags/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups">http://vendetudo.com/backups</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/">http://vendetudo.com/backups/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=D;O=A">http://vendetudo.com/backups/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=D;O=D">http://vendetudo.com/backups/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=M;O=A">http://vendetudo.com/backups/?C=M;O=A</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=M;O=D">http://vendetudo.com/backups/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=N;O=A">http://vendetudo.com/backups/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=N;O=D">http://vendetudo.com/backups/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=S;O=A">http://vendetudo.com/backups/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/?C=S;O=D">http://vendetudo.com/backups/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/admin.php.txt">http://vendetudo.com/backups/admin.php.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/backups/vendetudo.sql">http://vendetudo.com/backups/vendetudo.sql</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/css/animate.css">http://vendetudo.com/css/animate.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/css/bootstrap.min.css">http://vendetudo.com/css/bootstrap.min.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/css/fancybox/jquery.fancybox.css">http://vendetudo.com/css/fancybox/jquery.fancybox.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/css/flexslider.css">http://vendetudo.com/css/flexslider.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/css/font-awesome.css">http://vendetudo.com/css/font-awesome.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/css/jcarousel.css">http://vendetudo.com/css/jcarousel.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/css/style.css">http://vendetudo.com/css/style.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	



Info	
URL	<a href="http://vendetudo.com/dev/null">http://vendetudo.com/dev/null</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/doc/">http://vendetudo.com/doc/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/etc/httpd/conf/addon-modules/php.conf">http://vendetudo.com/etc/httpd/conf/addon-modules/php.conf</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/etc/httpd/conf/httpd.conf">http://vendetudo.com/etc/httpd/conf/httpd.conf</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/etc/phpmyadmin">http://vendetudo.com/etc/phpmyadmin</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/etc/phpMyAdmin/">http://vendetudo.com/etc/phpMyAdmin/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/etc/phpmyadmin/config.user.inc.php">http://vendetudo.com/etc/phpmyadmin/config.user.inc.php</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/etc/phpmyadmin/config.user.inc.php">http://vendetudo.com/etc/phpmyadmin/config.user.inc.php</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/examples/">http://vendetudo.com/examples/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/favicon.ico">http://vendetudo.com/favicon.ico</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/fonts/fontawesome-webfont.woff?v=4.0.3">http://vendetudo.com/fonts/fontawesome-webfont.woff?v=4.0.3</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/icons/back.gif">http://vendetudo.com/icons/back.gif</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/icons/blank.gif">http://vendetudo.com/icons/blank.gif</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/icons/folder.gif">http://vendetudo.com/icons/folder.gif</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/icons/text.gif">http://vendetudo.com/icons/text.gif</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/icons/unknown.gif">http://vendetudo.com/icons/unknown.gif</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/img/b_rename.svg">http://vendetudo.com/img/b_rename.svg</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/img/bg_direction_nav.png">http://vendetudo.com/img/bg_direction_nav.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/img/low-poly01.jpg">http://vendetudo.com/img/low-poly01.jpg</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/img/slides/1.jpg">http://vendetudo.com/img/slides/1.jpg</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/img/slides/2.jpg">http://vendetudo.com/img/slides/2.jpg</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/img/slides/3.jpg">http://vendetudo.com/img/slides/3.jpg</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/index.html">http://vendetudo.com/index.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/index.php?route=/server/sql?">http://vendetudo.com/index.php?route=/server/sql?</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/animate.js">http://vendetudo.com/js/animate.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/bootstrap.min.js">http://vendetudo.com/js/bootstrap.min.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/config/">http://vendetudo.com/js/config/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/custom.js">http://vendetudo.com/js/custom.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/dist/">http://vendetudo.com/js/dist/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/js/jquery.easing.1.3.js">http://vendetudo.com/js/jquery.easing.1.3.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/jquery.fancybox-media.js">http://vendetudo.com/js/jquery.fancybox-media.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/jquery.fancybox.pack.js">http://vendetudo.com/js/jquery.fancybox.pack.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/jquery.flexslider.js">http://vendetudo.com/js/jquery.flexslider.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/jquery.js">http://vendetudo.com/js/jquery.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/owl-carousel/owl.carousel.css">http://vendetudo.com/js/owl-carousel/owl.carousel.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/owl-carousel/owl.carousel.js">http://vendetudo.com/js/owl-carousel/owl.carousel.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/portfolio/jquery.quicksand.js">http://vendetudo.com/js/portfolio/jquery.quicksand.js</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/portfolio/setting.js">http://vendetudo.com/js/portfolio/setting.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/js/src/">http://vendetudo.com/js/src/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/lang">http://vendetudo.com/lang</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/lang%E2%80%9D">http://vendetudo.com/lang%E2%80%9D</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/libraries">http://vendetudo.com/libraries</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/libraries.%C2%B6">http://vendetudo.com/libraries.%C2%B6</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/libraries/">http://vendetudo.com/libraries/</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/libraries/language_stats.inc.php">http://vendetudo.com/libraries/language_stats.inc.php</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/locale/">http://vendetudo.com/locale/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/mysqladmin">http://vendetudo.com/mysqladmin</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/chart.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/column_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/column_chart.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/line_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/line_chart.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other	

Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/pie_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/pie_chart.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-links.png">http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-links.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-link.png">http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-link.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-name.png">http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-name.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-view-link.png">http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-view-link.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/query_result_operations.png">http://vendetudo.com/phpmyadmin/doc/html/_images/query_result_operations.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/scatter_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/scatter_chart.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/spline_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/spline_chart.png</a>



Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/timeline_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/timeline_chart.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/usergroups.png">http://vendetudo.com/phpmyadmin/doc/html/_images/usergroups.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/bookmarks.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/bookmarks.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/charts.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/charts.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/config.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/config.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/copyright.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/copyright.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/credits.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/credits.rst.txt</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/developers.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/developers.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/faq.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/faq.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/glossary.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/glossary.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/import_export.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/import_export.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/index.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/index.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/intro.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/intro.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/other.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/other.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/privileges.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/privileges.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/relations.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/relations.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/require.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/require.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/security.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/security.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/settings.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/settings.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/setup.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/setup.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/themes.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/themes.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/transformations.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/transformations.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/two_factor.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/two_factor.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/user.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/user.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/vendors.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/vendors.rst.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_javascript_frameworks_compat.js">http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_javascript_frameworks_compat.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/classic.css">http://vendetudo.com/phpmyadmin/doc/html/_static/classic.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/doctools.js">http://vendetudo.com/phpmyadmin/doc/html/_static/doctools.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/documentation_options.js">http://vendetudo.com/phpmyadmin/doc/html/_static/documentation_options.js</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/language_data.js">http://vendetudo.com/phpmyadmin/doc/html/_static/language_data.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/pygments.css">http://vendetudo.com/phpmyadmin/doc/html/_static/pygments.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js">http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_highlight.js">http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_highlight.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js">http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/bookmarks.html">http://vendetudo.com/phpmyadmin/doc/html/bookmarks.html</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/charts.html">http://vendetudo.com/phpmyadmin/doc/html/charts.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/config.html">http://vendetudo.com/phpmyadmin/doc/html/config.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/copyright.html">http://vendetudo.com/phpmyadmin/doc/html/copyright.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/credits.html">http://vendetudo.com/phpmyadmin/doc/html/credits.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/developers.html">http://vendetudo.com/phpmyadmin/doc/html/developers.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/faq.html">http://vendetudo.com/phpmyadmin/doc/html/faq.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/genindex.html">http://vendetudo.com/phpmyadmin/doc/html/genindex.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/glossary.html">http://vendetudo.com/phpmyadmin/doc/html/glossary.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/import_export.html">http://vendetudo.com/phpmyadmin/doc/html/import_export.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/index.html">http://vendetudo.com/phpmyadmin/doc/html/index.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/intro.html">http://vendetudo.com/phpmyadmin/doc/html/intro.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/other.html">http://vendetudo.com/phpmyadmin/doc/html/other.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/privileges.html">http://vendetudo.com/phpmyadmin/doc/html/privileges.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/relations.html">http://vendetudo.com/phpmyadmin/doc/html/relations.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/require.html">http://vendetudo.com/phpmyadmin/doc/html/require.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/search.html">http://vendetudo.com/phpmyadmin/doc/html/search.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/search.html?q=ZAP">http://vendetudo.com/phpmyadmin/doc/html/search.html?q=ZAP</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/searchindex.js">http://vendetudo.com/phpmyadmin/doc/html/searchindex.js</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/security.html">http://vendetudo.com/phpmyadmin/doc/html/security.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/settings.html">http://vendetudo.com/phpmyadmin/doc/html/settings.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/setup.html">http://vendetudo.com/phpmyadmin/doc/html/setup.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/themes.html">http://vendetudo.com/phpmyadmin/doc/html/themes.html</a>
Método	GET



Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/transformations.html">http://vendetudo.com/phpmyadmin/doc/html/transformations.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/two_factor.html">http://vendetudo.com/phpmyadmin/doc/html/two_factor.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/user.html">http://vendetudo.com/phpmyadmin/doc/html/user.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/vendors.html">http://vendetudo.com/phpmyadmin/doc/html/vendors.html</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/favicon.ico">http://vendetudo.com/phpmyadmin/favicon.ico</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>	

URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">/token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/codemirror/addon/lint/sql-lint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/codemirror/addon/lint/sql-lint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/common.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/common.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/config.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/config.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/cross_framing_protection.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/cross_framing_protection.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/doclinks.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/doclinks.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/error_report.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/error_report.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/indexes.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/indexes.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/keyhandler.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/keyhandler.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/menu_resizer.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/menu_resizer.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/name-conflict-fixes.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/name-conflict-fixes.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/page_settings.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/page_settings.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/shortcuts_handler.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/shortcuts_handler.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;lang=en&amp;v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;lang=en&amp;v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/bootstrap/bootstrap.bundle.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/bootstrap/bootstrap.bundle.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.css?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.css?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.js?v=5.2.1deb1</a>
Método	GET

Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/sql-hint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/sql-hint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/lint/lint.css?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/lint/lint.css?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/lint/lint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/lint/lint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/runmode/runmode.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/runmode/runmode.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.css?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.css?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-migrate.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-migrate.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.debounce-1.0.6.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.debounce-1.0.6.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.validate.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.validate.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/js.cookie.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/js.cookie.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)



Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/sprintf.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/sprintf.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/themes/dot.gif">http://vendetudo.com/phpmyadmin/themes/dot.gif</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/themes/pmahomme/css/theme.css?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/themes/pmahomme/css/theme.css?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/themes/pmahomme/img/logo_right.png">http://vendetudo.com/phpmyadmin/themes/pmahomme/img/logo_right.png</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/themes/pmahomme/jquery/jquery-ui.css">http://vendetudo.com/phpmyadmin/themes/pmahomme/jquery/jquery-ui.css</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F">http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	

URL	<a href="http://vendetudo.com/robots.txt">http://vendetudo.com/robots.txt</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/script">http://vendetudo.com/script</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/sessions/">http://vendetudo.com/sessions/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/setup">http://vendetudo.com/setup</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/setup/">http://vendetudo.com/setup/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/sitemap.xml">http://vendetudo.com/sitemap.xml</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/some/local/directory/config.user.inc.php:/etc/phpmyadmin/config.user.inc.php">http://vendetudo.com/some/local/directory/config.user.inc.php:/etc/phpmyadmin/config.user.inc.php</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/sql/">http://vendetudo.com/sql/</a>

Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/sql/upgrade_column_info_4_3_0+.sql">http://vendetudo.com/sql/upgrade_column_info_4_3_0+.sql</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/table">http://vendetudo.com/table</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/templates/">http://vendetudo.com/templates/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/themes/">http://vendetudo.com/themes/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/themes/">http://vendetudo.com/themes/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/tmp">http://vendetudo.com/tmp</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/tmp/">http://vendetudo.com/tmp/</a>
Método	GET
Ataque	

Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/tmp/mysql.sock%E2%80%99">http://vendetudo.com/tmp/mysql.sock%E2%80%99</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/tmp/mysql.sock">http://vendetudo.com/tmp/mysql.sock</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/tmp/php">http://vendetudo.com/tmp/php</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/usr/share/doc/phpmyadmin/README.Debian">http://vendetudo.com/usr/share/doc/phpmyadmin/README.Debian</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/usr/share/phpmyadmin/passwd">http://vendetudo.com/usr/share/phpmyadmin/passwd</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/var/lib/mysql/mysql.sock">http://vendetudo.com/var/lib/mysql/mysql.sock</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/var/lib/phpmyadmin/config.inc.php">http://vendetudo.com/var/lib/phpmyadmin/config.inc.php</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)

Other Info	
URL	<a href="http://vendetudo.com/var/log/auth.log">http://vendetudo.com/var/log/auth.log</a> .
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/version-check">http://vendetudo.com/version-check</a> .
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/www/themes/">http://vendetudo.com/www/themes/</a>
Método	GET
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	POST
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	Apache/2.4.62 (Debian)
Other Info	
Instances	1427
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	<a href="https://httpd.apache.org/docs/current/mod/core.html#servertokens">https://httpd.apache.org/docs/current/mod/core.html#servertokens</a> <a href="https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10)">https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10)</a> <a href="https://www.troyhunt.com/shhh-dont-let-your-response-headers/">https://www.troyhunt.com/shhh-dont-let-your-response-headers/</a>
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">10036</a>

<b>Baixo</b>	<b>X-Content-Type-Options Header Missing</b>
Descrição	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of

	Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	<a href="http://vendetudo.com/">http://vendetudo.com/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/">http://vendetudo.com/.git/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/?C=D;O=A">http://vendetudo.com/.git/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/?C=D;O=D">http://vendetudo.com/.git/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/?C=M;O=A">http://vendetudo.com/.git/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/?C=M;O=D">http://vendetudo.com/.git/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/?C=N;O=A">http://vendetudo.com/.git/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/?C=N;O=D">http://vendetudo.com/.git/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/?C=S;O=A">http://vendetudo.com/.git/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/?C=S;O=D">http://vendetudo.com/.git/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/branches/">http://vendetudo.com/.git/branches/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=A">http://vendetudo.com/.git/branches/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/branches/?C=D;O=D">http://vendetudo.com/.git/branches/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=A">http://vendetudo.com/.git/branches/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/branches/?C=M;O=D">http://vendetudo.com/.git/branches/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=A">http://vendetudo.com/.git/branches/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/branches/?C=N;O=D">http://vendetudo.com/.git/branches/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/branches/?C=S;O=A">http://vendetudo.com/.git/branches/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.



URL	<a href="http://vendetudo.com/.git/branches/?C=S:O=D">http://vendetudo.com/.git/branches/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/COMMIT_EDITMSG">http://vendetudo.com/.git/COMMIT_EDITMSG</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/config">http://vendetudo.com/.git/config</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/description">http://vendetudo.com/.git/description</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/HEAD">http://vendetudo.com/.git/HEAD</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/">http://vendetudo.com/.git/hooks/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/hooks/?C=D:O=A">http://vendetudo.com/.git/hooks/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/?C=D:O=D">http://vendetudo.com/.git/hooks/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/?C=M:O=A">http://vendetudo.com/.git/hooks/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/?C=M:O=D">http://vendetudo.com/.git/hooks/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/?C=N:O=A">http://vendetudo.com/.git/hooks/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/?C=N:O=D">http://vendetudo.com/.git/hooks/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/?C=S:O=A">http://vendetudo.com/.git/hooks/?C=S:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/?C=S;O=D">http://vendetudo.com/.git/hooks/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/applypatch-msg.sample">http://vendetudo.com/.git/hooks/applypatch-msg.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/commit-msg.sample">http://vendetudo.com/.git/hooks/commit-msg.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/fsmonitor-watchman.sample">http://vendetudo.com/.git/hooks/fsmonitor-watchman.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/post-update.sample">http://vendetudo.com/.git/hooks/post-update.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/pre-applypatch.sample">http://vendetudo.com/.git/hooks/pre-applypatch.sample</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/pre-commit.sample">http://vendetudo.com/.git/hooks/pre-commit.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/pre-merge-commit.sample">http://vendetudo.com/.git/hooks/pre-merge-commit.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/pre-push.sample">http://vendetudo.com/.git/hooks/pre-push.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/pre-rebase.sample">http://vendetudo.com/.git/hooks/pre-rebase.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/pre-receive.sample">http://vendetudo.com/.git/hooks/pre-receive.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/prepare-commit-msg.sample">http://vendetudo.com/.git/hooks/prepare-commit-msg.sample</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/push-to-checkout.sample">http://vendetudo.com/.git/hooks/push-to-checkout.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/sendemail-validate.sample">http://vendetudo.com/.git/hooks/sendemail-validate.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/hooks/update.sample">http://vendetudo.com/.git/hooks/update.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/index">http://vendetudo.com/.git/index</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/info/">http://vendetudo.com/.git/info/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=A">http://vendetudo.com/.git/info/?C=D;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/info/?C=D;O=D">http://vendetudo.com/.git/info/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=A">http://vendetudo.com/.git/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/info/?C=M;O=D">http://vendetudo.com/.git/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=A">http://vendetudo.com/.git/info/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/info/?C=N;O=D">http://vendetudo.com/.git/info/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=A">http://vendetudo.com/.git/info/?C=S;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/info/?C=S;O=D">http://vendetudo.com/.git/info/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/info/exclude">http://vendetudo.com/.git/info/exclude</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/">http://vendetudo.com/.git/logs/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=A">http://vendetudo.com/.git/logs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/?C=D;O=D">http://vendetudo.com/.git/logs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=A">http://vendetudo.com/.git/logs/?C=M;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/?C=M;O=D">http://vendetudo.com/.git/logs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=A">http://vendetudo.com/.git/logs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/?C=N;O=D">http://vendetudo.com/.git/logs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=A">http://vendetudo.com/.git/logs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/?C=S;O=D">http://vendetudo.com/.git/logs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	



Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/">http://vendetudo.com/.git/logs/refs/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=A">http://vendetudo.com/.git/logs/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=D;O=D">http://vendetudo.com/.git/logs/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=A">http://vendetudo.com/.git/logs/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=M;O=D">http://vendetudo.com/.git/logs/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=A">http://vendetudo.com/.git/logs/refs/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=N;O=D">http://vendetudo.com/.git/logs/refs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=A">http://vendetudo.com/.git/logs/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/?C=S;O=D">http://vendetudo.com/.git/logs/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/">http://vendetudo.com/.git/logs/refs/heads/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D">http://vendetudo.com/.git/logs/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A">http://vendetudo.com/.git/logs/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/">http://vendetudo.com/.git/objects/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/00/">http://vendetudo.com/.git/objects/00/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=A">http://vendetudo.com/.git/objects/00/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/00/?C=D;O=D">http://vendetudo.com/.git/objects/00/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=A">http://vendetudo.com/.git/objects/00/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/00/?C=M;O=D">http://vendetudo.com/.git/objects/00/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=A">http://vendetudo.com/.git/objects/00/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/00/?C=N;O=D">http://vendetudo.com/.git/objects/00/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=A">http://vendetudo.com/.git/objects/00/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/00/?C=S;O=D">http://vendetudo.com/.git/objects/00/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/00/ddcea6bc4e49f54a93bb634c72ceae255e31cf">http://vendetudo.com/.git/objects/00/ddcea6bc4e49f54a93bb634c72ceae255e31cf</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/01/">http://vendetudo.com/.git/objects/01/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/01/586176d793c261db6b6ca4ca7822b2d3b35703">http://vendetudo.com/.git/objects/01/586176d793c261db6b6ca4ca7822b2d3b35703</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=A">http://vendetudo.com/.git/objects/01/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/01/?C=D;O=D">http://vendetudo.com/.git/objects/01/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/01/?C=M:O=A">http://vendetudo.com/.git/objects/01/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/01/?C=M:O=D">http://vendetudo.com/.git/objects/01/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N:O=A">http://vendetudo.com/.git/objects/01/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/01/?C=N:O=D">http://vendetudo.com/.git/objects/01/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S:O=A">http://vendetudo.com/.git/objects/01/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/01/?C=S:O=D">http://vendetudo.com/.git/objects/01/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/03/">http://vendetudo.com/.git/objects/03/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/03/32b3e3dcd8870dd78bb32833cf2989b4c5bbdb">http://vendetudo.com/.git/objects/03/32b3e3dcd8870dd78bb32833cf2989b4c5bbdb</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D:O=A">http://vendetudo.com/.git/objects/03/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/03/?C=D:O=D">http://vendetudo.com/.git/objects/03/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M:O=A">http://vendetudo.com/.git/objects/03/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/03/?C=M:O=D">http://vendetudo.com/.git/objects/03/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N:O=A">http://vendetudo.com/.git/objects/03/?C=N:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/03/?C=N;O=D">http://vendetudo.com/.git/objects/03/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S;O=A">http://vendetudo.com/.git/objects/03/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/03/?C=S;O=D">http://vendetudo.com/.git/objects/03/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/">http://vendetudo.com/.git/objects/04/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/8cff973981e8dd4ed8e73c4ca532ffcf02e1e8">http://vendetudo.com/.git/objects/04/8cff973981e8dd4ed8e73c4ca532ffcf02e1e8</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D;O=A">http://vendetudo.com/.git/objects/04/?C=D;O=A</a>



Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/?C=D:O=D">http://vendetudo.com/.git/objects/04/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M:O=A">http://vendetudo.com/.git/objects/04/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/?C=M:O=D">http://vendetudo.com/.git/objects/04/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N:O=A">http://vendetudo.com/.git/objects/04/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/?C=N:O=D">http://vendetudo.com/.git/objects/04/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S:O=A">http://vendetudo.com/.git/objects/04/?C=S:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/?C=S:O=D">http://vendetudo.com/.git/objects/04/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/04/fb2a41478a28d559a3de49db34e4678f23663e">http://vendetudo.com/.git/objects/04/fb2a41478a28d559a3de49db34e4678f23663e</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/">http://vendetudo.com/.git/objects/07/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/9f47980d3b83d94cb1ba5d7f9a63c31c0c9286">http://vendetudo.com/.git/objects/07/9f47980d3b83d94cb1ba5d7f9a63c31c0c9286</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D:O=A">http://vendetudo.com/.git/objects/07/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/?C=D:O=D">http://vendetudo.com/.git/objects/07/?C=D:O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M:O=A">http://vendetudo.com/.git/objects/07/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/?C=M:O=D">http://vendetudo.com/.git/objects/07/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N:O=A">http://vendetudo.com/.git/objects/07/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/?C=N:O=D">http://vendetudo.com/.git/objects/07/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S:O=A">http://vendetudo.com/.git/objects/07/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/?C=S:O=D">http://vendetudo.com/.git/objects/07/?C=S:O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/07/be5c38423c23aca48db6492d2ce06b78ba0ca1">http://vendetudo.com/.git/objects/07/be5c38423c23aca48db6492d2ce06b78ba0ca1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0a/">http://vendetudo.com/.git/objects/0a/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0a/2ac6fa70b4d9ace5c998dd9e9e5631c1a2554f">http://vendetudo.com/.git/objects/0a/2ac6fa70b4d9ace5c998dd9e9e5631c1a2554f</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D:O=A">http://vendetudo.com/.git/objects/0a/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=D:O=D">http://vendetudo.com/.git/objects/0a/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M:O=A">http://vendetudo.com/.git/objects/0a/?C=M:O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=M:O=D">http://vendetudo.com/.git/objects/0a/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N:O=A">http://vendetudo.com/.git/objects/0a/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=N:O=D">http://vendetudo.com/.git/objects/0a/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S:O=A">http://vendetudo.com/.git/objects/0a/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0a/?C=S:O=D">http://vendetudo.com/.git/objects/0a/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/">http://vendetudo.com/.git/objects/0e/</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/0c282cad008acb11a453c89203703033f7b7dd">http://vendetudo.com/.git/objects/0e/0c282cad008acb11a453c89203703033f7b7dd</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/7fc381d43af3c148e4ff2ffecc215e6df41044">http://vendetudo.com/.git/objects/0e/7fc381d43af3c148e4ff2ffecc215e6df41044</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=A">http://vendetudo.com/.git/objects/0e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=D;O=D">http://vendetudo.com/.git/objects/0e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=A">http://vendetudo.com/.git/objects/0e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=M;O=D">http://vendetudo.com/.git/objects/0e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N:O=A">http://vendetudo.com/.git/objects/0e/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=N:O=D">http://vendetudo.com/.git/objects/0e/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S:O=A">http://vendetudo.com/.git/objects/0e/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/0e/?C=S:O=D">http://vendetudo.com/.git/objects/0e/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/">http://vendetudo.com/.git/objects/13/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/46842ede28341dd7441f9a7d228bdb5ac0a58e">http://vendetudo.com/.git/objects/13/46842ede28341dd7441f9a7d228bdb5ac0a58e</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D:O=A">http://vendetudo.com/.git/objects/13/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/?C=D:O=D">http://vendetudo.com/.git/objects/13/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M:O=A">http://vendetudo.com/.git/objects/13/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/?C=M:O=D">http://vendetudo.com/.git/objects/13/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N:O=A">http://vendetudo.com/.git/objects/13/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/?C=N:O=D">http://vendetudo.com/.git/objects/13/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages



Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=A">http://vendetudo.com/.git/objects/13/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/?C=S;O=D">http://vendetudo.com/.git/objects/13/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/13/d03076f3020b9f56c5d261a992579d34ab6709">http://vendetudo.com/.git/objects/13/d03076f3020b9f56c5d261a992579d34ab6709</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/15/">http://vendetudo.com/.git/objects/15/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/15/25287332318116d93bbdbe870b514271061b70">http://vendetudo.com/.git/objects/15/25287332318116d93bbdbe870b514271061b70</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D;O=A">http://vendetudo.com/.git/objects/15/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/15/?C=D:O=D">http://vendetudo.com/.git/objects/15/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M:O=A">http://vendetudo.com/.git/objects/15/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/15/?C=M:O=D">http://vendetudo.com/.git/objects/15/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N:O=A">http://vendetudo.com/.git/objects/15/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/15/?C=N:O=D">http://vendetudo.com/.git/objects/15/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/15/?C=S:O=A">http://vendetudo.com/.git/objects/15/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/15/?C=S:O=D">http://vendetudo.com/.git/objects/15/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/17/">http://vendetudo.com/.git/objects/17/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/17/01b1e4da7d98611458dff6fb53371722c6b162">http://vendetudo.com/.git/objects/17/01b1e4da7d98611458dff6fb53371722c6b162</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D:O=A">http://vendetudo.com/.git/objects/17/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/17/?C=D:O=D">http://vendetudo.com/.git/objects/17/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/17/?C=M:O=A">http://vendetudo.com/.git/objects/17/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/17/?C=M:O=D">http://vendetudo.com/.git/objects/17/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N:O=A">http://vendetudo.com/.git/objects/17/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/17/?C=N:O=D">http://vendetudo.com/.git/objects/17/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S:O=A">http://vendetudo.com/.git/objects/17/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/17/?C=S:O=D">http://vendetudo.com/.git/objects/17/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1b/">http://vendetudo.com/.git/objects/1b/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D:O=A">http://vendetudo.com/.git/objects/1b/?C=D:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=D:O=D">http://vendetudo.com/.git/objects/1b/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M:O=A">http://vendetudo.com/.git/objects/1b/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=M:O=D">http://vendetudo.com/.git/objects/1b/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N:O=A">http://vendetudo.com/.git/objects/1b/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=N:O=D">http://vendetudo.com/.git/objects/1b/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S:O=A">http://vendetudo.com/.git/objects/1b/?C=S:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1b/?C=S:O=D">http://vendetudo.com/.git/objects/1b/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1b/d1f8bfe252292000bacbaa94ecdff752d1dc35">http://vendetudo.com/.git/objects/1b/d1f8bfe252292000bacbaa94ecdff752d1dc35</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1d/">http://vendetudo.com/.git/objects/1d/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1d/4a4ed3701f589df59ee4e761358ebfff900d4a">http://vendetudo.com/.git/objects/1d/4a4ed3701f589df59ee4e761358ebfff900d4a</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D:O=A">http://vendetudo.com/.git/objects/1d/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=D:O=D">http://vendetudo.com/.git/objects/1d/?C=D:O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M:O=A">http://vendetudo.com/.git/objects/1d/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=M:O=D">http://vendetudo.com/.git/objects/1d/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N:O=A">http://vendetudo.com/.git/objects/1d/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=N:O=D">http://vendetudo.com/.git/objects/1d/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S:O=A">http://vendetudo.com/.git/objects/1d/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1d/?C=S:O=D">http://vendetudo.com/.git/objects/1d/?C=S:O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1e/">http://vendetudo.com/.git/objects/1e/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1e/42801fab2bde4e29dfa36f7a93c499b06094b9">http://vendetudo.com/.git/objects/1e/42801fab2bde4e29dfa36f7a93c499b06094b9</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D:O=A">http://vendetudo.com/.git/objects/1e/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=D:O=D">http://vendetudo.com/.git/objects/1e/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M:O=A">http://vendetudo.com/.git/objects/1e/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=M:O=D">http://vendetudo.com/.git/objects/1e/?C=M:O=D</a>
Método	GET
Ataque	



Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N:O=A">http://vendetudo.com/.git/objects/1e/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=N:O=D">http://vendetudo.com/.git/objects/1e/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S:O=A">http://vendetudo.com/.git/objects/1e/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1e/?C=S:O=D">http://vendetudo.com/.git/objects/1e/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1f/">http://vendetudo.com/.git/objects/1f/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1f/7b880ca8e4e307f3364f2e7f4dc9ad67b750f6">http://vendetudo.com/.git/objects/1f/7b880ca8e4e307f3364f2e7f4dc9ad67b750f6</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=A">http://vendetudo.com/.git/objects/1f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=D;O=D">http://vendetudo.com/.git/objects/1f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=A">http://vendetudo.com/.git/objects/1f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=M;O=D">http://vendetudo.com/.git/objects/1f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=A">http://vendetudo.com/.git/objects/1f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=N;O=D">http://vendetudo.com/.git/objects/1f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=A">http://vendetudo.com/.git/objects/1f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/1f/?C=S;O=D">http://vendetudo.com/.git/objects/1f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/22/">http://vendetudo.com/.git/objects/22/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=A">http://vendetudo.com/.git/objects/22/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/22/?C=D;O=D">http://vendetudo.com/.git/objects/22/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M;O=A">http://vendetudo.com/.git/objects/22/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/22/?C=M:O=D">http://vendetudo.com/.git/objects/22/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N:O=A">http://vendetudo.com/.git/objects/22/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/22/?C=N:O=D">http://vendetudo.com/.git/objects/22/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S:O=A">http://vendetudo.com/.git/objects/22/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/22/?C=S:O=D">http://vendetudo.com/.git/objects/22/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/22/b42c26796e56b6e9338997e5dde3d818908011">http://vendetudo.com/.git/objects/22/b42c26796e56b6e9338997e5dde3d818908011</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/24/">http://vendetudo.com/.git/objects/24/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/24/2d6c79d94c45c3b2607dfb77d3572a0adf102d">http://vendetudo.com/.git/objects/24/2d6c79d94c45c3b2607dfb77d3572a0adf102d</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=A">http://vendetudo.com/.git/objects/24/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/24/?C=D;O=D">http://vendetudo.com/.git/objects/24/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=A">http://vendetudo.com/.git/objects/24/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/24/?C=M;O=D">http://vendetudo.com/.git/objects/24/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=A">http://vendetudo.com/.git/objects/24/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/24/?C=N;O=D">http://vendetudo.com/.git/objects/24/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S;O=A">http://vendetudo.com/.git/objects/24/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/24/?C=S;O=D">http://vendetudo.com/.git/objects/24/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/28/">http://vendetudo.com/.git/objects/28/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/28/3afb832f9ba7947f526ceb9e8605d9bebf01fb">http://vendetudo.com/.git/objects/28/3afb832f9ba7947f526ceb9e8605d9bebf01fb</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D:O=A">http://vendetudo.com/.git/objects/28/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/28/?C=D:O=D">http://vendetudo.com/.git/objects/28/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M:O=A">http://vendetudo.com/.git/objects/28/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/28/?C=M:O=D">http://vendetudo.com/.git/objects/28/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N:O=A">http://vendetudo.com/.git/objects/28/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/28/?C=N:O=D">http://vendetudo.com/.git/objects/28/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/28/?C=S;O=A">http://vendetudo.com/.git/objects/28/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/28/?C=S;O=D">http://vendetudo.com/.git/objects/28/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/2c/">http://vendetudo.com/.git/objects/2c/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=A">http://vendetudo.com/.git/objects/2c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=D;O=D">http://vendetudo.com/.git/objects/2c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=A">http://vendetudo.com/.git/objects/2c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.



URL	<a href="http://vendetudo.com/.git/objects/2c/?C=M;O=D">http://vendetudo.com/.git/objects/2c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=A">http://vendetudo.com/.git/objects/2c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=N;O=D">http://vendetudo.com/.git/objects/2c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=A">http://vendetudo.com/.git/objects/2c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/2c/?C=S;O=D">http://vendetudo.com/.git/objects/2c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/2c/e3cee57d3d70d03031bbe24e8197a5a1c6f8a6">http://vendetudo.com/.git/objects/2c/e3cee57d3d70d03031bbe24e8197a5a1c6f8a6</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/">http://vendetudo.com/.git/objects/31/</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/9042851393dff610b5c5ffca7759d75d2b07f4">http://vendetudo.com/.git/objects/31/9042851393dff610b5c5ffca7759d75d2b07f4</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D:O=A">http://vendetudo.com/.git/objects/31/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/?C=D:O=D">http://vendetudo.com/.git/objects/31/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M:O=A">http://vendetudo.com/.git/objects/31/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/?C=M:O=D">http://vendetudo.com/.git/objects/31/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N:O=A">http://vendetudo.com/.git/objects/31/?C=N:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/?C=N:O=D">http://vendetudo.com/.git/objects/31/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S:O=A">http://vendetudo.com/.git/objects/31/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/?C=S:O=D">http://vendetudo.com/.git/objects/31/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/31/cbc18b3597e591dac18da544e10372c65c7b6d">http://vendetudo.com/.git/objects/31/cbc18b3597e591dac18da544e10372c65c7b6d</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/35/">http://vendetudo.com/.git/objects/35/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D:O=A">http://vendetudo.com/.git/objects/35/?C=D:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/35/?C=D:O=D">http://vendetudo.com/.git/objects/35/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M:O=A">http://vendetudo.com/.git/objects/35/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/35/?C=M:O=D">http://vendetudo.com/.git/objects/35/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N:O=A">http://vendetudo.com/.git/objects/35/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/35/?C=N:O=D">http://vendetudo.com/.git/objects/35/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S:O=A">http://vendetudo.com/.git/objects/35/?C=S:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/35/?C=S:O=D">http://vendetudo.com/.git/objects/35/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/35/d42e808f0a8017b8d52a06be2f8fec0b466a66">http://vendetudo.com/.git/objects/35/d42e808f0a8017b8d52a06be2f8fec0b466a66</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/38/">http://vendetudo.com/.git/objects/38/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/38/1834ec8cd5efe4f7c33b4b7754d5715c057b5a">http://vendetudo.com/.git/objects/38/1834ec8cd5efe4f7c33b4b7754d5715c057b5a</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D:O=A">http://vendetudo.com/.git/objects/38/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/38/?C=D:O=D">http://vendetudo.com/.git/objects/38/?C=D:O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M:O=A">http://vendetudo.com/.git/objects/38/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/38/?C=M:O=D">http://vendetudo.com/.git/objects/38/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N:O=A">http://vendetudo.com/.git/objects/38/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/38/?C=N:O=D">http://vendetudo.com/.git/objects/38/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S:O=A">http://vendetudo.com/.git/objects/38/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/38/?C=S:O=D">http://vendetudo.com/.git/objects/38/?C=S:O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/39/">http://vendetudo.com/.git/objects/39/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D:O=A">http://vendetudo.com/.git/objects/39/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/39/?C=D:O=D">http://vendetudo.com/.git/objects/39/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M:O=A">http://vendetudo.com/.git/objects/39/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/39/?C=M:O=D">http://vendetudo.com/.git/objects/39/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N:O=A">http://vendetudo.com/.git/objects/39/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/39/?C=N:O=D">http://vendetudo.com/.git/objects/39/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S:O=A">http://vendetudo.com/.git/objects/39/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/39/?C=S:O=D">http://vendetudo.com/.git/objects/39/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/39/e5fa6ff02c44fd0946194906b32d938c43dc98">http://vendetudo.com/.git/objects/39/e5fa6ff02c44fd0946194906b32d938c43dc98</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3b/">http://vendetudo.com/.git/objects/3b/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D:O=A">http://vendetudo.com/.git/objects/3b/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	



Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=D:O=D">http://vendetudo.com/.git/objects/3b/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M:O=A">http://vendetudo.com/.git/objects/3b/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=M:O=D">http://vendetudo.com/.git/objects/3b/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N:O=A">http://vendetudo.com/.git/objects/3b/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=N:O=D">http://vendetudo.com/.git/objects/3b/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S:O=A">http://vendetudo.com/.git/objects/3b/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3b/?C=S:O=D">http://vendetudo.com/.git/objects/3b/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3b/f6484a29d8da269f9bc874b25493a45fae3bae">http://vendetudo.com/.git/objects/3b/f6484a29d8da269f9bc874b25493a45fae3bae</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3c/">http://vendetudo.com/.git/objects/3c/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3c/5f7fa9470685dbbb887ce66017954ed10133e2">http://vendetudo.com/.git/objects/3c/5f7fa9470685dbbb887ce66017954ed10133e2</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D:O=A">http://vendetudo.com/.git/objects/3c/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=D:O=D">http://vendetudo.com/.git/objects/3c/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=A">http://vendetudo.com/.git/objects/3c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=M;O=D">http://vendetudo.com/.git/objects/3c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=A">http://vendetudo.com/.git/objects/3c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=N;O=D">http://vendetudo.com/.git/objects/3c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=A">http://vendetudo.com/.git/objects/3c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/3c/?C=S;O=D">http://vendetudo.com/.git/objects/3c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/41/">http://vendetudo.com/.git/objects/41/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D:O=A">http://vendetudo.com/.git/objects/41/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/41/?C=D:O=D">http://vendetudo.com/.git/objects/41/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M:O=A">http://vendetudo.com/.git/objects/41/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/41/?C=M:O=D">http://vendetudo.com/.git/objects/41/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/41/?C=N:O=A">http://vendetudo.com/.git/objects/41/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/41/?C=N:O=D">http://vendetudo.com/.git/objects/41/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S:O=A">http://vendetudo.com/.git/objects/41/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/41/?C=S:O=D">http://vendetudo.com/.git/objects/41/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/41/ced46a356209abf1fee4dba7cc0be32e26c71b">http://vendetudo.com/.git/objects/41/ced46a356209abf1fee4dba7cc0be32e26c71b</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/43/">http://vendetudo.com/.git/objects/43/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/43/?C=D:O=A">http://vendetudo.com/.git/objects/43/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/43/?C=D:O=D">http://vendetudo.com/.git/objects/43/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M:O=A">http://vendetudo.com/.git/objects/43/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/43/?C=M:O=D">http://vendetudo.com/.git/objects/43/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N:O=A">http://vendetudo.com/.git/objects/43/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/43/?C=N:O=D">http://vendetudo.com/.git/objects/43/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S:O=A">http://vendetudo.com/.git/objects/43/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/43/?C=S:O=D">http://vendetudo.com/.git/objects/43/?C=S:O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/43/ff77a20feab865fe1cd42769438552cd0f5b70">http://vendetudo.com/.git/objects/43/ff77a20feab865fe1cd42769438552cd0f5b70</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/">http://vendetudo.com/.git/objects/45/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/70ff38ebbd2357ea63f31b73480330fb5ae65">http://vendetudo.com/.git/objects/45/70ff38ebbd2357ea63f31b73480330fb5ae65</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D:O=A">http://vendetudo.com/.git/objects/45/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/?C=D:O=D">http://vendetudo.com/.git/objects/45/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M:O=A">http://vendetudo.com/.git/objects/45/?C=M:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/?C=M:O=D">http://vendetudo.com/.git/objects/45/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N:O=A">http://vendetudo.com/.git/objects/45/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/?C=N:O=D">http://vendetudo.com/.git/objects/45/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S:O=A">http://vendetudo.com/.git/objects/45/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/?C=S:O=D">http://vendetudo.com/.git/objects/45/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/45/fdf33830123533459b17fbbf91735489fd6bd8">http://vendetudo.com/.git/objects/45/fdf33830123533459b17fbbf91735489fd6bd8</a>
Método	GET



Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/">http://vendetudo.com/.git/objects/4b/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/37767b64b3dc232fba39c69e4d0e076fe1748a">http://vendetudo.com/.git/objects/4b/37767b64b3dc232fba39c69e4d0e076fe1748a</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/5e783568c16ecaa56344692aabcd890623ba3e">http://vendetudo.com/.git/objects/4b/5e783568c16ecaa56344692aabcd890623ba3e</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/6e0d1a713a90503f3012d8e5de2c3e3715aec4">http://vendetudo.com/.git/objects/4b/6e0d1a713a90503f3012d8e5de2c3e3715aec4</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D:O=A">http://vendetudo.com/.git/objects/4b/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=D:O=D">http://vendetudo.com/.git/objects/4b/?C=D:O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M:O=A">http://vendetudo.com/.git/objects/4b/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=M:O=D">http://vendetudo.com/.git/objects/4b/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N:O=A">http://vendetudo.com/.git/objects/4b/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=N:O=D">http://vendetudo.com/.git/objects/4b/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S:O=A">http://vendetudo.com/.git/objects/4b/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4b/?C=S:O=D">http://vendetudo.com/.git/objects/4b/?C=S:O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/">http://vendetudo.com/.git/objects/4c/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/9cc323a649864b7d2de9b076595c3e0a1a9aeb">http://vendetudo.com/.git/objects/4c/9cc323a649864b7d2de9b076595c3e0a1a9aeb</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D:O=A">http://vendetudo.com/.git/objects/4c/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=D:O=D">http://vendetudo.com/.git/objects/4c/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M:O=A">http://vendetudo.com/.git/objects/4c/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=M:O=D">http://vendetudo.com/.git/objects/4c/?C=M:O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=A">http://vendetudo.com/.git/objects/4c/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=N;O=D">http://vendetudo.com/.git/objects/4c/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=A">http://vendetudo.com/.git/objects/4c/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/?C=S;O=D">http://vendetudo.com/.git/objects/4c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/4c/bdf8a9b074edda1272391313460db75ae4b771">http://vendetudo.com/.git/objects/4c/bdf8a9b074edda1272391313460db75ae4b771</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/">http://vendetudo.com/.git/objects/50/</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/2c0680ac8b8133ada2c45b7c7bcbf5fd9cb8bc">http://vendetudo.com/.git/objects/50/2c0680ac8b8133ada2c45b7c7bcbf5fd9cb8bc</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=A">http://vendetudo.com/.git/objects/50/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/?C=D;O=D">http://vendetudo.com/.git/objects/50/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=A">http://vendetudo.com/.git/objects/50/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/?C=M;O=D">http://vendetudo.com/.git/objects/50/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=A">http://vendetudo.com/.git/objects/50/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/?C=N;O=D">http://vendetudo.com/.git/objects/50/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=A">http://vendetudo.com/.git/objects/50/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/?C=S;O=D">http://vendetudo.com/.git/objects/50/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/50/f9e0d66de1f6e1a9be52d642f3a54a88d4adc8">http://vendetudo.com/.git/objects/50/f9e0d66de1f6e1a9be52d642f3a54a88d4adc8</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/57/">http://vendetudo.com/.git/objects/57/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D;O=A">http://vendetudo.com/.git/objects/57/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/57/?C=D:O=D">http://vendetudo.com/.git/objects/57/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M:O=A">http://vendetudo.com/.git/objects/57/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/57/?C=M:O=D">http://vendetudo.com/.git/objects/57/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N:O=A">http://vendetudo.com/.git/objects/57/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/57/?C=N:O=D">http://vendetudo.com/.git/objects/57/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S:O=A">http://vendetudo.com/.git/objects/57/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/57/?C=S:O=D">http://vendetudo.com/.git/objects/57/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/57/fa5cf4342946075a43721d33a4464cd1158efb">http://vendetudo.com/.git/objects/57/fa5cf4342946075a43721d33a4464cd1158efb</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/58/">http://vendetudo.com/.git/objects/58/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/58/72487b79c317313c622ad7fcb9af958f45bfe6">http://vendetudo.com/.git/objects/58/72487b79c317313c622ad7fcb9af958f45bfe6</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D:O=A">http://vendetudo.com/.git/objects/58/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/58/?C=D:O=D">http://vendetudo.com/.git/objects/58/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client



	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M;O=A">http://vendetudo.com/.git/objects/58/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/58/?C=M;O=D">http://vendetudo.com/.git/objects/58/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N;O=A">http://vendetudo.com/.git/objects/58/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/58/?C=N;O=D">http://vendetudo.com/.git/objects/58/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S;O=A">http://vendetudo.com/.git/objects/58/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/58/?C=S;O=D">http://vendetudo.com/.git/objects/58/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/59/">http://vendetudo.com/.git/objects/59/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/59/4883c2b6ee892c14cd588061cd2e82b3a0cc9f">http://vendetudo.com/.git/objects/59/4883c2b6ee892c14cd588061cd2e82b3a0cc9f</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D:O=A">http://vendetudo.com/.git/objects/59/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/59/?C=D:O=D">http://vendetudo.com/.git/objects/59/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M:O=A">http://vendetudo.com/.git/objects/59/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/59/?C=M:O=D">http://vendetudo.com/.git/objects/59/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/59/?C=N:O=A">http://vendetudo.com/.git/objects/59/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/59/?C=N:O=D">http://vendetudo.com/.git/objects/59/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S:O=A">http://vendetudo.com/.git/objects/59/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/59/?C=S:O=D">http://vendetudo.com/.git/objects/59/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/59/b2e718c831e94a76c6307b241f1bf355f5577c">http://vendetudo.com/.git/objects/59/b2e718c831e94a76c6307b241f1bf355f5577c</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/">http://vendetudo.com/.git/objects/5c/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/2071ee504435939aa3d44b9af38ec1234c9ddf">http://vendetudo.com/.git/objects/5c/2071ee504435939aa3d44b9af38ec1234c9ddf</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/2fda7bd2abbd0de8c6574b202efdaacd8bd561">http://vendetudo.com/.git/objects/5c/2fda7bd2abbd0de8c6574b202efdaacd8bd561</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D:O=A">http://vendetudo.com/.git/objects/5c/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=D:O=D">http://vendetudo.com/.git/objects/5c/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M:O=A">http://vendetudo.com/.git/objects/5c/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=M:O=D">http://vendetudo.com/.git/objects/5c/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N:O=A">http://vendetudo.com/.git/objects/5c/?C=N:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=N:O=D">http://vendetudo.com/.git/objects/5c/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S:O=A">http://vendetudo.com/.git/objects/5c/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/?C=S:O=D">http://vendetudo.com/.git/objects/5c/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5c/eab7c53d8f595668cd2c57d03824199129e0b5">http://vendetudo.com/.git/objects/5c/eab7c53d8f595668cd2c57d03824199129e0b5</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5d/">http://vendetudo.com/.git/objects/5d/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D:O=A">http://vendetudo.com/.git/objects/5d/?C=D:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=D:O=D">http://vendetudo.com/.git/objects/5d/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M:O=A">http://vendetudo.com/.git/objects/5d/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=M:O=D">http://vendetudo.com/.git/objects/5d/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N:O=A">http://vendetudo.com/.git/objects/5d/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=N:O=D">http://vendetudo.com/.git/objects/5d/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S:O=A">http://vendetudo.com/.git/objects/5d/?C=S:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5d/?C=S:O=D">http://vendetudo.com/.git/objects/5d/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/5d/b3a89349369110f309ad63e3b963361bec8c49">http://vendetudo.com/.git/objects/5d/b3a89349369110f309ad63e3b963361bec8c49</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/">http://vendetudo.com/.git/objects/61/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/330fa39577853795b761ab842bdb89a52469ed">http://vendetudo.com/.git/objects/61/330fa39577853795b761ab842bdb89a52469ed</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/610374fee11165142263f1d572b56c24b76da9">http://vendetudo.com/.git/objects/61/610374fee11165142263f1d572b56c24b76da9</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D:O=A">http://vendetudo.com/.git/objects/61/?C=D:O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/?C=D;O=D">http://vendetudo.com/.git/objects/61/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M;O=A">http://vendetudo.com/.git/objects/61/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/?C=M;O=D">http://vendetudo.com/.git/objects/61/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N;O=A">http://vendetudo.com/.git/objects/61/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/?C=N;O=D">http://vendetudo.com/.git/objects/61/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S;O=A">http://vendetudo.com/.git/objects/61/?C=S;O=A</a>
Método	GET
Ataque	



Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/61/?C=S;O=D">http://vendetudo.com/.git/objects/61/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/62/">http://vendetudo.com/.git/objects/62/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/62/6f490f8729f01537edfa26b69831b1867c9d64">http://vendetudo.com/.git/objects/62/6f490f8729f01537edfa26b69831b1867c9d64</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=A">http://vendetudo.com/.git/objects/62/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/62/?C=D;O=D">http://vendetudo.com/.git/objects/62/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=A">http://vendetudo.com/.git/objects/62/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/62/?C=M;O=D">http://vendetudo.com/.git/objects/62/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=A">http://vendetudo.com/.git/objects/62/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/62/?C=N;O=D">http://vendetudo.com/.git/objects/62/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=A">http://vendetudo.com/.git/objects/62/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/62/?C=S;O=D">http://vendetudo.com/.git/objects/62/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/66/">http://vendetudo.com/.git/objects/66/</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/66/6e856afdcfe005ef43bb4e9cbb1174852213f9">http://vendetudo.com/.git/objects/66/6e856afdcfe005ef43bb4e9cbb1174852213f9</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D:O=A">http://vendetudo.com/.git/objects/66/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/66/?C=D:O=D">http://vendetudo.com/.git/objects/66/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M:O=A">http://vendetudo.com/.git/objects/66/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/66/?C=M:O=D">http://vendetudo.com/.git/objects/66/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N:O=A">http://vendetudo.com/.git/objects/66/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/66/?C=N;O=D">http://vendetudo.com/.git/objects/66/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=A">http://vendetudo.com/.git/objects/66/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/66/?C=S;O=D">http://vendetudo.com/.git/objects/66/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/67/">http://vendetudo.com/.git/objects/67/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=A">http://vendetudo.com/.git/objects/67/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/67/?C=D;O=D">http://vendetudo.com/.git/objects/67/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M;O=A">http://vendetudo.com/.git/objects/67/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/67/?C=M;O=D">http://vendetudo.com/.git/objects/67/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N;O=A">http://vendetudo.com/.git/objects/67/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/67/?C=N;O=D">http://vendetudo.com/.git/objects/67/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S;O=A">http://vendetudo.com/.git/objects/67/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/67/?C=S;O=D">http://vendetudo.com/.git/objects/67/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/67/eb62b93fedaaded6e649f2ee302e309e2fb278">http://vendetudo.com/.git/objects/67/eb62b93fedaaded6e649f2ee302e309e2fb278</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6c/">http://vendetudo.com/.git/objects/6c/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D:O=A">http://vendetudo.com/.git/objects/6c/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=D:O=D">http://vendetudo.com/.git/objects/6c/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M:O=A">http://vendetudo.com/.git/objects/6c/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=M:O=D">http://vendetudo.com/.git/objects/6c/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N:O=A">http://vendetudo.com/.git/objects/6c/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=N:O=D">http://vendetudo.com/.git/objects/6c/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S:O=A">http://vendetudo.com/.git/objects/6c/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6c/?C=S:O=D">http://vendetudo.com/.git/objects/6c/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6c/fc7bf757df47811f5d3d381faf6100441f1fbe">http://vendetudo.com/.git/objects/6c/fc7bf757df47811f5d3d381faf6100441f1fbe</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6d/">http://vendetudo.com/.git/objects/6d/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D:O=A">http://vendetudo.com/.git/objects/6d/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=D:O=D">http://vendetudo.com/.git/objects/6d/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M:O=A">http://vendetudo.com/.git/objects/6d/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=M:O=D">http://vendetudo.com/.git/objects/6d/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N:O=A">http://vendetudo.com/.git/objects/6d/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=N:O=D">http://vendetudo.com/.git/objects/6d/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S:O=A">http://vendetudo.com/.git/objects/6d/?C=S:O=A</a>



Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6d/?C=S:O=D">http://vendetudo.com/.git/objects/6d/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/6d/bb2b26382adb9e41644c44cb9cdf99fb7810f2">http://vendetudo.com/.git/objects/6d/bb2b26382adb9e41644c44cb9cdf99fb7810f2</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/74/">http://vendetudo.com/.git/objects/74/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D:O=A">http://vendetudo.com/.git/objects/74/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/74/?C=D:O=D">http://vendetudo.com/.git/objects/74/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M:O=A">http://vendetudo.com/.git/objects/74/?C=M:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/74/?C=M:O=D">http://vendetudo.com/.git/objects/74/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N:O=A">http://vendetudo.com/.git/objects/74/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/74/?C=N:O=D">http://vendetudo.com/.git/objects/74/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S:O=A">http://vendetudo.com/.git/objects/74/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/74/?C=S:O=D">http://vendetudo.com/.git/objects/74/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/74/f24c464c082acbc8796a178fbcae84d8c3aa22">http://vendetudo.com/.git/objects/74/f24c464c082acbc8796a178fbcae84d8c3aa22</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/78/">http://vendetudo.com/.git/objects/78/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D:O=A">http://vendetudo.com/.git/objects/78/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/78/?C=D:O=D">http://vendetudo.com/.git/objects/78/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M:O=A">http://vendetudo.com/.git/objects/78/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/78/?C=M:O=D">http://vendetudo.com/.git/objects/78/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N:O=A">http://vendetudo.com/.git/objects/78/?C=N:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/78/?C=N:O=D">http://vendetudo.com/.git/objects/78/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S:O=A">http://vendetudo.com/.git/objects/78/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/78/?C=S:O=D">http://vendetudo.com/.git/objects/78/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/78/c73c643c2232cb28ad4ffd17053c316eda0d41">http://vendetudo.com/.git/objects/78/c73c643c2232cb28ad4ffd17053c316eda0d41</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/79/">http://vendetudo.com/.git/objects/79/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D:O=A">http://vendetudo.com/.git/objects/79/?C=D:O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/79/?C=D:O=D">http://vendetudo.com/.git/objects/79/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M:O=A">http://vendetudo.com/.git/objects/79/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/79/?C=M:O=D">http://vendetudo.com/.git/objects/79/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N:O=A">http://vendetudo.com/.git/objects/79/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/79/?C=N:O=D">http://vendetudo.com/.git/objects/79/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S:O=A">http://vendetudo.com/.git/objects/79/?C=S:O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/79/?C=S:O=D">http://vendetudo.com/.git/objects/79/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/79/ede24d997f002bff5bb389b4c99da797c19bc0">http://vendetudo.com/.git/objects/79/ede24d997f002bff5bb389b4c99da797c19bc0</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7a/">http://vendetudo.com/.git/objects/7a/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D:O=A">http://vendetudo.com/.git/objects/7a/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=D:O=D">http://vendetudo.com/.git/objects/7a/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M:O=A">http://vendetudo.com/.git/objects/7a/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=M;O=D">http://vendetudo.com/.git/objects/7a/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=A">http://vendetudo.com/.git/objects/7a/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=N;O=D">http://vendetudo.com/.git/objects/7a/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=A">http://vendetudo.com/.git/objects/7a/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7a/?C=S;O=D">http://vendetudo.com/.git/objects/7a/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7a/c16dbc9ea983ce1a974be903aef9db79266f24">http://vendetudo.com/.git/objects/7a/c16dbc9ea983ce1a974be903aef9db79266f24</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7c/">http://vendetudo.com/.git/objects/7c/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7c/79c6a6bc9a128a2a8eaffbe49a4338625fdb2">http://vendetudo.com/.git/objects/7c/79c6a6bc9a128a2a8eaffbe49a4338625fdb2</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=A">http://vendetudo.com/.git/objects/7c/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=D;O=D">http://vendetudo.com/.git/objects/7c/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=A">http://vendetudo.com/.git/objects/7c/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=M;O=D">http://vendetudo.com/.git/objects/7c/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still



Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N:O=A">http://vendetudo.com/.git/objects/7c/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=N:O=D">http://vendetudo.com/.git/objects/7c/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S:O=A">http://vendetudo.com/.git/objects/7c/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7c/?C=S:O=D">http://vendetudo.com/.git/objects/7c/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7f/">http://vendetudo.com/.git/objects/7f/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7f/68c9b50215bf50ffaa587b82df0fff0409ec8">http://vendetudo.com/.git/objects/7f/68c9b50215bf50ffaa587b82df0fff0409ec8</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D:O=A">http://vendetudo.com/.git/objects/7f/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=D:O=D">http://vendetudo.com/.git/objects/7f/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M:O=A">http://vendetudo.com/.git/objects/7f/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=M:O=D">http://vendetudo.com/.git/objects/7f/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N:O=A">http://vendetudo.com/.git/objects/7f/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=N:O=D">http://vendetudo.com/.git/objects/7f/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=A">http://vendetudo.com/.git/objects/7f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/7f/?C=S;O=D">http://vendetudo.com/.git/objects/7f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/87/">http://vendetudo.com/.git/objects/87/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/87/2131c2dc64133c6f431f76ce58c5d5efad6bb8">http://vendetudo.com/.git/objects/87/2131c2dc64133c6f431f76ce58c5d5efad6bb8</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=A">http://vendetudo.com/.git/objects/87/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/87/?C=D;O=D">http://vendetudo.com/.git/objects/87/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/87/?C=M:O=A">http://vendetudo.com/.git/objects/87/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/87/?C=M:O=D">http://vendetudo.com/.git/objects/87/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N:O=A">http://vendetudo.com/.git/objects/87/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/87/?C=N:O=D">http://vendetudo.com/.git/objects/87/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S:O=A">http://vendetudo.com/.git/objects/87/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/87/?C=S:O=D">http://vendetudo.com/.git/objects/87/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/88/">http://vendetudo.com/.git/objects/88/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/88/039d54e8c5ece4ce04cd62d40632921fdf57e4">http://vendetudo.com/.git/objects/88/039d54e8c5ece4ce04cd62d40632921fdf57e4</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D:O=A">http://vendetudo.com/.git/objects/88/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/88/?C=D:O=D">http://vendetudo.com/.git/objects/88/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M:O=A">http://vendetudo.com/.git/objects/88/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/88/?C=M:O=D">http://vendetudo.com/.git/objects/88/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N:O=A">http://vendetudo.com/.git/objects/88/?C=N:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/88/?C=N;O=D">http://vendetudo.com/.git/objects/88/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S;O=A">http://vendetudo.com/.git/objects/88/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/88/?C=S;O=D">http://vendetudo.com/.git/objects/88/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/">http://vendetudo.com/.git/objects/8b/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/0f54e47e1d356dcf1496942a50e228e0f1ee14">http://vendetudo.com/.git/objects/8b/0f54e47e1d356dcf1496942a50e228e0f1ee14</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/3b790ed9b06671af02e6af888671c709580872">http://vendetudo.com/.git/objects/8b/3b790ed9b06671af02e6af888671c709580872</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/7c3763dbffad4207aafa3d4a7f7e1d4bfeff3a">http://vendetudo.com/.git/objects/8b/7c3763dbffad4207aafa3d4a7f7e1d4bfeff3a</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D:O=A">http://vendetudo.com/.git/objects/8b/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=D:O=D">http://vendetudo.com/.git/objects/8b/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M:O=A">http://vendetudo.com/.git/objects/8b/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=M:O=D">http://vendetudo.com/.git/objects/8b/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N:O=A">http://vendetudo.com/.git/objects/8b/?C=N:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=N:O=D">http://vendetudo.com/.git/objects/8b/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S:O=A">http://vendetudo.com/.git/objects/8b/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8b/?C=S:O=D">http://vendetudo.com/.git/objects/8b/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8c/">http://vendetudo.com/.git/objects/8c/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8c/1748aab7a790d510fb3f42a8a8971d96efa79d">http://vendetudo.com/.git/objects/8c/1748aab7a790d510fb3f42a8a8971d96efa79d</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D:O=A">http://vendetudo.com/.git/objects/8c/?C=D:O=A</a>
Método	GET



Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=D:O=D">http://vendetudo.com/.git/objects/8c/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M:O=A">http://vendetudo.com/.git/objects/8c/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=M:O=D">http://vendetudo.com/.git/objects/8c/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N:O=A">http://vendetudo.com/.git/objects/8c/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=N:O=D">http://vendetudo.com/.git/objects/8c/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S:O=A">http://vendetudo.com/.git/objects/8c/?C=S:O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8c/?C=S;O=D">http://vendetudo.com/.git/objects/8c/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8d/">http://vendetudo.com/.git/objects/8d/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=A">http://vendetudo.com/.git/objects/8d/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=D;O=D">http://vendetudo.com/.git/objects/8d/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=A">http://vendetudo.com/.git/objects/8d/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=M;O=D">http://vendetudo.com/.git/objects/8d/?C=M;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N:O=A">http://vendetudo.com/.git/objects/8d/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=N:O=D">http://vendetudo.com/.git/objects/8d/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S:O=A">http://vendetudo.com/.git/objects/8d/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8d/?C=S:O=D">http://vendetudo.com/.git/objects/8d/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8d/fcf9ec4962f372aad443f6b494aecca1c089">http://vendetudo.com/.git/objects/8d/fcf9ec4962f372aad443f6b494aecca1c089</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/">http://vendetudo.com/.git/objects/8e/</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/72d554fff116653183fcb368418873aee9e2d8">http://vendetudo.com/.git/objects/8e/72d554fff116653183fcb368418873aee9e2d8</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=A">http://vendetudo.com/.git/objects/8e/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=D;O=D">http://vendetudo.com/.git/objects/8e/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M;O=A">http://vendetudo.com/.git/objects/8e/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=M;O=D">http://vendetudo.com/.git/objects/8e/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N;O=A">http://vendetudo.com/.git/objects/8e/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=N:O=D">http://vendetudo.com/.git/objects/8e/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S:O=A">http://vendetudo.com/.git/objects/8e/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/?C=S:O=D">http://vendetudo.com/.git/objects/8e/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/8e/ab0cae298b172ce227ab407168c8951e134178">http://vendetudo.com/.git/objects/8e/ab0cae298b172ce227ab407168c8951e134178</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/90/">http://vendetudo.com/.git/objects/90/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D:O=A">http://vendetudo.com/.git/objects/90/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/90/?C=D;O=D">http://vendetudo.com/.git/objects/90/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=A">http://vendetudo.com/.git/objects/90/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/90/?C=M;O=D">http://vendetudo.com/.git/objects/90/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=A">http://vendetudo.com/.git/objects/90/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/90/?C=N;O=D">http://vendetudo.com/.git/objects/90/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=A">http://vendetudo.com/.git/objects/90/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/90/?C=S;O=D">http://vendetudo.com/.git/objects/90/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/90/d19d66473d03217259bb2f74786d3fbfc7c1ea">http://vendetudo.com/.git/objects/90/d19d66473d03217259bb2f74786d3fbfc7c1ea</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/93/">http://vendetudo.com/.git/objects/93/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D;O=A">http://vendetudo.com/.git/objects/93/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/93/?C=D;O=D">http://vendetudo.com/.git/objects/93/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M;O=A">http://vendetudo.com/.git/objects/93/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/93/?C=M:O=D">http://vendetudo.com/.git/objects/93/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N:O=A">http://vendetudo.com/.git/objects/93/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/93/?C=N:O=D">http://vendetudo.com/.git/objects/93/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S:O=A">http://vendetudo.com/.git/objects/93/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/93/?C=S:O=D">http://vendetudo.com/.git/objects/93/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/93/d701d2e50d663e1e3fc80bec584a6f80c07d77">http://vendetudo.com/.git/objects/93/d701d2e50d663e1e3fc80bec584a6f80c07d77</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.



URL	<a href="http://vendetudo.com/.git/objects/95/">http://vendetudo.com/.git/objects/95/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/95/87fb9174cce19fd08ee9d66160e7dfcaceed47">http://vendetudo.com/.git/objects/95/87fb9174cce19fd08ee9d66160e7dfcaceed47</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D:O=A">http://vendetudo.com/.git/objects/95/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/95/?C=D:O=D">http://vendetudo.com/.git/objects/95/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M:O=A">http://vendetudo.com/.git/objects/95/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/95/?C=M:O=D">http://vendetudo.com/.git/objects/95/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/95/?C=N:O=A">http://vendetudo.com/.git/objects/95/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/95/?C=N:O=D">http://vendetudo.com/.git/objects/95/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S:O=A">http://vendetudo.com/.git/objects/95/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/95/?C=S:O=D">http://vendetudo.com/.git/objects/95/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/96/">http://vendetudo.com/.git/objects/96/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/96/5fba414e7e032ad6575bec6533588df8e65f67">http://vendetudo.com/.git/objects/96/5fba414e7e032ad6575bec6533588df8e65f67</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D:O=A">http://vendetudo.com/.git/objects/96/?C=D:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/96/?C=D:O=D">http://vendetudo.com/.git/objects/96/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M:O=A">http://vendetudo.com/.git/objects/96/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/96/?C=M:O=D">http://vendetudo.com/.git/objects/96/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N:O=A">http://vendetudo.com/.git/objects/96/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/96/?C=N:O=D">http://vendetudo.com/.git/objects/96/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S:O=A">http://vendetudo.com/.git/objects/96/?C=S:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/96/?C=S:O=D">http://vendetudo.com/.git/objects/96/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/97/">http://vendetudo.com/.git/objects/97/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/97/58bd59378979daa2d9cb875d56d2c6e41d04fe">http://vendetudo.com/.git/objects/97/58bd59378979daa2d9cb875d56d2c6e41d04fe</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D:O=A">http://vendetudo.com/.git/objects/97/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/97/?C=D:O=D">http://vendetudo.com/.git/objects/97/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M:O=A">http://vendetudo.com/.git/objects/97/?C=M:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/97/?C=M:O=D">http://vendetudo.com/.git/objects/97/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N:O=A">http://vendetudo.com/.git/objects/97/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/97/?C=N:O=D">http://vendetudo.com/.git/objects/97/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S:O=A">http://vendetudo.com/.git/objects/97/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/97/?C=S:O=D">http://vendetudo.com/.git/objects/97/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/">http://vendetudo.com/.git/objects/9c/</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/0fab01c00ec76769fe361ae77e6365b25b7361">http://vendetudo.com/.git/objects/9c/0fab01c00ec76769fe361ae77e6365b25b7361</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/949ae97beac23f1560523d54f0cde598e9cdd3">http://vendetudo.com/.git/objects/9c/949ae97beac23f1560523d54f0cde598e9cdd3</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D:O=A">http://vendetudo.com/.git/objects/9c/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=D:O=D">http://vendetudo.com/.git/objects/9c/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M:O=A">http://vendetudo.com/.git/objects/9c/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=M:O=D">http://vendetudo.com/.git/objects/9c/?C=M:O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N:O=A">http://vendetudo.com/.git/objects/9c/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=N:O=D">http://vendetudo.com/.git/objects/9c/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S:O=A">http://vendetudo.com/.git/objects/9c/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9c/?C=S:O=D">http://vendetudo.com/.git/objects/9c/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9f/">http://vendetudo.com/.git/objects/9f/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9f/6e747b1c06882eb36b48416cd737fb370ecde6">http://vendetudo.com/.git/objects/9f/6e747b1c06882eb36b48416cd737fb370ecde6</a>
Método	GET
Ataque	
Evidence	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=A">http://vendetudo.com/.git/objects/9f/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=D;O=D">http://vendetudo.com/.git/objects/9f/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=A">http://vendetudo.com/.git/objects/9f/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=M;O=D">http://vendetudo.com/.git/objects/9f/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=A">http://vendetudo.com/.git/objects/9f/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=N;O=D">http://vendetudo.com/.git/objects/9f/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	



Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=A">http://vendetudo.com/.git/objects/9f/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/9f/?C=S;O=D">http://vendetudo.com/.git/objects/9f/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=A">http://vendetudo.com/.git/objects/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/?C=D;O=D">http://vendetudo.com/.git/objects/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=A">http://vendetudo.com/.git/objects/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/?C=M;O=D">http://vendetudo.com/.git/objects/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=A">http://vendetudo.com/.git/objects/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/?C=N;O=D">http://vendetudo.com/.git/objects/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=A">http://vendetudo.com/.git/objects/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/?C=S;O=D">http://vendetudo.com/.git/objects/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a1/">http://vendetudo.com/.git/objects/a1/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D;O=A">http://vendetudo.com/.git/objects/a1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=D:O=D">http://vendetudo.com/.git/objects/a1/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M:O=A">http://vendetudo.com/.git/objects/a1/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=M:O=D">http://vendetudo.com/.git/objects/a1/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N:O=A">http://vendetudo.com/.git/objects/a1/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=N:O=D">http://vendetudo.com/.git/objects/a1/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S:O=A">http://vendetudo.com/.git/objects/a1/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a1/?C=S:O=D">http://vendetudo.com/.git/objects/a1/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a1/c6fcf6728cb2c578f7e0ccd9d8e52f3d7cc648">http://vendetudo.com/.git/objects/a1/c6fcf6728cb2c578f7e0ccd9d8e52f3d7cc648</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a3/">http://vendetudo.com/.git/objects/a3/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D:O=A">http://vendetudo.com/.git/objects/a3/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=D:O=D">http://vendetudo.com/.git/objects/a3/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M:O=A">http://vendetudo.com/.git/objects/a3/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=M:O=D">http://vendetudo.com/.git/objects/a3/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N:O=A">http://vendetudo.com/.git/objects/a3/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=N:O=D">http://vendetudo.com/.git/objects/a3/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S:O=A">http://vendetudo.com/.git/objects/a3/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a3/?C=S:O=D">http://vendetudo.com/.git/objects/a3/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a3/a955515cd871975aa91ee924ff7e87fbf75ba7">http://vendetudo.com/.git/objects/a3/a955515cd871975aa91ee924ff7e87fbf75ba7</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/a4/">http://vendetudo.com/.git/objects/a4/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a4/391396a9d6b6d7ff3b781f16904732fea40bdd">http://vendetudo.com/.git/objects/a4/391396a9d6b6d7ff3b781f16904732fea40bdd</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D:O=A">http://vendetudo.com/.git/objects/a4/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=D:O=D">http://vendetudo.com/.git/objects/a4/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M:O=A">http://vendetudo.com/.git/objects/a4/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=M:O=D">http://vendetudo.com/.git/objects/a4/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N:O=A">http://vendetudo.com/.git/objects/a4/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=N:O=D">http://vendetudo.com/.git/objects/a4/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S:O=A">http://vendetudo.com/.git/objects/a4/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a4/?C=S:O=D">http://vendetudo.com/.git/objects/a4/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a5/">http://vendetudo.com/.git/objects/a5/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a5/5d6eafbeb3bd8d9d75e8d0dd1b982cef440120">http://vendetudo.com/.git/objects/a5/5d6eafbeb3bd8d9d75e8d0dd1b982cef440120</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D:O=A">http://vendetudo.com/.git/objects/a5/?C=D:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=D:O=D">http://vendetudo.com/.git/objects/a5/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M:O=A">http://vendetudo.com/.git/objects/a5/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=M:O=D">http://vendetudo.com/.git/objects/a5/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N:O=A">http://vendetudo.com/.git/objects/a5/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=N:O=D">http://vendetudo.com/.git/objects/a5/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S:O=A">http://vendetudo.com/.git/objects/a5/?C=S:O=A</a>



Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a5/?C=S:O=D">http://vendetudo.com/.git/objects/a5/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/">http://vendetudo.com/.git/objects/a8/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/13720fd284a600f29e3fddba144ad830adf683">http://vendetudo.com/.git/objects/a8/13720fd284a600f29e3fddba144ad830adf683</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/4c9c0bdcca94fc2633b96616173322e2639e9d">http://vendetudo.com/.git/objects/a8/4c9c0bdcca94fc2633b96616173322e2639e9d</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D:O=A">http://vendetudo.com/.git/objects/a8/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=D:O=D">http://vendetudo.com/.git/objects/a8/?C=D:O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M:O=A">http://vendetudo.com/.git/objects/a8/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=M:O=D">http://vendetudo.com/.git/objects/a8/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N:O=A">http://vendetudo.com/.git/objects/a8/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=N:O=D">http://vendetudo.com/.git/objects/a8/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S:O=A">http://vendetudo.com/.git/objects/a8/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a8/?C=S:O=D">http://vendetudo.com/.git/objects/a8/?C=S:O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/">http://vendetudo.com/.git/objects/a9/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/132237788e2ea70fc77928ed4f5a75731dfaa5">http://vendetudo.com/.git/objects/a9/132237788e2ea70fc77928ed4f5a75731dfaa5</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/969993201f9cee63cf9f49217646347297b643">http://vendetudo.com/.git/objects/a9/969993201f9cee63cf9f49217646347297b643</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D:O=A">http://vendetudo.com/.git/objects/a9/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=D:O=D">http://vendetudo.com/.git/objects/a9/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M:O=A">http://vendetudo.com/.git/objects/a9/?C=M:O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=M;O=D">http://vendetudo.com/.git/objects/a9/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=A">http://vendetudo.com/.git/objects/a9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=N;O=D">http://vendetudo.com/.git/objects/a9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S;O=A">http://vendetudo.com/.git/objects/a9/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/a9/?C=S;O=D">http://vendetudo.com/.git/objects/a9/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/aa/">http://vendetudo.com/.git/objects/aa/</a>
Método	GET
Ataque	
Evidence	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D:O=A">http://vendetudo.com/.git/objects/aa/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=D:O=D">http://vendetudo.com/.git/objects/aa/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M:O=A">http://vendetudo.com/.git/objects/aa/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=M:O=D">http://vendetudo.com/.git/objects/aa/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N:O=A">http://vendetudo.com/.git/objects/aa/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=N:O=D">http://vendetudo.com/.git/objects/aa/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=A">http://vendetudo.com/.git/objects/aa/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/aa/?C=S;O=D">http://vendetudo.com/.git/objects/aa/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/aa/f47f92f84802ca27a76e99eb3671c59fa9644f">http://vendetudo.com/.git/objects/aa/f47f92f84802ca27a76e99eb3671c59fa9644f</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ab/">http://vendetudo.com/.git/objects/ab/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=A">http://vendetudo.com/.git/objects/ab/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=D;O=D">http://vendetudo.com/.git/objects/ab/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M:O=A">http://vendetudo.com/.git/objects/ab/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=M:O=D">http://vendetudo.com/.git/objects/ab/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N:O=A">http://vendetudo.com/.git/objects/ab/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=N:O=D">http://vendetudo.com/.git/objects/ab/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S:O=A">http://vendetudo.com/.git/objects/ab/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ab/?C=S:O=D">http://vendetudo.com/.git/objects/ab/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ab/fb1ed8af3db8c4acdf53b7ab400fb8df50d7e">http://vendetudo.com/.git/objects/ab/fb1ed8af3db8c4acdf53b7ab400fb8df50d7e</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/b1/">http://vendetudo.com/.git/objects/b1/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/b1/3acaaad79dadd26466a850053298b8dbcfe860">http://vendetudo.com/.git/objects/b1/3acaaad79dadd26466a850053298b8dbcfe860</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=A">http://vendetudo.com/.git/objects/b1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=D;O=D">http://vendetudo.com/.git/objects/b1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=A">http://vendetudo.com/.git/objects/b1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages



Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=M;O=D">http://vendetudo.com/.git/objects/b1/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=A">http://vendetudo.com/.git/objects/b1/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=N;O=D">http://vendetudo.com/.git/objects/b1/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=A">http://vendetudo.com/.git/objects/b1/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/b1/?C=S;O=D">http://vendetudo.com/.git/objects/b1/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/bb/">http://vendetudo.com/.git/objects/bb/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D:O=A">http://vendetudo.com/.git/objects/bb/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=D:O=D">http://vendetudo.com/.git/objects/bb/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M:O=A">http://vendetudo.com/.git/objects/bb/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=M:O=D">http://vendetudo.com/.git/objects/bb/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N:O=A">http://vendetudo.com/.git/objects/bb/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=N:O=D">http://vendetudo.com/.git/objects/bb/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S:O=A">http://vendetudo.com/.git/objects/bb/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/bb/?C=S:O=D">http://vendetudo.com/.git/objects/bb/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/bb/c56ccd4d956ad87b85d102fde4adba74d8a0ab">http://vendetudo.com/.git/objects/bb/c56ccd4d956ad87b85d102fde4adba74d8a0ab</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c4/">http://vendetudo.com/.git/objects/c4/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D:O=A">http://vendetudo.com/.git/objects/c4/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=D:O=D">http://vendetudo.com/.git/objects/c4/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=A">http://vendetudo.com/.git/objects/c4/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=M;O=D">http://vendetudo.com/.git/objects/c4/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=A">http://vendetudo.com/.git/objects/c4/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=N;O=D">http://vendetudo.com/.git/objects/c4/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=A">http://vendetudo.com/.git/objects/c4/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c4/?C=S;O=D">http://vendetudo.com/.git/objects/c4/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c4/a51a3c226e2ec09bcd29a4bac74e13d9204491">http://vendetudo.com/.git/objects/c4/a51a3c226e2ec09bcd29a4bac74e13d9204491</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c6/">http://vendetudo.com/.git/objects/c6/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D:O=A">http://vendetudo.com/.git/objects/c6/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=D:O=D">http://vendetudo.com/.git/objects/c6/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M:O=A">http://vendetudo.com/.git/objects/c6/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=M:O=D">http://vendetudo.com/.git/objects/c6/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N:O=A">http://vendetudo.com/.git/objects/c6/?C=N:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=N:O=D">http://vendetudo.com/.git/objects/c6/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S:O=A">http://vendetudo.com/.git/objects/c6/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c6/?C=S:O=D">http://vendetudo.com/.git/objects/c6/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/c6/fce1776dfe1e956f9520b3ebb2cf15070941d3">http://vendetudo.com/.git/objects/c6/fce1776dfe1e956f9520b3ebb2cf15070941d3</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/cb/">http://vendetudo.com/.git/objects/cb/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/cb/7efe4f36b5d24563356364980107bdc2e8c2c1">http://vendetudo.com/.git/objects/cb/7efe4f36b5d24563356364980107bdc2e8c2c1</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D:O=A">http://vendetudo.com/.git/objects/cb/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=D:O=D">http://vendetudo.com/.git/objects/cb/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M:O=A">http://vendetudo.com/.git/objects/cb/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=M:O=D">http://vendetudo.com/.git/objects/cb/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N:O=A">http://vendetudo.com/.git/objects/cb/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=N:O=D">http://vendetudo.com/.git/objects/cb/?C=N:O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S:O=A">http://vendetudo.com/.git/objects/cb/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/cb/?C=S:O=D">http://vendetudo.com/.git/objects/cb/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d4/">http://vendetudo.com/.git/objects/d4/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d4/37aff62bbbaabb783fa7acd89c9850287f1f6a">http://vendetudo.com/.git/objects/d4/37aff62bbbaabb783fa7acd89c9850287f1f6a</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D:O=A">http://vendetudo.com/.git/objects/d4/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=D:O=D">http://vendetudo.com/.git/objects/d4/?C=D:O=D</a>
Método	GET
Ataque	



Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M:O=A">http://vendetudo.com/.git/objects/d4/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=M:O=D">http://vendetudo.com/.git/objects/d4/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N:O=A">http://vendetudo.com/.git/objects/d4/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=N:O=D">http://vendetudo.com/.git/objects/d4/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S:O=A">http://vendetudo.com/.git/objects/d4/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d4/?C=S:O=D">http://vendetudo.com/.git/objects/d4/?C=S:O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/">http://vendetudo.com/.git/objects/d5/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/64d0bc3dd917926892c55e3706cc116d5b165e">http://vendetudo.com/.git/objects/d5/64d0bc3dd917926892c55e3706cc116d5b165e</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D:O=A">http://vendetudo.com/.git/objects/d5/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=D:O=D">http://vendetudo.com/.git/objects/d5/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M:O=A">http://vendetudo.com/.git/objects/d5/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=M:O=D">http://vendetudo.com/.git/objects/d5/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N:O=A">http://vendetudo.com/.git/objects/d5/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=N:O=D">http://vendetudo.com/.git/objects/d5/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S:O=A">http://vendetudo.com/.git/objects/d5/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/?C=S:O=D">http://vendetudo.com/.git/objects/d5/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d5/ae290b322fcc4aebff3a6a2cca0d13215cc935">http://vendetudo.com/.git/objects/d5/ae290b322fcc4aebff3a6a2cca0d13215cc935</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/">http://vendetudo.com/.git/objects/d7/</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=A">http://vendetudo.com/.git/objects/d7/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=D;O=D">http://vendetudo.com/.git/objects/d7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=A">http://vendetudo.com/.git/objects/d7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=M;O=D">http://vendetudo.com/.git/objects/d7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=A">http://vendetudo.com/.git/objects/d7/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=N;O=D">http://vendetudo.com/.git/objects/d7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S:O=A">http://vendetudo.com/.git/objects/d7/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/?C=S:O=D">http://vendetudo.com/.git/objects/d7/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/a8395528a6acd6a67d74c1b1d9b7fef825991d">http://vendetudo.com/.git/objects/d7/a8395528a6acd6a67d74c1b1d9b7fef825991d</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/d7/c4efbf7fd096ddfe5d8f8d6036ba94321921fc">http://vendetudo.com/.git/objects/d7/c4efbf7fd096ddfe5d8f8d6036ba94321921fc</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/df/">http://vendetudo.com/.git/objects/df/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/df/60e6c9b515a7516726740de8a3446080d4dc19">http://vendetudo.com/.git/objects/df/60e6c9b515a7516726740de8a3446080d4dc19</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D:O=A">http://vendetudo.com/.git/objects/df/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/df/?C=D:O=D">http://vendetudo.com/.git/objects/df/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M:O=A">http://vendetudo.com/.git/objects/df/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/df/?C=M:O=D">http://vendetudo.com/.git/objects/df/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N:O=A">http://vendetudo.com/.git/objects/df/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/df/?C=N:O=D">http://vendetudo.com/.git/objects/df/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S;O=A">http://vendetudo.com/.git/objects/df/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/df/?C=S;O=D">http://vendetudo.com/.git/objects/df/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e1/">http://vendetudo.com/.git/objects/e1/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e1/36f31e03315b850f2a95d09b5b24989d55cbd6">http://vendetudo.com/.git/objects/e1/36f31e03315b850f2a95d09b5b24989d55cbd6</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=A">http://vendetudo.com/.git/objects/e1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=D;O=D">http://vendetudo.com/.git/objects/e1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M:O=A">http://vendetudo.com/.git/objects/e1/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=M:O=D">http://vendetudo.com/.git/objects/e1/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N:O=A">http://vendetudo.com/.git/objects/e1/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=N:O=D">http://vendetudo.com/.git/objects/e1/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S:O=A">http://vendetudo.com/.git/objects/e1/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e1/?C=S:O=D">http://vendetudo.com/.git/objects/e1/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.



URL	<a href="http://vendetudo.com/.git/objects/e5/">http://vendetudo.com/.git/objects/e5/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e5/907a779383350349df26c48ce623e40ec4d363">http://vendetudo.com/.git/objects/e5/907a779383350349df26c48ce623e40ec4d363</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D:O=A">http://vendetudo.com/.git/objects/e5/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=D:O=D">http://vendetudo.com/.git/objects/e5/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M:O=A">http://vendetudo.com/.git/objects/e5/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=M:O=D">http://vendetudo.com/.git/objects/e5/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N:O=A">http://vendetudo.com/.git/objects/e5/?C=N:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=N:O=D">http://vendetudo.com/.git/objects/e5/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S:O=A">http://vendetudo.com/.git/objects/e5/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e5/?C=S:O=D">http://vendetudo.com/.git/objects/e5/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e6/">http://vendetudo.com/.git/objects/e6/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e6/9de29bb2d1d6434b8b29ae775ad8c2e48c5391">http://vendetudo.com/.git/objects/e6/9de29bb2d1d6434b8b29ae775ad8c2e48c5391</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D:O=A">http://vendetudo.com/.git/objects/e6/?C=D:O=A</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=D:O=D">http://vendetudo.com/.git/objects/e6/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M:O=A">http://vendetudo.com/.git/objects/e6/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=M:O=D">http://vendetudo.com/.git/objects/e6/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N:O=A">http://vendetudo.com/.git/objects/e6/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=N:O=D">http://vendetudo.com/.git/objects/e6/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S:O=A">http://vendetudo.com/.git/objects/e6/?C=S:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e6/?C=S:O=D">http://vendetudo.com/.git/objects/e6/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e8/">http://vendetudo.com/.git/objects/e8/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e8/9738de5eaf8fca33a2f2cdc5cb4929caa62b71">http://vendetudo.com/.git/objects/e8/9738de5eaf8fca33a2f2cdc5cb4929caa62b71</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D:O=A">http://vendetudo.com/.git/objects/e8/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=D:O=D">http://vendetudo.com/.git/objects/e8/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M:O=A">http://vendetudo.com/.git/objects/e8/?C=M:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=M:O=D">http://vendetudo.com/.git/objects/e8/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N:O=A">http://vendetudo.com/.git/objects/e8/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=N:O=D">http://vendetudo.com/.git/objects/e8/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S:O=A">http://vendetudo.com/.git/objects/e8/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/e8/?C=S:O=D">http://vendetudo.com/.git/objects/e8/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/eb/">http://vendetudo.com/.git/objects/eb/</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=A">http://vendetudo.com/.git/objects/eb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=D;O=D">http://vendetudo.com/.git/objects/eb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M;O=A">http://vendetudo.com/.git/objects/eb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=M;O=D">http://vendetudo.com/.git/objects/eb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N;O=A">http://vendetudo.com/.git/objects/eb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=N;O=D">http://vendetudo.com/.git/objects/eb/?C=N;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S;O=A">http://vendetudo.com/.git/objects/eb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/eb/?C=S;O=D">http://vendetudo.com/.git/objects/eb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/eb/fb0da9c71b974e99f621e52276e74b3300ae9c">http://vendetudo.com/.git/objects/eb/fb0da9c71b974e99f621e52276e74b3300ae9c</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ec/">http://vendetudo.com/.git/objects/ec/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ec/9e893fe414fe2e65da16a8f3d8a7bd0c5e4c19">http://vendetudo.com/.git/objects/ec/9e893fe414fe2e65da16a8f3d8a7bd0c5e4c19</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=A">http://vendetudo.com/.git/objects/ec/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=D;O=D">http://vendetudo.com/.git/objects/ec/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=A">http://vendetudo.com/.git/objects/ec/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=M;O=D">http://vendetudo.com/.git/objects/ec/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N;O=A">http://vendetudo.com/.git/objects/ec/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=N;O=D">http://vendetudo.com/.git/objects/ec/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S;O=A">http://vendetudo.com/.git/objects/ec/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	



Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ec/?C=S;O=D">http://vendetudo.com/.git/objects/ec/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ed/">http://vendetudo.com/.git/objects/ed/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ed/8c9c3557939537b1a676dffecc2694a4cde39a">http://vendetudo.com/.git/objects/ed/8c9c3557939537b1a676dffecc2694a4cde39a</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D;O=A">http://vendetudo.com/.git/objects/ed/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=D;O=D">http://vendetudo.com/.git/objects/ed/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=A">http://vendetudo.com/.git/objects/ed/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=M;O=D">http://vendetudo.com/.git/objects/ed/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=A">http://vendetudo.com/.git/objects/ed/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=N;O=D">http://vendetudo.com/.git/objects/ed/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S;O=A">http://vendetudo.com/.git/objects/ed/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ed/?C=S;O=D">http://vendetudo.com/.git/objects/ed/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ee/">http://vendetudo.com/.git/objects/ee/</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ee/0507f12c9d173882d98cf87b19f273ba6e067d">http://vendetudo.com/.git/objects/ee/0507f12c9d173882d98cf87b19f273ba6e067d</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D:O=A">http://vendetudo.com/.git/objects/ee/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=D:O=D">http://vendetudo.com/.git/objects/ee/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M:O=A">http://vendetudo.com/.git/objects/ee/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=M:O=D">http://vendetudo.com/.git/objects/ee/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N:O=A">http://vendetudo.com/.git/objects/ee/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=N:O=D">http://vendetudo.com/.git/objects/ee/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S:O=A">http://vendetudo.com/.git/objects/ee/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ee/?C=S:O=D">http://vendetudo.com/.git/objects/ee/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ef/">http://vendetudo.com/.git/objects/ef/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ef/7432107950d6f5706a031f081a188887c128b5">http://vendetudo.com/.git/objects/ef/7432107950d6f5706a031f081a188887c128b5</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D:O=A">http://vendetudo.com/.git/objects/ef/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/ef/?C=D;O=D">http://vendetudo.com/.git/objects/ef/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=A">http://vendetudo.com/.git/objects/ef/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=M;O=D">http://vendetudo.com/.git/objects/ef/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=A">http://vendetudo.com/.git/objects/ef/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=N;O=D">http://vendetudo.com/.git/objects/ef/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=A">http://vendetudo.com/.git/objects/ef/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/ef/?C=S;O=D">http://vendetudo.com/.git/objects/ef/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/">http://vendetudo.com/.git/objects/f1/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/1955333e02c83f595d49cbfa7042552e44342e">http://vendetudo.com/.git/objects/f1/1955333e02c83f595d49cbfa7042552e44342e</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=A">http://vendetudo.com/.git/objects/f1/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=D;O=D">http://vendetudo.com/.git/objects/f1/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=A">http://vendetudo.com/.git/objects/f1/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=M;O=D">http://vendetudo.com/.git/objects/f1/?C=M;O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N:O=A">http://vendetudo.com/.git/objects/f1/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=N:O=D">http://vendetudo.com/.git/objects/f1/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S:O=A">http://vendetudo.com/.git/objects/f1/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/?C=S:O=D">http://vendetudo.com/.git/objects/f1/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f1/eba7944df4d903626490dfbcdab82c4d2ac562">http://vendetudo.com/.git/objects/f1/eba7944df4d903626490dfbcdab82c4d2ac562</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/">http://vendetudo.com/.git/objects/f2/</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/7a7bc0713348c7c3e6c11a01fdff53f6e91ba8">http://vendetudo.com/.git/objects/f2/7a7bc0713348c7c3e6c11a01fdff53f6e91ba8</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D:O=A">http://vendetudo.com/.git/objects/f2/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=D:O=D">http://vendetudo.com/.git/objects/f2/?C=D:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M:O=A">http://vendetudo.com/.git/objects/f2/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=M:O=D">http://vendetudo.com/.git/objects/f2/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N:O=A">http://vendetudo.com/.git/objects/f2/?C=N:O=A</a>
Método	GET



Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=N:O=D">http://vendetudo.com/.git/objects/f2/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S:O=A">http://vendetudo.com/.git/objects/f2/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/?C=S:O=D">http://vendetudo.com/.git/objects/f2/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f2/a52c7746b4f479e1c3d6708fcdc9fbd9725c33">http://vendetudo.com/.git/objects/f2/a52c7746b4f479e1c3d6708fcdc9fbd9725c33</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f7/">http://vendetudo.com/.git/objects/f7/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D:O=A">http://vendetudo.com/.git/objects/f7/?C=D:O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=D;O=D">http://vendetudo.com/.git/objects/f7/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=A">http://vendetudo.com/.git/objects/f7/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=M;O=D">http://vendetudo.com/.git/objects/f7/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=A">http://vendetudo.com/.git/objects/f7/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=N;O=D">http://vendetudo.com/.git/objects/f7/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=A">http://vendetudo.com/.git/objects/f7/?C=S;O=A</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f7/?C=S;O=D">http://vendetudo.com/.git/objects/f7/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f7/f3158c6d452759e68dbbc30fec64bad365c995">http://vendetudo.com/.git/objects/f7/f3158c6d452759e68dbbc30fec64bad365c995</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f9/">http://vendetudo.com/.git/objects/f9/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f9/391cb4fa6cd5144ed555dc6f8d4efebc64714d">http://vendetudo.com/.git/objects/f9/391cb4fa6cd5144ed555dc6f8d4efebc64714d</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=A">http://vendetudo.com/.git/objects/f9/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=D;O=D">http://vendetudo.com/.git/objects/f9/?C=D;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=A">http://vendetudo.com/.git/objects/f9/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=M;O=D">http://vendetudo.com/.git/objects/f9/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N;O=A">http://vendetudo.com/.git/objects/f9/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=N;O=D">http://vendetudo.com/.git/objects/f9/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S;O=A">http://vendetudo.com/.git/objects/f9/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/f9/?C=S;O=D">http://vendetudo.com/.git/objects/f9/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fb/">http://vendetudo.com/.git/objects/fb/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fb/55be8244612c28752a1278223ad3d7e850855d">http://vendetudo.com/.git/objects/fb/55be8244612c28752a1278223ad3d7e850855d</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=A">http://vendetudo.com/.git/objects/fb/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=D;O=D">http://vendetudo.com/.git/objects/fb/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=A">http://vendetudo.com/.git/objects/fb/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=M;O=D">http://vendetudo.com/.git/objects/fb/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=A">http://vendetudo.com/.git/objects/fb/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=N;O=D">http://vendetudo.com/.git/objects/fb/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=A">http://vendetudo.com/.git/objects/fb/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fb/?C=S;O=D">http://vendetudo.com/.git/objects/fb/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fc/">http://vendetudo.com/.git/objects/fc/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=A">http://vendetudo.com/.git/objects/fc/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=D;O=D">http://vendetudo.com/.git/objects/fc/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=A">http://vendetudo.com/.git/objects/fc/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=M;O=D">http://vendetudo.com/.git/objects/fc/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=A">http://vendetudo.com/.git/objects/fc/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=N;O=D">http://vendetudo.com/.git/objects/fc/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=A">http://vendetudo.com/.git/objects/fc/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fc/?C=S;O=D">http://vendetudo.com/.git/objects/fc/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fc/bb2908d4b0627c9ca63c72acce9bd0e6c5ddd6">http://vendetudo.com/.git/objects/fc/bb2908d4b0627c9ca63c72acce9bd0e6c5ddd6</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fd/">http://vendetudo.com/.git/objects/fd/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fd/8b3b6729e3847aa5d440cca35d7f545cfce176">http://vendetudo.com/.git/objects/fd/8b3b6729e3847aa5d440cca35d7f545cfce176</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fd/8d5ca566d47a77d9562168617bb2f6482bf9be">http://vendetudo.com/.git/objects/fd/8d5ca566d47a77d9562168617bb2f6482bf9be</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=A">http://vendetudo.com/.git/objects/fd/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client



	or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=D;O=D">http://vendetudo.com/.git/objects/fd/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=A">http://vendetudo.com/.git/objects/fd/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=M;O=D">http://vendetudo.com/.git/objects/fd/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=A">http://vendetudo.com/.git/objects/fd/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=N;O=D">http://vendetudo.com/.git/objects/fd/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S;O=A">http://vendetudo.com/.git/objects/fd/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/fd/?C=S;O=D">http://vendetudo.com/.git/objects/fd/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/info/">http://vendetudo.com/.git/objects/info/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D;O=A">http://vendetudo.com/.git/objects/info/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/info/?C=D;O=D">http://vendetudo.com/.git/objects/info/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=A">http://vendetudo.com/.git/objects/info/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/info/?C=M;O=D">http://vendetudo.com/.git/objects/info/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/.git/objects/info/?C=N:O=A">http://vendetudo.com/.git/objects/info/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/info/?C=N:O=D">http://vendetudo.com/.git/objects/info/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S:O=A">http://vendetudo.com/.git/objects/info/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/info/?C=S:O=D">http://vendetudo.com/.git/objects/info/?C=S:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/pack/">http://vendetudo.com/.git/objects/pack/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D:O=A">http://vendetudo.com/.git/objects/pack/?C=D:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=D:O=D">http://vendetudo.com/.git/objects/pack/?C=D:O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M:O=A">http://vendetudo.com/.git/objects/pack/?C=M:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=M:O=D">http://vendetudo.com/.git/objects/pack/?C=M:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N:O=A">http://vendetudo.com/.git/objects/pack/?C=N:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=N:O=D">http://vendetudo.com/.git/objects/pack/?C=N:O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S:O=A">http://vendetudo.com/.git/objects/pack/?C=S:O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/objects/pack/?C=S:O=D">http://vendetudo.com/.git/objects/pack/?C=S:O=D</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/">http://vendetudo.com/.git/refs/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=A">http://vendetudo.com/.git/refs/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/?C=D;O=D">http://vendetudo.com/.git/refs/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=A">http://vendetudo.com/.git/refs/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/?C=M;O=D">http://vendetudo.com/.git/refs/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=A">http://vendetudo.com/.git/refs/?C=N;O=A</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/?C=N;O=D">http://vendetudo.com/.git/refs/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=A">http://vendetudo.com/.git/refs/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/?C=S;O=D">http://vendetudo.com/.git/refs/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/heads/">http://vendetudo.com/.git/refs/heads/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=A">http://vendetudo.com/.git/refs/heads/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=D;O=D">http://vendetudo.com/.git/refs/heads/?C=D;O=D</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=A">http://vendetudo.com/.git/refs/heads/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=M;O=D">http://vendetudo.com/.git/refs/heads/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=A">http://vendetudo.com/.git/refs/heads/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=N;O=D">http://vendetudo.com/.git/refs/heads/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=A">http://vendetudo.com/.git/refs/heads/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/heads/?C=S;O=D">http://vendetudo.com/.git/refs/heads/?C=S;O=D</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/heads/main">http://vendetudo.com/.git/refs/heads/main</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/tags/">http://vendetudo.com/.git/refs/tags/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=A">http://vendetudo.com/.git/refs/tags/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=D;O=D">http://vendetudo.com/.git/refs/tags/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=A">http://vendetudo.com/.git/refs/tags/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=M;O=D">http://vendetudo.com/.git/refs/tags/?C=M;O=D</a>
Método	GET
Ataque	



Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=A">http://vendetudo.com/.git/refs/tags/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=N;O=D">http://vendetudo.com/.git/refs/tags/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=A">http://vendetudo.com/.git/refs/tags/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/.git/refs/tags/?C=S;O=D">http://vendetudo.com/.git/refs/tags/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/">http://vendetudo.com/backups/</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/?C=D;O=A">http://vendetudo.com/backups/?C=D;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/?C=D;O=D">http://vendetudo.com/backups/?C=D;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/?C=M;O=A">http://vendetudo.com/backups/?C=M;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/?C=M;O=D">http://vendetudo.com/backups/?C=M;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/?C=N;O=A">http://vendetudo.com/backups/?C=N;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/?C=N;O=D">http://vendetudo.com/backups/?C=N;O=D</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/?C=S;O=A">http://vendetudo.com/backups/?C=S;O=A</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/?C=S;O=D">http://vendetudo.com/backups/?C=S;O=D</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/admin.php.txt">http://vendetudo.com/backups/admin.php.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/backups/vendetudo.sql">http://vendetudo.com/backups/vendetudo.sql</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/css/animate.css">http://vendetudo.com/css/animate.css</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/css/bootstrap.min.css">http://vendetudo.com/css/bootstrap.min.css</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/css/fancybox/jquery.fancybox.css">http://vendetudo.com/css/fancybox/jquery.fancybox.css</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/css/flexslider.css">http://vendetudo.com/css/flexslider.css</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/css/font-awesome.css">http://vendetudo.com/css/font-awesome.css</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/css/style.css">http://vendetudo.com/css/style.css</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/fonts/fontawesome-webfont.woff?v=4.0.3">http://vendetudo.com/fonts/fontawesome-webfont.woff?v=4.0.3</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/icons/back.gif">http://vendetudo.com/icons/back.gif</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/icons/blank.gif">http://vendetudo.com/icons/blank.gif</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/icons/folder.gif">http://vendetudo.com/icons/folder.gif</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/icons/text.gif">http://vendetudo.com/icons/text.gif</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/icons/unknown.gif">http://vendetudo.com/icons/unknown.gif</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/img/bg_direction_nav.png">http://vendetudo.com/img/bg_direction_nav.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/img/slides/1.jpg">http://vendetudo.com/img/slides/1.jpg</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/img/slides/2.jpg">http://vendetudo.com/img/slides/2.jpg</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/img/slides/3.jpg">http://vendetudo.com/img/slides/3.jpg</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/index.html">http://vendetudo.com/index.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/js/animate.js">http://vendetudo.com/js/animate.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/js/bootstrap.min.js">http://vendetudo.com/js/bootstrap.min.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/js/custom.js">http://vendetudo.com/js/custom.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/js/jquery.easing.1.3.js">http://vendetudo.com/js/jquery.easing.1.3.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/js/jquery.fancybox-media.js">http://vendetudo.com/js/jquery.fancybox-media.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/js/jquery.fancybox.pack.js">http://vendetudo.com/js/jquery.fancybox.pack.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/js/jquery.flexslider.js">http://vendetudo.com/js/jquery.flexslider.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/js/jquery.js">http://vendetudo.com/js/jquery.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/js/portfolio/jquery.quicksand.js">http://vendetudo.com/js/portfolio/jquery.quicksand.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/js/portfolio/setting.js">http://vendetudo.com/js/portfolio/setting.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/chart.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/column_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/column_chart.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/line_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/line_chart.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/pie_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/pie_chart.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-links.png">http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-links.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-link.png">http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-link.png</a>



Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-name.png">http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-name.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-view-link.png">http://vendetudo.com/phpmyadmin/doc/html/_images/pma-relations-relation-view-link.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/query_result_operations.png">http://vendetudo.com/phpmyadmin/doc/html/_images/query_result_operations.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/scatter_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/scatter_chart.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/spline_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/spline_chart.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/timeline_chart.png">http://vendetudo.com/phpmyadmin/doc/html/_images/timeline_chart.png</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_images/usergroups.png">http://vendetudo.com/phpmyadmin/doc/html/_images/usergroups.png</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/bookmarks.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/bookmarks.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/charts.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/charts.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/config.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/config.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/copyright.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/copyright.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/credits.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/credits.rst.txt</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/developers.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/developers.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/faq.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/faq.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/glossary.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/glossary.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/import_export.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/import_export.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/index.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/index.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/intro.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/intro.rst.txt</a>
Método	GET

Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/other.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/other.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/privileges.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/privileges.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/relations.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/relations.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/require.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/require.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/security.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/security.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/settings.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/settings.rst.txt</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/setup.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/setup.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/themes.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/themes.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/transformations.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/transformations.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/two_factor.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/two_factor.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/user.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/user.rst.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_sources/vendors.rst.txt">http://vendetudo.com/phpmyadmin/doc/html/_sources/vendors.rst.txt</a>
Método	GET
Ataque	
Evidence	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_javascript_frameworks_compat.js">http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_javascript_frameworks_compat.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/classic.css">http://vendetudo.com/phpmyadmin/doc/html/_static/classic.css</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/doctools.js">http://vendetudo.com/phpmyadmin/doc/html/_static/doctools.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/documentation_options.js">http://vendetudo.com/phpmyadmin/doc/html/_static/documentation_options.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/language_data.js">http://vendetudo.com/phpmyadmin/doc/html/_static/language_data.js</a>
Método	GET
Ataque	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/pygments.css">http://vendetudo.com/phpmyadmin/doc/html/_static/pygments.css</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js">http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_highlight.js">http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_highlight.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js">http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/bookmarks.html">http://vendetudo.com/phpmyadmin/doc/html/bookmarks.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/charts.html">http://vendetudo.com/phpmyadmin/doc/html/charts.html</a>
Método	GET
Ataque	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/config.html">http://vendetudo.com/phpmyadmin/doc/html/config.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/copyright.html">http://vendetudo.com/phpmyadmin/doc/html/copyright.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/credits.html">http://vendetudo.com/phpmyadmin/doc/html/credits.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/developers.html">http://vendetudo.com/phpmyadmin/doc/html/developers.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/faq.html">http://vendetudo.com/phpmyadmin/doc/html/faq.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/genindex.html">http://vendetudo.com/phpmyadmin/doc/html/genindex.html</a>
Método	GET
Ataque	
Evidence	



Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/glossary.html">http://vendetudo.com/phpmyadmin/doc/html/glossary.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/import_export.html">http://vendetudo.com/phpmyadmin/doc/html/import_export.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/index.html">http://vendetudo.com/phpmyadmin/doc/html/index.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/intro.html">http://vendetudo.com/phpmyadmin/doc/html/intro.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/other.html">http://vendetudo.com/phpmyadmin/doc/html/other.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/privileges.html">http://vendetudo.com/phpmyadmin/doc/html/privileges.html</a>
Método	GET
Ataque	
Evidence	
	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/relations.html">http://vendetudo.com/phpmyadmin/doc/html/relations.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/require.html">http://vendetudo.com/phpmyadmin/doc/html/require.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/search.html">http://vendetudo.com/phpmyadmin/doc/html/search.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/search.html?q=ZAP">http://vendetudo.com/phpmyadmin/doc/html/search.html?q=ZAP</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/searchindex.js">http://vendetudo.com/phpmyadmin/doc/html/searchindex.js</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/security.html">http://vendetudo.com/phpmyadmin/doc/html/security.html</a>
Método	GET
Ataque	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/settings.html">http://vendetudo.com/phpmyadmin/doc/html/settings.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/setup.html">http://vendetudo.com/phpmyadmin/doc/html/setup.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/themes.html">http://vendetudo.com/phpmyadmin/doc/html/themes.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/transformations.html">http://vendetudo.com/phpmyadmin/doc/html/transformations.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/two_factor.html">http://vendetudo.com/phpmyadmin/doc/html/two_factor.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/user.html">http://vendetudo.com/phpmyadmin/doc/html/user.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/vendors.html">http://vendetudo.com/phpmyadmin/doc/html/vendors.html</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/favicon.ico">http://vendetudo.com/phpmyadmin/favicon.ico</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/codemirror/addon/lint/sql-lint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/codemirror/addon/lint/sql-lint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/common.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/common.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/config.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/config.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/cross_framing_protection.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/cross_framing_protection.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/doclinks.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/doclinks.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/error_report.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/error_report.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/indexes.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/indexes.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/keyhandler.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/keyhandler.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/menu_resizer.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/menu_resizer.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/name-conflict-fixes.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/name-conflict-fixes.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/page_settings.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/page_settings.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/shortcuts_handler.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/shortcuts_handler.js?v=5.2.1deb1</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;lang=en&amp;v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;lang=en&amp;v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/bootstrap/bootstrap.bundle.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/bootstrap/bootstrap.bundle.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.css?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.css?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/sql-hint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/sql-hint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/lint/lint.css?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/lint/lint.css?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/lint/lint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/lint/lint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/runmode/runmode.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/runmode/runmode.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.css?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.css?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.



URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-migrate.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-migrate.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.debounce-1.0.6.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.debounce-1.0.6.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.validate.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.validate.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/js.cookie.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/js.cookie.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/sprintf.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/sprintf.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/themes/dot.gif">http://vendetudo.com/phpmyadmin/themes/dot.gif</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/themes/pmahomme/css/theme.css?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/themes/pmahomme/css/theme.css?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/themes/pmahomme/img/logo_right.png">http://vendetudo.com/phpmyadmin/themes/pmahomme/img/logo_right.png</a>

Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/phpmyadmin/themes/pmahomme/jquery/jquery-ui.css">http://vendetudo.com/phpmyadmin/themes/pmahomme/jquery/jquery-ui.css</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/robots.txt">http://vendetudo.com/robots.txt</a>
Método	GET
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	POST
Ataque	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	1249
Solution	<p>Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.</p> <p>If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.</p>
Reference	<a href="https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85)">https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85)</a> <a href="https://owasp.org/www-community/Security-Headers">https://owasp.org/www-community/Security-Headers</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10021</a>

Informativo	Authentication Request Identified
Descrição	The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>

Método	POST
Ataque	
Evidence	pma_password
Other Info	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://vendetudo.com/phpmyadmin/
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	pma_password
Other Info	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://vendetudo.com/phpmyadmin/index.php?lang=en&route=%2F&route=/ &token=297c3541412d4e4b3333652827617551
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	pma_password
Other Info	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://vendetudo.com/phpmyadmin/index.php?lang=en&route=%2F&route=/ &token=3c576b5f4366686f392c222c6c567172
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	pma_password
Other Info	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://vendetudo.com/phpmyadmin/index.php?lang=en&route=%2F&route=/ &token=432c74335e672937232e36396f377428
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	pma_password
Other Info	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://vendetudo.com/phpmyadmin/index.php?lang=en&route=%2F&route=/ &token=502e3d72495e2e264275577b4a374039
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	pma_password
Other Info	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://vendetudo.com/phpmyadmin/index.php?lang=en&route=%2F&route=/ &token=506e48626d4e365a3c336c2a3e756021
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	pma_password
Other	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://vendetudo.com/phpmyadmin/index.php?lang=en&route=%2F&route=

Info	/&token=5429435364393c42786a246025303870
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	pma_password
Other Info	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://vendetudo.com/phpmyadmin/index.php?lang=en&route=%2F&route=/&token=7973783a376641707b5a6a5375434565
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	pma_password
Other Info	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://vendetudo.com/phpmyadmin/index.php?route=/
Instances	9
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	<a href="https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/">https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/</a>
CWE Id	
WASC Id	
Plugin Id	<a href="#">10111</a>

Informativo	CSP: X-Content-Security-Policy
Descrição	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=303c564d5b653c4a667538256a543e77</a>

Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	

Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
	The header X-Content-Security-Policy was found on this response. While it is a good sign



Other Info	that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F">http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	default-src 'self' ;options inline-script eval-script;referrer no-referrer;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-Content-Security-Policy was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.



Instances	18
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Informativo	CSP: X-WebKit-CSP
Descrição	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET

Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self'

Evidence	'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is

Other Info	implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F">http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F</a>
Método	GET
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	default-src 'self' ;script-src 'self' 'unsafe-inline' 'unsafe-eval';referrer no-referrer;style-src 'self' 'unsafe-inline' ;img-src 'self' data: *.tile.openstreetmap.org;object-src 'none';
Other Info	The header X-WebKit-CSP was found on this response. While it is a good sign that CSP is implemented to some degree the policy specified in this header has not been analyzed by ZAP. To ensure full support by modern browsers ensure that the Content-Security-Policy header is defined and attached to responses.
Instances	18
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://caniuse.com/#search=content+security+policy">https://caniuse.com/#search=content+security+policy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a> <a href="https://github.com/HtmlUnit/htmlunit-csp">https://github.com/HtmlUnit/htmlunit-csp</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15

Plugin Id	<a href="#">10055</a>
-----------	-----------------------

Informativo	Content-Type Header Missing
Descrição	The Content-Type header was either missing or empty.
URL	<a href="http://vendetudo.com/.git/COMMIT_EDITMSG">http://vendetudo.com/.git/COMMIT_EDITMSG</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/config">http://vendetudo.com/.git/config</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/description">http://vendetudo.com/.git/description</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/HEAD">http://vendetudo.com/.git/HEAD</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/applypatch-msg.sample">http://vendetudo.com/.git/hooks/applypatch-msg.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/commit-msg.sample">http://vendetudo.com/.git/hooks/commit-msg.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/fsmonitor-watchman.sample">http://vendetudo.com/.git/hooks/fsmonitor-watchman.sample</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/post-update.sample">http://vendetudo.com/.git/hooks/post-update.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-applypatch.sample">http://vendetudo.com/.git/hooks/pre-applypatch.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-commit.sample">http://vendetudo.com/.git/hooks/pre-commit.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-merge-commit.sample">http://vendetudo.com/.git/hooks/pre-merge-commit.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-push.sample">http://vendetudo.com/.git/hooks/pre-push.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-rebase.sample">http://vendetudo.com/.git/hooks/pre-rebase.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/pre-receive.sample">http://vendetudo.com/.git/hooks/pre-receive.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/hooks/prepare-commit-msg.sample">http://vendetudo.com/.git/hooks/prepare-commit-msg.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/push-to-checkout.sample">http://vendetudo.com/.git/hooks/push-to-checkout.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/sendemail-validate.sample">http://vendetudo.com/.git/hooks/sendemail-validate.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/hooks/update.sample">http://vendetudo.com/.git/hooks/update.sample</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/index">http://vendetudo.com/.git/index</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/info/exclude">http://vendetudo.com/.git/info/exclude</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/HEAD">http://vendetudo.com/.git/logs/HEAD</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/logs/refs/heads/main">http://vendetudo.com/.git/logs/refs/heads/main</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/00/ddcea6bc4e49f54a93bb634c72ceae255e31cf">http://vendetudo.com/.git/objects/00/ddcea6bc4e49f54a93bb634c72ceae255e31cf</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/01/586176d793c261db6b6ca4ca7822b2d3b35703">http://vendetudo.com/.git/objects/01/586176d793c261db6b6ca4ca7822b2d3b35703</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/03/32b3e3dcd8870dd78bb32833cf2989b4c5bbdb">http://vendetudo.com/.git/objects/03/32b3e3dcd8870dd78bb32833cf2989b4c5bbdb</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/8cff973981e8dd4ed8e73c4ca532ffc02e1e8">http://vendetudo.com/.git/objects/04/8cff973981e8dd4ed8e73c4ca532ffc02e1e8</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/04/fb2a41478a28d559a3de49db34e4678f23663e">http://vendetudo.com/.git/objects/04/fb2a41478a28d559a3de49db34e4678f23663e</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/9f47980d3b83d94cb1ba5d7f9a63c31c0c9286">http://vendetudo.com/.git/objects/07/9f47980d3b83d94cb1ba5d7f9a63c31c0c9286</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/07/be5c38423c23aca48db6492d2ce06b78ba0ca1">http://vendetudo.com/.git/objects/07/be5c38423c23aca48db6492d2ce06b78ba0ca1</a>
Método	GET
Ataque	
Evidence	
Other Info	



Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0a/2ac6fa70b4d9ace5c998dd9e9e5631c1a2554f">http://vendetudo.com/.git/objects/0a/2ac6fa70b4d9ace5c998dd9e9e5631c1a2554f</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/0c282cad008acb11a453c89203703033f7b7dd">http://vendetudo.com/.git/objects/0e/0c282cad008acb11a453c89203703033f7b7dd</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/0e/7fc381d43af3c148e4ff2ffecc215e6df41044">http://vendetudo.com/.git/objects/0e/7fc381d43af3c148e4ff2ffecc215e6df41044</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/46842ede28341dd7441f9a7d228bdb5ac0a58e">http://vendetudo.com/.git/objects/13/46842ede28341dd7441f9a7d228bdb5ac0a58e</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/13/d03076f3020b9f56c5d261a992579d34ab6709">http://vendetudo.com/.git/objects/13/d03076f3020b9f56c5d261a992579d34ab6709</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/15/25287332318116d93bbdbe870b514271061b70">http://vendetudo.com/.git/objects/15/25287332318116d93bbdbe870b514271061b70</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/17/01b1e4da7d98611458dff6fb53371722c6b162">http://vendetudo.com/.git/objects/17/01b1e4da7d98611458dff6fb53371722c6b162</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/1b/d1f8bfe252292000bacbaa94ecdff752d1dc35">http://vendetudo.com/.git/objects/1b/d1f8bfe252292000bacbaa94ecdff752d1dc35</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1d/4a4ed3701f589df59ee4e761358ebfff900d4a">http://vendetudo.com/.git/objects/1d/4a4ed3701f589df59ee4e761358ebfff900d4a</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1e/42801fab2bde4e29dfa36f7a93c499b06094b9">http://vendetudo.com/.git/objects/1e/42801fab2bde4e29dfa36f7a93c499b06094b9</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/1f/7b880ca8e4e307f3364f2e7f4dc9ad67b750f6">http://vendetudo.com/.git/objects/1f/7b880ca8e4e307f3364f2e7f4dc9ad67b750f6</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/22/b42c26796e56b6e9338997e5dde3d818908011">http://vendetudo.com/.git/objects/22/b42c26796e56b6e9338997e5dde3d818908011</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/24/2d6c79d94c45c3b2607dfb77d3572a0adf102d">http://vendetudo.com/.git/objects/24/2d6c79d94c45c3b2607dfb77d3572a0adf102d</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/28/3afb832f9ba7947f526ceb9e8605d9bebf01fb">http://vendetudo.com/.git/objects/28/3afb832f9ba7947f526ceb9e8605d9bebf01fb</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/2c/e3cee57d3d70d03031bbe24e8197a5a1c6f8a6">http://vendetudo.com/.git/objects/2c/e3cee57d3d70d03031bbe24e8197a5a1c6f8a6</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/9042851393dff610b5c5ffca7759d75d2b07f4">http://vendetudo.com/.git/objects/31/9042851393dff610b5c5ffca7759d75d2b07f4</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/31/cbc18b3597e591dac18da544e10372c65c7b6d">http://vendetudo.com/.git/objects/31/cbc18b3597e591dac18da544e10372c65c7b6d</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/35/d42e808f0a8017b8d52a06be2f8fec0b466a66">http://vendetudo.com/.git/objects/35/d42e808f0a8017b8d52a06be2f8fec0b466a66</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/38/1834ec8cd5efe4f7c33b4b7754d5715c057b5a">http://vendetudo.com/.git/objects/38/1834ec8cd5efe4f7c33b4b7754d5715c057b5a</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/39/e5fa6ff02c44fd0946194906b32d938c43dc98">http://vendetudo.com/.git/objects/39/e5fa6ff02c44fd0946194906b32d938c43dc98</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3b/f6484a29d8da269f9bc874b25493a45fae3bae">http://vendetudo.com/.git/objects/3b/f6484a29d8da269f9bc874b25493a45fae3bae</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/3c/5f7fa9470685dbbb887ce66017954ed10133e2">http://vendetudo.com/.git/objects/3c/5f7fa9470685dbbb887ce66017954ed10133e2</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/41/ced46a356209abf1fee4dba7cc0be32e26c71b">http://vendetudo.com/.git/objects/41/ced46a356209abf1fee4dba7cc0be32e26c71b</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/43/ff77a20feab865fe1cd42769438552cd0f5b70">http://vendetudo.com/.git/objects/43/ff77a20feab865fe1cd42769438552cd0f5b70</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/70ff38ebbd2357ea63f31b73480330fb5ae65">http://vendetudo.com/.git/objects/45/70ff38ebbd2357ea63f31b73480330fb5ae65</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/45/fdf33830123533459b17fbbf91735489fd6bd8">http://vendetudo.com/.git/objects/45/fdf33830123533459b17fbbf91735489fd6bd8</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/37767b64b3dc232fba39c69e4d0e076fe1748a">http://vendetudo.com/.git/objects/4b/37767b64b3dc232fba39c69e4d0e076fe1748a</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/5e783568c16ecaa56344692aabcd890623ba3e">http://vendetudo.com/.git/objects/4b/5e783568c16ecaa56344692aabcd890623ba3e</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4b/6e0d1a713a90503f3012d8e5de2c3e3715aec4">http://vendetudo.com/.git/objects/4b/6e0d1a713a90503f3012d8e5de2c3e3715aec4</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/9cc323a649864b7d2de9b076595c3e0a1a9aeb">http://vendetudo.com/.git/objects/4c/9cc323a649864b7d2de9b076595c3e0a1a9aeb</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/4c/bdf8a9b074edda1272391313460db75ae4b771">http://vendetudo.com/.git/objects/4c/bdf8a9b074edda1272391313460db75ae4b771</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/2c0680ac8b8133ada2c45b7c7bcbf5fd9cb8bc">http://vendetudo.com/.git/objects/50/2c0680ac8b8133ada2c45b7c7bcbf5fd9cb8bc</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/50/f9e0d66de1f6e1a9be52d642f3a54a88d4adc8">http://vendetudo.com/.git/objects/50/f9e0d66de1f6e1a9be52d642f3a54a88d4adc8</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/57/fa5cf4342946075a43721d33a4464cd1158efb">http://vendetudo.com/.git/objects/57/fa5cf4342946075a43721d33a4464cd1158efb</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/58/72487b79c317313c622ad7fcb9af958f45bfe6">http://vendetudo.com/.git/objects/58/72487b79c317313c622ad7fcb9af958f45bfe6</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/59/4883c2b6ee892c14cd588061cd2e82b3a0cc9f">http://vendetudo.com/.git/objects/59/4883c2b6ee892c14cd588061cd2e82b3a0cc9f</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/59/b2e718c831e94a76c6307b241f1bf355f5577c">http://vendetudo.com/.git/objects/59/b2e718c831e94a76c6307b241f1bf355f5577c</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/2071ee504435939aa3d44b9af38ec1234c9ddf">http://vendetudo.com/.git/objects/5c/2071ee504435939aa3d44b9af38ec1234c9ddf</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/2fda7bd2abbd0de8c6574b202efdaacd8bd561">http://vendetudo.com/.git/objects/5c/2fda7bd2abbd0de8c6574b202efdaacd8bd561</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5c/eab7c53d8f595668cd2c57d03824199129e0b5">http://vendetudo.com/.git/objects/5c/eab7c53d8f595668cd2c57d03824199129e0b5</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/5d/b3a89349369110f309ad63e3b963361bec8c49">http://vendetudo.com/.git/objects/5d/b3a89349369110f309ad63e3b963361bec8c49</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/330fa39577853795b761ab842bdb89a52469ed">http://vendetudo.com/.git/objects/61/330fa39577853795b761ab842bdb89a52469ed</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/61/610374fee11165142263f1d572b56c24b76da9">http://vendetudo.com/.git/objects/61/610374fee11165142263f1d572b56c24b76da9</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/62/6f490f8729f01537edfa26b69831b1867c9d64">http://vendetudo.com/.git/objects/62/6f490f8729f01537edfa26b69831b1867c9d64</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/66/6e856afdcfe005ef43bb4e9cbb1174852213f9">http://vendetudo.com/.git/objects/66/6e856afdcfe005ef43bb4e9cbb1174852213f9</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/67/eb62b93fedaaded6e649f2ee302e309e2fb278">http://vendetudo.com/.git/objects/67/eb62b93fedaaded6e649f2ee302e309e2fb278</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6c/fc7bf757df47811f5d3d381faf6100441f1fbe">http://vendetudo.com/.git/objects/6c/fc7bf757df47811f5d3d381faf6100441f1fbe</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/6d/bb2b26382adb9e41644c44cb9cdf99fb7810f2">http://vendetudo.com/.git/objects/6d/bb2b26382adb9e41644c44cb9cdf99fb7810f2</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/74/f24c464c082acbc8796a178fbcae84d8c3aa22">http://vendetudo.com/.git/objects/74/f24c464c082acbc8796a178fbcae84d8c3aa22</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/78/c73c643c2232cb28ad4ffd17053c316eda0d41">http://vendetudo.com/.git/objects/78/c73c643c2232cb28ad4ffd17053c316eda0d41</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/79/ede24d997f002bff5bb389b4c99da797c19bc0">http://vendetudo.com/.git/objects/79/ede24d997f002bff5bb389b4c99da797c19bc0</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7a/c16dbc9ea983ce1a974be903aef9db79266f24">http://vendetudo.com/.git/objects/7a/c16dbc9ea983ce1a974be903aef9db79266f24</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7c/79c6a6bc9a128a2a8eaffbe49a4338625fdb2">http://vendetudo.com/.git/objects/7c/79c6a6bc9a128a2a8eaffbe49a4338625fdb2</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/7f/68c9b50215bf50ffaa587b82df0fff0409ec8">http://vendetudo.com/.git/objects/7f/68c9b50215bf50ffaa587b82df0fff0409ec8</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/87/2131c2dc64133c6f431f76ce58c5d5efad6bb8">http://vendetudo.com/.git/objects/87/2131c2dc64133c6f431f76ce58c5d5efad6bb8</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/88/039d54e8c5ece4ce04cd62d40632921fdf57e4">http://vendetudo.com/.git/objects/88/039d54e8c5ece4ce04cd62d40632921fdf57e4</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/0f54e47e1d356dcf1496942a50e228e0f1ee14">http://vendetudo.com/.git/objects/8b/0f54e47e1d356dcf1496942a50e228e0f1ee14</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/3b790ed9b06671af02e6af888671c709580872">http://vendetudo.com/.git/objects/8b/3b790ed9b06671af02e6af888671c709580872</a>
Método	GET
Ataque	
Evidence	
Other	



Info	
URL	<a href="http://vendetudo.com/.git/objects/8b/7c3763dbffad4207aafa3d4a7f7e1d4bfeff3a">http://vendetudo.com/.git/objects/8b/7c3763dbffad4207aafa3d4a7f7e1d4bfeff3a</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8c/1748aab7a790d510fb3f42a8a8971d96efa79d">http://vendetudo.com/.git/objects/8c/1748aab7a790d510fb3f42a8a8971d96efa79d</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8d/fcfe9ec4962f372aad443f6b494aecca1c089">http://vendetudo.com/.git/objects/8d/fcfe9ec4962f372aad443f6b494aecca1c089</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/72d554fff116653183fcb368418873aee9e2d8">http://vendetudo.com/.git/objects/8e/72d554fff116653183fcb368418873aee9e2d8</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/8e/ab0cae298b172ce227ab407168c8951e134178">http://vendetudo.com/.git/objects/8e/ab0cae298b172ce227ab407168c8951e134178</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/90/d19d66473d03217259bb2f74786d3fbfc7c1ea">http://vendetudo.com/.git/objects/90/d19d66473d03217259bb2f74786d3fbfc7c1ea</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/93/d701d2e50d663e1e3fc80bec584a6f80c07d77">http://vendetudo.com/.git/objects/93/d701d2e50d663e1e3fc80bec584a6f80c07d77</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/95/87fb9174cce19fd08ee9d66160e7dfcaceed47">http://vendetudo.com/.git/objects/95/87fb9174cce19fd08ee9d66160e7dfcaceed47</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/96/5fba414e7e032ad6575bec6533588df8e65f67">http://vendetudo.com/.git/objects/96/5fba414e7e032ad6575bec6533588df8e65f67</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/97/58bd59378979daa2d9cb875d56d2c6e41d04fe">http://vendetudo.com/.git/objects/97/58bd59378979daa2d9cb875d56d2c6e41d04fe</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/0fab01c00ec76769fe361ae77e6365b25b7361">http://vendetudo.com/.git/objects/9c/0fab01c00ec76769fe361ae77e6365b25b7361</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9c/949ae97beac23f1560523d54f0cde598e9cdd3">http://vendetudo.com/.git/objects/9c/949ae97beac23f1560523d54f0cde598e9cdd3</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/9f/6e747b1c06882eb36b48416cd737fb370ecde6">http://vendetudo.com/.git/objects/9f/6e747b1c06882eb36b48416cd737fb370ecde6</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a1/c6fcf6728cb2c578f7e0ccd9d8e52f3d7cc648">http://vendetudo.com/.git/objects/a1/c6fcf6728cb2c578f7e0ccd9d8e52f3d7cc648</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a3/a955515cd871975aa91ee924ff7e87fbf75ba7">http://vendetudo.com/.git/objects/a3/a955515cd871975aa91ee924ff7e87fbf75ba7</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a4/391396a9d6b6d7ff3b781f16904732fea40bdd">http://vendetudo.com/.git/objects/a4/391396a9d6b6d7ff3b781f16904732fea40bdd</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a5/5d6eafbeb3bd8d9d75e8d0dd1b982cef440120">http://vendetudo.com/.git/objects/a5/5d6eafbeb3bd8d9d75e8d0dd1b982cef440120</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/13720fd284a600f29e3fddba144ad830adf683">http://vendetudo.com/.git/objects/a8/13720fd284a600f29e3fddba144ad830adf683</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a8/4c9c0bdcca94fc2633b96616173322e2639e9d">http://vendetudo.com/.git/objects/a8/4c9c0bdcca94fc2633b96616173322e2639e9d</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/132237788e2ea70fc77928ed4f5a75731dfaa5">http://vendetudo.com/.git/objects/a9/132237788e2ea70fc77928ed4f5a75731dfaa5</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/a9/969993201f9cee63cf9f49217646347297b643">http://vendetudo.com/.git/objects/a9/969993201f9cee63cf9f49217646347297b643</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/aa/f47f92f84802ca27a76e99eb3671c59fa9644f">http://vendetudo.com/.git/objects/aa/f47f92f84802ca27a76e99eb3671c59fa9644f</a>
Método	GET
Ataque	
Evidence	

Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ab/fb1ed8af3db8c4acdfe53b7ab400fb8df50d7e">http://vendetudo.com/.git/objects/ab/fb1ed8af3db8c4acdfe53b7ab400fb8df50d7e</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/b1/3acaaad79dadd26466a850053298b8dbcfe860">http://vendetudo.com/.git/objects/b1/3acaaad79dadd26466a850053298b8dbcfe860</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/bb/c56ccd4d956ad87b85d102fde4adba74d8a0ab">http://vendetudo.com/.git/objects/bb/c56ccd4d956ad87b85d102fde4adba74d8a0ab</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c4/a51a3c226e2ec09bcd29a4bac74e13d9204491">http://vendetudo.com/.git/objects/c4/a51a3c226e2ec09bcd29a4bac74e13d9204491</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/c6/fce1776dfe1e956f9520b3ebb2cf15070941d3">http://vendetudo.com/.git/objects/c6/fce1776dfe1e956f9520b3ebb2cf15070941d3</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/cb/7efe4f36b5d24563356364980107bdc2e8c2c1">http://vendetudo.com/.git/objects/cb/7efe4f36b5d24563356364980107bdc2e8c2c1</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d4/37aff62bbbbaabb783fa7acd89c9850287f1f6a">http://vendetudo.com/.git/objects/d4/37aff62bbbbaabb783fa7acd89c9850287f1f6a</a>
Método	GET
Ataque	
Evidence	
Other Info	

URL	<a href="http://vendetudo.com/.git/objects/d5/64d0bc3dd917926892c55e3706cc116d5b165e">http://vendetudo.com/.git/objects/d5/64d0bc3dd917926892c55e3706cc116d5b165e</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d5/ae290b322fcc4aebff3a6a2cca0d13215cc935">http://vendetudo.com/.git/objects/d5/ae290b322fcc4aebff3a6a2cca0d13215cc935</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/a8395528a6acd6a67d74c1b1d9b7fef825991d">http://vendetudo.com/.git/objects/d7/a8395528a6acd6a67d74c1b1d9b7fef825991d</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/d7/c4efbf7fd096ddfe5d8f8d6036ba94321921fc">http://vendetudo.com/.git/objects/d7/c4efbf7fd096ddfe5d8f8d6036ba94321921fc</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/df/60e6c9b515a7516726740de8a3446080d4dc19">http://vendetudo.com/.git/objects/df/60e6c9b515a7516726740de8a3446080d4dc19</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e1/36f31e03315b850f2a95d09b5b24989d55cbd6">http://vendetudo.com/.git/objects/e1/36f31e03315b850f2a95d09b5b24989d55cbd6</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e5/907a779383350349df26c48ce623e40ec4d363">http://vendetudo.com/.git/objects/e5/907a779383350349df26c48ce623e40ec4d363</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e6/9de29bb2d1d6434b8b29ae775ad8c2e48c5391">http://vendetudo.com/.git/objects/e6/9de29bb2d1d6434b8b29ae775ad8c2e48c5391</a>
Método	GET

Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/e8/9738de5eaf8fca33a2f2cdc5cb4929caa62b71">http://vendetudo.com/.git/objects/e8/9738de5eaf8fca33a2f2cdc5cb4929caa62b71</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/eb/fb0da9c71b974e99f621e52276e74b3300ae9c">http://vendetudo.com/.git/objects/eb/fb0da9c71b974e99f621e52276e74b3300ae9c</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ec/9e893fe414fe2e65da16a8f3d8a7bd0c5e4c19">http://vendetudo.com/.git/objects/ec/9e893fe414fe2e65da16a8f3d8a7bd0c5e4c19</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ed/8c9c3557939537b1a676dffecc2694a4cde39a">http://vendetudo.com/.git/objects/ed/8c9c3557939537b1a676dffecc2694a4cde39a</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ee/0507f12c9d173882d98cf87b19f273ba6e067d">http://vendetudo.com/.git/objects/ee/0507f12c9d173882d98cf87b19f273ba6e067d</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/ef/7432107950d6f5706a031f081a188887c128b5">http://vendetudo.com/.git/objects/ef/7432107950d6f5706a031f081a188887c128b5</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/1955333e02c83f595d49cbfa7042552e44342e">http://vendetudo.com/.git/objects/f1/1955333e02c83f595d49cbfa7042552e44342e</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f1/eba7944df4d903626490dfbcdab82c4d2ac562">http://vendetudo.com/.git/objects/f1/eba7944df4d903626490dfbcdab82c4d2ac562</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/7a7bc0713348c7c3e6c11a01fdff53f6e91ba8">http://vendetudo.com/.git/objects/f2/7a7bc0713348c7c3e6c11a01fdff53f6e91ba8</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f2/a52c7746b4f479e1c3d6708fcdc9fbd9725c33">http://vendetudo.com/.git/objects/f2/a52c7746b4f479e1c3d6708fcdc9fbd9725c33</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f7/f3158c6d452759e68dbbc30fec64bad365c995">http://vendetudo.com/.git/objects/f7/f3158c6d452759e68dbbc30fec64bad365c995</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/f9/391cb4fa6cd5144ed555dc6f8d4efebc64714d">http://vendetudo.com/.git/objects/f9/391cb4fa6cd5144ed555dc6f8d4efebc64714d</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fb/55be8244612c28752a1278223ad3d7e850855d">http://vendetudo.com/.git/objects/fb/55be8244612c28752a1278223ad3d7e850855d</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fc/bb2908d4b0627c9ca63c72acce9bd0e6c5ddd6">http://vendetudo.com/.git/objects/fc/bb2908d4b0627c9ca63c72acce9bd0e6c5ddd6</a>
Método	GET
Ataque	
Evidence	
Other	

Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/8b3b6729e3847aa5d440cca35d7f545cfce176">http://vendetudo.com/.git/objects/fd/8b3b6729e3847aa5d440cca35d7f545cfce176</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/objects/fd/8d5ca566d47a77d9562168617bb2f6482bf9be">http://vendetudo.com/.git/objects/fd/8d5ca566d47a77d9562168617bb2f6482bf9be</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/.git/refs/heads/main">http://vendetudo.com/.git/refs/heads/main</a>
Método	GET
Ataque	
Evidence	
Other Info	
Instances	141
Solution	Ensure each page is setting the specific and appropriate content-type value for the content being delivered.
Reference	<a href="https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85)">https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85)</a>
CWE Id	<a href="#">345</a>
WASC Id	12
Plugin Id	<a href="#">10019</a>

Informativo	Divulgação de Informações - Comentários Suspeitos
Descrição	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	<a href="http://vendetudo.com/backups/admin.php.txt">http://vendetudo.com/backups/admin.php.txt</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: "<script> s_db='".@addslashes(\$_POST['sql_base'])."'; function fs(f) { if(f.sql_base.v", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/js/custom.js">http://vendetudo.com/js/custom.js</a>
Método	GET
Ataque	
Evidence	Select
Other Info	The following pattern was used: \bSELECT\b and was detected 2 times, the first in the element starting with: " animation : "fade", //String: Select your animation type, "fade" or "slide"", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/js/jquery.easing.1.3.js">http://vendetudo.com/js/jquery.easing.1.3.js</a>



Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 2 times, the first in the element starting with: " * or promote products derived from this software without specific prior written permission.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/js/jquery.fancybox-media.js">http://vendetudo.com/js/jquery.fancybox-media.js</a>
Método	GET
Ataque	
Evidence	later
Other Info	The following pattern was used: \bLATER\b and was detected in the element starting with: " * @requires fancyBox v2.0 or later", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/js/jquery.fancybox.pack.js">http://vendetudo.com/js/jquery.fancybox.pack.js</a>
Método	GET
Ataque	
Evidence	later
Other Info	The following pattern was used: \bLATER\b and was detected in the element starting with: "(H?' allowtransparency="true"":"")+"></iframe>",error:'<p class="fancybox-error">The requested content cannot be loaded. Ple", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/js/jquery.flexslider.js">http://vendetudo.com/js/jquery.flexslider.js</a>
Método	GET
Ataque	
Evidence	bug
Other Info	The following pattern was used: \bBUG\b and was detected 4 times, the first in the element starting with: " // Prevent iOS click event bug", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/js/jquery.flexslider.js">http://vendetudo.com/js/jquery.flexslider.js</a>
Método	GET
Ataque	
Evidence	Select
Other Info	The following pattern was used: \bSELECT\b and was detected 2 times, the first in the element starting with: " animation: "fade", //String: Select your animation type, "fade" or "slide"", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/js/jquery.js">http://vendetudo.com/js/jquery.js</a>
Método	GET
Ataque	
Evidence	username
Other Info	The following pattern was used: \bUSERNAME\b and was detected in the element starting with: "*/(function(a,b){function G(a){var b=F[a]={};return p.each(a.split(s),function(a,c){b[c]!=0}),b}function J(a,c,d){if(d===b&&a.no", see evidence field for the suspicious comment /snippet.
URL	<a href="http://vendetudo.com/js/portfolio/jquery.quicksand.js">http://vendetudo.com/js/portfolio/jquery.quicksand.js</a>
Método	GET
Ataque	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected 5 times, the first in the element starting with: " var postCallbackPerformed = 0; // prevents the function from being called more than one time", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/js/portfolio/jquery.quicksand.js">http://vendetudo.com/js/portfolio/jquery.quicksand.js</a>
Método	GET
Ataque	
Evidence	later
Other Info	The following pattern was used: \bLATER\b and was detected in the element starting with: " // Adjust later, on callback", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"lang=en",opendb_url:"index.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_javascript_frameworks_compat.js">http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_javascript_frameworks_compat.js</a>
Método	GET
Ataque	
Evidence	bug
Other Info	The following pattern was used: \bBUG\b and was detected in the element starting with: " * This will be supported until firefox bug is fixed.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_javascript_frameworks_compat.js">http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_javascript_frameworks_compat.js</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 2 times, the first in the element starting with: " * select a different prefix for underscore", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/doctools.js">http://vendetudo.com/phpmyadmin/doc/html/_static/doctools.js</a>
Método	GET
Ataque	
Evidence	SELECT
Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: " "SELECT",", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	bug
Other Info	The following pattern was used: \bBUG\b and was detected 7 times, the first in the element starting with: " // We allow this because of a bug in IE8/9 that throws an error", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>

Método	GET
Ataque	
Evidence	bugs
Other Info	The following pattern was used: \bBUGS\b and was detected 9 times, the first in the element starting with: " // https://bugs.jquery.com/ticket/4833", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 54 times, the first in the element starting with: " // Return just the one element from the set", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	later
Other Info	The following pattern was used: \bLATER\b and was detected 8 times, the first in the element starting with: " // IE8 throws error here and will not see later tests", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected 3 times, the first in the element starting with: " // IE 11/Edge don't find elements on a `[name=]" query in some cases.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 19 times, the first in the element starting with: " select,", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	TODO
Other Info	The following pattern was used: \bTODO\b and was detected 4 times, the first in the element starting with: " // TODO: identify versions", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected 9 times, the first in the element starting with: " // Can be adjusted by the user", see evidence field for the suspicious comment/snippet.

URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	username
Other Info	The following pattern was used: \bUSERNAME\b and was detected 2 times, the first in the element starting with: " username: null,", see evidence field for the suspicious comment /snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js">http://vendetudo.com/phpmyadmin/doc/html/_static/jquery.js</a>
Método	GET
Ataque	
Evidence	where
Other Info	The following pattern was used: \bWHERE\b and was detected 10 times, the first in the element starting with: " // For CommonJS and CommonJS-like environments where a proper `window`", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js">http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js</a>
Método	GET
Ataque	
Evidence	debug
Other Info	The following pattern was used: \bDEBUG\b and was detected in the element starting with: " // console.debug("SEARCH: searching for:");", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js">http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in the element starting with: " // stopwords array is from language_data.js", see evidence field for the suspicious comment /snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js">http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js</a>
Método	GET
Ataque	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected 18 times, the first in the element starting with: " // query matches the full name of an object", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js">http://vendetudo.com/phpmyadmin/doc/html/_static/searchtools.js</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 2 times, the first in the element starting with: " // select the correct list", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_highlight.js">http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_highlight.js</a>
Método	GET
Ataque	
Evidence	from

Other Info	The following pattern was used: \bFROM\b and was detected 2 times, the first in the element starting with: " // get and clear terms from localStorage", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_highlight.js">http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_highlight.js</a>
Método	GET
Ataque	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected in the element starting with: " * It will highlight words from the _previous_ search query.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_highlight.js">http://vendetudo.com/phpmyadmin/doc/html/_static/sphinx_highlight.js</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: " } else if (node.matches && !node.matches("button, select, textarea")) {", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js">http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js</a>
Método	GET
Ataque	
Evidence	bug
Other Info	The following pattern was used: \bBUG\b and was detected 2 times, the first in the element starting with: " // Work around a bug in IE 10 - Edge 13.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js">http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js</a>
Método	GET
Ataque	
Evidence	bugs
Other Info	The following pattern was used: \bBUGS\b and was detected in the element starting with: " // Optimize `isFunction` if appropriate. Work around some `typeof` bugs in old", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js">http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 16 times, the first in the element starting with: " // Internal helper to generate a function to obtain property `key` from `obj`.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js">http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js</a>
Método	GET
Ataque	
Evidence	later
Other Info	The following pattern was used: \bLATER\b and was detected 5 times, the first in the element starting with: " var later = function() {", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js">http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js</a>
Método	GET

Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: " select: filter,", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js">http://vendetudo.com/phpmyadmin/doc/html/_static/underscore.js</a>
Método	GET
Ataque	
Evidence	where
Other Info	The following pattern was used: \bWHERE\b and was detected 3 times, the first in the element starting with: " // Define a fallback version of the method in browsers (ahem, IE < 9), where", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/searchindex.js">http://vendetudo.com/phpmyadmin/doc/html/searchindex.js</a>
Método	GET
Ataque	
Evidence	bug
Other Info	The following pattern was used: \bBUG\b and was detected in the element starting with: "Search.setIndex({"docnames": ["bookmarks", "charts", "config", "copyright", "credits", "developers", "faq", "glossary", "import_", see evidence field for the suspicious comment /snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bdb\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bdb\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bdb\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>
Método	GET

Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.

URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	db



Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync="false" type="text/javascript"> // <![CDATA[ CommonParams.setAll ({common_query:"",opendb_url:"index.php?rou", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	bug
Other Info	The following pattern was used: \bBUG\b and was detected 2 times, the first in the element starting with: " * handler defined below. Workaround for bug #3583316", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	debug
Other Info	The following pattern was used: \bDEBUG\b and was detected 8 times, the first in the element starting with: " * @var {boolean} debug Makes noise in your Firebug console", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 7 times, the first in the element starting with: " * Used by CommonActions from common.js", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	later
Other Info	The following pattern was used: \bLATER\b and was detected in the element starting with: " * event handler in the "jQuery data", so that we can fire it up later in", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 2 times, the first in the element starting with: " * Input,Textarea and select fields to make changes in forms", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	todo
Other Info	The following pattern was used: \bTODO\b and was detected 3 times, the first in the element starting with: " * @todo Fix Code mirror does not give correct full value (query)", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1</a>

Método	GET
Ataque	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected 8 times, the first in the element starting with: " // the user has performed some operations on loaded page", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/ajax.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	where
Other Info	The following pattern was used: \bWHERE\b and was detected 2 times, the first in the element starting with: " // scroll to bottom where all the errors are displayed.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/codemirror/addon/lint/sql-lint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/codemirror/addon/lint/sql-lint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in the element starting with: " from: CodeMirror.Pos(response[idx].fromLine, response[idx].fromColumn)", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/common.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/common.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected 8 times, the first in the element starting with: " * Holds common parameters such as server, db, table, etc", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/common.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/common.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 2 times, the first in the element starting with: " * The content for this is normally loaded from Header.php or", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/common.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/common.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected 2 times, the first in the element starting with: " * Returns the url query string using the saved parameters", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/config.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/config.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other	The following pattern was used: \bFROM\b and was detected 2 times, the first in the element starting with: " // Supported, remove test variable from storage", see evidence field

Info	for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/config.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/config.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 14 times, the first in the element starting with: " \$(''.optbox input[id], .optbox select[id], .optbox textarea[id]).off('change').off('keyup');", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/config.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/config.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected 3 times, the first in the element starting with: " * Functions used in configuration forms and on user preferences pages", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected 13 times, the first in the element starting with: " Console.\$requestForm = \$('<form method="post" action="index.php?route=/import">' + '<input name="is_js_confirmed" value="0">', see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	debug
Other Info	The following pattern was used: \bDEBUG\b and was detected 10 times, the first in the element starting with: " \$('#pma_console').find('.button.debug').on('click', function () {", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 2 times, the first in the element starting with: " // Change console mode from cookie", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	later
Other Info	The following pattern was used: \bLATER\b and was detected in the element starting with: " // Generate an ID for each message, we can find them later", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1</a>
Método	GET
Ataque	

Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected 46 times, the first in the element starting with: " * Execute query and show results in console", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/console.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 5 times, the first in the element starting with: " * @param {string   JQuery<Element>} cardSelector Selector, select string will be "#pma_console " + cardSelector", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/doclinks.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/doclinks.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	SELECT
Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: " 'SELECT': ['select'], ", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/doclinks.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/doclinks.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	USER
Other Info	The following pattern was used: \bUSER\b and was detected in the element starting with: " 'USER': ['information-functions', 'function_user'], ", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected 3 times, the first in the element starting with: " if (CommonParams.get('db') === ") {", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 5 times, the first in the element starting with: " // We don't want to prevent users from using", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	todo
Other Info	The following pattern was used: \bTODO\b and was detected 3 times, the first in the element starting with: " // todo: method to find the value below", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/drag_drop_import.js?v=5.2.1deb1</a>

Método	GET
Ataque	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in the element starting with: " * Called when some user drags, dragover, leave", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/error_report.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/error_report.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	bug
Other Info	The following pattern was used: \bBUG\b and was detected in the element starting with: " // See bug#4146 (problem with jquery draggable and sortable)", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/error_report.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/error_report.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in the element starting with: " * Extracts Exception name from message if it exists", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/error_report.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/error_report.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected 3 times, the first in the element starting with: " * handles thrown error exceptions based on user preferences", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	admin
Other Info	The following pattern was used: \bADMIN\b and was detected in the element starting with: " var customDict = ['phpmyadmin', 'mariadb', 'mysql', 'php', 'my', 'admin'];", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bdb\b and was detected 39 times, the first in the element starting with: " * @var {array} centralColumnList array to hold the columns in central list per db.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other	The following pattern was used: \bFROM\b and was detected 15 times, the first in the

Info	element starting with: " // Remember that we came from the datepicker; this is used", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected 41 times, the first in the element starting with: " * @var codeMirrorEditor object containing CodeMirror editor of the query editor in SQL tab", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 44 times, the first in the element starting with: " \$('select.column_type').each(function () {", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	TODO
Other Info	The following pattern was used: \bTODO\b and was detected 3 times, the first in the element starting with: " // TODO: find a way (if possible) to use the parser-analyser", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected 18 times, the first in the element starting with: " * for PhpMyAdmin\Display\ChangePassword and /user-password", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	username
Other Info	The following pattern was used: \bUSERNAME\b and was detected 5 times, the first in the element starting with: "Functions.checkPasswordStrength = function (value, meterObject, meterObjectLabel, username) {", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/functions.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	WHERE
Other Info	The following pattern was used: \bWHERE\b and was detected 9 times, the first in the element starting with: " var doConfirmRegExp4 = new RegExp('^(?=.*UPDATE\b)^(?!WHERE).*\$', 'i');", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/indexes.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/indexes.js?v=5.2.1deb1</a>
Método	GET
Ataque	

Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected 3 times, the first in the element starting with: " 'db': \$('input[name="db"]').val()", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/indexes.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/indexes.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 4 times, the first in the element starting with: " * Removes a column from an Index.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/indexes.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/indexes.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 20 times, the first in the element starting with: " * @var {jQuery<HTMLElement}, Dropdown to select the index choice.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/keyhandler.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/keyhandler.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 4 times, the first in the element starting with: " * Allows moving around inputs/select by Ctrl+arrows", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected 10 times, the first in the element starting with: " // as db filter has already been applied", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	FIXME
Other Info	The following pattern was used: \bFIXME\b and was detected 2 times, the first in the element starting with: " \$destination.find('div.list_container').remove(); // FIXME: Hack, there shouldn't be a list container there", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 2 times, the first in the element starting with: " // remove tree from storage if Navi_panel config form is submitted", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>

Método	GET
Ataque	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected 5 times, the first in the element starting with: " * @param {string} searchClause The query string for the filter", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 4 times, the first in the element starting with: " pos: \$('#pma_navigation_tree').find('div.dbselector select').val()", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	TODO
Other Info	The following pattern was used: \bTODO\b and was detected 2 times, the first in the element starting with: " // TODO Why is a loading symbol both hidden, and invisible?", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in the element starting with: " // If the user is different", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	where
Other Info	The following pattern was used: \bWHERE\b and was detected in the element starting with: " * @var {number} panelWidth Used by the collapsor to know where to go", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/navigation.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	XXX
Other Info	The following pattern was used: \bXXX\b and was detected 2 times, the first in the element starting with: " * XXX: Must only be ever instanciated once", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/page_settings.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/page_settings.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	user
Other	The following pattern was used: \bUSER\b and was detected in the element starting with: " // Keeping a clone to restore in case the user cancels the operation", see evidence field for



Info	the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/shortcuts_handler.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/shortcuts_handler.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected 4 times, the first in the element starting with: " isDb = CommonParams.get('db');", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/dist/shortcuts_handler.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/dist/shortcuts_handler.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	SELECT
Other Info	The following pattern was used: \bSELECT\b and was detected 2 times, the first in the element starting with: " if (e.target.nodeName === 'INPUT'    e.target.nodeName === 'TEXTAREA'    e.target.nodeName === 'SELECT') {"", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;lang=en&amp;v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;lang=en&amp;v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected in the element starting with: "var Messages = {"strConfirm":"Confirm","strDoYouReally":"Do you really want to execute \"%s\"?", "strDropDatabaseStrongWarning": "", see evidence field for the suspicious comment /snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/messages.php?l=en&amp;v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected in the element starting with: "var Messages = {"strConfirm":"Confirm","strDoYouReally":"Do you really want to execute \"%s\"?", "strDropDatabaseStrongWarning": "", see evidence field for the suspicious comment /snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/bootstrap/bootstrap.bundle.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/bootstrap/bootstrap.bundle.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: " *(function(e,t){typeof exports=="object"&&typeof module!="undefined"?module.exports=t(): typeof define=="function"&&define.amd", see evidence field for the suspicious comment /snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 10 times, the first in the element starting with: " self.cm.replaceRange(getText(completion), completion.from    data.from,", see evidence field for the suspicious comment/snippet.

URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/show-hint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: <code>\bSELECT\b</code> and was detected 2 times, the first in the element starting with: " CodeMirror.signal(data, "select", completions[this.selectedHint], hints.childNodes[this.selectedHint]);", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/sql-hint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/sql-hint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: <code>\bFROM\b</code> and was detected 3 times, the first in the element starting with: " // Get rid name from identifierQuote and preceding dot(.)", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/sql-hint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/hint/sql-hint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	query
Other Info	The following pattern was used: <code>\bQUERY\b</code> and was detected 3 times, the first in the element starting with: " var query = doc.getRange(validRange.start, validRange.end, false);", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/lint/lint.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/addon/lint/lint.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: <code>\bFROM\b</code> and was detected 3 times, the first in the element starting with: " var ann = annotations[i], line = ann.from.line;", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	bug
Other Info	The following pattern was used: <code>\bBUG\b</code> and was detected 4 times, the first in the element starting with: " if (ios) // Mobile Safari apparently has a bug where select() is broken.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	bugs
Other Info	The following pattern was used: <code>\bBUGS\b</code> and was detected 2 times, the first in the element starting with: " // Kludges for bugs and behavior differences that can't be feature", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1</a>
Método	GET
Ataque	

Evidence	FIXME
Other Info	The following pattern was used: \bFIXME\b and was detected 2 times, the first in the element starting with: " throw new Error("inputStyle can not (yet) be changed in a running editor") // FIXME", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 373 times, the first in the element starting with: " // wrapper for elt, which removes the elt from the accessibility tree", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	later
Other Info	The following pattern was used: \bLATER\b and was detected 2 times, the first in the element starting with: " // Store some values that we'll need later (but don't want to force a relayout for)", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 7 times, the first in the element starting with: " var selectInput = function(node) { node.select(); }", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	User
Other Info	The following pattern was used: \bUSER\b and was detected 4 times, the first in the element starting with: " // default. User code or addons can define them. Unknown commands", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/lib/codemirror.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	where
Other Info	The following pattern was used: \bWHERE\b and was detected 14 times, the first in the element starting with: " // Often, we want to signal events at a point where we are in the", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	admin
Other Info	The following pattern was used: \bADMIN\b and was detected 2 times, the first in the element starting with: " keywords: set("select alter \$elem\$ \$key\$ \$value\$ add after all analyze and archive as asc before between binary both bucket ", see evidence field for the suspicious comment/snippet.

URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: " //https://github.com/greenplum-db/gpdb/blob/master/src/include/parser/kwlist.h", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in the element starting with: " // call hooks from the mime type", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected 7 times, the first in the element starting with: " keywords: set(sqlKeywords + "accessible action add after algorithm all analyze asensitive at authors auto_increment autocomm", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 5 times, the first in the element starting with: " var sqlKeywords = "alter and as asc between by count create delete desc distinct drop from group having in insert into is join", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/codemirror/mode/sql/sql.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected 3 times, the first in the element starting with: " // ref: http://dev.mysql.com/doc/refman/5.5/en/user-variables.html", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-migrate.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-migrate.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: " *(function(e){"use strict";typeof define=="function"&&define.amd?define(["jquery"],function (t){return e(t,window)}):typeof mod", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1</a>
Método	GET
Ataque	

Evidence	Bug
Other Info	The following pattern was used: \bBUG\b and was detected in the element starting with: " * Bug descriptions: when an input field has a default value, and click on the field to pop up the date picker.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 7 times, the first in the element starting with: " // Update the time as well : this prevents the time from disappearing from the \$input field.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected 11 times, the first in the element starting with: " tp_inst._defaults.controlType = 'select';", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	todo
Other Info	The following pattern was used: \bTODO\b and was detected in the element starting with: " * @todo ER1. Since altInput can have a totally difference format, convert it to standard format by reading input format fro", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected 3 times, the first in the element starting with: " * If the user manually empty the value in the input field, the date picker will never change selected value.", see evidence field for the suspicious comment /snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	where
Other Info	The following pattern was used: \bWHERE\b and was detected in the element starting with: " * Returns: {date: Date, timeObj: Object}, where", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery-ui.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select

Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: "!function(factory){\"use strict\";\"function\"==typeof define&&define.amd?define(\"ui/version.js\",[\"jquery\"],factory):factory(jQuery)}\", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	username
Other Info	The following pattern was used: \bUSERNAME\b and was detected in the element starting with: "!function(e,t){\"use strict\";\"object\"==typeof module&&\"object\"==typeof module.exports?module.exports=e.document?t(e,!0):function(\"\", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.validate.min.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/jquery/jquery.validate.min.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	select
Other Info	The following pattern was used: \bSELECT\b and was detected in the element starting with: \" */(function(e){typeof define==\"function\"&&define([\"jquery\"],e):typeof module==\"object\"&&module.exports?module.export\", see evidence field for the suspicious comment /snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/sprintf.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/sprintf.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	FROM
Other Info	The following pattern was used: \bFROM\b and was detected in the element starting with: \" * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,\"\", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/sprintf.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/sprintf.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	todo
Other Info	The following pattern was used: \bTODO\b and was detected in the element starting with: \" case 'f': // @todo: Should handle locales (as per setlocale)\", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	debug
Other Info	The following pattern was used: \bDEBUG\b and was detected 5 times, the first in the element starting with: \" var debug = false,\"\", see evidence field for the suspicious comment /snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 12 times, the first in the element starting with: \" * * in Safari, some methods may be missing from the stack trace;\", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1</a>

Método	GET
Ataque	
Evidence	TODO
Other Info	The following pattern was used: \bTODO\b and was detected 2 times, the first in the element starting with: " // TODO: Clean this function up", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	where
Other Info	The following pattern was used: \bWHERE\b and was detected 4 times, the first in the element starting with: " * get a stack trace from the point where TraceKit.report was called.", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1">http://vendetudo.com/phpmyadmin/js/vendor/tracekit.js?v=5.2.1deb1</a>
Método	GET
Ataque	
Evidence	xxx
Other Info	The following pattern was used: \bXXX\b and was detected 2 times, the first in the element starting with: " // Line 3 of inline#1 script in file://localhost/Users/andreyvit/Projects/TraceKit/javascript-client/sample.html: In f", see evidence field for the suspicious comment/snippet.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	db
Other Info	The following pattern was used: \bDB\b and was detected in the element starting with: "<script data-cfasync='false' type='text/javascript'> // <![CDATA[ CommonParams.setAll ({common_query:'',opendb_url:'index.php?rou", see evidence field for the suspicious comment/snippet.
Instances	148
Solution	Remova todos os comentários que retornam informações que podem ajudar um invasor e corrigir quaisquer problemas subjacentes aos quais eles se referem.
Reference	
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">10027</a>

Informativo	Information Disclosure - Sensitive Information in URL
Descrição	A solicitação parecia conter informações confidenciais vazadas no URL. Isso pode violar a PCI e a maioria das políticas de conformidade organizacional. Você pode configurar a lista de strings para esta verificação para adicionar ou remover valores específicos para seu ambiente.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token

URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	token



Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET

Ataque	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
Instances	15
Solution	Não passe informações confidenciais em URIs.
Reference	
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">10024</a>

Informativo	Modern Web Application
Descrição	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	<a href="http://vendetudo.com/">http://vendetudo.com/</a>
Método	GET
Ataque	
Evidence	<a href="#">Sobre</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/index.html">http://vendetudo.com/index.html</a>
Método	GET
Ataque	
Evidence	<a href="#">Sobre</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/bookmarks.html">http://vendetudo.com/phpmyadmin/doc/html/bookmarks.html</a>
Método	GET
Ataque	
Evidence	<a href="">Bookmarks</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/charts.html">http://vendetudo.com/phpmyadmin/doc/html/charts.html</a>
Método	GET
Ataque	
Evidence	<a href="">Charts</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/config.html">http://vendetudo.com/phpmyadmin/doc/html/config.html</a>

Método	GET
Ataque	
Evidence	<a href="">Configuration</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/copyright.html">http://vendetudo.com/phpmyadmin/doc/html/copyright.html</a>
Método	GET
Ataque	
Evidence	<a href="">Copyright</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/credits.html">http://vendetudo.com/phpmyadmin/doc/html/credits.html</a>
Método	GET
Ataque	
Evidence	<a href="">Credits</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/developers.html">http://vendetudo.com/phpmyadmin/doc/html/developers.html</a>
Método	GET
Ataque	
Evidence	<a href="">Developers Information</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/faq.html">http://vendetudo.com/phpmyadmin/doc/html/faq.html</a>
Método	GET
Ataque	
Evidence	<a href="">FAQ - Frequently Asked Questions</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/genindex.html">http://vendetudo.com/phpmyadmin/doc/html/genindex.html</a>
Método	GET
Ataque	
Evidence	<a href="#" title="General Index" accesskey="I">index</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/glossary.html">http://vendetudo.com/phpmyadmin/doc/html/glossary.html</a>
Método	GET
Ataque	
Evidence	<a href="">Glossary</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/import_export.html">http://vendetudo.com/phpmyadmin/doc/html/import_export.html</a>
Método	GET

Ataque	
Evidence	<a href="">Import and export</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/index.html">http://vendetudo.com/phpmyadmin/doc/html/index.html</a>
Método	GET
Ataque	
Evidence	<a href="#">phpMyAdmin 5.2.1 documentation</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/intro.html">http://vendetudo.com/phpmyadmin/doc/html/intro.html</a>
Método	GET
Ataque	
Evidence	<a href="">Introduction</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/other.html">http://vendetudo.com/phpmyadmin/doc/html/other.html</a>
Método	GET
Ataque	
Evidence	<a href="">Other sources of information</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/privileges.html">http://vendetudo.com/phpmyadmin/doc/html/privileges.html</a>
Método	GET
Ataque	
Evidence	<a href="">User management</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/relations.html">http://vendetudo.com/phpmyadmin/doc/html/relations.html</a>
Método	GET
Ataque	
Evidence	<a href="">Relations</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/require.html">http://vendetudo.com/phpmyadmin/doc/html/require.html</a>
Método	GET
Ataque	
Evidence	<a href="">Requirements</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/search.html">http://vendetudo.com/phpmyadmin/doc/html/search.html</a>
Método	GET
Ataque	
Evidence	<a href="">Search</a>

Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/search.html?q=ZAP">http://vendetudo.com/phpmyadmin/doc/html/search.html?q=ZAP</a>
Método	GET
Ataque	
Evidence	<a href="">Search</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/security.html">http://vendetudo.com/phpmyadmin/doc/html/security.html</a>
Método	GET
Ataque	
Evidence	<a href="">Security policy</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/settings.html">http://vendetudo.com/phpmyadmin/doc/html/settings.html</a>
Método	GET
Ataque	
Evidence	<a href="">Configuring phpMyAdmin</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/setup.html">http://vendetudo.com/phpmyadmin/doc/html/setup.html</a>
Método	GET
Ataque	
Evidence	<a href="">Installation</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/themes.html">http://vendetudo.com/phpmyadmin/doc/html/themes.html</a>
Método	GET
Ataque	
Evidence	<a href="">Custom Themes</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/transformations.html">http://vendetudo.com/phpmyadmin/doc/html/transformations.html</a>
Método	GET
Ataque	
Evidence	<a href="">Transformations</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/two_factor.html">http://vendetudo.com/phpmyadmin/doc/html/two_factor.html</a>
Método	GET
Ataque	
Evidence	<a href="">Two-factor authentication</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.

URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/user.html">http://vendetudo.com/phpmyadmin/doc/html/user.html</a>
Método	GET
Ataque	
Evidence	<a href="">User Guide</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/doc/html/vendors.html">http://vendetudo.com/phpmyadmin/doc/html/vendors.html</a>
Método	GET
Ataque	
Evidence	<a href="">Distributing and packaging phpMyAdmin</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other	A noScript tag has been found, which is an indication that the application works differently

Info	with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	

Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	<a href="http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F">http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F</a>
Método	GET
Ataque	
Evidence	<script type='text/javascript'> window.onload = function () { window.location = 'https://www.phpmyadmin.net/'; }; </script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	<noscript><style>html{display:block}</style></noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
Instances	46
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	<a href="#">10109</a>

Informative	Obsolete Content Security Policy (CSP) Header Found
-------------	---



Descrição	The "X-Content-Security-Policy" and "X-WebKit-CSP" headers are no longer recommended.
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	

Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072</a>

Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F">http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F</a>
Método	GET
Ataque	
Evidence	
Other Info	
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	
Other Info	
Instances	18
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	<a href="https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy">https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy</a> <a href="https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html</a> <a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://w3c.github.io/webappsec-csp/">https://w3c.github.io/webappsec-csp/</a> <a href="https://web.dev/articles/csp">https://web.dev/articles/csp</a> <a href="https://caniuse.com/#feat=contentsecuritypolicy">https://caniuse.com/#feat=contentsecuritypolicy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10038</a>

<b>Informative</b>	<b>Session Management Response Identified</b>
--------------------	---

Descrição	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
URL	<a href="http://vendetudo.com/admin/">http://vendetudo.com/admin/</a>
Método	GET
Ataque	
Evidence	hhffsetm49jlcqei4obc314l0
Other Info	cookie:PHPSESSID
URL	<a href="http://vendetudo.com/phpmyadmin/">http://vendetudo.com/phpmyadmin/</a>
Método	GET
Ataque	
Evidence	aqfdjh5ma9l4ujkaotql35o37i
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	q520i8kbkeoh1irfhici194j08
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	ojnfhuu4av46im2kvvoj9fjrlr
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	kuhvmjc6fj8kloqjmvnmr2jdls
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	m3m0ndeaoeniseof1dlck8m4st
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=437b6745596348535a23244b473f6a37</a>

Método	GET
Ataque	
Evidence	2ukaj0ali0f1kurbpr3jkemh1
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	t0eke9qt2r001tth1h9e9jtvh5
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	im1crdre2423tlrjop3mi82q4t
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	ob4699hv8vnoe2hg8gprvsus1g
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	upm1ocomo544q9rinspn907t9h
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	bioabc75mqqcm5uv0ricuraq11
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	qsvu3i7u54mmgcgfsnjdushdlv
Other Info	cookie:phpMyAdmin

URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	etrmbbkfbl348ok0dmronh0u9m
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	m1rpg6b799siu01s84m7nu1eqc
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	em3pr03stiehjmfk8imqp4nl5q
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	k4korp8i8fp4pkh9ssnaq02aji
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F">http://vendetudo.com/phpmyadmin/url.php?url=https%3A%2F%2Fwww.phpmyadmin.net%2F</a>
Método	GET
Ataque	
Evidence	aqfdjh5ma9l4ujkaotql35o37i
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a>
Método	POST
Ataque	
Evidence	3rmu005plcdgpnrvo72ev8r9no
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a>
Método	POST
Ataque	
Evidence	44dm7mp438b6jk82v1s2givhhe

Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	4o16j50metmj9ess4f60q2jflu
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	5en331ir1iblkn8ut3uf1lq908
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	80c5srepe59bigpss6bbe9rp7a
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	98i19cidcl3uu26ipbptq4tp08
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	bvpjqg4m7aoursmuqnhlpncuni
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	k5b7qqtno8easq0sl3sqekshal
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	kmn5jrson7emtki0v4rdfe2hgi
Other Info	cookie:phpMyAdmin

URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	pfggqrnuin9t5vvthsfiut4s5j
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	q8v8nh8rfgkflvre56l5osekk
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	se81cc83ep7mmsfla3fhg0op8o
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	sijrti297r557bf6knftsh0f4s
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	tmmdevka5ol5pjo38hiqn1flpi
Other Info	cookie:phpMyAdmin
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=/</a>
Método	POST
Ataque	
Evidence	uneokf8c2m8l8l4qi8c1715beo
Other Info	cookie:phpMyAdmin
Instances	33
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	<a href="https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id">https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id</a>
CWE Id	
WASC Id	
Plugin Id	<a href="#">10112</a>

Informativo	User Controllable HTML Element Attribute (Potential XSS)
-------------	--



Descrição	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a> appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>
Método	GET
Ataque	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=297c3541412d4e4b3333652827617551</a>

Info	appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a> appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=303c564d5b653c4a667538256a543e77</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en

URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a> appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=3c576b5f4366686f392c222c6c567172</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=432c74335e672937232e36396f377428</a>

Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428</a> appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=432c74335e672937232e36396f377428</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a> appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=437b6745596348535a23244b473f6a37</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a> appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=502e3d72495e2e264275577b4a374039</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/%&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin">http://vendetudo.com/phpmyadmin</a>



Other Info	/index.php?lang=en&route=%2F&route=/&token=506e48626d4e365a3c336c2a3e756021 appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=506e48626d4e365a3c336c2a3e756021</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin">http://vendetudo.com/phpmyadmin</a>

Info	/index.php?lang=en&route=%2F&route=/&token=5429435364393c42786a246025303870 appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5429435364393c42786a246025303870</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin">http://vendetudo.com/phpmyadmin</a>



Info	/index.php?lang=en&route=%2F&route=/&token=5a792e74416e65543c4f7d427e7c7452 appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5a792e74416e65543c4f7d427e7c7452</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin">http://vendetudo.com/phpmyadmin</a>

Info	/index.php?lang=en&route=%2F&route=/&token=5c5f50412b217c3167675b526d5f5449 appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=5c5f50412b217c3167675b526d5f5449</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin">http://vendetudo.com/phpmyadmin</a>

Info	/index.php?lang=en&route=%2F&route=/&token=604b475653244a766c412f397568614d appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=604b475653244a766c412f397568614d</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin">http://vendetudo.com/phpmyadmin</a>

Info	/index.php?lang=en&route=%2F&route=/&token=62344a3b684a6e4b77313c594f564850 appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=62344a3b684a6e4b77313c594f564850</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin">http://vendetudo.com/phpmyadmin</a>

Info	/index.php?lang=en&route=%2F&route=/&token=6457616b453f2a5361685b3139674072 appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=6457616b453f2a5361685b3139674072</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin">http://vendetudo.com/phpmyadmin</a>

Info	/index.php?lang=en&route=%2F&route=/&token=73726160316b31335d66573926565741 appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=73726160316b31335d66573926565741</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin">http://vendetudo.com/phpmyadmin</a>



Info	/index.php?lang=en&route=%2F&route=/&token=7973783a376641707b5a6a5375434565 appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a>
Método	GET
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565">http://vendetudo.com/phpmyadmin/index.php?lang=en&amp;route=%2F&amp;route=/&amp;token=7973783a376641707b5a6a5375434565</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a>
Método	POST
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a> appears to include user input in: a(n) [bdo] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a>

Método	POST
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a> appears to include user input in: a(n) [html] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a>
Método	POST
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a>
Método	POST
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a> appears to include user input in: a(n) [option] tag [value] attribute The user input found was: lang=en The user-controlled value was: en_gb
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a>
Método	POST
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a> appears to include user input in: a(n) [select] tag [lang] attribute The user input found was: lang=en The user-controlled value was: en
URL	<a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a>
Método	POST
Ataque	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: <a href="http://vendetudo.com/phpmyadmin/index.php?route=/">http://vendetudo.com/phpmyadmin/index.php?route=</a> appears to include user input in: a(n) [meta] tag [content] attribute The user input found was: server=1 The user-controlled value was: width=device-width, initial-scale=1
Instances	81
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html</a>
CWE Id	<a href="#">20</a>
WASC Id	20
Plugin Id	<a href="#">10031</a>