

ZAP_{by} Checkmar× ZAP by Checkmarx Scanning Report

Site: http://testphp.vulnweb.com

Generated on Sun, 23 Feb 2025 16:53:16

ZAP Version: 2.16.0

ZAP by **Checkmarx**

Summary of Alerts

Risk Level	Number of Alerts
High	4
Medium	4
Low	3
Informational	13

Alerts

Name	Risk Level	Number of Instances
Cross Site Scripting (DOM Based)	High	17
Cross Site Scripting (Reflected)	High	16
SQL Injection	High	1
SQL Injection - MySQL	High	9
Absence of Anti-CSRF Tokens	Medium	4
Content Security Policy (CSP) Header Not Set	Medium	49
Missing Anti-clickjacking Header	Medium	45
XSLT Injection	Medium	2
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Low	63
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	76
X-Content-Type-Options Header Missing	Low	70
Authentication Request Identified	Informational	1
<u>Charset Mismatch (Header Versus Meta Content-Type Charset)</u>	Informational	32
GET for POST	Informational	3
Information Disclosure - Suspicious Comments	Informational	1
Modern Web Application	Informational	9
<u>Tech Detected - Adobe Flash</u>	Informational	1
Tech Detected - Cart Functionality	Informational	1

Tech Detected - DreamWeaver	Informational	1
Tech Detected - Nginx	Informational	1
Tech Detected - PHP	Informational	1
Tech Detected - Ubuntu	Informational	1
User Agent Fuzzer	Informational	240
<u>User Controllable HTML Element Attribute</u> (<u>Potential XSS</u>)	Informational	3

Alert Detail

High	Cross Site Scripting (DOM Based)
	Cross-site Scripting (XSS) is an attack technique that involves echoing attacker-supplied code into a user's browser instance. A browser instance can be a standard web browser client, or a browser object embedded in a software product such as the browser within WinAmp, an RSS reader, or an email client. The code itself is usually written in HTML /JavaScript, but may also extend to VBScript, ActiveX, Java, Flash, or any other browser-supported technology. When an attacker gets a user's browser to execute his/her code, the code will run within the security context (or zone) of the hosting web site. With this level of privilege, the code has the ability to read, modify and transmit any sensitive data accessible by the browser. A Cross-site Scripted user could have his/her account hijacked (cookie theft), their browser
	redirected to another location, or possibly shown fraudulent content delivered by the web site they are visiting. Cross-site Scripting attacks essentially compromise the trust relationship between a user and the web site. Applications utilizing browser object instances which load content from the file system may execute code under the local machine zone allowing for system compromise.
Description	There are three types of Cross-site Scripting attacks: non-persistent, persistent and DOM-based.
	Non-persistent attacks and DOM-based attacks require a user to either visit a specially crafted link laced with malicious code, or visit a malicious web page containing a web form, which when posted to the vulnerable site, will mount the attack. Using a malicious form will oftentimes take place when the vulnerable resource only accepts HTTP POST requests. In such a case, the form can be submitted automatically, without the victim's knowledge (e.g. by using JavaScript). Upon clicking on the malicious link or submitting the malicious form, the XSS payload will get echoed back and will get interpreted by the user's browser and execute. Another technique to send almost arbitrary requests (GET and POST) is by using an embedded client, such as Adobe Flash.
	Persistent attacks occur when the malicious code is submitted to a web site where it's stored for a period of time. Examples of an attacker's favorite targets often include message board posts, web mail messages, and web chat software. The unsuspecting user is not required to interact with any additional site/link (e.g. an attacker site or a malicious link sent via email), just simply view the web page containing the code.
URL	$linear_http://testphp.vulnweb.com#jaVasCript:/*-/*`/*\'/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D% \\ 0A%0d%0a//$
Method	GET
Attack	#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a///teXtarEa/\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/**/**/**/**/**/*/*/*/*/*/*/\</payload_0>

	http://testphp.vulnweb.com <payload_0> Write to /html/body/div[1]/div[5]/div[1]/form/input [2] the value: <payload_0> Click element: /html/body/div[1]/div[5]/div[1]/form/input[2] Access: http://testphp.vulnweb.com<payload_0></payload_0></payload_0></payload_0>
URL	http://testphp.vulnweb.com/#jaVasCript:/*-/*\`/*\'/*"/**/(/* */oNcliCk=alert(5397)_)//%0D% 0A%0d%0a//\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Method	GET
Attack	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/*\'/*\'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a// /teXtarEa/\x3csVg/<svg onload="alert(5397)//">\x3e Access: http://testphp. vulnweb.com/<payload_0> Write to /html/body/div[1]/div[5]/div[1]/form/input[1] the value: <payload_0> Click element: /html/body/div[1]/div[5]/div[1]/form/input[1] Access: http://testphp.vulnweb.com/<payload_0> Write to /html/body/div[1]/div[5]/div[1]/form/input[2] the value: <payload_0> Click element: /html/body/div[1]/div[5]/div[1]/form/input[2]</payload_0></payload_0></payload_0></payload_0></svg></payload_0>
URL	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
Method	GET
Attack	#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a///teXtarEa/\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/*\'/*\'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a// /teXtarEa/\x3csVg/<svg onload="alert(5397)//">\x3e Access: http://testphp.vulnweb.com/artists.php<payload_0> Write to /html/body/div[1]/div[7]/div[7]/div[1]/form/input[1] the value: <payload_0> Click element: /html/body/div[1]/div[7]/div[7]/div[7]/div[7]/div[7]/div[7]/div[7]/div[7]/div[7]/div[7]/div[7]/div[7]/div[7]/div[7]/form/input[2] the value: <payload_0> Click element: /html/body/div[1]/div[7]/div[7]/form/input[2]</payload_0></payload_0></payload_0></svg></payload_0>
URL	http://testphp.vulnweb.com/artists.php?artist=%3Cimg%20src=%22random.gif%22% 20onerror=alert(5397)%3E
Method	GET
Attack	
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_1> as: %3Cimg% 20src=%22random.gif%22%20onerror=alert(5397)%3E Access: http://testphp.vulnweb.com/artists.php?artist=<payload_1></payload_1></payload_1>
URL.	$linear_http://testphp.vulnweb.com/cart.php#jaVasCript:/*-/*`/*\'/*"/**/(/* */oNcliCk=alert(5397))//% OD%0A%0d%0a//$
Method	GET
Attack	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/*\['*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a// /teXtarEa/\x3csVg/<svg onload="alert(5397)//">\x3e Access: http://testphp.vulnweb.com/cart.php<payload_0> Write to /html/body/div[1]/div[5]/div[1]/form/input[1] the value: <payload_0> Click element: /html/body/div[1]/div[5]/div[1]/form/input[1] Access: http://testphp.vulnweb.com/cart.php<payload_0> Write to /html/body/div[1]/div[5]/div[1]/form/input[2] the value: <payload_0> Click element: /html/body/div[1]/div[5]/div[1]/form/input[2]</payload_0></payload_0></payload_0></payload_0></svg></payload_0>
	http://testphp.vulnweb.com/categories.php#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert

URL	(5397))//%0D%0A%0d%0a//\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Method	GET
Attack	#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a///teXtarEa/\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/*\^/*\^/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a// /teXtarEa/\x3csVg/<svg onload="alert(5397)//">\x3e Access: http://testphp. vulnweb.com/categories.php<payload_0> Write to /html/body/div[1]/div[8]/div[1]/form /input[1] the value: <payload_0> Click element: /html/body/div[1]/div[8]/div[1]/form/input [1] Access: http://testphp.vulnweb.com/categories.php<payload_0> Write to /html/body /div[1]/div[8]/div[1]/form/input[2] the value: <payload_0> Click element: /html/body/div[1] /div[8]/div[1]/form/input[2]</payload_0></payload_0></payload_0></payload_0></svg></payload_0>
URL	$linear_http://testphp.vulnweb.com/disclaimer.php#jaVasCript:/*-/*`/*'\^*'/*"/**/(/* */oNcliCk=alert (5397))//%0D%0A%0d%0a//\x3csVg/\x3e$
Method	GET
Attack	#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a///teXtarEa/\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/*\`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a// /teXtarEa/\x3csVg/<svg onload="alert(5397)//">\x3e Access: http://testphp. vulnweb.com/disclaimer.php<payload_0> Write to /html/body/div[1]/div[5]/div[1]/form/input [1] the value: <payload_0> Click element: /html/body/div[1]/div[5]/div[1]/form/input[1] Access: http://testphp.vulnweb.com/disclaimer.php<payload_0> Write to /html/body/div[1]/div[5]/div[1]/form/input[2] the value: <payload_0> Click element: /html/body/div[1]/div[5]/div[1]/form/input[2]</payload_0></payload_0></payload_0></payload_0></svg></payload_0>
URL	$lem:http://testphp.vulnweb.com/guestbook.php#jaVasCript:/*-/*\'/*\'/*\'/*\'/*\'/*\'/*\'/*\'/*\'/*\'$
Method	GET
Attack	#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a///teXtarEa/\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a// /teXtarEa/\x3csVg/<svg onload="alert(5397)//">\x3e Access: http://testphp. vulnweb.com/guestbook.php<payload_0> Write to /html/body/div[1]/div[3]/div[2]/form /input[1] the value: <payload_0> Access: http://testphp.vulnweb.com/guestbook. php<payload_0> Write to /html/body/div[1]/div[3]/div[2]/form/input[2] the value: <payload_0> Click element: /html/body/div[1]/div[3]/div[2]/form/input[2] Access: http://testphp.vulnweb.com/guestbook.php<payload_0> Write to /html/body/div[1]/div[6]/div[1] /form/input[1] the value: <payload_0> Click element: /html/body/div[1]/div[6]/div[1] /form/input[1] Access: http://testphp.vulnweb.com/guestbook.php<payload_0> Write to /html/body/div[1]/div[6]/div[1]/form/input[2] the value: <payload_0> Click element: /html/body/div[1]/form/input[2]</payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></svg></payload_0>
URL	http://testphp.vulnweb.com/hpp/params.php?p=%3Cscript%3Ealert(5397)%3C/script%3E&pp=12
Method	GET
Attack	<script>alert(5397)</script>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_1> as: % 3Cscript%3Ealert(5397)%3C/script%3E Access: http://testphp.vulnweb.com/hpp/params.php?p=<payload_1>&pp=12</payload_1></payload_1>

URL	$lem:http://testphp.vulnweb.com/index.php#jaVasCript:/*-/*`/*\'/*'/*"/**/(/* */oNcliCk=alert(5397)) $
Method	GET
Attack	#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a///teXtarEa/\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/*\'/*\'/*\'/*\'/*\'/*\'/*\'/*\'/\'/*\'/*</payload_0>
URL	http://testphp.vulnweb.com/listproducts.php?artist=%3Cscript%3Ealert(5397)%3C/script%3Ealert(5397)%3Calert(539
Method	GET
Attack	<script>alert(5397)</script>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_1> as: % 3Cscript%3Ealert(5397)%3C/script%3E Access: http://testphp.vulnweb.com/listproducts.php?artist=<payload_1></payload_1></payload_1>
URL	$lem:http://testphp.vulnweb.com/listproducts.php?cat=3\#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* * \oNcliCk=alert(5397))//%0D%0A%0d%0a//$
Method	GET
Attack	#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a///teXtarEa/\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/*\'/*\'/*\'/*\'/*\'/*\'/*\'/*\'/*\'/*\'</payload_0>
URL	http://testphp.vulnweb.com/product.php?pic=%3Cscript%3Ealert(5397)%3C/script%3E
Method	GET
Attack	<script>alert(5397)</script>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_1> as: % 3Cscript%3Ealert(5397)%3C/script%3E Access: http://testphp.vulnweb.com/product.php? pic=<payload_1></payload_1></payload_1>
URL	http://testphp.vulnweb.com/signup.php?name=abc#
Method	GET
Attack	?name=abc#
Evidence	
	The following steps were done to trigger the DOM XSS: With <payload_0> as: ? name=abc# Access: http://testphp.vulnweb.com/signup.php<payload_0> Write to /html/body/div[1]/div[3]/div/form/table/tbody/tr[1]/td[2] /input the value: <payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody</payload_0></payload_0></payload_0>

Other Info	/tr[1]/td[2]/input Access: http://testphp.vulnweb.com/signup.php <payload_0> Write to /html/body/div[1]/div[3]/div/form/table/tbody/tr[2]/td[2]/input the value: <payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[2]/td[2]/input Access: http://testphp.vulnweb.com/signup.php<payload_0> Write to /html/body/div[1]/div[3]/div/form/table /tbody/tr[3]/td[2]/input the value: <payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[3]/td[2]/input Access: http://testphp.vulnweb.com/signup. php<payload_0> Write to /html/body/div[1]/div[3]/div/form/table/tbody/tr[4]/td[2]/input the value: <payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[4]/td[2] /input Access: http://testphp.vulnweb.com/signup.php<payload_0> Write to /html/body/div[1]/div[3]/div/form/table/tbody/tr[5]/td[2]/input Access: http://testphp.vulnweb.com/signup.php<payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[6]/td[2] /input the value: <payload_0> Write to /html/body/div[1]/div[3]/div/form/table/tbody/tr[6]/td[2] /input Access: http://testphp.vulnweb.com/signup.php<payload_0> Write to /html/body/div[1]/div[3]/div/form/table/tbody/tr[7]/td[2]/input the value: <payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[7]/td[2]/input the value: <payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[7]/td[2]/input Access: http://testphp.vulnweb.com/signup.php<payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[7]/td[2]/input Access: http://testphp.vulnweb.com/signup.php<payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[7]/td[2]/input Access: http://testphp.vulnweb.com/signup.php<payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[9]/td/input the value: <payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[9]/td/input the value: <payload_0> Click element: /html/body/div[1]/div[3]/div/form/table/tbody/tr[9]/td/input the value: <payload_0> Clic</payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></payload_0>
URL	$\text{http://testphp.vulnweb.com/cart.php\#jaVasCript:/*-/*`/*\'/*"/**/(/* */oNcliCk=alert(5397))//% 0D%0A%0d%0a//\x3csVg/\x3e$
Method	POST
Attack	#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a///teXtarEa/\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/*\/*\/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a// /teXtarEa/\x3csVg/<svg onload="alert(5397)//">\x3e Access: http://testphp. vulnweb.com/cart.php<payload_0> Write to /html/body/div[1]/div[5]/div[1]/form/input[1] the value: <payload_0> Click element: /html/body/div[1]/div[5]/div[1]/form/input[1] Access: http://testphp.vulnweb.com/cart.php<payload_0> Write to /html/body/div[1]/div[5]/div[1] /div[1]/form/input[2] the value: <payload_0> Click element: /html/body/div[1]/div[5]/div[1] /form/input[2] Access: http://testphp.vulnweb.com/cart.php<payload_0></payload_0></payload_0></payload_0></payload_0></payload_0></svg></payload_0>
URL	http://testphp.vulnweb.com/guestbook.php#jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert (5397))//%0D%0A%0d%0a//
Method	POST
Attack	#jaVasCript:/*-/*`/*\`/*"/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a///teXtarEa/\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Evidence	
Other Info	The following steps were done to trigger the DOM XSS: With <payload_0> as: #jaVasCript:/*-/*\'/*\'/*\'/*\'/*\'/*\'/*\'/*\'/*\'/*\'</payload_0>
URL	http://testphp.vulnweb.com/search.php?test=query#jaVasCript:/*-/*`/*\`/*"/**/(/* * /oNcliCk=alert(5397))//%0D%0A%0d%0a//
Method	POST
Attack	#jaVasCript:/*-/*`/*\`/*"/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a// /teXtarEa/\x3csVg/ <svg onload="alert(5397)//">\x3e</svg>
Evidence	, , , , , , , , , , , , , , , , , , , ,

Other Info The following steps were done to trigger the DOM XSS: With <PAYLOAD_0> as: #jaVasCript:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert(5397))//%0D%0A%0d%0a//</stYle/</titLe/</tr>

/teXtarEa/</scRipt/--!>\x3csVg/<sVg/oNloAd=alert(5397)//>\x3e Access: http://testphp.
vulnweb.com/search.php?test=query<PAYLOAD_0> Write to /html/body/div[1]/div[4]/div[1] /form/input[1] the value: <PAYLOAD_0> Click element: /html/body/div[1]/div[4]/div[1]/form /input[1] Access: http://testphp.vulnweb.com/search.php?test=query<PAYLOAD_0> Write to /html/body/div[1]/div[4]/div[1]/form/input[2] the value: <PAYLOAD_0> Click element: /html /body/div[1]/div[4]/div[1]/form/input[2]

Instances

17

Phase: Architecture and Design

Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.

Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket.

Phases: Implementation; Architecture and Design

Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies.

For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters.

Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed.

Phase: Architecture and Design

For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks entirely. Then, these modified values would be submitted to the server.

If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated.

Phase: Implementation

For every web page that is generated, use and specify a character encoding such as ISO-8859-1 or UTF-8. When an encoding is not specified, the web browser may choose a different encoding by guessing which encoding is actually being used by the web page. This can cause the web browser to treat certain sequences as special, opening up the client to subtle XSS attacks. See CWE-116 for more mitigations related to encoding/escaping.

To help mitigate XSS attacks against the user's session cookie, set the session cookie to be HttpOnly. In browsers that support the HttpOnly feature (such as more recent versions of Internet Explorer and Firefox), this attribute can prevent the user's session cookie from being accessible to malicious client-side scripts that use document.cookie. This is not a complete solution, since HttpOnly is not supported by all browsers. More importantly, XMLHTTPRequest and other powerful browser technologies provide read access to HTTP headers, including the Set-Cookie header in which the HttpOnly flag is set.

Assume all input is malicious. Use an "accept known good" input validation strategy, i.e., use an allow list of acceptable inputs that strictly conform to specifications. Reject any input that does not strictly conform to specifications, or transform it into something that does. Do

Solution

not rely exclusively on looking for malicious or malformed inputs (i.e., do not rely on a deny list). However, deny lists can be useful for detecting potential attacks or determining which inputs are so malformed that they should be rejected outright.

When performing input validation, consider all potentially relevant properties, including length, type of input, the full range of acceptable values, missing or extra inputs, syntax, consistency across related fields, and conformance to business rules. As an example of business rule logic, "boat" may be syntactically valid because it only contains alphanumeric characters, but it is not valid if you are expecting colors such as "red" or "blue."

Ensure that you perform input validation at well-defined interfaces within the application. This will help protect the application even if a component is reused or moved elsewhere.

Reference

https://owasp.org/www-community/attacks/xss/https://cwe.mitre.org/data/definitions/79.html

CWE Id

79 8

WASC Id Plugin Id

40026

High

Cross Site Scripting (Reflected)

Cross-site Scripting (XSS) is an attack technique that involves echoing attacker-supplied code into a user's browser instance. A browser instance can be a standard web browser client, or a browser object embedded in a software product such as the browser within WinAmp, an RSS reader, or an email client. The code itself is usually written in HTML /JavaScript, but may also extend to VBScript, ActiveX, Java, Flash, or any other browser-supported technology.

When an attacker gets a user's browser to execute his/her code, the code will run within the security context (or zone) of the hosting web site. With this level of privilege, the code has the ability to read, modify and transmit any sensitive data accessible by the browser. A Cross-site Scripted user could have his/her account hijacked (cookie theft), their browser redirected to another location, or possibly shown fraudulent content delivered by the web site they are visiting. Cross-site Scripting attacks essentially compromise the trust relationship between a user and the web site. Applications utilizing browser object instances which load content from the file system may execute code under the local machine zone allowing for system compromise.

Description

There are three types of Cross-site Scripting attacks: non-persistent, persistent and DOM-based.

Non-persistent attacks and DOM-based attacks require a user to either visit a specially crafted link laced with malicious code, or visit a malicious web page containing a web form, which when posted to the vulnerable site, will mount the attack. Using a malicious form will oftentimes take place when the vulnerable resource only accepts HTTP POST requests. In such a case, the form can be submitted automatically, without the victim's knowledge (e.g. by using JavaScript). Upon clicking on the malicious link or submitting the malicious form, the XSS payload will get echoed back and will get interpreted by the user's browser and execute. Another technique to send almost arbitrary requests (GET and POST) is by using an embedded client, such as Adobe Flash.

Persistent attacks occur when the malicious code is submitted to a web site where it's stored for a period of time. Examples of an attacker's favorite targets often include message board posts, web mail messages, and web chat software. The unsuspecting user is not required to interact with any additional site/link (e.g. an attacker site or a malicious link sent via email), just simply view the web page containing the code.

URL

http://testphp.vulnweb.com/artists.php?artist=%3Cscrlpt%3Ealert%281%29%3B%3C%2FscRipt%3E

Method

GET

Attack

<script>alert(1);</scRipt>

Evidence

<script>alert(1);</scRipt>

Other

Info	
URL	http://testphp.vulnweb.com/hpp/?pp=%22+onMouseOver%3D%22alert%281%29%3B
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://testphp.vulnweb.com/hpp/params.php?p=%3Cscrlpt%3Ealert%281%29%3B%3C%2FscRipt%3E&pp=12
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=%3Cscrlpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=%3Cscrlpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Method	GET
Attack	<scrlpt>alert(1);</scrlpt>
Evidence	<scrlpt>alert(1);</scrlpt>
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=%3Cscrlpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=%3Cscrlpt%3Ealert%281%29%3B%3C% 2FscRipt%3E
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	""
Evidence	""

Other Info	
URL	http://testphp.vulnweb.com/search.php?test=query
Method	POST
Attack	'"
Evidence	'"
Other Info	
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	<scrlpt>alert(1);</scrlpt>
Evidence	<scrlpt>alert(1);</scrlpt>
Other Info	
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	<scrlpt>alert(1);</scrlpt>
Evidence	<scrlpt>alert(1);</scrlpt>
Other Info	
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	<scrlpt>alert(1);</scrlpt>
Evidence	<scrlpt>alert(1);</scrlpt>
Other Info	
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	<scrlpt>alert(1);</scrlpt>
Evidence	<scrlpt>alert(1);</scrlpt>
Other Info	
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	<scrlpt>alert(1);</scrlpt>
Evidence	<scrlpt>alert(1);</scrlpt>
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	" <script>alert(1);</script>
Evidence	'" <script>alert(1);</script>
Other Info	

Method POST Attack " <script>alert(1);</script> Evidence " <script>alert(1);</script> Other Info Instances 16 Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket. Phases: Implementation; Architecture and Design Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies. For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters. Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed. Phase: Architecture and Design For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks entirely. Then, these modified values would be submitted to the server. If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated. Phase: Implementation For every web page that is generated, use and specify a chara	URL	http://testphp.vulnweb.com/userinfo.php
Attack " <script>alert(1);</script> Evidence " <script>alert(1);</script> Other Info Instances 16 Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. Examples of libraries and frameworks that make it easier to generate property encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket. Phases: Implementation; Architecture and Design Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies. For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters. Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed. Phase: Architecture and Design For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks entirely. Then, those modified values would be submitted to the server. If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated, use and specify a character encoding such as ISO-8859-1 or UTF-8. When an encoding is not speci		
Other Info Instances 16 Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket. Phases: Implementation; Architecture and Design Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies. For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters. Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed. Phase: Architecture and Design For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks entirely. Then, these modified values would be submitted to the server. If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated. Phase: Implementation For every web page that is generated. use and specify a character encoding such as ISO-8859-1 or UTF-8. When an encoding is not specified, the web brow		
Other Info Instances 16 Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket. Phases: Implementation; Architecture and Design Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies. For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters. Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed. Phase: Architecture and Design For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks have been performed, or by changing the client to remove the client-side checks entirely. Then, these modified values would be submitted to the server. If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated. Phase: Implementation For every web page that is generated, use and specify a character e		
Instances 16 Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket. Phases: Implementation; Architecture and Design Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies. For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters. Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed. Phase: Architecture and Design For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks been performed, or by changing the client to remove the client-side checks been performed, or by changing the client to remove the client-side checks been performed, or by changing the client to remove the client-side checks been performed, or by changing the client to remove the client-side checks been performed, by users and addition automatically, instead of relying on the developer to provide this capability at every point where output is generated, use and specify a character encoding such as ISO-8859-1 or UTF-8. When an encoding is not specified, the web b		Completion (1), Good app
Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket. Phases: Implementation; Architecture and Design Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies. For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters. Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed. Phase: Architecture and Design For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks entirely. Then, these modified values would be submitted to the server. If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated. Phase: Implementation For every web page that is generated, use and specify a character encoding such as ISO-8859-1 or UTF-8. When an encoding is not specified, the web browser may choose a differ		
Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket. Phases: Implementation; Architecture and Design Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies. For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters. Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed. Phase: Architecture and Design For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks entirely. Then, these modified values would be submitted to the server. If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated. Phase: Implementation For every web page that is generated, use and specify a character encoding such as ISO-8859-1 or UTF-8. When an encoding is not specified, the web browser may choose a different encoding by guessing which e	Instances	16
XMLHTTPRequest and other powerful browser technologies provide read access to HTTP headers, including the Set-Cookie header in which the HttpOnly flag is set. Assume all input is malicious. Use an "accept known good" input validation strategy, i.e.,		Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket. Phases: Implementation; Architecture and Design Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies. For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters. Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed. Phase: Architecture and Design For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks entirely. Then, these modified values would be submitted to the server. If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated. Phase: Implementation For every web page that is generated, use and specify a character encoding such as ISO-8859-1 or UTF-8. When an encoding is not specified, the web browser may choose a differ

	not rely exclusively on looking for malicious or malformed inputs (i.e., do not rely on a deny list). However, deny lists can be useful for detecting potential attacks or determining which inputs are so malformed that they should be rejected outright.
	When performing input validation, consider all potentially relevant properties, including length, type of input, the full range of acceptable values, missing or extra inputs, syntax, consistency across related fields, and conformance to business rules. As an example of business rule logic, "boat" may be syntactically valid because it only contains alphanumeric characters, but it is not valid if you are expecting colors such as "red" or "blue." Ensure that you perform input validation at well-defined interfaces within the application. This will help protect the application even if a component is reused or moved elsewhere.
Reference	https://owasp.org/www-community/attacks/xss/ https://cwe.mitre.org/data/definitions/79.html
CWE Id	<u>79</u>
WASC Id	8
Plugin Id	40012

40012
SQL Injection
SQL injection may be possible.
http://testphp.vulnweb.com/secured/newuser.php
POST
ZAP AND 1=1
The page results were successfully manipulated using the boolean conditions [ZAP AND 1=1] and [ZAP AND 1=2] The parameter value being modified was NOT stripped from the HTML output for the purposes of the comparison. Data was returned for the original parameter. The vulnerability was detected by successfully restricting the data originally returned, by manipulating the parameter.
1
Do not trust client side input, even if there is client side validation in place. In general, type check all data on the server side. If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?' If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries. If database Stored Procedures can be used, use them. Do *not* concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality! Do not create dynamic SQL queries using simple string concatenation. Escape all data received from the client. Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input. Apply the principle of least privilege by using the least privileged database user possible. In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact. Grant the minimum database access that is necessary for the application.
https://cheatsheetseries.owasp.org/cheatsheets/SQL Injection Prevention Cheat Sheet.

Reference	<u>html</u>
CWE Id	<u>89</u>
WASC Id	19
Plugin Id	40018

Plugin Id	40018
High	SQL Injection - MySQL
Description	SQL injection may be possible.
URL	http://testphp.vulnweb.com/artists.php?artist=%27
Method	GET
Attack	
Evidence	You have an error in your SQL syntax
Other Info	RDBMS [MySQL] likely, given error message regular expression [\QYou have an error in your SQL syntax\E] matched by the HTML results. The vulnerability was detected by manipulating the parameter to cause a database error message to be returned and recognised.
URL	http://testphp.vulnweb.com/listproducts.php?artist=%27%28
Method	GET
Attack	'(
Evidence	You have an error in your SQL syntax
Other Info	RDBMS [MySQL] likely, given error message regular expression [\QYou have an error in your SQL syntax\E] matched by the HTML results. The vulnerability was detected by manipulating the parameter to cause a database error message to be returned and recognised.
URL	http://testphp.vulnweb.com/listproducts.php?cat=%27
Method	GET
Attack	•
Evidence	You have an error in your SQL syntax
Other Info	RDBMS [MySQL] likely, given error message regular expression [\QYou have an error in your SQL syntax\E] matched by the HTML results. The vulnerability was detected by manipulating the parameter to cause a database error message to be returned and recognised.
URL	http://testphp.vulnweb.com/product.php?pic=%27
Method	GET
Attack	•
Evidence	You have an error in your SQL syntax
Other Info	RDBMS [MySQL] likely, given error message regular expression [\QYou have an error in your SQL syntax\E] matched by the HTML results. The vulnerability was detected by manipulating the parameter to cause a database error message to be returned and recognised.
URL	http://testphp.vulnweb.com/search.php?test=%27
Method	POST
Attack	•
Evidence	You have an error in your SQL syntax
Other Info	RDBMS [MySQL] likely, given error message regular expression [\QYou have an error in your SQL syntax\E] matched by the HTML results. The vulnerability was detected by manipulating the parameter to cause a database error message to be returned and recognised.
URL	http://testphp.vulnweb.com/search.php?test=query

Method	POST
Attack	ZAP'
Evidence	You have an error in your SQL syntax
Other Info	RDBMS [MySQL] likely, given error message regular expression [\QYou have an error in your SQL syntax\E] matched by the HTML results. The vulnerability was detected by manipulating the parameter to cause a database error message to be returned and recognised.
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	•
Evidence	You have an error in your SQL syntax
Other Info	RDBMS [MySQL] likely, given error message regular expression [\QYou have an error in your SQL syntax\E] matched by the HTML results. The vulnerability was detected by manipulating the parameter to cause a database error message to be returned and recognised.
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	
Evidence	You have an error in your SQL syntax
Other Info	RDBMS [MySQL] likely, given error message regular expression [\QYou have an error in your SQL syntax\E] matched by the HTML results. The vulnerability was detected by manipulating the parameter to cause a database error message to be returned and recognised.
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	·
Evidence	You have an error in your SQL syntax
Other Info	RDBMS [MySQL] likely, given error message regular expression [\QYou have an error in your SQL syntax\E] matched by the HTML results. The vulnerability was detected by manipulating the parameter to cause a database error message to be returned and recognised.
Instances	9
	Do not trust client side input, even if there is client side validation in place.
	In general, type check all data on the server side.
	If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?'
	If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries.
	If database Stored Procedures can be used, use them.
Solution	Do *not* concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality!
	Do not create dynamic SQL queries using simple string concatenation.
	Escape all data received from the client.
	Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input.
	Apply the principle of least privilege by using the least privileged database user possible.

	In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact. Grant the minimum database access that is necessary for the application.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/SQL Injection Prevention Cheat Sheet. html
CWE Id	<u>89</u>
WASC Id	19
Plugin Id	40018

MASCIA	10
WASC Id	19
Plugin Id	40018
Medium	Absence of Anti-CSRF Tokens
Description	No Anti-CSRF tokens were found in a HTML submission form. A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL /form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf. CSRF attacks are effective in a number of situations, including: * The victim has an active session on the target site. * The victim is authenticated via HTTP auth on the target site. CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when
LIDI	the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.
URL	http://testphp.vulnweb.com/cart.php
Method	POST
Attack	
Evidence	<pre><form action="search.php?test=query" method="post"></form></pre>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken,RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"].
	csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following
Info	csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"].
Info URL	csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. http://testphp.vulnweb.com/guestbook.php
Info URL Method	csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. http://testphp.vulnweb.com/guestbook.php
Info URL Method Attack	csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. http://testphp.vulnweb.com/guestbook.php POST
Info URL Method Attack Evidence Other	csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. http://testphp.vulnweb.com/guestbook.php POST <pre></pre>
Info URL Method Attack Evidence Other Info	csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. http://testphp.vulnweb.com/guestbook.php POST <pre></pre>
Info URL Method Attack Evidence Other Info URL	csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. http://testphp.vulnweb.com/guestbook.php POST <pre></pre>
Info URL Method Attack Evidence Other Info URL Method	csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. http://testphp.vulnweb.com/guestbook.php POST <pre></pre>

Other Info	No known Anti-CSRF token [anticsrf, CSRFToken,RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"].
URL	http://testphp.vulnweb.com/search.php?test=query
Method	POST
Attack	
Evidence	<form action="search.php?test=query" method="post"></form>
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken,RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret,csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"].
Instances	4
Solution	Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. For example, use anti-CSRF packages such as the OWASP CSRFGuard. Phase: Implementation Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script. Phase: Architecture and Design Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330). Note that this can be bypassed using XSS. Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation. Note that this can be bypassed using XSS. Use the ESAPI Session Management control. This control includes a component for CSRF. Do not use the GET method for any request that triggers a state change. Phase: Implementation Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html https://cwe.mitre.org/data/definitions/352.html
CWE Id	<u>352</u>
WASC Id	9
Plugin Id	10202
Medium	Content Security Policy (CSP) Header Not Set
	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of

Description	malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX/index.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/artists.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=1
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=2
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=3
Method	GET
Attack	
Evidence	

Other	
Info	
URL	http://testphp.vulnweb.com/cart.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/categories.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/high
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp/?pp=12
Method	GET
Attack	
Evidence	
Other Info	

URL	http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=12
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/index.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=1
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=2
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=3
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=1
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=2
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=3
Method	GET

Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=4
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/login.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/
Method	GET
Attack	
Attack Evidence	
Evidence Other	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/
Evidence Other Info	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ GET
Evidence Other Info URL	
Evidence Other Info URL Method	
Evidence Other Info URL Method Attack	
Evidence Other Info URL Method Attack Evidence Other	
Evidence Other Info URL Method Attack Evidence Other Info	GET
Evidence Other Info URL Method Attack Evidence Other Info URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/
Evidence Other Info URL Method Attack Evidence Other Info URL Method	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/
Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/
Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Other Info URL Method Attack Evidence Other	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/
Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ GET
Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence URL Method Attack Evidence Other Info URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ GET http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3/

Evidence	
Other	
Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/privacy.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=1
Method	GET
Attack	
Evidence	
Other	

Info	
URL	http://testphp.vulnweb.com/product.php?pic=2
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=3
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=4
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=5
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=6
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=7
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/robots.txt
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/signup.php

Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/sitemap.xml
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/cart.php
Method	POST
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/search.php?test=query
Method	POST
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	
Evidence	
Other Info	
Instances	49
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP /Introducing Content Security Policy https://cheatsheetseries.owasp.org/cheatsheets/Content Security Policy Cheat Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/

CWE Id	<u>693</u>
WASC Id	15
Plugin Id	10038

Plugin Id	10038
Medium	Missing Anti-clickjacking Header
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX/index.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/artists.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=1
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=2
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=3

Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/cart.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/categories.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp/?pp=12
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=12
Method	GET
Attack	

Evidence	
Other	
Info	
URL	http://testphp.vulnweb.com/index.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=1
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=2
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=3
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=1
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=2
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=3
Method	GET
Attack	
Evidence	

Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=4
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/login.php
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3/
Method	GET
Attack	
Evidence	
Other Info	

URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=1
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=2
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=3
Method	GET

Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=4
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=5
Method	GET
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=6
Method	GET
Attack	
Evidence	
Other	
Info	
	http://testphp.vulnweb.com/product.php?pic=7
Info	http://testphp.vulnweb.com/product.php?pic=7 GET
Info URL	
Info URL Method	
Info URL Method Attack	
Info URL Method Attack Evidence Other	
Info URL Method Attack Evidence Other Info	GET
Info URL Method Attack Evidence Other Info URL	GET http://testphp.vulnweb.com/signup.php
Info URL Method Attack Evidence Other Info URL Method	GET http://testphp.vulnweb.com/signup.php
Info URL Method Attack Evidence Other Info URL Method Attack	GET http://testphp.vulnweb.com/signup.php
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other	GET http://testphp.vulnweb.com/signup.php
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info	http://testphp.vulnweb.com/signup.php GET
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack URL URL Method Attack URL URL URL URL URL URL URL	http://testphp.vulnweb.com/signup.php GET http://testphp.vulnweb.com/cart.php
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Evidence Other Info	http://testphp.vulnweb.com/signup.php GET http://testphp.vulnweb.com/cart.php
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack	http://testphp.vulnweb.com/signup.php GET http://testphp.vulnweb.com/cart.php
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Other Info URL Method Attack Evidence Other Info URL	http://testphp.vulnweb.com/signup.php GET http://testphp.vulnweb.com/cart.php
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Other Info URL Method Attack Evidence Other Info	http://testphp.vulnweb.com/signup.php GET http://testphp.vulnweb.com/cart.php POST
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method URL Method URL Method URL Method URL Method Attack Evidence URL Method Attack URL URL	http://testphp.vulnweb.com/signup.php GET http://testphp.vulnweb.com/cart.php POST http://testphp.vulnweb.com/guestbook.php

Evidence	
Other Info	
URL	http://testphp.vulnweb.com/search.php?test=query
Method	POST
Attack	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	
Evidence	
Other Info	
Instances	45
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security
Defenses	Policy's "frame-ancestors" directive.
Reference CWE Id	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options 1021
WASC Id	15
Plugin Id	10020
•	
Medium	XSLT Injection
Description	Injection using XSL transformations may be possible, and may allow an attacker to read system information, read and write files, or execute arbitrary code.
URL	http://testphp.vulnweb.com/showimage.php?file=%3Cxsl%3Avalue-of+select%3D% 22document%28%27http%3A%2F%2Ftestphp.vulnweb.com%3A22%27%29%22%2F%3E
Method	GET
Attack	<xsl:value-of select="document('http://testphp.vulnweb.com:22')"></xsl:value-of>
Evidence	failed to open stream
Other Info	Port scanning may be possible.
URL	http://testphp.vulnweb.com/showimage.php?file=%3Cxsl%3Avalue-of+select%3D% 22document%28%27http%3A%2F%2Ftestphp.vulnweb.com%3A22%27%29%22%2F% 3E&size=160
Method	GET
Attack	<xsl:value-of select="document('http://testphp.vulnweb.com:22')"></xsl:value-of>
Evidence	failed to open stream
Other Info	Port scanning may be possible.
Instances	2
Solution	Sanitize and analyze every user input coming from any client-side.

Reference	https://www.contextis.com/blog/xslt-server-side-injection-attacks
CWE Id	<u>91</u>
WASC Id	23
Plugin Id	90017
Low	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)
LOW	The web/application server is leaking information via one or more "X-Powered-By" HTTP
Description	response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/AJAX/index.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/artists.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=1
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=2
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other	

Info	
Info URL	http://testphp.vulnweb.com/artists.php?artist=3
Method	GET
Attack	GET
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other	X Towered By. 1 Till 70.0.40 00 Tubullid20.04.1 Tubb.0dily.org 11
Info	
URL	http://testphp.vulnweb.com/cart.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/categories.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/hpp/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/hpp/?pp=12
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=12

Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/index.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=1
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=2
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=3
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=1
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=2
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=3
Method	GET

Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other	,
Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=4
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/login.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other	
Info	
Info URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/
	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/ GET
URL	
URL Method	
URL Method Attack	GET
URL Method Attack Evidence Other	GET
URL Method Attack Evidence Other Info	GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
URL Method Attack Evidence Other Info URL	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/
URL Method Attack Evidence Other Info URL Method	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/
URL Method Attack Evidence Other Info URL Method Attack	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ GET
URL Method Attack Evidence Other Info URL Method Attack Evidence Other	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ GET
URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack URL URL URL URL URL URL URL UR	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/
URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/
URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Attack Evidence Other Info URL Method Attack	GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ GET
URL Method Attack Evidence Other Info	GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ GET
URL Method Attack Evidence Other Info	GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
URL Method Attack Evidence Other Info URL URL URL Method Attack Evidence Other Info URL	GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ GET X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3/

Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/privacy.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=1
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	

LIDI	
URL	http://testphp.vulnweb.com/product.php?pic=2
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=3
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=4
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=5
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=6
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=7
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file='%20+%20pict.item(0).firstChild.nodeValue%20+%20'
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg

Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg&size=160
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg&size=160
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg&size=160
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg&size=160
Method	GET
Attack	

Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg&size=160
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg&size=160
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/7.jpg
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/7.jpg&size=160
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/signup.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1

Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/cart.php
Method	POST
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/search.php?test=query
Method	POST
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	
Evidence	X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1
Other Info	
Instances	63
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	https://owasp.org/www-project-web-security-testing-guide/v42/4- Web Application Security Testing/01-Information Gathering/08- Fingerprint Web Application Framework https://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	200

M/A CO 1-1	40
WASC Id	13
Plugin Id	<u>10037</u>
Low	Server Leaks Version Information via "Server" HTTP Response Header Field
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/AJAX/index.php
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/AJAX/styles.css
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/artists.php
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=1
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=2
Method	GET

Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/artists.php?artist=3
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/cart.php
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/categories.php
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/favicon.ico
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Flash/add.swf
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	

Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/high
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/hpp/
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/hpp/?pp=12
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=12
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/images/logo.gif
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/images/remark.gif
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/index.php
Method	GET
Attack	
Evidence	nginx/1.19.0
Other	

Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=1
Method	GET
Attack	
Evidence	nginx/1.19.0
Other	
Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=2
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?artist=3
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=1
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=2
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=3
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/listproducts.php?cat=4
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/login.php

Method	GET
	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3/
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1/
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2/
Method	GET

Attack	
Evidence	nginx/1.19.0
Other	
Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/1.jpg
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/2.jpg
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/3.jpg
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html
URL Method	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html GET
Method	
Method Attack	GET
Method Attack Evidence Other	GET
Method Attack Evidence Other Info	GET nginx/1.19.0
Method Attack Evidence Other Info URL	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html
Method Attack Evidence Other Info URL Method	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html
Method Attack Evidence Other Info URL Method Attack	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html GET
Method Attack Evidence Other Info URL Method Attack Evidence Other	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html GET
Method Attack Evidence Other Info URL Method Attack Evidence Other Info	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html GET nginx/1.19.0
Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL URL URL URL URL URL URL	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html GET nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html
Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html GET nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html
Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Attack Attack Attack Attack Attack	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html GET nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html GET
Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html GET nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html GET
Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html GET nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html GET nginx/1.19.0
Method Attack Evidence Other Info URL Method Attack URL Method Attack URL URL URL URL URL URL URL URL URL	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html GET nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html GET nginx/1.19.0 http://testphp.vulnweb.com/privacy.php
Method Attack Evidence Other Info URL Method Attack Evidence Other Info	nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html GET nginx/1.19.0 http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html GET nginx/1.19.0 http://testphp.vulnweb.com/privacy.php

Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=1
Method	GET
Attack	
Evidence	nginx/1.19.0
Other	
Info URL	http://tootaha.uulausah.com/orodust.aha?nic.2
Method	http://testphp.vulnweb.com/product.php?pic=2 GET
Attack	GET
Evidence	nginx/1.19.0
Other	riginizati. 19.0
Info	
URL	http://testphp.vulnweb.com/product.php?pic=3
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=4
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=5
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=6
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/product.php?pic=7
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	

URL	http://testphp.vulnweb.com/robots.txt
Method	GET
Attack	
Evidence	nginx/1.19.0
Other	
Info	
URL	http://testphp.vulnweb.com/secured/style.css
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file='%20+%20pict.item(0).firstChild.nodeValue%20+%20'
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg&size=160
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg&size=160
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg

Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg&size=160
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg&size=160
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg&size=160
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg&size=160
Method	GET
Attack	

Evidence	n minu/4 40 0
	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/7.jpg
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/7.jpg&size=160
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/signup.php
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/sitemap.xml
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/style.css
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/cart.php
Method	POST
Attack	
Evidence	nginx/1.19.0

Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/search.php?test=query
Method	POST
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	
Evidence	nginx/1.19.0
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	
Evidence	nginx/1.19.0
Other Info	
Instances	76
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	https://httpd.apache.org/docs/current/mod/core.html#servertokens https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10) https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	200
WASC Id	13
Plugin Id	10036
Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	

	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
UF	₹L	http://testphp.vulnweb.com/
	Method	GET
	Attack	
	Evidence	
	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
UF	₹L	http://testphp.vulnweb.com/AJAX/index.php
	Method	GET
	Attack	
	Evidence	
	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
UF	₹L	http://testphp.vulnweb.com/AJAX/styles.css
	Method	GET
	Attack	
	Evidence	
	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
UF	RL	http://testphp.vulnweb.com/artists.php
	Method	GET
	Attack	
	Evidence	
	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
UF	RL	http://testphp.vulnweb.com/artists.php?artist=1
	Method	GET
	Attack	
	Evidence	
	Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
UF	RL	http://testphp.vulnweb.com/artists.php?artist=2
	Method	GET
	Attack	
	Evidence	
		This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still

Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client
URL	or server error responses. http://testphp.vulnweb.com/artists.php?artist=3
Method	GET
Attack	GET
Evidence	
LVIGETICE	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still
Other Info	affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/cart.php
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/categories.php
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/favicon.ico
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/Flash/add.swf
Method	GET
Attack	
Evidence	
Other	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

Info	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/hpp/
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/hpp/?pp=12
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=12
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/images/logo.gif
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/images/remark.gif
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client

	or server error responses.
URL	http://testphp.vulnweb.com/index.php
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/listproducts.php?artist=1
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/listproducts.php?artist=2
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/listproducts.php?artist=3
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/listproducts.php?cat=1
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/listproducts.php?cat=2
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	http://testphp.vulnweb.com/listproducts.php?cat=3
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often sti affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/listproducts.php?cat=4
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often sti affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/login.php
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often sti affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often sti affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often sti affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often sti affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

om/Mod Rewrite Shop/BuyProduct-3/ o error type pages (401, 403, 500, etc.) as those pages are often still ues, in which case there is still concern for browsers sniffing pages ontent type. At "High" threshold this scan rule will not alert on client es.	URL Method
ues, in which case there is still concern for browsers sniffing pages ontent type. At "High" threshold this scan rule will not alert on client	Method
ues, in which case there is still concern for browsers sniffing pages ontent type. At "High" threshold this scan rule will not alert on client	
ues, in which case there is still concern for browsers sniffing pages ontent type. At "High" threshold this scan rule will not alert on client	Attack
ues, in which case there is still concern for browsers sniffing pages ontent type. At "High" threshold this scan rule will not alert on client	Evidence
	Other Info
om/Mod Rewrite Shop/Details/color-printer/3/	URL
	Method
	Attack
	Evidence
p error type pages (401, 403, 500, etc.) as those pages are often still ues, in which case there is still concern for browsers sniffing pages ontent type. At "High" threshold this scan rule will not alert on client es.	Other Info
om/Mod Rewrite Shop/Details/network-attached-storage-dlink/1/	URL
	Method
	Attack
	Evidence
o error type pages (401, 403, 500, etc.) as those pages are often still ues, in which case there is still concern for browsers sniffing pages ontent type. At "High" threshold this scan rule will not alert on client es.	Other Info
om/Mod Rewrite Shop/Details/web-camera-a4tech/2/	URL
	Method
	Attack
	Evidence
p error type pages (401, 403, 500, etc.) as those pages are often still ues, in which case there is still concern for browsers sniffing pages ontent type. At "High" threshold this scan rule will not alert on client es.	Other Info
om/Mod Rewrite Shop/images/1.jpg	URL
	Method
	Attack
	Evidence
o error type pages (401, 403, 500, etc.) as those pages are often still ues, in which case there is still concern for browsers sniffing pages ontent type. At "High" threshold this scan rule will not alert on client es.	Other Info
om/Mod_Rewrite_Shop/images/2.jpg	URL
	Method
	Attack
	Evidence
	Other Info
p error type pages (401, 403, 500, etc.) as those pages are often still ues, in which case there is still concern for browsers sniffing pages ontent type. At "High" threshold this scan rule will not alert on client es.	IIIIO
des, in which case there is still concern for browsers sniffing pagnontent type. At "High" threshold this scan rule will not alert on clies. om/Mod Rewrite Shop/Details/web-camera-a4tech/2/ o error type pages (401, 403, 500, etc.) as those pages are often dues, in which case there is still concern for browsers sniffing pagnontent type. At "High" threshold this scan rule will not alert on clies. om/Mod Rewrite Shop/images/1.jpg o error type pages (401, 403, 500, etc.) as those pages are often dues, in which case there is still concern for browsers sniffing pagnontent type. At "High" threshold this scan rule will not alert on clies.	Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL Method Other Info URL Method Other Info

Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/product.php?pic=1
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/product.php?pic=2
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/product.php?pic=3

Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/product.php?pic=4
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/product.php?pic=5
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/product.php?pic=6
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/product.php?pic=7
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/secured/style.css
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/showimage.php?file='%20+%20pict.item(0).firstChild.nodeValue%20+%20'

Method GET Attack Evidence This issue still applies to error type pages (401, 403, 500, etc.) as those pages are of affected by injection issues, in which case there is still concern for browsers sniffing away from their actual content type. At "High" threshold this scan rule will not alert of or server error responses. URL http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg Method GET	pages
Cother Info This issue still applies to error type pages (401, 403, 500, etc.) as those pages are of affected by injection issues, in which case there is still concern for browsers sniffing away from their actual content type. At "High" threshold this scan rule will not alert of or server error responses. URL http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg	pages
Other Info	pages
Other affected by injection issues, in which case there is still concern for browsers sniffing away from their actual content type. At "High" threshold this scan rule will not alert o or server error responses. URL http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg	pages
Method GET	
Attack	
Evidence	
This issue still applies to error type pages (401, 403, 500, etc.) as those pages are of affected by injection issues, in which case there is still concern for browsers sniffing away from their actual content type. At "High" threshold this scan rule will not alert of or server error responses.	pages
URL http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg&size=160	
Method GET	
Attack	
Evidence	
Other Other Info This issue still applies to error type pages (401, 403, 500, etc.) as those pages are of affected by injection issues, in which case there is still concern for browsers sniffing away from their actual content type. At "High" threshold this scan rule will not alert of or server error responses.	pages
URL http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg	
Method GET	
Attack	
Evidence	
Other Other Info This issue still applies to error type pages (401, 403, 500, etc.) as those pages are of affected by injection issues, in which case there is still concern for browsers sniffing away from their actual content type. At "High" threshold this scan rule will not alert of or server error responses.	pages
URL http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg&size=160	
Method GET	
Attack	
Evidence	
This issue still applies to error type pages (401, 403, 500, etc.) as those pages are of affected by injection issues, in which case there is still concern for browsers sniffing away from their actual content type. At "High" threshold this scan rule will not alert of or server error responses.	pages
URL http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg	
Method GET	
Attack	
Evidence	
Other Info This issue still applies to error type pages (401, 403, 500, etc.) as those pages are of affected by injection issues, in which case there is still concern for browsers sniffing away from their actual content type. At "High" threshold this scan rule will not alert of or server error responses.	pages
URL http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg&size=160	
Method GET	

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg&size=160
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg&size=160
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg&size=160
Method	GET

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/7.jpg
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/showimage.php?file=./pictures/7.jpg&size=160
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/signup.php
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/style.css
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/cart.php
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/search.php?test=query
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	70
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security_Headers
CWE Id	<u>693</u>
WASC Id	15
Plugin Id	10021
Informational	Authoritication Domicat Identified
Informational	Authentication Request Identified
Description	The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified.
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	
Evidence	upass
Other Info	userParam=uemail userValue=ZAP passwordParam=upass referer=http://testphp.vulnweb.com/signup.php
Instances	1
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/
CWE Id	
CWE Id	

WASC Id	
Plugin Id	<u>10111</u>
Informational	Charset Mismatch (Header Versus Meta Content-Type Charset)
Description	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/AJAX/index.php
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-1] do not match.
URL	http://testphp.vulnweb.com/artists.php
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/artists.php?artist=1
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/artists.php?artist=2
Method	GET
Attack	
Evidence	

Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/artists.php?artist=3
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/cart.php
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/categories.php
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/index.php
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/listproducts.php?artist=1
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.

URL	http://testphp.vulnweb.com/listproducts.php?artist=2
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/listproducts.php?artist=3
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/listproducts.php?cat=1
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/listproducts.php?cat=2
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/listproducts.php?cat=3
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/listproducts.php?cat=4
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/login.php
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/product.php?pic=1
Method	GET

Attack	
Evidence	
Other	There was a charset mismatch between the HTTP Header and the META content-type
Info	encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/product.php?pic=2
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/product.php?pic=3
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/product.php?pic=4
Method	GET
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/product.php?pic=5
Method	GET
Attack	
Evidence	
	TI I I I I I I I I I I I I I I I I I I
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
Info	encoding declarations: [UTF-8] and [iso-8859-2] do not match.
Info URL	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6
Info URL Method	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6
Info URL Method Attack	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6
Info URL Method Attack Evidence Other	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6 GET There was a charset mismatch between the HTTP Header and the META content-type
Info URL Method Attack Evidence Other Info	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6 GET There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
Info URL Method Attack Evidence Other Info URL	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6 GET There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=7
Info URL Method Attack Evidence Other Info URL Method	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6 GET There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=7
Info URL Method Attack Evidence Other Info URL Method Attack	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6 GET There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=7
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6 GET There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=7 GET There was a charset mismatch between the HTTP Header and the META content-type
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6 GET There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=7 GET There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
Info URL Method Attack Evidence Other Info URL Method Attack Evidence Other Info URL	encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=6 GET There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/product.php?pic=7 GET There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. http://testphp.vulnweb.com/signup.php

Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/cart.php
Method	POST
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/search.php?test=query
Method	POST
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match.
URL	http://testphp.vulnweb.com/secured/newuser.php
Method	POST
Attack	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-1] do not match.
Instances	32
Solution	Force UTF-8 for all text content in both the HTTP header and meta tags in HTML or encoding declarations in XML.
Reference	https://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection
CWE Id	436
WASC Id	15
Plugin Id	90011
Informational	GET for POST
Description	A request that was originally observed as a POST was also accepted as a GET. This issue does not represent a security weakness unto itself, however, it may facilitate simplification

Informational	GET for POST
Description	A request that was originally observed as a POST was also accepted as a GET. This issue does not represent a security weakness unto itself, however, it may facilitate simplification of other attacks. For example if the original POST is subject to Cross-Site Scripting (XSS), then this finding may indicate that a simplified (GET based) XSS may also be possible.
URL	http://testphp.vulnweb.com/cart.php
Method	GET
Attack	
Evidence	GET http://testphp.vulnweb.com/cart.php?addcart=6&price=10000 HTTP/1.1
Other Info	

URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	
Evidence	GET http://testphp.vulnweb.com/guestbook.php?name=ZAP&submit=add% 20message&text= HTTP/1.1
Other Info	
URL	http://testphp.vulnweb.com/search.php?test=query
Method	GET
Attack	
Evidence	GET http://testphp.vulnweb.com/search.php?goButton=go&searchFor=ZAP HTTP/1.1
Other Info	
Instances	3
Solution	Ensure that only POST is accepted where POST is expected.
Reference	
CWE Id	<u>16</u>
WASC Id	20
Plugin Id	<u>10058</u>
Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	http://testphp.vulnweb.com/AJAX/index.php
Method	GET
Attack	
Evidence	where
Other Info	The following pattern was used: \bWHERE\b and was detected in the element starting with: " <script type="text/javascript"> var httpreq = null; function SetContent(XML) { var items = XML.getElementsByTagName('i", see evidence field for the suspicious comment/snippet.</td></tr><tr><td>Instances</td><td>1</td></tr><tr><td>Solution</td><td>Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.</td></tr><tr><td>Reference</td><td></td></tr><tr><td>CWE Id</td><td>200</td></tr><tr><td>WASC Id</td><td>13</td></tr><tr><td>Plugin Id</td><td>10027</td></tr><tr><td>Informational</td><td>Modern Web Application</td></tr><tr><td>Description</td><td>The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.</td></tr><tr><td>URL</td><td>http://testphp.vulnweb.com/AJAX/index.php</td></tr><tr><td>Method</td><td>GET</td></tr><tr><td>Attack</td><td></td></tr><tr><td>Evidence</td><td>titles</td></tr><tr><td>Other</td><td>Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application</td></tr></tbody></table></script>

Info

this is a modern web application.

URL	http://testphp.vulnweb.com/artists.php
Method	GET
Attack	
Evidence	comment on this artist
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://testphp.vulnweb.com/artists.php?artist=1
Method	GET
Attack	
Evidence	comment on this artist
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://testphp.vulnweb.com/artists.php?artist=2
Method	GET
Attack	
Evidence	comment on this artist
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://testphp.vulnweb.com/artists.php?artist=3
Method	GET
Attack	
Evidence	comment on this artist
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://testphp.vulnweb.com/listproducts.php?artist=1
Method	GET
Attack	
Evidence	comment on this picture
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://testphp.vulnweb.com/listproducts.php?artist=2
Method	GET
Attack	
Evidence	comment on this picture
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://testphp.vulnweb.com/listproducts.php?cat=1
Method	GET
Attack	

Evidence	height=400')">comment on this picture
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://testphp.vulnweb.com/listproducts.php?cat=2
Method	GET
Attack	
Evidence	comment on this picture
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
Instances	9
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	Tech Detected - Adobe Flash
Description	The following "Programming languages" technology was identified: Adobe Flash. Described as: Adobe Flash is a multimedia software platform used for production of animations, rich web applications and embedded web browser video players.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:adobe:flash:*:*:*:*:*:*:*
Instances	1
Solution	
Reference	https://www.adobe.com/products/flashplayer
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Cart Functionality
Description	The following "Ecommerce" technology was identified: Cart Functionality.
	Described as:
	Websites that have a shopping cart or checkout page, either using a known ecommerce platform or a custom solution.
URL	http://testphp.vulnweb.com/cart.php
Method	GET
Attack	
Evidence	/cart
Other	

Info	
Instances	1
Solution	
Reference	https://www.wappalyzer.com/technologies/ecommerce/cart-functionality
CWE Id	
WASC Id	13
Plugin Id	<u>10004</u>

Informational	Tech Detected - DreamWeaver
Description	The following "Editors" technology was identified: DreamWeaver.
	Described as:
	Dreamweaver is a development tool for creating, publishing, and managing websites and mobile content.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	InstanceBeginEditable</td
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:adobe:dreamweaver:*:*:*: *:*:*:*:*:*:*:*:*:*:*:*:*:*:*:*
Instances	1
Solution	
Reference	https://www.adobe.com/products/dreamweaver.html
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - Nginx
Description	The following "Web servers, Reverse proxies" technology was identified: Nginx. Described as: Nginx is a web server that can also be used as a reverse proxy, load balancer, mail proxy and HTTP cache.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	nginx/1.19.0
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:f5:nginx:*:*:*:*:* The following version(s) is/are associated with the identified tech: 1.19.0
Instances	1
Solution	
Reference	https://nginx.org/en
CWE Id	
WASC Id	13
Plugin Id	10004

Informational	Tech Detected - PHP
---------------	---------------------

Description	The following "Programming languages" technology was identified: PHP. Described as:
	PHP is a general-purpose scripting language used for web development.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	PHP/5.6.40
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:php:php:*:*:*:*:* The following version(s) is/are associated with the identified tech: 5.6.40
Instances	1
Solution	
Reference	https://php.net
CWE Id	
WASC Id	13
Plugin Id	<u>10004</u>
Informational	Took Detected, Ulbuntu
imormational	Tech Detected - Ubuntu
	The following "Operating systems" technology was identified: Ubuntu.

Informational	Tech Detected - Ubuntu
	The following "Operating systems" technology was identified: Ubuntu.
Description	Described as:
	Ubuntu is a free and open-source operating system on Linux for the enterprise server, desktop, cloud, and IoT.
URL	http://testphp.vulnweb.com
Method	GET
Attack	
Evidence	ubuntu
Other Info	The following CPE is associated with the identified tech: cpe:2.3:o:canonical:ubuntu_linux:*: *:*:*:*:*:*:*:*:*:*:*:*:*:*:*:*:*:*
Instances	1
Solution	
Reference	https://www.ubuntu.com/server
CWE Id	
WASC Id	13
Plugin Id	<u>10004</u>

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	http://testphp.vulnweb.com/
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	iviozilia/4.0 (compatible, ivisie 7.0, windows ivi 6.0)
Other	
Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/

Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	inozinaro.o (companiore, ranoo: olurp, mtp.//ncip.yanoo.com/ncip/us/yscaron/slurp/
Other	
Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET

Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/AJAX
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/disclaimer.php
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET

Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Flash
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

Fridance	
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence	
Other	
Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/high
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/high
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/high
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/high
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/high
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	

Other Info	
URL	http://testphp.vulnweb.com/high
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/high
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/hpp
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	

Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other	

Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/images
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	

URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	

URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1

Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2

Method	
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Eviden	ce
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2
Method	GET GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Eviden	ce
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2
Method	GET GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Eviden	ce
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3
Method	GET GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Eviden	ce
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3
Method	GET GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Eviden	ce
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3
Method	GET GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Eviden	ce
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3
Method	GET GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Eviden	ce
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3
Method	get

Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details
Method	GET

	Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
	Evidence	
	Other Info	
L	JRL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details
	Method	GET
	Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
	Evidence	
	Other Info	
L	JRL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details
	Method	GET
	Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
	Evidence	
	Other Info	
ι	JRL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
	Evidence	
	Other Info	
L	JRL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer
	Method	GET
	Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
	Evidence	
	Other Info	
L	JRL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer
	Method	GET
	Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
	Evidence	
	Other Info	
ι	JRL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer
	Method	GET
	Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
	Evidence	
	Other Info	
L	JRL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer
	Method	GET
		Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML,

Attack	like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	

Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	

Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other	

Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	

URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/Mod_Rewrite_Shop/images
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	

URL	http://testphp.vulnweb.com/robots.txt
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/robots.txt
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/robots.txt
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/robots.txt
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/robots.txt
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/robots.txt
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/robots.txt
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	Mozilia/4.0 (compatible, MSIL 0.0, Williams NT 3.1)
Other	
Info	
URL	http://testphp.vulnweb.com/secured
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured

Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/secured
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/sitemap.xml
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/sitemap.xml
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/sitemap.xml
Method	GET

Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/sitemap.xml
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/sitemap.xml
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/sitemap.xml
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/sitemap.xml
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	mozma no (compansio, more c.c, villadove ivi c.i)
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML,

Attack	like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
Other	
Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)

Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	

Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	http://testphp.vulnweb.com/userinfo.php
Method	POST
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
Instances	240
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	
Plugin Id	<u>10104</u>
Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.

URL	http://testphp.vulnweb.com/guestbook.php
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://testphp.vulnweb.com/guestbook.php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: submit=add message The user-controlled value was: add message
URL	http://testphp.vulnweb.com/search.php?test=query
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://testphp.vulnweb.com/search.php?test=query appears to include user input in: a(n) [input] tag [name] attribute The user input found was: goButton=go The user-controlled value was: gobutton
URL	http://testphp.vulnweb.com/search.php?test=query
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://testphp.vulnweb.com/search.php?test=query appears to include user input in: a(n) [input] tag [value] attribute The user input found was: goButton=go The user-controlled value was: go
Instances	3
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input Validation Cheat Sheet.html
CWE Id	20
WASC Id	20
Plugin Id	<u>10031</u>