EPS in Latvia

Microplastic emission flows

Anthroposphere compartments

Macroplastic emission flows

Pre- and post-consumer

Pre-consumer processes

Waste coll. and recycling

Consumption

Consumer packaging

Non-cons. packaging

Construction

Automotive

Agriculture

PCCP

Hygiene products

Clothing

Household textiles

Other products

Fishing gear

Environmental comp.

Soil (MP) — 0.81±0.34 t

Sludge amended soil (MP) — 0.00691±0.0041 t

Coastal and ocean water (MP) — 0.0298±0.025 t

Fresh water (MP) — 0.041±0.031 t

Intermediate comp.

Storm and waste water (MP)

Indoor air (MP)

Air (MP)

Compost and solid digestate (MP)

Intermediate comp.

On-the-go consumption

Litter

Dumped waste

Unintended C&D waste

Storm and waste water

Compost and solid digestate

Environmental comp.

Soil — 23.4±21 t

Sludge amended soil — 0.00313±0.0044 t

Coastal and ocean water — 0.049±0.041 t

Fresh water — 0.124±0.081 t

Organic waste collection

Incineration

Landfill

0.000419±0.00019 t
0.0047±0.0039 t
0.266±0.25 t
0.0045±0.0022 t
0.02±0.02 t
89.7±70 t
0.106±0.053 t
0.806±0.4 t
0.893±0.57 t
6.69±5.1 t
1.18±0.76 t
0.538±0.25 t
90.5±69 t
22.2±21 t
0.00552±0.0046 t
0.00336±0.0028 t
0.0767±0.071 t
2.7±1.2 t
0.00691±0.0041 t
0.00392±0.0023 t
0.00173±0.0012 t
0.000797±0.00051 t
0.00501±0.003 t
0.00917±0.0079 t
0.04±0.038 t
0.0298±0.025 t
0.51±0.23 t
0.0389±0.031 t
1.03±0.92 t
0.0435±0.041 t
0.06±0.057 t
0.00313±0.0044 t
0.0607±0.056 t
0.000362±0.00053 t
0.00227±0.0032 t
0.101±0.062 t
0.626±0.34 t
0.271±0.14 t
0.0107±0.0055 t
0.00569±0.0042 t
0.00691±0.0048 t
0.00918±0.0062 t
1.07±0.42 t