



- Set Department method
- Print info method
- Employ info method
- Getters and setters

- Print info method
- Super override happening
- Getters and setters




Email App



I create a package
I create a 3 classes

What are the properties required

- String firstName (Scanner)
- String lastName (Scanner)
- String department (Scanner)
- String password
- String email



Main

```
1 package emailApp;
2 /*
3  Created by: Dany
4  Created on 18/11/2022 : 14:01
5  This is program to test if email is working and to launch app. Create objects
6  */
7
8 import java.util.Scanner;
9
10 public class Main {
11     1 usage
12     static Scanner scanner = new Scanner(System.in);
13     public static void main(String[] args) {
14
15         System.out.println("PLEASE ENTER A CHOICE FOR DATA ENTRY");
16         System.out.println("1: EMAIL SETUP");
17         System.out.println("2: HR PERSONAL INFORMATION");
18
19         int dataChoice = scanner.nextInt();
20
21         if (dataChoice == 1) {
22             Email.setInfo();
23             Email.getInfo();
24         } else if (dataChoice == 2) {
25             HR_Department.setInfo();
26             HR_Department.getInfo();
27         } else {
28             System.out.println("NOTHING REQUESTING");
29             System.out.println("-----");
30         }
31     }
32 }
```

EmailApp

- Variables

```
1 package emailApp;
2
3 /*
4  Created by: Dany
5  Created on 18/11/2022 : 14:01
6  This is program to
7 */
8 import java.util.Scanner;
9
10 2 usages
11 public class Email {
12     9 usages
13     static Scanner scanner = new Scanner(System.in);
14     3 usages
15     private static String firstName;
16     3 usages
17     private static String lastName;
18     8 usages
19     private static String department;
20     6 usages
21     private static String company;
22     1 usage
23     private static int defaultPasswordLength = 10;
24     4 usages
25     private static String password;
26     10 usages
27     private static String email;
28
29     1 usage
```

Method name()

- Gets the name

```
1 usage
20  private static void name() {
21      System.out.println("-----");
22      System.out.println("ENTER YOUR NAME:");
23
24      firstName = scanner.nextLine();
25      lastName = scanner.nextLine();
26  }
27
```

Method department()

- Gets the department

```
28 private static void department() {  
29     System.out.println("-----");  
30     System.out.println("\nEnter DEPARTMENT CODE\n1. Sales\n2. Development\n3. Accounting\n0. None\n\nEnter code here: ");  
31  
32     int departmentChoice;  
33     try {  
34         departmentChoice = scanner.nextInt();  
35     } catch (Exception e) {  
36         departmentChoice = 0;  
37     }  
38  
39     if (departmentChoice == 1) {  
40         department = "Sales";  
41     } else if (departmentChoice == 2) {  
42         department = "Development";  
43     } else if (departmentChoice == 3) {  
44         department = "Accounting";  
45     } else {  
46         department = null;  
47     }  
48 }
```

Method company()

- Gets the company

```
50 private static void company() {  
51     System.out.println("-----");  
52     System.out.println("ENTER NAME OF COMPANY(optional):");  
53     System.out.print("Do you have a company? <'yes'/'no'>: ");  
54     String isCompany = scanner.next();  
55     if (isCompany.toLowerCase().contains("yes")) {  
56         System.out.println("Enter name of company:");  
57         company = scanner.next();  
58     } else {  
59         company = "Company";  
60     }  
61 }  
62
```


Method randomPassword()

- Generate random password

```
63 private static String randomPassword(int length) {  
64     String passwordSet = "QWERTYUIOPASDFGHJKLZXCVBNM1234567890!@#$%";  
65  
66     char[] randomPassword = new char[length];  
67  
68     for (int i = 0; i < length; i++) {  
69         int rand = (int) (Math.random() * passwordSet.length());  
70         randomPassword[i] = passwordSet.charAt(rand);  
71     }  
72     return password = new String(randomPassword);  
73 }  
74
```

Method newPassword()

- If user want, he can create a new password

```
75 private static void newPassword() {  
76     System.out.println("-----");  
77     System.out.println("Password: " + password);  
78     System.out.print("If you want change the password, enter 'yes': ");  
79     String isAnswerYes = scanner.next();  
80     if (isAnswerYes.toLowerCase().contains("yes")) {  
81         System.out.println("Enter new password:");  
82         password = scanner.next();  
83     }  
84 }  
85
```

Method email()

- Generate email

```
86 private static String email() {  
87     email = firstName + "." + lastName + "@" + department + "." + company + ".com";  
88     email = email.toLowerCase();  
89     return email;  
90 }
```

Method newEmail()

- If user want, he can create a new email

```
91 private static void newEmail() {  
92     System.out.println("-----");  
93     System.out.println("Your email: " + email);  
94     System.out.print("If you want change the email, enter 'yes': ");  
95     String isAnswerYes = scanner.next();  
96     if (isAnswerYes.toLowerCase().contains("yes")) {  
97         System.out.println("****@" + department + "." + company + ".com");  
98         System.out.println("Enter new email:");  
99         email = scanner.next();  
00         email = email + "@" + department + "." + company + ".com";  
01         email.toLowerCase();  
02     }  
03 }  
04
```

Methods Info's

- Set and show info

```
105 public static void setInfo() {
106     name();
107     department();
108     company();
109     randomPassword(defaultPasswordLength);
110     newPassword();
111     email();
112     newEmail();
113 }
114
115 1 usage
116 public static void getInfo() {
117     System.out.println("\n=====");
118     System.out.println("\tEMAIL");
119     System.out.println("Name: " + firstName + " | " + lastName);
120     System.out.println("Department: " + department);
121     System.out.println("Company: " + company);
122     System.out.println("Email:" + email);
123     System.out.println("Password: " + password);
124     System.out.println("=====");
125 }
```

HR_ Department

- Variables

```
8 usages
10 public class HR_Department {
    6 usages
11     static Scanner scanner = new Scanner(System.in);
    3 usages
12     private static String firstName;
    3 usages
13     private static String lastName;
    3 usages
14     private static String countryCode;
    4 usages
15     private static int phoneNumber;
    3 usages
16     private static String ppsn;
    4 usages
17     private static double salary;
18
```

HR_Department

- Getters and Setters

```
1 usage
55 public static String getFirstName() { return firstName; }
58
1 usage
59 public static void setFirstName(String firstName) { HR_Department.firstName = firstName; }
62
1 usage
63 public static String getLastName() { return lastName; }
66
1 usage
67 public static void setLastName(String lastName) { HR_Department.lastName = lastName; }
70
1 usage
71 public static String getCountryCode() { return countryCode; }
74
1 usage
75 public static void setCountryCode(String countryCode) { HR_Department.countryCode = countryCode; }
78
1 usage
79 public static int getPhoneNumber() { return phoneNumber; }
82
2 usages
83 public static void setPhoneNumber(int phoneNumber) { HR_Department.phoneNumber = phoneNumber; }
86
1 usage
87 public static String getPpsn() { return ppsn; }
90
1 usage
91 public static void setPpsn(String ppsn) { HR_Department.ppsn = ppsn; }
94
1 usage
95 public static double getSalary() { return salary; }
98
2 usages
99 public static void setSalary(double salary) { HR_Department.salary = salary; }
102 }
```


Method setInfo()

- Set Info

```
19 public static void setInfo() {
20     System.out.println("-----");
21     System.out.println("ENTER YOUR NAME:");
22     setFirstName(firstName = scanner.nextLine());
23     setLastName(lastName = scanner.nextLine());
24     System.out.println("-----");
25     System.out.println("ENTER YOUR PHONE NUMBER:");
26     System.out.print("Enter your country code: ");
27     setCountryCode(countryCode = scanner.nextLine());
28     System.out.print("Enter your number: ");
29     try {
30         setPhoneNumber(phoneNumber = scanner.nextInt());
31     } catch (Exception e) {
32         setPhoneNumber(phoneNumber);
33     }
34     System.out.println("-----");
35     System.out.println("ENTER YOUR PPSn:");
36     setPpsn(ppsn = scanner.next());
37     System.out.println("ENTER YOUR SALARY:");
38     try {
39         setSalary(salary = scanner.nextDouble());
40     } catch (Exception e) {
41         setSalary(salary);
42     }
43 }
```


Method getInfo()

- Show Info

```
45 public static void getInfo() {  
46     System.out.println("=====");  
47     System.out.println("\n\t STAFF INFO");  
48     System.out.println("Name: " + getFirstName() + " | " + getLastName());  
49     System.out.println("Phone number: " + getCountryCode() + getPhoneNumber());  
50     System.out.println("PPSn: " + getPpsn());  
51     System.out.println("Salary: " + getSalary());  
52     System.out.println("=====");  
53 }  
54
```

The End