

Name: Rotha Dapravith

ID: e20190915

Group: I4 GIC(C)

TP05 JavaScript (Promise, fetch API)

GitHub Repository URL: https://github.com/Dapravith/TP_Internet_Programming/tree/TP05

Ex1: Activity Suggestion

- index.html

```
Exercise01 > index.html > html > body > div.container-box > div#loading.activity
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta http-equiv="X-UA-Compatible" content="IE=edge">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <title>Ex1 Activity Suggestion</title>
8      <link rel="stylesheet" href="./style.css">
9  </head>
10 <body>
11     <div class="container-box">
12         <br>
13         <h3>Are you boring?</h3>
14         <button id="button" onclick="loadActivity()">Tell me what to do?</button>
15         <div id="loading" class="activity">
16             <div id="toLoad" class="loading">loading ....</div>
17             <div id="load" class="load">
18                 <h5 id="act" ></h5>
19                 <div class="title">
20                     <p id="type" >Type: </p>
21                     <p id="participant" >Participants: </p>
22                     <p id="price" >Price: $</p>
23                     <p id="link" >Link: https://www.pagat.com</p>
24                 </div>
25             </div>
26         </div>
27     </div>
28
29     <script src="./app.js"></script>
30 </body>
31 </html>
```

-style.css

```
Exercise01 > style.css > ...
1  @import url('https://fonts.googleapis.com');
2  @import url('https://fonts.gstatic.com');
3  @import url('https://fonts.googleapis.com/css2?family=Irish+Grover&display=swap');
4  @import url('https://cdn.jsdelivr.net/npm/font-awesome@6.3.0/css/all.min.css');
5
6  * {
7      margin: 0px;
8      padding: 0px;
9      box-sizing: border-box;
10 }
11
12 body {
13     display: flex;
14     height: 700px;
15     width: auto;
16     justify-content: center;
17     align-items: center;
18 }
19 .container-box {
20     border: 5px solid rgb(32, 31, 31);
21     width: 700px;
22     height: 500px;
23     text-align: center;
24     display: flex;
25     flex-direction: column;
26     align-items: center;
27 }
28
29 .container-box img {
30     width: 190px;
31 }
32
33 .container-box h3 {
34     font-family: 'Irish Grover', cursive;
35 }
36
37 #button {
38     background-color: rgb(10, 110, 280);
39     color: azure;
40     width: 350px;
41     padding: 15px;
42     border: none;
43     border-radius: 15px;
44     font-family: 'Irish Grover', cursive;
45 }
46
47 /* Absolute Center Spinner */
48 .loading {
49     position: fixed;
50     z-index: 999;
51     overflow: show;
52     margin: auto;
53     top: 0;
54     left: 0;
55     bottom: 0;
56     right: 0;
57     width: 50px;
58     height: 50px;
59 }
60
61 /* Transparent Overlay */
62 .loading:before {
63     content: '';
64     display: block;
65     position: fixed;
66     top: 0;
67     left: 0;
68     width: 100%;
69     height: 100%;
70     background-color: rgba(255,255,255,0.5);
```

```

70     background-color: rgba(255,255,255,0.5);
71 }
72
73 /* :not(:required) hides these rules from IE9 and below */
74 ✓ .loading:not(:required) {
75     /* hide "loading..." text */
76     font: 0/0 a;
77     color: transparent;
78     text-shadow: none;
79     background-color: transparent;
80     border: 0;
81 }
82
83 ✓ .loading:not(:required):after {
84     content: '';
85     display: block;
86     font-size: 10px;
87     width: 50px;
88     height: 50px;
89     margin-top: -0.5em;
90     border: 12px solid rgba(33, 150, 243, 1.0);
91     border-radius: 100%;
92     border-bottom-color: transparent;
93     -webkit-animation: spinner 1s linear 0s infinite;
94     animation: spinner 1s linear 0s infinite;
95 }
96

```

Exercise01 >  style.css > ...

```

97     /* Animation */
98
99 ✓ @-webkit-keyframes spinner {
100 ✓ 0% {
101     -webkit-transform: rotate(0deg);
102     -moz-transform: rotate(0deg);
103     -ms-transform: rotate(0deg);
104     -o-transform: rotate(0deg);
105     transform: rotate(0deg);
106 }
107 ✓ 100% {
108     -webkit-transform: rotate(360deg);
109     -moz-transform: rotate(360deg);
110     -ms-transform: rotate(360deg);
111     -o-transform: rotate(360deg);
112     transform: rotate(360deg);
113 }
114 }
115 ✓ @-moz-keyframes spinner {
116 ✓ 0% {
117     -webkit-transform: rotate(0deg);
118     -moz-transform: rotate(0deg);
119     -ms-transform: rotate(0deg);
120     -o-transform: rotate(0deg);
121     transform: rotate(0deg);
122 }
123 ✓ 100% {
124     -webkit-transform: rotate(360deg);
125     -moz-transform: rotate(360deg);
126     -ms-transform: rotate(360deg);
127     -o-transform: rotate(360deg);
128     transform: rotate(360deg);
129 }
130 }

```

```

131 @-o-keyframes spinner {
132     0% {
133         -webkit-transform: rotate(0deg);
134         -moz-transform: rotate(0deg);
135         -ms-transform: rotate(0deg);
136         -o-transform: rotate(0deg);
137         transform: rotate(0deg);
138     }
139     100% {
140         -webkit-transform: rotate(360deg);
141         -moz-transform: rotate(360deg);
142         -ms-transform: rotate(360deg);
143         -o-transform: rotate(360deg);
144         transform: rotate(360deg);
145     }
146 }
147 @keyframes spinner {
148     0% {
149         -webkit-transform: rotate(0deg);
150         -moz-transform: rotate(0deg);
151         -ms-transform: rotate(0deg);
152         -o-transform: rotate(0deg);
153         transform: rotate(0deg);
154     }
155     100% {
156         -webkit-transform: rotate(360deg);
157         -moz-transform: rotate(360deg);
158         -ms-transform: rotate(360deg);
159         -o-transform: rotate(360deg);
160         transform: rotate(360deg);
161     }
162 }
163
Exercise01 > style.css > ...
164 .activity {
165     margin: 30px 0px;
166     width: 600px;
167     height: 300px;
168     overflow-x: auto;
169     border: 3px solid rgb(205, 199, 199);
170     background-color: rgb(216, 223, 231);
171     border-radius: 10px;
172 }
173
174 .load .title .edit i{
175     width: 25px;
176     height: 25px;
177     color: rgb(13, 108, 241);
178     margin-top: 6px;
179     margin-right: 12px;
180 }
181
182 .title {
183     padding-left: 70px;
184     text-align: center;
185     font-size: medium;
186 }
187
188 .edit {
189     display: flex;
190     align-items: center;
191     padding: 17px;
192     height: 25px;
193 }
194
195

```

- app.js

Exercise01 > JS app.js > loadActivity

```
1
2 let loading = document.getElementById('loading');
3 loading.hidden = true;
4 function loadActivity(){
5     loading.hidden = false;
6     let toLoad = document.getElementById('toLoad');
7     let load = document.getElementById('load');
8     let display = document.getElementById('display');
9     toLoad.hidden = false;
10    load.hidden = true;
11    fetch('https://www.boredapi.com/api/activity')
12    .then(async (response) =>{
13        toLoad.hidden = true;
14        load.hidden = false;
15        let data = await response.json();
16        load.innerHTML = `
17        <h4>${data["activity"]}</h4>
18        <div class="title">
19            <div class="edit">
20                <i class="fa-solid fa-tag"></i>
21                <p>Type: ${data['type']}</p>
22            </div>
23            <div class="edit">
24                <i class="fa-solid fa-users"></i>
25                <p>Participants: ${data['participants']}</p>
26            </div>
27            <div class="edit">
28                <i class="fa-solid fa-dollar-sign"></i>
29                <p>Price: ${data['price']}$</p>
30            </div>
31            <div class="edit">
32                <i class="fa-solid fa-link"></i>
33                <p>Link: <a href="${data['link']}">${data['link']}</a></p>
34            </div>
35        </div>
36        `;
37    });
38 }
```

- Result for Ex1:



Are you boring?

Tell me what to do?

Do a jigsaw puzzle

📌 Type: recreational

👥 Participants: 1

💰 Price: 0.1\$

🔗 Link: https://en.wikipedia.org/wiki/Jigsaw_puzzle

Ex2: Gender Guessing

- index.html

Exercise02 > index.html > html

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta http-equiv="X-UA-Compatible" content="IE=edge">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <title>Ex2 Gender Guessing</title>
8      <link rel="stylesheet" href="./style.css">
9  </head>
10 <body>
11     <div class="box">
12         
13         <h3>I Know you <span>Gender</span></h3>
14         <div class="inputForm">
15             <input id="name" type="text" placeholder="Tell me your name">
16             <button onclick="GenderGuessing()" >Guess</button>
17         </div>
18         <div id="display">
19             <div id="loading">Loading...</div>
20             <div id="show">
21             </div>
22         </div>
23     </div>
24
25     <script src="./guess.js"></script>
26 </body>
27 </html>
```

- style.css

Exercise02 > style.css > body

```
1  @import url('https://fonts.googleapis.com');
2  @import url('https://fonts.gstatic.com');
3  @import url('https://fonts.googleapis.com/css2?family=Irish+Grover&display=swap');
4
5  *{
6      margin: 0px;
7      padding: 0px;
8      box-sizing: border-box;
9  }
10
11  body{
12      display: flex;
13      height: 700px;
14      width: auto;
15      justify-content: center;
16      align-items: center;
17  }
18  .box{
19      display: flex;
20      flex-direction: column;
21      border: 4px solid black;
22      align-items: center;
23      width: 600px;
24      height: 400px;
25      text-align: center;
26  }
27  .box img{
28      margin-top: 50px;
29      margin-bottom: -10px;
30      width: 60px;
31  }
32  .box h3{
33      font-family: 'Irish Grover', cursive;
34      font-size: larger;
35  }
```

```

36  .box span{
37      color: rgb(20, 49, 194);
38  }
39  .inputForm{
40      display: flex;
41      justify-content: center;
42  }
43  .inputForm input{
44      margin-right: 12px;
45      padding: 10px;
46      border: 1px solid black;
47      border-radius: 5px;
48  }
49  .inputForm input::placeholder{
50      font-size: 15px;
51  }
52  .inputForm button{
53      font-size: 20px;
54      border-radius: 5px;
55      color: rgb(252, 250, 250);
56      background-color: rgb(22, 74, 197);
57      border: none;
58  }

```

Exercise02 > style.css > .box h3

```


57  border: none;
58  }
59  #display{
60      border: 1px solid black;
61      width: 350px;
62      height: 150px;
63      margin-top: 10px;
64      border-radius: 5px;
65      background-color: rgb(227, 233, 237);
66  }
67  #display #loading{
68      padding-top: 70px;
69      font-size: 15px;
70  }
71  #display #show h5{
72      margin-top: 5px;
73  }
74  #display #show span{
75      color: rgb(241, 167, 28);
76      text-transform: capitalize;
77  }
78  #display #show p{
79      color: rgb(18, 96, 240);
80      font-family: 'Irish Grover', cursive;
81      font-size: large;
82  }
83
84

```


- guess.js

```
Exercise02 > JS guess.js > GenderGuessing > then() callback
1  let display = document.getElementById('display');
2  display.hidden = true;
3
4  function GenderGuessing(){
5      let loading = document.getElementById('loading');
6      let show = document.getElementById('show');
7      let name = document.getElementById('name');
8      display.hidden = false;
9      show.hidden = true;
10
11      fetch(`https://api.genderize.io/?name=${name.value}`)
12          .then(async(response)=>{
13              loading.hidden = true;
14              show.hidden = false;
15              let data = await response.json();
16              show.innerHTML = `
17                  <h1>${data["name"]}</h1>
18                  <h2><span>${data["gender"]}</span></h2>
19                  <p>${data["probability"]*100}%</p>
20              `;
21          });
22  }
```

- Result of Ex2:



Ex3: Nationality Guessing

- index.html

```
Exercise03 > index.html > html > body
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta http-equiv="X-UA-Compatible" content="IE=edge">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <title>Ex3 Nationality Guessing</title>
8      <link rel="stylesheet" href="./style.css">
9  </head>
10
11 <body>
12     <div class="wrapper">
13         <div style="font-size: 5rem;">
14             
15         </div>
16         <div>I know your <span style="color: hsl(224, 92%, 49%)">Home</span></div>
17         <div>
18             <input type="text" id="name" placeholder=" Tell me your first name">
19             <button onclick="guessHome()">Guess</button>
20         </div>
21
22         <div id="loading">Loading...</div>
23         <div id="guess-home">
24
25         </div>
26     </div>
27     <script src="./script.js"></script>
28
29 </body>
30
31 </html>
```

- style.css



Exercise03 > style.css > .wrapper>:nth-child(3)

```
1  @import url('https://fonts.googleapis.com');
2  @import url('https://fonts.gstatic.com');
3  @import url('https://fonts.googleapis.com/css2?family=Irish+Grover&display=swap');
4
5
6  *{
7    margin: 0px;
8    padding: 0px;
9    box-sizing: border-box;
10 }
11
12 body {
13   margin: 50px;
14   padding: 50px;
15   display: flex;
16   justify-content: center;
17 }
18
19 .wrapper {
20   width: 800px;
21   height: 500px;
22   padding: 2rem;
23   border: 5px solid black;
24   display: flex;
25   flex-direction: column;
26   justify-content: center;
27   align-items: center;
28
29   overflow: auto;
30 }
31
32 .wrapper>:nth-child(1) {
33   height: 50%;
34 }
35
36 .wrapper>:nth-child(2) {
37   height: 18%;
38   font-family: Irish Grover;
39   font-size: 2rem;
40 }
41
42 .wrapper>:nth-child(3) {
43   height: 15%;
44   display: flex;
45   justify-content: center;
46   align-items: center;
47   column-gap: 1rem;
48 }
49 .wrapper>:nth-child(3) input {
50   height: 80%;
51   border: 1px solid #d5d5d5e1;
52   border-radius: 7px;
53 }
54
55 img {
56   height: 8rem;
57 }
58
59 input {
60   text-align: center;
61   justify-content: center;
62 }
63 input:focus::placeholder {
64   color: transparent;
65 }
66
67
```

```
67
68 .wrapper>:nth-child(3) button {
69     width: fit-content;
70     padding: 0.5rem;
71     padding-left: 1rem;
72     padding-right: 1rem;
73     border-radius: 6px;
74     border: none;
75     background-color: hsl(220, 100%, 55%);
76     color: white;
77     font-weight: bold;
78 }
79
80 .wrapper>:nth-child(3) button:active {
81     background-color: hsl(27, 75%, 50%);
82     color: hsl(220, 100%, 55%);
83     cursor: pointer;
84 }
85
86 .wrapper>:nth-child(3) button:hover {
87     cursor: pointer;
88 }
89
90 #guess-home {
91     height: 100%;
92     width: 20rem;
93     min-width: 10rem;
94     border-radius: 5px;
95     font-family: sans-serif;
96     display: flex;
97     flex-direction: column;
98     row-gap: 5%;
99
100 }
101
```

```
100 }
101
102 #guess-home>*{
103   width: calc(100% - 1rem);
104   background-color: #e8e7e7;
105   border-radius: 10px;
106   border: 1px solid rgb(111, 111, 111);
107   padding: 0.5rem;
108   display: flex;
109   justify-content: space-between;
110 }
111
112 #guess-home>*:first-child{
113   font-weight: bold;
114 }
115 #guess-home>*:last-child{
116   font-weight: bold;
117   color: hsl(32, 87%, 50%);
118 }
119
120
121 .noData{
122   height: fit-content;
123   color: hsl(300, 100%, 35%);
124   font-size: 7rem;
125   background-color: white;
126 }
127
128
129 .center{
130   width: 100%;
131   height: 100%;
132   display: flex;
133   justify-content: center;
134   align-items: center;
135 }
```

- script.js

Exercise03 >  script.js >  nullCountry


```
1  const home = document.getElementById("guess-home");
2  const name = document.getElementById("name");
3  const loading=document.getElementById("loading");
4  loading.style.visibility="hidden";
5  function guestHome() {
6      if(noData()) return;
7      home.innerHTML="";
8      loading.style.visibility="visible";
9      fetch(`https://api.nationalize.io/?name=${name.value}`).then(async (res) => {
10
11          let data = await res.json();
12
13          let obj=data.country;
14
15          if(nullCountry(obj)) return;
16          home.innerHTML="";
17          for(let n of obj){
18              home.innerHTML+=`<div>
19                  <div>${n.country_id}</div>
20                  <div>${(n.probability*100).toFixed(2)}%</div>
21                  </div>`
22          }
23
24      }).then(()=>{
25          loading.style.visibility="hidden"
26      }).catch(()=>{
27          home.innerHTML=` <div>
28              <div class="center">
29                  <div class="noData ">Null</div>
30              </div>
31          </div>`
32          loading.style.visibility="hidden"
33      })
34  }
35  }
36
37  function noData(){
38      if(name.value==""){
39          home.innerHTML=` <div>
40              <div class="center">
41                  <div class="noData ">Null</div>
42              </div>
43          </div>`
44          return true;
45      }
46      return false;
47  }
48
49  function nullCountry(obj){
50      if(obj==undefined) return false;
51      if(obj.length==0){
52          home.innerHTML=` <div>
53              <div class="center">
54                  <div class="noData">X</div>
55              </div>
56          </div>`
57          return true;
58      }
59      return false;
60  }
```

```

37  function noData(){
38      if(name.value==""){
39          home.innerHTML=` <div>
40              <div class="center">
41                  <div class="noData ">Null</div>
42              </div>
43          </div>`
44          return true;
45      }
46      return false;
47  }
48
49  function nullCountry(obj){
50      if(obj==undefined) return false;
51      if(obj.length==0){
52          home.innerHTML=` <div>
53              <div class="center">
54                  <div class="noData">X</div>
55              </div>
56          </div>`
57          return true;
58      }
59      return false;
60  }

```

- Result of Ex3:



Ex4: University List

-index.html

```
Exercise04 > index.html > html > head
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta http-equiv="X-UA-Compatible" content="IE=edge">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <title>Ex4</title>
8
9      <link rel="preconnect" href="https://fonts.googleapis.com">
10     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
11     <link href="https://fonts.googleapis.com/css2?family=Irish+Grover&display=swap" rel="stylesheet">
12     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.3.0/css/all.min.css"/>
13     <link rel="stylesheet" href="./style.css">
14
15 </head>
16 <body>
17     <div class="box">
18         
19         <h3>Which Univ. do you want to study?</h3>
20         <select name="country" id="country" onchange="fetchData()">
21             <option selected disabled>Choose a country</option>
22             <option value="Afghanistan">Afghanistan</option>
23             <option value="Aland Islands">Aland Islands</option>
24             <option value="Albania">Albania</option>
25             <option value="Algeria">Algeria</option>
26             <option value="American Samoa">American Samoa</option>
27             <option value="Andorra">Andorra</option>
28             <option value="Angola">Angola</option>
29             <option value="Anguilla">Anguilla</option>
30             <option value="Antarctica">Antarctica</option>
31             <option value="Antigua and Barbuda">Antigua & Barbuda</option>
32             <option value="Argentina">Argentina</option>
33             <option value="Armenia">Armenia</option>
34             <option value="Aruba">Aruba</option>
35             <option value="Australia">Australia</option>
36             <option value="Austria">Austria</option>
37             <option value="Azerbaijan">Azerbaijan</option>
Exercise04 > index.html > html > head
38             <option value="Azerbaijan">Azerbaijan</option>
39             <option value="Bahamas">Bahamas</option>
40             <option value="Bahrain">Bahrain</option>
41             <option value="Bangladesh">Bangladesh</option>
42             <option value="Barbados">Barbados</option>
43             <option value="Belarus">Belarus</option>
44             <option value="Belgium">Belgium</option>
45             <option value="Belize">Belize</option>
46             <option value="Benin">Benin</option>
47             <option value="Bermuda">Bermuda</option>
48             <option value="Bhutan">Bhutan</option>
49             <option value="Bolivia">Bolivia</option>
50             <option value="Bonaire, Sint Eustatius and Saba">Caribbean Netherlands</option>
51             <option value="Bosnia and Herzegovina">Bosnia & Herzegovina</option>
52             <option value="Botswana">Botswana</option>
53             <option value="Bouvet Island">Bouvet Island</option>
54             <option value="Brazil">Brazil</option>
55             <option value="British Indian Ocean Territory">British Indian Ocean Territory</option>
56             <option value="Brunei Darussalam">Brunei</option>
57             <option value="Bulgaria">Bulgaria</option>
58             <option value="Burkina Faso">Burkina Faso</option>
59             <option value="Burundi">Burundi</option>
60             <option value="Cambodia">Cambodia</option>
61             <option value="Cameroon">Cameroon</option>
62             <option value="Canada">Canada</option>
63             <option value="Cape Verde">Cape Verde</option>
64             <option value="Cayman Islands">Cayman Islands</option>
65             <option value="Central African Republic">Central African Republic</option>
66             <option value="Chad">Chad</option>
67             <option value="Chile">Chile</option>
68             <option value="China">China</option>
69             <option value="Christmas Island">Christmas Island</option>
70             <option value="Cocos (Keeling) Islands">Cocos (Keeling) Islands</option>
71             <option value="Colombia">Colombia</option>
72             <option value="Comoros">Comoros</option>
73             <option value="Congo">Congo - Brazzaville</option>
74             <option value="Congo, Democratic Republic of the Congo">Congo - Kinshasa</option>
75             <option value="Cook Islands">Cook Islands</option>
```


Exercise04 > index.html > html > body > div.box > select#country > option

```
67 <option value="China">China</option>
68 <option value="Christmas Island">Christmas Island</option>
69 <option value="Cocos (Keeling) Islands">Cocos (Keeling) Islands</option>
70 <option value="Colombia">Colombia</option>
71 <option value="Comoros">Comoros</option>
72 <option value="Congo">Congo - Brazzaville</option>
73 <option value="Congo, Democratic Republic of the Congo">Congo - Kinshasa</option>
74 <option value="Cook Islands">Cook Islands</option>
75 <option value="Costa Rica">Costa Rica</option>
76 <option value="Cote D'Ivoire">Côte d'Ivoire</option>
77 <option value="Croatia">Croatia</option>
78 <option value="Cuba">Cuba</option>
79 <option value="Curacao">Curaçao</option>
80 <option value="Cyprus">Cyprus</option>
81 <option value="Czech Republic">Czechia</option>
82 <option value="Denmark">Denmark</option>
83 <option value="Djibouti">Djibouti</option>
84 <option value="Dominica">Dominica</option>
85 <option value="Dominican Republic">Dominican Republic</option>
86 <option value="Ecuador">Ecuador</option>
87 <option value="Egypt">Egypt</option>
88 <option value="El Salvador">El Salvador</option>
89 <option value="Equatorial Guinea">Equatorial Guinea</option>
90 <option value="Eritrea">Eritrea</option>
91 <option value="Estonia">Estonia</option>
92 <option value="Ethiopia">Ethiopia</option>
93 <option value="Falkland Islands (Malvinas)">Falkland Islands (Islas Malvinas)</option>
94 <option value="Faroe Islands">Faroe Islands</option>
95 <option value="Fiji">Fiji</option>
96 <option value="Finland">Finland</option>
97 <option value="France">France</option>
98 <option value="French Guiana">French Guiana</option>
99 <option value="French Polynesia">French Polynesia</option>
100 <option value="French Southern Territories">French Southern Territories</option>
101 <option value="Gabon">Gabon</option>
102 <option value="Gambia">Gambia</option>
103 <option value="Georgia">Georgia</option>
```

Exercise04 > index.html > html > body > div.box > select#country > option

```
100 <option value="French Southern Territories">French Southern Territories</option>
101 <option value="Gabon">Gabon</option>
102 <option value="Gambia">Gambia</option>
103 <option value="Georgia">Georgia</option>
104 <option value="Germany">Germany</option>
105 <option value="Ghana">Ghana</option>
106 <option value="Gibraltar">Gibraltar</option>
107 <option value="Greece">Greece</option>
108 <option value="Greenland">Greenland</option>
109 <option value="Grenada">Grenada</option>
110 <option value="Guadeloupe">Guadeloupe</option>
111 <option value="Guam">Guam</option>
112 <option value="Guatemala">Guatemala</option>
113 <option value="Guernsey">Guernsey</option>
114 <option value="Guinea">Guinea</option>
115 <option value="Guinea-Bissau">Guinea-Bissau</option>
116 <option value="Guyana">Guyana</option>
117 <option value="Haiti">Haiti</option>
118 <option value="Heard Island and McDonald Islands">Heard & McDonald Islands</option>
119 <option value="Holy See (Vatican City State)">Vatican City</option>
120 <option value="Honduras">Honduras</option>
121 <option value="Hong Kong">Hong Kong</option>
122 <option value="Hungary">Hungary</option>
123 <option value="Iceland">Iceland</option>
124 <option value="India">India</option>
125 <option value="Indonesia">Indonesia</option>
126 <option value="Iran, Islamic Republic of">Iran</option>
127 <option value="Iraq">Iraq</option>
128 <option value="Ireland">Ireland</option>
129 <option value="Isle of Man">Isle of Man</option>
130 <option value="Israel">Israel</option>
131 <option value="Italy">Italy</option>
132 <option value="Jamaica">Jamaica</option>
133 <option value="Japan">Japan</option>
134 <option value="Jersey">Jersey</option>
135 <option value="Jordan">Jordan</option>
136 <option value="Kazakhstan">Kazakhstan</option>
```

Exercise04 > index.html > html > body > div.box > select#country > option

```
137 <option value="Kenya">Kenya</option>
138 <option value="Kiribati">Kiribati</option>
139 <option value="Korea, Democratic People's Republic of">North Korea</option>
140 <option value="Korea, Republic of">South Korea</option>
141 <option value="Kosovo">Kosovo</option>
142 <option value="Kuwait">Kuwait</option>
143 <option value="Kyrgyzstan">Kyrgyzstan</option>
144 <option value="Lao People's Democratic Republic">Laos</option>
145 <option value="Latvia">Latvia</option>
146 <option value="Lebanon">Lebanon</option>
147 <option value="Lesotho">Lesotho</option>
148 <option value="Liberia">Liberia</option>
149 <option value="Libyan Arab Jamahiriya">Libya</option>
150 <option value="Liechtenstein">Liechtenstein</option>
151 <option value="Lithuania">Lithuania</option>
152 <option value="Luxembourg">Luxembourg</option>
153 <option value="Macao">Macao</option>
154 <option value="Macedonia, the Former Yugoslav Republic of">North Macedonia</option>
155 <option value="Madagascar">Madagascar</option>
156 <option value="Malawi">Malawi</option>
157 <option value="Malaysia">Malaysia</option>
158 <option value="Maldives">Maldives</option>
159 <option value="Mali">Mali</option>
160 <option value="Malta">Malta</option>
161 <option value="Marshall Islands">Marshall Islands</option>
162 <option value="Martinique">Martinique</option>
163 <option value="Mauritania">Mauritania</option>
164 <option value="Mauritius">Mauritius</option>
165 <option value="Mayotte">Mayotte</option>
166 <option value="Mexico">Mexico</option>
167 <option value="Micronesia, Federated States of">Micronesia</option>
168 <option value="Moldova, Republic of">Moldova</option>
169 <option value="Monaco">Monaco</option>
170 <option value="Mongolia">Mongolia</option>
171 <option value="Montenegro">Montenegro</option>
172 <option value="Montserrat">Montserrat</option>
173 <option value="Morocco">Morocco</option>
```

Exercise04 > index.html > html > body > div.box > select#country > option

```
173 <option value="Morocco">Morocco</option>
174 <option value="Mozambique">Mozambique</option>
175 <option value="Myanmar">Myanmar (Burma)</option>
176 <option value="Namibia">Namibia</option>
177 <option value="Nauru">Nauru</option>
178 <option value="Nepal">Nepal</option>
179 <option value="Netherlands">Netherlands</option>
180 <option value="Netherlands Antilles">Curaçao</option>
181 <option value="New Caledonia">New Caledonia</option>
182 <option value="New Zealand">New Zealand</option>
183 <option value="Nicaragua">Nicaragua</option>
184 <option value="Niger">Niger</option>
185 <option value="Nigeria">Nigeria</option>
186 <option value="Niue">Niue</option>
187 <option value="Norfolk Island">Norfolk Island</option>
188 <option value="Northern Mariana Islands">Northern Mariana Islands</option>
189 <option value="Norway">Norway</option>
190 <option value="Oman">Oman</option>
191 <option value="Pakistan">Pakistan</option>
192 <option value="Palau">Palau</option>
193 <option value="Palestinian Territory, Occupied">Palestine</option>
194 <option value="Panama">Panama</option>
195 <option value="Papua New Guinea">Papua New Guinea</option>
196 <option value="Paraguay">Paraguay</option>
197 <option value="Peru">Peru</option>
198 <option value="Philippines">Philippines</option>
199 <option value="Pitcairn">Pitcairn Islands</option>
200 <option value="Poland">Poland</option>
201 <option value="Portugal">Portugal</option>
202 <option value="Puerto Rico">Puerto Rico</option>
203 <option value="Qatar">Qatar</option>
204 <option value="Reunion">Réunion</option>
205 <option value="Romania">Romania</option>
206 <option value="Russian Federation">Russia</option>
207 <option value="Rwanda">Rwanda</option>
208 <option value="Saint Barthelemy">St. Barthélemy</option>
209 <option value="Saint Helena">St. Helena</option>
```

```

Exercise04 > index.html > html > body > div.box > select#country > option
210 <option value="Saint Kitts and Nevis">St. Kitts & Nevis</option>
211 <option value="Saint Lucia">St. Lucia</option>
212 <option value="Saint Martin">St. Martin</option>
213 <option value="Saint Pierre and Miquelon">St. Pierre & Miquelon</option>
214 <option value="Saint Vincent and the Grenadines">St. Vincent & Grenadines</option>
215 <option value="Samoa">Samoa</option>
216 <option value="San Marino">San Marino</option>
217 <option value="Sao Tome and Principe">São Tomé & Príncipe</option>
218 <option value="Saudi Arabia">Saudi Arabia</option>
219 <option value="Senegal">Senegal</option>
220 <option value="Serbia">Serbia</option>
221 <option value="Serbia and Montenegro">Serbia</option>
222 <option value="Seychelles">Seychelles</option>
223 <option value="Sierra Leone">Sierra Leone</option>
224 <option value="Singapore">Singapore</option>
225 <option value="Sint Maarten">Sint Maarten</option>
226 <option value="Slovakia">Slovakia</option>
227 <option value="Slovenia">Slovenia</option>
228 <option value="Solomon Islands">Solomon Islands</option>
229 <option value="Somalia">Somalia</option>
230 <option value="South Africa">South Africa</option>
231 <option value="South Georgia and the South Sandwich Islands">South Georgia & South Sandwich Islands</option>
232 <option value="South Sudan">South Sudan</option>
233 <option value="Spain">Spain</option>
234 <option value="Sri Lanka">Sri Lanka</option>
235 <option value="Sudan">Sudan</option>
236 <option value="Suriname">Suriname</option>
237 <option value="Svalbard and Jan Mayen">Svalbard & Jan Mayen</option>
238 <option value="Swaziland">Eswatini</option>
239 <option value="Sweden">Sweden</option>
240 <option value="Switzerland">Switzerland</option>
241 <option value="Syrian Arab Republic">Syria</option>
242 <option value="Taiwan, Province of China">Taiwan</option>
243 <option value="Tajikistan">Tajikistan</option>
244 <option value="Tanzania, United Republic of">Tanzania</option>
245 <option value="Thailand">Thailand</option>
246 <option value="Timor-Leste">Timor-Leste</option>

```

```

Exercise04 > index.html > html > body > div.box > select#country > option
246 <option value="Timor-Leste">Timor-Leste</option>
247 <option value="Togo">Togo</option>
248 <option value="Tokelau">Tokelau</option>
249 <option value="Tonga">Tonga</option>
250 <option value="Trinidad and Tobago">Trinidad & Tobago</option>
251 <option value="Tunisia">Tunisia</option>
252 <option value="Turkey">Turkey</option>
253 <option value="Turkmenistan">Turkmenistan</option>
254 <option value="Turks and Caicos Islands">Turks & Caicos Islands</option>
255 <option value="Tuvalu">Tuvalu</option>
256 <option value="Uganda">Uganda</option>
257 <option value="Ukraine">Ukraine</option>
258 <option value="United Arab Emirates">United Arab Emirates</option>
259 <option value="United Kingdom">United Kingdom</option>
260 <option value="United States">United States</option>
261 <option value="United States Minor Outlying Islands">U.S. Outlying Islands</option>
262 <option value="Uruguay">Uruguay</option>
263 <option value="Uzbekistan">Uzbekistan</option>
264 <option value="Vanuatu">Vanuatu</option>
265 <option value="Venezuela">Venezuela</option>
266 <option value="Viet Nam">Vietnam</option>
267 <option value="Virgin Islands, British">British Virgin Islands</option>
268 <option value="Virgin Islands, U.s.">U.S. Virgin Islands</option>
269 <option value="Wallis and Futuna">Wallis & Futuna</option>
270 <option value="Western Sahara">Western Sahara</option>
271 <option value="Yemen">Yemen</option>
272 <option value="Zambia">Zambia</option>
273 <option value="Zimbabwe">Zimbabwe</option>
274 </select>
275
276 <div id="display">
277 <div id="loading">
278 Loading...
279 </div>
280
281 <div id="listing">
282 <div id="show"></div>
283 </div>
284
285 </div>
286 </div>
287
288 <script src="./app.js"></script>
289 </body>
290 </html>

```

- style.css


```
Exercise04 > style.css > .box
1
2  *{
3      margin: 0;
4      padding: 0;
5      box-sizing: border-box;
6  }
7
8  body{
9      display: flex;
10     height: 100vh;
11     justify-content: center;
12     align-items: center;
13 }
14 .box{
15     flex-direction: column;
16     width: 850px;
17     height: 420px;
18     overflow-x: auto;
19     border: 5px solid black;
20     text-align: center;
21 }
22 .box img{
23     margin-top: 15px;
24     width: 100px;
25 }
26 .box h3{
27     font-size: 23px;
28     font-family: 'Irish Grover', cursive;
29 }
30 .box select{
31     padding: 0px 10px;
32     width: 200px;
33     height: 40px;
34     border-radius: 5px;
35 }
36 #display{
37     width: 625px;
38     height: 160px;
39     margin: 10px auto;
40     border: 1px solid black;
41     border-radius: 10px;
42     background-color: aliceblue;
43 }
```

```
Exercise04 > style.css > .link i
41   border-radius: 10px;
42   background-color: #aliceblue;
43 }
44 #loading{
45   padding-top: 65px;
46   font-size: 30px;
47 }
48 #show{
49   display: flex;
50   flex-wrap: wrap;
51 }
52 .university{
53   margin-top: 5px;
54   margin-left: 5px;
55   width: 200px;
56   padding: 5px 0px;
57   font-size: 12px;
58   border: 1px solid black;
59   border-radius: 5px;
60   background-color: #c0c0c0;
61 }
62 .link{
63   display: flex;
64   justify-content: center;
65   align-items: center;
66 }
67 .link i{
68   margin: 10px 2px;
69   margin-right: 5px;
70   color: #000080;
71 }
72 }
73 .link a{
74   color: #000080;
75 }
```

- app.js

```
Exercise04 > app.js > ...
1   let display = document.getElementById('display');
2   display.hidden = true;
3   function fetchData() {
4     display.hidden = false;
5     display.style.background = "aliceblue";
6     display.style.border = "1px solid black";
7     let loading = document.getElementById('loading');
8     let listing = document.getElementById('listing');
9
10    loading.hidden = false;
11    listing.hidden = true;
12    let countrySelect = document.getElementById('country');
13    console.log(countrySelect.value);
14
15    fetch(`http://universities.hipolabs.com/search?country=${countrySelect.value}`)
16      .then(async(result) => {
17        let show = document.getElementById('show');
18        loading.hidden = true;
19        listing.hidden = false;
20        display.style.background = "white";
21        display.style.border = "none";
22
23        let data = await result.json();
24
25        // display each data by its index
26        for(let x of data) {
27          console.log(x.domains);
28          show.innerHTML += `
29            <div class="university">
30              <span>${x.name}</span>
31              <br>
32              <span>${x.country} - ${x.alpha_two_code}</span>
33              <br>
34              <div class="link">
35                <i class="fa-solid fa-earth-americas"></i>
36                <a href="${x.web_pages[0]}">
37                  ${x.web_pages[0]}
38                </a>
39              </div>
40            </div>
41          `;
42        }
43        console.log(data[0].domains);
44      })
45    .catch((error) => {
46      loading.hidden = true;
47      listing.hidden = true;
48      console.log("Error: " + error);
49    })
50  }
51
52
53 }
```

- Result of Ex4



The screenshot shows a web form titled "Which Univ. do you want to study?". At the top is a cartoon illustration of a school building. Below the title is a dropdown menu with "Cambodia" selected. Below the dropdown is a grid of nine university options, each in a light blue box with a globe icon and a URL:

Asia Europe University {Cambodia - undefined} http://www.aeu.edu.kh/	Angkor University {Cambodia - undefined} http://www.angkor.edu.kh/	Build Bright University {Cambodia - undefined} http://www.bbu.edu.kh/
Chamreun University of Poly Technology {Cambodia - undefined} http://www.cup.edu.kh/	Cambodia University of Specialties {Cambodia - undefined} http://www.cus.edu.kh/	National Institute of Education {Cambodia - undefined} http://www.ine.edu.kh/
International University {Cambodia - undefined}	Cambodian Mekong University {Cambodia - undefined}	Norton University {Cambodia - undefined}

Fetch Data from API for book App

Ex5: Book Store

- index.html

```
Exercise05 > index.html > body
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta http-equiv="X-UA-Compatible" content="IE=edge">
7   <meta name="viewport" content="width=device-width, initial-scale=1.0">
8   <link rel="shortcut icon" href="/img/book.png" type="image/x-icon">
9   <title>Ex05 Book Shop Crud</title>
10  <link rel="stylesheet" href="/style.css">
11 </head>
12
13 <body>
14   <div class="loading">
15     <div class="loader"></div>
16   </div>
17   <div class="container">
18     <form autocomplete="off" onsubmit="onFormSubmit()">
19       <div class="add">
20         <div class="header-add">Add new book here!</div>
21
22         <label for="name_book">Name</label>
23         <input type="text" name="name" id="name_book" placeholder="c programming" onclick="if(this.placeholder == 'c programming') {this.placeholder = ''}"
24           onBlur="if(this.placeholder == '') {this.placeholder = 'c programming'}" />
25         <label for="category_book">Category</label>
26         <input type="text" name="category" id="category_book" placeholder="coding" onclick="if(this.placeholder == 'coding') {this.placeholder = ''}"
27           onBlur="if(this.placeholder == '') {this.placeholder = 'coding'}" />
28         <label for="price_book">Price</label>
29         <input type="text" name="price_book" id="price_book" placeholder="1000 riels" onclick="if(this.placeholder == '1000 riels') {this.placeholder = ''}"
30           onBlur="if(this.placeholder == '') {this.placeholder = '1000 riels'}" />
31
32         <button type="submit" class="add_book">Add</button>
33         <button type="submit" class="edit_book">update</button>
34       </div>
35     </form>
36     <div class="home" id="add_items">
37       <div class="book-info">List Book</div>
38     </div>
39   </div>
40
41   <script src="/book.js"></script>
42 </body>
43 </html>
```

- fetchapi-detail.html

```
Exercise05 > fetchapi-detail.html > html > head > link
1  <!DOCTYPE html>
2  <html lang="en">
3
4  <head>
5      <meta charset="UTF-8">
6      <meta http-equiv="X-UA-Compatible" content="IE=edge">
7      <meta name="viewport" content="width=device-width, initial-scale=1.0">
8      <title>Book Details</title>
9      <link rel="stylesheet" href="./api-book.css">
10 </head>
11
12 <body>
13     <div class="items"></div>
14     <script src="./book-api.js"></script>
15 </body>
16
17 </html>
```

- style.css

```
Exercise05 > style.css > .add>div
1  * {
2      margin: 0px;
3      padding: 0px;
4      box-sizing: border-box;
5  }
6
7  body {
8      background-color: #aaa;
9  }
10
11 .container {
12     display: flex;
13     justify-content: center;
14 }
15
16 .add {
17     height: 93vh;
18     width: 300px;
19     background-color: antiquewhite;
20     position: fixed;
21     padding: 15px;
22     border-radius: 10px;
23 }
24
25 .add>div {
26     text-align: center;
27     color: #ffffff;
28     background-color: rgb(147, 212, 116);
29     margin-bottom: 20px;
30     font-size: large;
31     padding-top: 10px;
32     height: 30px;
33     border-radius: 5px;
34 }
35
36 .add input[type=text] {
37     width: 100%;
38     border: 2px solid #aaa;
39     border-radius: 4px;
40     margin: 8px 0;
41     outline: none;
42     padding: 8px;
43     box-sizing: border-box;
44     transition: .3s;
45 }
46
```


Exercise05 > style.css > .add>div

```
44     transition: .3s;
45 }
46
47 ✓ .add input[type=text]:focus {
48     border-color: dodgerBlue;
49     box-shadow: 0 0 8px 0 dodgerBlue;
50 }
51
52 ✓ .add .edit_book {
53     visibility: hidden;
54 }
55
56 .add_book,
57 ✓ .edit_book {
58     background-color: rgba(147, 196, 125, 1);
59     color: white;
60     border-style: outset;
61     border-color: #0066A2;
62     height: 25px;
63     width: 50px;
64     font: bold15px arial, sans-serif;
65     text-shadow: none;
66     height: 30px;
67     margin-top: 10px;
68     border-radius: 5px;
69 }
70
71 ✓ .edit_book {
72     background-color: rgb(61, 133, 198);
73 }
74
75 ✓ .home {
76     height: auto;
77     width: 800px;
78     top: 0px;
79     /* background-color: #fafafa; */
80     /* rgba(97, 105, 122, 0.5) */
81     display: flex;
82     flex-wrap: wrap;
83     margin-left: 350px;
84     border-radius: 10px;
85     background-color: #ffffff;
86 }
87
```



```
87
88  ✓ .home .book-info {
89      background-color: rgba(147, 196, 125, 1);
90      text-align: center;
91      height: 35px;
92      font-size: large;
93      color: #ffffff;
94      position: sticky;
95      width: 780px;
96      margin: 10px 0 10px 10px;
97      border-radius: 5px;
98  }
99
100  ✓ .home .items {
101      text-align: center;
102      width: 23%;
103      margin: 1%;
104      margin-left: 1%;
105      box-shadow: rgba(15, 15, 15, 0.3) 0px 7px 29px 0px;
106      border-radius: 10px;
107  }
108
109  ✓ .items>img {
110      margin-top: 10px;
111      margin-bottom: 10px;
112  }
113
114  .items .name,
115  .price,
116  ✓ .category {
117      text-align: start;
118      margin-left: 10px;
119      padding-top: 10px;
120  }
121
122  ✓ .items>button {
123      text-align: start;
124  }
125
126  ✓ .button {
127      margin-top: 10px;
128      margin-bottom: 5px;
129  }
130
```

```
130
131 .button .editBtn,
132 v .deleteBtn {
133     border-radius: 5px;
134     background-color: rgb(61, 133, 198);
135     color: white;
136     border-style: outset;
137     border-color: #0066A2;
138     text-shadow: none;
139     height: 30px;
140 }
141
142 v .deleteBtn {
143     margin-left: 4px;
144     background-color: rgba(239, 54, 54);
145 }
146
147 v .edit_book {
148     margin-left: -55px;
149     text-align: center;
150     width: 60px;
151 }
152
153 v .items>img {
154     height: 90px;
155 }
156
157 v .loading {
158     justify-content: center;
159     align-items: center;
160 }
161
162 v .btn {
163     margin: 5px 0 15px 0;
164     background-color: rgba(244, 67, 54, .9);
165 }
166
167 v .btn>a {
168     color: white;
169     text-decoration: none;
170 }
171
172 @import url(https://fonts.googleapis.com/css?family=Roboto:100);
173 @import url(https://fonts.googleapis.com/css?family=Roboto:100);
174 h1 {
175     font: 2em 'Roboto', sans-serif;
176     margin-bottom: 40px;
177 }
178 .loader {
179     display: inline-block;
180     width: 50px;
181     height: 50px;
182     margin: 50px;
183     padding: 50px;
184     border: 3px solid rgba(51, 221, 13, 0.804);
185     border-radius: 50%;
186     border-top-color: #ca1010;
187     -webkit-animation: spin 1s ease-in-out infinite;
188     animation: spin 1s ease-in-out infinite;
189 }
190
191 @keyframes spin {
192     to {
193         -webkit-transform: rotate(360deg);
194     }
195 }
196
197 @-webkit-keyframes spin {
198     to {
199         -webkit-transform: rotate(360deg);
200     }
201 }
```

```
Exercise05 > api-book.css > .home>img
1  *{
2      margin: 0px;
3      padding: 0px;
4      box-sizing: border-box;
5  }
6
7  body {
8      padding: 10px;
9      margin: 10px;
10 }
11
12 .container {
13     height: 10rem;
14     display: flex;
15     justify-content: center;
16     align-items: center;
17     flex-wrap: wrap;
18     background-color: rgba(88, 90, 84, 0.8);
19 }
20
21 .container>div {
22     width: 100%;
23     text-align: center;
24 }
25
26 .home {
27     margin: 2rem 0 0 0;
28     display: flex;
29     justify-content: center;
30     flex-wrap: wrap;
31 }
32
33 .home>div {
34     margin-bottom: 1rem;
35     width: 100%;
36     text-align: center;
37 }
38
39 .home>img {
40     height: 100px;
41 }
```

```

Exercise05 > bookjs > deleteBook
1  var selectedRow = null;
2      let header = document.getElementsByClassName("header-add")[0];
3
4      //read data from local storage and display
5      let books = [{}];
6      const getB = localStorage.getItem('books');
7      const dataB = JSON.parse(getB);
8
9      let results = [];
10     let output = '';
11
12     var loading = (value) => {
13         if (value == 'true') {
14             setTimeout(() => {
15
16                 }, 1000)
17                 document.getElementsByClassName('loading')[0].style.display = 'flex'
18                 document.getElementsByClassName('container')[0].style.display = 'none'
19             } else {
20                 document.getElementsByClassName('container')[0].style.display = 'flex';
21                 document.getElementsByClassName('loading')[0].style.display = 'none';
22             }
23         }
24     loading("true");
25
26     fetch('https://jsonplaceholder.typicode.com/photos').then(async(res) => {
27         results = await res.json();
28         var title = '';
29         for (result in results) {
30             output +=
31                 `<div class="items">` +
32                 `` +
33                 `<div class="name">Title : ${results[result].title.toString().substring(0, 10)}...</div>` +
34                 `<div class="price">Id : ${results[result].id}</div>` +
35                 `<div class="category">Album ID : ${results[result].albumId}</div>` +
36                 `<button class="btn">` +
37                 `<a href=". /fetchapi-detail.html?bookid=${parseInt(result)+1}">see more</a>` +
38                 `</button>` +
39                 `</div>`;
40         }
41         document.getElementById("add_items").innerHTML += output;
42         setTimeout(() => {
43             loading("false");
44         }, 100)
45     });
46
47     function onFormSubmit(e) {
48         event.preventDefault();
49         var formData = readFormData();
50         if (selectedRow === null) {
51             insertNewRecord(formData);
52         } else {
53             updateRecord(formData);
54         }
55         resetForm();
56     }
57
58     //clear placeholder
59     document.querySelector('.add_book').placeholder = '';
60
61     //Retrieve the data
62     function readFormData() {
63         var formData = {};
64         formData["name_book"] = document.getElementById("name_book").value;
65         formData["price_book"] = document.getElementById("price_book").value;
66         formData["category_book"] = document.getElementById("category_book").value;
67
68         return formData;
69     }
70
71     //Insert the data
72     function insertNewRecord(data) {
73         const getdata = localStorage.getItem('books');
74         let databookss = JSON.parse(getdata);
75
76         books = Object.assign([], databookss);
77         let x;
78         if (databookss == null) {
79             x = 0
80         } else {
81             x = databookss.length;
82         }
83         const book = {
84             name: `${data.name_book}`,
85             price: `${data.price_book}`,
86             category: `${data.category_book}`
87         };
88     }

```

Exercise05 > bookjs > deleteBook

```
87         category: `${data.category_book}`
88     });
89     books[x] = book;
90     localStorage.setItem('books', JSON.stringify(books));
91     let databooks = getbooks();
92
93     document.getElementById("add_items").innerHTML +=
94     `<div class="items">` +
95     `Name : ${databooks[x].name}</div>` +
97     `<div class="price">Price : ${databooks[x].price} riels</div>` +
98     `<div class="category">Category : ${databooks[x].category}</div>` +
99     `<div class="button">` +
100     `<button id="${parseInt(x)}" class="editBtn" onclick="editBook(this.id)">Edit</button>` +
101     `<button id="${parseInt(x)}" class="deleteBtn" onclick="deleteBook(this.id)">Delete</button>` +
102     `</div>` +
103     `</div>`;
104 }
105
106 //Edit the data
107 function editBook(id) {
108     header.innerHTML = "Edit information here!";
109     header.style.backgroundColor = "rgb(61,133,198)";
110
111     let getdatabooks = getbooks();
112
113     selectedRow = id;
114     document.getElementsByClassName("edit_book")[0].style.visibility = 'visible';
115     document.getElementsByClassName("add_book")[0].style.visibility = 'hidden';
116
117     document.getElementById('name_book').value = getdatabooks[id].name;
118     document.getElementById('price_book').value = getdatabooks[id].price;
119     document.getElementById('category_book').value = getdatabooks[id].category;
120 }
121
122 function updateRecord(formData) {
123     document.getElementsByClassName("name")[selectedRow].innerHTML = "Name : " + formData.name_book;
124     document.getElementsByClassName("price")[selectedRow].innerHTML = "Price : " + formData.price_book + " riels";
125     document.getElementsByClassName("category")[selectedRow].innerHTML = "Category : " + formData.category_book;
126     document.getElementsByClassName("edit_book")[0].style.visibility = 'hidden';
127     document.getElementsByClassName("add_book")[0].style.visibility = 'visible';
128 }
```

Exercise05 > bookjs > deleteBook

```
125 document.getElementsByClassName("category")[selectedRow].innerHTML = "Category : " + formData.category_book;
126 document.getElementsByClassName("edit_book")[0].style.visibility = 'hidden';
127 document.getElementsByClassName("add_book")[0].style.visibility = 'visible';
128
129 //get books from localStorage
130 let bookss = getbooks();
131 const bookUpdate = {
132     name: `${formData.name_book}`,
133     price: `${formData.price_book}`,
134     category: `${formData.category_book}`
135 };
136
137 //merge bookss to books
138 books = Object.assign([], bookss);
139 books[selectedRow] = bookUpdate;
140 localStorage.setItem('books', JSON.stringify(books));
141
142 document.getElementsByClassName("header-add")[0].innerHTML = "Add new book here!";
143 header.style.backgroundColor = "rgb(147, 196, 125)";
144 selectedRow = null;
145 }
146
147 //delete
148 function deleteBook(id) {
149     //get books from localStorage
150     let databooks = getbooks();
151     if (confirm('Do you want to delete this record?')) {
152         //remove books at id and count 1
153         databooks.splice(id, 1);
154         localStorage.setItem('books', JSON.stringify(databooks));
155
156         //reset home to update id element
157         document.getElementById("add_items").innerHTML = '';
158         document.getElementById("add_items").innerHTML = `<div class="book-info">Book</div>`;
159         for (databook in databooks) {
160             document.getElementById("add_items").innerHTML +=
161             `<div class="items">` +
162             `Name : ${databooks[databook].name}</div>` +
164             `<div class="price">Price : ${databooks[databook].price} riels</div>` +
165             `<div class="category">Category : ${databooks[databook].category}</div>` +
166             `<div class="button">` +
167             `<button id="${parseInt(databook)}" class="editBtn" onclick="editBook(this.id)">Edit</button>` +
168             `<button id="${parseInt(databook)}" class="deleteBtn" onclick="deleteBook(this.id)">Delete</button>` +
169             `</div>` +
170             `</div>`;
```

```

Exercise05 > bookjs > deleteBook
168         `<button id="${parseInt(databook)}" class="deleteBtn" onclick="deleteBook(this.id)">Delete</button>` +
169         `</div>` +
170         `</div>`;
171     }
172 }
173 resetForm();
174 }
175
176 function resetForm() {
177     document.getElementById('name_book').value = '';
178     document.getElementById('price_book').value = '';
179     document.getElementById('category_book').value = '';
180 }
181
182 //get books from localStorage
183 function getbooks() {
184     const getbooks = localStorage.getItem('books');
185     let databooks = JSON.parse(getbooks);
186
187     return databooks;
188 }

```

- book-api.js

```

Exercise05 > JS book-api.js > ...
1  const queryString = window.location.search;
2      const urlParams = new URLSearchParams(queryString);
3
4      const id = urlParams.get('bookid');
5      let result = [];
6      let output = '';
7
8      fetch(`https://jsonplaceholder.typicode.com/photos/${id}`).then(async(res) => {
9          result = await res.json();
10         console.log(result)
11         output += `<div class="container">` +
12             `<div>${result.title}</div>` +
13             `<div>${result.albumId}</div>` +
14             `</div>` +
15             `<div class="home">` +
16             `<div>${result.id}</div>` +
17             `` +
18             `</div>`
19
20         document.getElementsByClassName('items')[0].innerHTML = output;
21     });

```

- Result of Ex5:

Add new book here!

Name

c programming

Category

coding

Price

1000 riels

Add

List Book

Title : accusamus ...

Id : 1

Album ID : 1

see more

Title : reprehende...

Id : 2

Album ID : 1

see more

Title : officia po...

Id : 3

Album ID : 1

see more

Title : culpa odio...

Id : 4

Album ID : 1

see more

Title : natus nisi...

Id : 5

Album ID : 1

see more

Title : accusamus ...

Id : 6

Album ID : 1

see more

Title : officia de...

Id : 7

Album ID : 1

see more

Title : aut porro ...

Id : 8

Album ID : 1

see more

Title : qui eius q...

Id : 9

Album ID : 1

see more

Title : beatae et ...

Id : 10

Album ID : 1

see more

Title : nihil at a...

Id : 11

Album ID : 1

see more

Title : mollitia s...

Id : 12

Album ID : 1

see more

accusamus beatae ad facilis cum similique qui sunt

1

1

Add new book here!

Name

c programming

Category

coding

Price

1000 riels

Add

Album ID : 100

see more

Title : est qui qu...

Id : 4993

Album ID : 100

see more

Album ID : 100

see more

Title : in vel err...

Id : 4994

Album ID : 100

see more

Album ID : 100

see more

Title : sequi sunt...

Id : 4995

Album ID : 100

see more

Album ID : 100

see more

Title : voluptatem...

Id : 4996

Album ID : 100

see more

Album ID : 100

see more

Title : sunt amet ...

Id : 4997

Album ID : 100

see more

Album ID : 100

see more

Title : qui quo cu...

Id : 4998

Album ID : 100

see more

Album ID : 100

see more

Title : in volupta...

Id : 4999

Album ID : 100

see more

Album ID : 100

see more

Title : error quas...

Id : 5000

Album ID : 100

see more

Name : Java

Price : 50000 riels

Category : Coding

Edit

Delete

- After delete we will see record data of list book

Add new book here!


Name

Category

Price


Add

Book




Name : PHP2
Price : 4000 riels
Category : coding

Edit Delete




Name : PHP
Price : 20000 riels
Category : programming

Edit Delete




Name : Java
Price : 20000 riels
Category : Programming

Edit Delete




Name : Node JS
Price : 2000 riels
Category : framwork

Edit Delete




Name : PHP
Price : 25000 riels
Category : Coding

Edit Delete



Name : C program
Price : 250000 riels
Category : coding

Edit Delete



Name : Statistic I
Price : 34000 riels
Category : Mathematic

Edit Delete