

Test: DFo Database Foundations Final Exam

Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.

Section 4

(Answer all questions in this section)

1. When building a model in Oracle SQL Data Modeler you begin in the _____ tab.

(1/1) Points

Relational ☒

Physical ☐

Logical (*) ☐

Conceptual ☐

Correct

2. The Oracle SQL Data Modeler enables you to do all of the following except:

(1/1) Points

Capture business rules and information ☐

Store metadata information ☐

Store application data (*) ☒

Create process, logical, relational and physical models ☐

Correct

3. _____ Engineering is the process of creating a conceptual or logical model by extracting the information from an existing data source.

(1/1) Points

Reverse (*) ☒

Top-Down ☐

Forward ☐

Target ☐

Correct

4. When creating a database based on extracting metadata from an existing database or using the DDL code obtained from an implementation of an existing database, which data modeling approach would you choose?

(1/1) Points

Top-Down Modeling ☐

Target Modeling ☐

You cannot model this. ☐

Bottom-Up Modeling (*) ☒

Correct

Section 5

(Answer all questions in this section)

5. Each attribute in an entity maps to a _____ in a table.

(1/1) Points

primary key ☐

row ☐

instance ☐

column (*) ☒

Correct

Page 1 of 10 Next

Test: DfO Database Foundations Final Exam

Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.

Section 5

(Answer all questions in this section)

6. The glossary can be used as the naming standard for your Logical Model.

(1/1) Points

True (*) ☒

False ☐

Correct

7. When mapping subtypes to tables we can _____

(1/1) Points

Use one table ☐

Use multiple tables ☐

Either one or multiple tables are valid options. (*) ☒

Neither one or multiple tables are valid options. ☐

Correct

8. Foreign key constraints are named using the _____ of both tables.

(1/1) Points

full table name ☐

UID suffix ☐

foreign key name ☐

short table name (*) ☒

Correct

Section 6

(Answer all questions in this section)

9. Table names and column names must begin with a number and should be 1-30 characters long.

(1/1) Points

True ☐

False (*) ☒

Correct

10. When altering a table, you can decrease the width of a column if ...

(Choose 3)

(Choose all correct answers)

(1/1) Points

The table has no rows (*) ☒

The decrease in column width is not less than the existing values in that column (*) ☒

The column contains only null values (*) ☒

The column contains numeric values ☐

Correct

Test: DFo Database Foundations Final Exam

Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.

Section 5

(Answer all questions in this section)

6. The glossary can be used as the naming standard for your Logical Model.

(1/1) Points

True (*) ☒

False ☐

Correct

7. When mapping subtypes to tables we can _____

(1/1) Points

Use one table ☐

Use multiple tables ☐

Either one or multiple tables are valid options. (*) ☒

Neither one or multiple tables are valid options. ☐

Correct

8. Foreign key constraints are named using the _____ of both tables.

(1/1) Points

full table name ☐

UID suffix ☐

foreign key name ☐

short table name (*) ☒

Correct

Section 6

(Answer all questions in this section)

9. Table names and column names must begin with a number and should be 1–30 characters long.

(1/1) Points

True ☐

False (*) ☒

Correct

10. When altering a table, you can decrease the width of a column if ...

(Choose 3)

(Choose all correct answers)

(1/1) Points

The table has no rows (*) ☒

The decrease in column width is not less than the existing values in that column (*)

☒

The column contains only null values (*) ☒

The column contains numeric values ☐

Correct

Previous Page 2 of 10 Next

Test: DFo Database Foundations Final Exam

Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.

Section 5

(Answer all questions in this section)

6. The glossary can be used as the naming standard for your Logical Model.

(1/1) Points

True (*) ☒

False ☐

Correct

7. When mapping subtypes to tables we can _____

(1/1) Points

Use one table ☐

Use multiple tables ☐

Either one or multiple tables are valid options. (*) ☒

Neither one or multiple tables are valid options. ☐

Correct

8. Foreign key constraints are named using the _____ of both tables.

(1/1) Points

full table name ☐

UID suffix ☐

foreign key name ☐

short table name (*) ☒

Correct

Section 6

(Answer all questions in this section)

9. Table names and column names must begin with a number and should be 1–30 characters long.

(1/1) Points

True ☐

False (*) ☒

Correct

10. When altering a table, you can decrease the width of a column if ...

(Choose 3)

(Choose all correct answers)

(1/1) Points

The table has no rows (*) ☒

The decrease in column width is not less than the existing values in that column (*) ☒

The column contains only null values (*) ☒

The column contains numeric values ☐

Correct

[Previous](#) [Page 2 of 10](#) [Next](#)

Test: Dfo Database Foundations Final Exam

Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.

Section 6

(Answer all questions in this section)

21. Selecting specific columns from a table to be displayed in a query is called _____.

(1/1) Points

projection (*) ☒

selection ☐

elimination ☐

sorting ☐

Correct

22. Which two statements are correct?

(Choose all correct answers)

(0/1) Points

Keywords cannot be abbreviated or split across lines. (*) ☒

SQL statements are case sensitive. ☐

SQL statements are not case sensitive (unless indicated). (*) ☐

Keywords can be abbreviated or split across lines. ☒

Incorrect. Refer to Section 6 Lesson 6.

23. Null is the same as zero or a blank space. True or False?

(0/1) Points

True ☒

False (*) ☐

Incorrect. Refer to Section 6 Lesson 6.

24. Arithmetic expressions containing a null value evaluate to _____.

(1/1) Points

null (*) ☒

zero ☐

will cause an error ☐

whatever the calculation evaluates to ☐

Correct

25. With the _____ and ROLLBACK statements, you have control over making changes to the data permanent

(1/1) Points

WHERE ☐

DELETE ☐

INSERT ☐

COMMIT (*) ☒

Correct

Previous Page 5 of 10 Next

Test: DfO Database Foundations Final Exam

Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.

Section 6

(Answer all questions in this section)

26. An automatic commit occurs when _____. (Choose 2)

(Choose all correct answers)

(1/1) Points

A TCL statement is executed. (*) ☒

SELECT statement is executed. ☐

A DDL statement is executed. (*) ☒

A DML statement is executed. ☐

Correct

27. _____ give you more flexibility and control when changing data, and they ensure data consistency in the event of user process failure or system failure.

(1/1) Points

Functions ☐

Code blocks ☐

Procedures ☐

Transactions (*) ☒

Correct

28. Users may view data that is in the process of being changed by another user.

(0/1) Points

True ☐

False (*) ☒

Incorrect. Refer to Section 6 Lesson 5.

29. It is not mandatory to specify the column list in the INSERT statement. True or False?

(1/1) Points

True (*) ☒

False ☐

Correct

30. The command that always removes all rows from a table, leaving the table empty and the table structure intact is ...

(1/1) Points

TRUNCATE (*) ☒

DELETE ☐

Both ☐

None ☐

Correct

[Previous](#) [Page 6 of 10](#) [Next](#)

Test: DFo Database Foundations Final Exam

Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.

Section 6

(Answer all questions in this section)

31. Data Manipulation Language includes all of the following except :

(0/1) Points

INSERT ☒

DELETE ☐

COMMIT (*) ☐

UPDATE ☐

Incorrect. Refer to Section 6 Lesson 4.

32. You can delete a row that contains a primary key that is used as a foreign key in another table.

(1/1) Points

True ☐

False (*) ☐

Correct

33. Any column that is not listed explicitly obtains a null value in the new row unless we have _____ values for the missing columns that are used.

(0/1) Points

BEGINNING ☐

DEFAULT (*) ☐

STANDARD ☐

INSERT ☐

Incorrect. Refer to Section 6 Lesson 4.

34. The _____ join clause is based on all the columns in the two tables that have the same name and the same datatype.

(1/1) Points

NATURAL JOIN (*) ☐

USING ☐

CROSS JOIN ☐

OUTER JOIN ☐

Correct

35. A join between two tables that returns the results of an INNER join as well as the results of a left and right join is a _____ join.

(1/1) Points

TOTAL OUTER ☐

FULL OUTER (*) ☐

CROSS JOIN ☐

INNER OUTER ☐

Correct

[Previous](#) [Page 7 of 10](#) [Next](#)

Test: DfO Database Foundations Final Exam

Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.

Section 6

(Answer all questions in this section)

36. Which of the following statements is syntactically correct?

(1/1) Points

```
SELECT e.employee_id, e.last_name, e.department_id, d.department_id,  
d.location_id
```

```
FROM employees e JOIN departments d
```

```
ON (e.department_id = d.department_id)
```

```
AND e.manager_id = 149 ;
```

```
SELECT e.employee_id, e.last_name, e.department_id, d.department_id,  
d.location_id
```

```
FROM employees e JOIN departments d
```

```
ON (e.department_id = d.department_id)
```

```
WHERE e.manager_id = 149 ;
```

Both statements are syntactically correct. (*) ☐

Neither statement is syntactically correct. ☐

Correct

37. A self-join can be used when there are two fields with the same data on a table that have different meanings.

(0/1) Points

True (*) ☐

False ☐

Incorrect. Refer to Section 6 Lesson 9.

38. The CARTESIAN or CROSS join gets created when a join condition is omitted.
(1/1) Points

True (*) ☒

False ☐

Correct

39. An _____ clause creates an equijoin between two tables using one column from each table regardless of the name or data type.

(1/1) Points

USING ☐

NATURAL JOIN ☐

ON (*) ☒

CROSS JOIN ☐

Correct

40. A _____ can be found at the intersection of a row and column and contains one value.

(0/1) Points

table ☐

field (*) ☒

instance ☐

entity ☐

Incorrect. Refer to Section 6 Lesson 2.

[Previous](#) [Page 8 of 10](#) [Next](#)

Test: DFo Database Foundations Final Exam

Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.

Section 6

(Answer all questions in this section)

41. The type of SQL Command used to modify data is :

(1/1) Points

TCL ☐

DDL ☐

DCL ☐

DML (*) ☒

Correct

42. All of the following are stages of SQL Processing except:

(1/1) Points

Row Source Generation ☐

Execution ☐

Parsing ☐

Optimization ☐

All of the above options are stages of SQL processing. (*) ☒

Correct

43. The stages of SQL processing are Parsing, Optimization, Row Source Generation and _____ .

(0/1) Points

Analyzing ☐

Execution (*) ☐

Display ☐

None of the above are stages of SQL processing. ☐

Incorrect. Refer to Section 6 Lesson 2.

44. Oracle Application Express is an application platform used to share and learn _____ and _____.

(1/1) Points

Java, PL/SQL ☐

SQL, PL/SQL (*) ☒

SQL, Java ☐

SQL, Java Script ☐

Correct

45. Application programs enable us to _____.

(1/1) Points

Check email. ☐

Create documents ☐

Edit photographs ☐

All of the above. (*) ☒

Correct

Previous Page 9 of 10 Next

Test: DFO Database Foundations Final Exam

Review your answers, feedback, and question scores below. An asterisk (*) indicates a correct answer.

Section 6

(Answer all questions in this section)

46. In the APEX application a _____ is a collection of logical structures of data. A _____ is owned by a database user and has the same name as that user.

(1/1) Points

schema (*) ☒

entity ☐

file ☐

table ☐

Correct

47. The following statement will execute successfully (true or false):

```
SELECT employee_id, last_name, salary*12 annsal
```

```
FROM employees
```

```
ORDER BY annsal ;
```

(1/1) Points

True (*) ☒

False ☐

Correct

48. Substitution variables are used when you want to prompt for different criteria in a condition.

(1/1) Points

True (*) ☒

False ☐

Correct

49. Which statements are not true?

(Choose 2)

(Choose all correct answers)

(1/1) Points

You can sort query results by specifying the numeric position of the column in the SELECT clause. ☐

You cannot sort query results by more than one column. (*) ☒

You can sort by a column that is not in the SELECT list. ☐

You cannot use a column alias in the ORDER BY clause. (*) ☒

Correct

50. In a SELECT statement the _____ clause can be used to sort the rows.

(1/1) Points

ORDER ☒

ORDER BY (*) ☐

SORT ☐

WHERE ☐

Correct